

OIJNOMI

Short description: Nomination Item

Transparent table

Active version

Field Structure

Number of fields: 215

Total of field lengths: 1772

Field Name	K	Type	Length	Data Elem.
Short Text				
MANDT	X	CLNT	3	MANDT
Client				
NOMTK	X	CHAR	20	OIJ_NOMTK
Nomination (technical) Key				
NOMIT	X	NUMC	10	OIJ_ITEM
Nomination Key Item				
INCLUDE ROIJNOMI_R				
SITYP		CHAR	2	OIJ_SITYP
Schedule type				
ISTAT		CHAR	1	OIJ_ISTAT
Nomination Item status				
ISUBSTAT		CHAR	1	OIJ_SSTAT
Nomination Item sub-status				
IDATE		DATS	8	OIJ_IDATE
Scheduled date				
SCHED_TST_FROM		DEC	15	OIJ_SCHED_F
Scheduled / Acceptance / Pipe Batch Start Timestamp				
SCHED_TST_TO		DEC	15	OIJ_SCHED_T
Scheduled / Acceptance / Pipe Batch End Timestamp				
LOCID		CHAR	10	OIJ_LOCID
Location ID				
S_MATNR_I		CHAR	40	OIJ_SMATNR
Scheduled material				
MATNR_I		CHAR	40	OIJ_MATNRI
Demand material				
MENGE		QUAN	13	OIJ_MENGE
Scheduled qty				
UNIT_I		UNIT	3	OIJ_UNITI
Scheduled UoM				
UNIT_I_T		UNIT	3	OIJ_UNITI_T
Scheduled UoM Time				
DOCIND		CHAR	1	OIJ_DOCIND
Reference document indicator (PSX)				
DOCNR		CHAR	10	OIJ_DOCNR
Nomination Reference Document				
DOCITM		NUMC	6	OIJ_DOCITM
Nomination Reference Document Item				
DOCSCHEDLN		NUMC	4	OIJ_DOCSCHEDLN
Nomination Reference Document Schedule line				
QTYFCR		QUAN	13	OIJ_QTYFCR
First requested quantity				

Field Name	K	Type	Length	Data Elem.
Short Text				
QTYFCR_UOM		UNIT	3	OIJ_QTYFCR_UOM
First Requested Quantity UoM				
WORKLIST_I		CHAR	1	OIJ_WORKLT
Worklist entry indicator				
TANK		CHAR	10	OIJ_TANKAGE
Tankage Partner				
CONS		CHAR	10	OIJ_CONSIGNEE
Consignee Partner				
PARTNR		CHAR	10	OIJ_PARTNR
Location Partner				
CONPAT		CHAR	10	OIJ_CONPAT
Contract Partner				
INSPE		CHAR	10	OIJ_INSPECTOR
Inspector				
IMPOEXPO		CHAR	10	OIJ_IMEXPO
Import / Export Partner				
FLAG_IMEX		CHAR	2	OIJ_IMEXFL
Import / Export Partner Indicator				
OWNER		CHAR	10	BWTAR_D
Valuation Type				
CHARG_O		CHAR	10	OIJ_CHARGO
Batch origin Location				
CHARG_D		CHAR	10	OIJ_CHARGD
Batch destination Location				
RVP		DEC	4	OIJ_RVP
RVP value				
VALUATIONTYPE_O		CHAR	10	OIJ_BWTAR_O
Valuation Type Origin Loc.				
VALUATIONTYPE_D		CHAR	10	OIJ_BWTAR_D
Valuation Type Destination Loc.				
SHNUM		CHAR	10	OIG_SHNUM
TD shipment number				
SHITEM		NUMC	4	OIG_SHITM
Shipment item				
ILOCK		CHAR	1	OIJ_ILOCK
Nomination item complete flag				
PRORATEQTY		QUAN	13	OIJ_PRRQ_QTY
Prorated Quantity				
ASSIGNEDQTY		QUAN	13	OIJ_ASSG_QTY
Assigned Quantity				
ACTDAT		DATS	8	OIJ_ACTDAT
Last item action date				
ACTTIME		TIMS	6	OIJ_ACTIME
Last item action time				
ACTUALS		CHAR	1	OIJ_ACTUAL
Nomination item partially complete				
ACTUALQTY		QUAN	13	OIJ_ACTQTY
Actual posted quantity				
ACTUALUOM		UNIT	3	OIJ_ACTUOM
Actual posted quantity Unit of Measure				
ITBOTOL		DEC	4	OIJ_BOTOL
Quantity tolerance over (percentage)				

Field Name	K	Type	Length	Data Elem.
Short Text				
ITBUTOL		DEC	4	OIJ_BUTOL
Quantity tolerance under (%)				
ITBOTOLABS		QUAN	13	OIJ_TOLABO
Absolute tolerance qty over				
ITBUTOLABS		QUAN	13	OIJ_TOLABS
Absolute tolerance qty under				
ITTOLUNIT		UNIT	3	OIJ_TOLUOM
Absolute tolerance UoM				
UNLIMITED		CHAR	1	UEBTK
Unlimited Overdelivery Allowed				
BLOIND		CHAR	1	OIJ_BLOIND
Blocking indicator				
DELIND		CHAR	1	OIJ_DELIND
Deletion indicator				
UPDATEXDOK		CHAR	1	OIJ_EXDOK
Update external details failure flag				
INCOMPLETE_FLAG		CHAR	1	OIJ_INCOMPLETE_FLAG
Incompletion Flag				
DOCTYP		CHAR	4	OIJ_DOCTYP
Reference Document Type				
LDRATE		QUAN	13	OIJ_EL_LDRATE
Planned load/discharge rate				
LDQUOM		UNIT	3	OIJ_EL_LDQUOM
Planned load/discharge rate quantity UoM				
LDTUOM		UNIT	3	OIJ_EL_LDTUOM
Planned load/discharge rate time UOM				
THIRD_NOMNR		CHAR	20	OIJ_3RD_NOMNR
Partner Nomination number				
UPMAT		CHAR	40	UPMAT
Pricing reference material of main item				
REFITEM		NUMC	10	OIJ_REF_BOM_ITEM
Higher-level item in bill of material structures				
STLTY		CHAR	1	STLTY
BOM category				
STLKN		NUMC	8	STLKN
BOM item node number				
CHARG_D_CREATE		CHAR	1	OIJ_CHARG_D_C
Destination Batch create new flag				
CHARG_O_CREATE		CHAR	1	OIJ_CHARG_O_C
Origin Batch create new flag				
CO_CARR		CHAR	10	OIJ_EL_CCA
Connecting carrier				
CO_SHIP		CHAR	10	OIJ_EL_CSH
Connecting shipper				
CO_TSYST		CHAR	10	OIJ_EL_CTSYST
Connecting Transport System				
COMMCTL		CHAR	2	OIJ_NOMCOMM
Nomination Communication Control				
SOLDTO		CHAR	10	OIJ_SOLDTO
Customer Sold-to or Vendor				
PRORATE_ROUTINE		CHAR	6	OIJ_EL_DE_PR_RT
Prorate Calculation Routine Type				

Field Name	K	Type	Length	Data Elem.
Short Text				
CHARG_L		CHAR	10	OIJ_CHARGL
Batch load				
CHARG_L_CREATE		CHAR	1	OIJ_CHARG_L_C
Load Batch create new flag				
TCNUM		CHAR	10	OIJ_TCNR
TSW :Trading Contract number				
TCITM		NUMC	6	OIJ_TCITM
TSW: Trading contract item number				
GA_NMSHIPPER		CHAR	10	OIJ_SHIPNR
Shipper				
GA_CONF_QTY		QUAN	13	OIJ_CONFQTY
Confirmed Quantity				
GA_CONF_UOM		UNIT	3	OIJ_CONFUOM
Unit of Measure for Confirmed Quantity Field				
GA_TECHSCH_QTY		QUAN	13	OIJ_TECHSCHQTY
Technical Scheduled Quantity Field				
GA_TECHSCH_UOM		UNIT	3	OIJ_TECHSCHUOM
Unit of Measure for Technical Scheduled Quantity Field				
GA_CONF_QTY_CAL		QUAN	13	OIJ_CONFQTY_CAL
Calculated Values of Confirmed Quantity Field				
GA_TSCH_QTY_CAL		QUAN	13	OIJ_TECHSCH_QTY_CAL
Calculated Values of Technical Scheduled Quantity Field				
GA_ALLOCATED_QTY		QUAN	13	OIJ_ALLOCATED_QTY
Allocated Quantity				
GA_ALLOCATED_UOM		UNIT	3	OIJ_ALLOCATED_UOM
Unit of Measure for Allocated Quantity Field				
GA_RANK		INT1	3	OIJ_RANK
Rank				
CYCLE_ITEM		CHAR	10	OIJ_ITEMCYCLE
Nomination Pipeline cycle ID at Item Level				
LESSHNUM		CHAR	10	TKNUM
Shipment Number				
LESTPNUM		NUMC	4	TPNUM
Shipment item				
ATL_DELV_NUMBER		CHAR	10	OIJ_ATL_DELV
ATL credit check delivery number				
ATL_DELV_ITM		NUMC	6	OIJ_ATL_DELV_ITM
ATL credit check delivery item				
ATL_CRDT_QTY		QUAN	13	OIJ_ATL_CREDIT_QTY
ATL Credit Quantity				
ATL_CRDT_UOM		UNIT	3	MEINS
Base Unit of Measure				
ATL_CRDT_VAL		CURR	15	OIJ_ATL_CREDIT_AMT
ATL Credit Amount				
ATL_CRDT_CURR		CUKY	5	OIJ_ATL_CREDIT_CURR
ATL Credit Currency				
PRE_EXIST_IND		CHAR	1	OIJ_ATL_PREEXIST_IND
ATL Preexisting Delivery Indicator				
APPEND YRXS_ROIJNOMI_R				
INCLUDE YRXS_OIJNOMI				
YYOIJ_OD_QTY		QUAN	13	YYOIJ_OD_QTY
OD(Over drawl-GSA)				

Field Name	K	Type	Length	Data Elem.
Short Text				
YY0IJ_UN_QTY	QUAN		13	YY0IJ_UN_QTY
UD(Under drawl-GSA)				
YY0IJ_AOD_QTY	QUAN		13	YY0IJ_AOD_QTY
Authorized Over drawl(GSA)				
YY0IJ_UNAOD_QTY	QUAN		13	YY0IJ_UNAOD_QTY
Unauthorized Over drawl(GSA)				
YY0IJ_OVR_QTY	QUAN		13	YY0IJ_OVR_QTY
Overrun(GTA)1				
YY0IJ_AOVR_QTY	QUAN		13	YY0IJ_AOVR_QTY
Authorized Overrun(GTA)1				
YY0IJ_UNAOVR_QTY	QUAN		13	YY0IJ_UNAOVR_QTY
Unauthorized Overrun(GTA)				
YY0IJ_DIMB_QTY	QUAN		13	YY0IJ_DIMB_QTY
Daily Imbalance(GTA)				
YY0IJ_CNOM_QTY	QUAN		13	YY0IJ_CNOM_QTY
Contractual Nominated qty				
YY0IJ_CNOM_UOM	UNIT		3	YY0IJ_CNOM_UOM
Contractual Nominated UOM				
YY0IJ_STATUS	CHAR		15	YY0IJ_STATUS
Status				
YY0IJ_DPIMB_QTY	QUAN		13	YY0IJ_DPIMB_QTY
Daily Positive Imbalance Quantity1				
YY0IJ_DNIMB_QTY	QUAN		13	YY0IJ_DNIMB_QTY
Daily Negative Imbalance Quantity1				
YY0IJ_CUMIMB_QTY	QUAN		13	YY0IJ_CUMIMB_QTY
Cumulative Imbalance Quantity				
YY0IJ_CRGIMB_QTY	QUAN		13	YY0IJ_CRGIMB_QTY
Chargable Imbalance Quantity				
YY0IJ_POS_CUMIMB	QUAN		13	YY0IJ_POS_CUMIMB
Cumulative Imbalance Quantity				
YY0IJ_NEG_CUMIMB	QUAN		13	YY0IJ_NEG_CUMIMB
Cumulative Imbalance Quantity				
YY0IJ_LD_A_QTY	QUAN		13	YY0IJ_LD_ADJUST
Liquidated Damages Adjusted qty				
YY0IJ_LD_D_QTY	QUAN		13	YY0IJ_LD_DISC
Liquidated Damaages discount				
YY0IJ_SOP_A_QTY	QUAN		13	YY0IJ_SOP_ADJUST
Sell or Pay				
YY0IJ_SOP_D_QTY	QUAN		13	YY0IJ_SOP_DISC
Sell or Pay discounted qty				
YY0IJ_SSF_A_QTY	QUAN		13	YY0IJ_SSF_ADJUST
Sell or Pay				
YY0IJ_SSF_D_QTY	QUAN		13	YY0IJ_SSF_DISC
Liquidated Damaages discount				
YY0IJ_TOP_A_QTY	QUAN		13	YY0IJ_TOP_ADJUST
Sell or Pay				
YY0IJ_TOP_D_QTY	QUAN		13	YY0IJ_TOP_DISC
Sell or Pay discounted qty				
YY0IJ_GTA_ADJUST	CHAR		1	YY0IJ_GTA_ADJUST
GTA adjust				
YY0IJ_GSA_ADJUST	CHAR		1	YY0IJ_GSA_ADJUST
GSA TOP/SSF adjsuted				

Field Name	K	Type	Length	Data Elem.
Short Text				
YYOIJ_GUJDNQ	QUAN		13	YYOIJ_GUJDNQ
Qty for Gujrat DNQ				
YYOIJ_GUJDNQ_UOM	UNIT		3	YYOIJ_GUJDNQ_UOM
UOM for Gujrat DNQ				
YYOIJ_DDS_QTY	QUAN		13	YYOIJ_DDS_QTY
Daily DDS Imbalance Quantity1				
INCLUDE ROIJNOMI_C				
PLANIND	CHAR		1	OIJ_PLANIN
Planning location flag				
LOCPT	CHAR		4	OIJ_LOCPT
Location Partner Plant				
LOCSL	CHAR		4	OIJ_LOCSL
Location Partner Storage Location				
QUICKCONF	CHAR		1	OIJ_QC
Quick Confirm check box				
INCLUDE ROIJNOMI_A				
ERDAT	DATS		8	ERDAT
Record Creation Date				
ERZEIT	TIMS		6	OI0_ERTIM
Time of creation				
ERNAM	CHAR		12	ERNAM
Name of Person Responsible for Creating the Object				
AEDAT	DATS		8	AEDAT
Last Changed On				
AEZEIT	TIMS		6	OI0_AETIM
Time of day the record was changed				
AENAM	CHAR		12	AENAM
Name of Person Who Changed Object				
INCLUDE ROIJNOMI_O				
LOCNAM	CHAR		60	OIJ_LOCNAM
Location name (used by system owner)				
VBELN	CHAR		10	VBELN_VL
Delivery				
POSNR	NUMC		6	POSNR_VL
Delivery Item				
INCLUDE ROIJNOMI_B				
NOMIT_CONS	NUMC		10	OIJ_NOMIT_CONS
OIL-TSW: Referenced nomination item for bunker consumption				
INCLUDE ROIJ_NOMI_CWM				
ACTUALQTY_PAR	QUAN		13	OIJ_ACTQTY_PAR
Actual posted parallel quantity				
ACTUALUOM_PAR	UNIT		3	OIJ_ACTUOM_PAR
Actual posted quantity Parallel Unit of Measure				
LOV_IND	CHAR		1	OIJ_LOV
TSW: Ticket Type 'Left on Vehicle'				
INCLUDE ROIJNOMI_RU				
FERRYIND	CHAR		1	OIJ_RU_FERRIND
By Ferry				
RAILCARQTY	INT4		10	OIJ_RU_RAILQTY
Number of Railcars				
INCLUDE OIJ_OIL_ADD_INCL				
INCLUDE OIH_INCL				

Field Name	K	Type	Length	Data Elem.
Short Text				
OITAXFROM		CHAR	2	OIH_TAXFRO
Excise duty tax key for 'from' location				
OIHANTYP		CHAR	2	OIH_HANTYP
Excise Duty Handling Type				
OITAXGRP		CHAR	2	OIH_TAXGRP
Excise Duty Group				
OITAXTO		CHAR	2	OIH_TAXTO
Excise duty tax key for 'to' location				
OIOILCON		DEC	5	OIH_OILCON
Oil content in a material as a percentage				
OIEDBAL		CHAR	1	OIH_EDBAL
Excise duty balancing is required (indicator)				
OIPRICIE		CHAR	1	OIH_PRICIE
ED pricing: external (indicator)				
OIINEX		CHAR	2	OIH_INEX
Code for internal or external excise duty rate determination				
OIEDBALM		CHAR	1	OIH_EDBALM
Excise duty balancing method indicator				
LOG_PROC		CHAR	1	OIH_LOGPROC
Logistic Procedure				
TAX_PROC		CHAR	2	OIH_TAXPROC
Tax Procedure				
INCLUDE OIHLIC				
OICERTF1		CHAR	15	OIH_CERTF1
Excise tax external license number				
OIDATFM1		DATS	8	OIH_DATFM1
Excise Duty License Valid from Date				
OIDATT01		DATS	8	OIH_DATT01
Valid to date for excise duty tax certificate				
OIH_LICTP		CHAR	4	OIH_LICTP
License type				
OIH_LICIN		CHAR	10	OIH_LICIN
Excise tax internal license number				
OIH_LCFOL		CHAR	10	OIH_LCFOL
Follow-on license for quantity license				
OIH_FOLQTY		QUAN	13	OIH_FOLQTY
Excise Tax Follow-On License Quantity				
INCLUDE OIHLIC_GI				
OICERTF1_GI		CHAR	15	OIH_CERTF1_GI
Excise Tax External License Number Used During GI (ST0)				
OIDATFM1_GI		DATS	8	OIH_DATFM1_GI
Excise Duty License Valid from Date for Mat. (ST0)				
OIDATT01_GI		DATS	8	OIH_DATT01_GI
Valid To Date for Excise Duty Tax Certificate for Mat. (ST0)				
OIH_LICTP_GI		CHAR	4	OIH_LICTP_GI
License Type to Material (ST0)				
OIH_LICIN_GI		CHAR	10	OIH_LICIN_GI
Excise Tax Internal License Number to Mat. (ST0)				
OIH_LCFOL_GI		CHAR	10	OIH_LCFOL_GI
Follow-On License for Quantity License to Mat. (ST0)				
OIH_FOLQTY_GI		QUAN	13	OIH_FOLQTY_GI
Excise Tax Follow-On License Quantity to Mat. (ST0)				

Field Name	K	Type	Length	Data Elem.
Short Text				
INCLUDE OIC_PIPE				
OIPIPEVAL		CHAR	1	OID_PIPEV
Validation indicator for pipeline fields (X=ON, blank=OFF)				
OIC_LIFNR		CHAR	10	LIFNR
Account Number of Supplier				
INCLUDE OIC_DEST_ORIG Group Name OIC_DEST_ORIG				
OIC_DCITYC		CHAR	4	OIC_DCITYC
Destination city code				
OIC_DCOUNC		CHAR	3	OIC_DCOUNC
Destination county code				
OIC_DREGIO		CHAR	3	OIC_DREGIO
Destination region				
OIC_DLAND1		CHAR	3	OIC_DLAND1
Destination country/Region				
OIC_OCITYC		CHAR	4	OIC_OCITYC
Origin city code				
OIC_OCOUNC		CHAR	3	OIC_OCOUNC
Origin county code				
OIC_OREGIO		CHAR	3	OIC_OREGIO
Origin region				
OIC_OLAND1		CHAR	3	OIC_OLAND1
Origin Country/Region				
OIC_PORGIN		CHAR	15	OIC_PORGIN
Tax origin				
OIC_PDESTN		CHAR	15	OIC_PDESTN
Tax destination				
OIC_PTRIP		CHAR	16	OIC_PTRIP
Pipeline trip number (external)				
OIC_PBATC		CHAR	16	OIC_PBATC
Pipeline operator's external batch number				
OIC_MOT		CHAR	2	OIC_MOT
IS-OIL MAP external details mode of transport				
OIC_AORGIN		CHAR	15	OIC_AORGIN
Alternate origin				
OIC_ADESTN		CHAR	15	OIC_ADESTN
Alternate destination				
OIC_TRUCKN		CHAR	10	OIC_TRUCKN
Truck number				
OIA_BASELO		CHAR	15	OIA_BASELO
Base location				
OIEDOK		CHAR	1	OIH_EDOK
Excise duty validation indicator				
OIEDOK_GI		CHAR	1	OIH_EDOK_GI
Excise Duty Validation Indicator for Material (STO)				
OIEDBAL_GI		CHAR	1	OIH_EDBAL_GI
Excise Duty Balancing is Required for Mat. (STO)				
OIEDBALM_GI		CHAR	1	OIH_EDBALM_GI
Excise Duty Balancing Method Indicator for Mat. (STO)				
OIHANTYP_GI		CHAR	2	OIH_HANTYP_GI
Excise Duty Handling Type - Denotes Use of Material				
OIINEX_GI		CHAR	2	OIH_INEX_GI
Code for Internal or External Excise Duty Rate Determination				

Field Name	K	Type	Length	Data Elem.
Short Text				
OITAXGRP_GI		CHAR	2	OIH_TAXGRP
Excise Duty Group				
OITAXFROM_GI		CHAR	2	OIH_TAXFRO
Excise duty tax key for 'from' location				
OITAXTO_GI		CHAR	2	OIH_TAXTO
Excise duty tax key for 'to' location				
INCLUDE OIJ_TSW_APPEND				
BWTAR_INTRANSIT		CHAR	10	OIH_VALTYP_TRAN
Valuation Type in Transit				
HT_GL		CHAR	2	OIH_HANTYP_GL
Excise Duty Handling Type Gain/Loss				
HT_LOAD		CHAR	2	OIH_HANTYP_LD
Excise Duty Handling Type at Load				
HT_DIS		CHAR	2	OIH_HANTYP_DS
Excise Duty Handling Type at Discharge				
LICIN_NUM		CHAR	10	OIH_LICIN
Excise tax internal license number				
LICEXT_NUM		CHAR	15	OIH_CERTF1
Excise tax external license number				
OIH_DISTLIC		CHAR	1	OIH_DISTLIC
Distributor License				
SHIP_FROM		CHAR	10	OIH_SHIP_FROM
Ship From				
DUTY_TO		CHAR	10	OIH_DUTYTO
Duty To				
_DATAAGING		DATS	8	DATA_TEMPERATURE
Data Filter Value for Data Aging				
INCLUDE NOMITM_INCL_EEW_PS				
DUMMY_NOMITM_INCL_EEW_PS		NUMC	10	OIJ07_EXTN
Data Element for Extension Fields: Sample				
APPEND /GMS/OCVZVWQA7UTQNOE3MVU				
/GMS/INTERNALORDER_NIM		NUMC	12	/GMS/INTERNALORDER
Internal Order				
INCLUDE OINSC_S_TSW_NOM_ITEM				
TM_RELEVANT		CHAR	1	OINSC_TM_RELEVANCE
IS-Oil SC - TM Relevance Flag				
TM_MANUAL		CHAR	1	OINSC_TM_RELEVANCE_MANUAL
IS-Oil SC - TM Relevance Manual Flag				
TM_TTRQ_HANDLE_I		RAW	16	OINSC_TM_TTRQ_HANDLE
IS-Oil SC - TTRQ UUID for TM				
APPEND /DMBE/SI_NOMINATION				
INCLUDE /DMBE/SI_NOMINATION_FIEL				
/DMBE/SMARTID		CHAR	12	/DMBE/EM_SMART_ID
Deal Number				
/DMBE/OPTIONALITYKEY		NUMC	4	/DMBE/EM_OPTIONALITY_KEY
Detail Number				

Fields with reference fields:

Field name	Reference field
MENGE	OIJNOMI-UNIT_I
QTYFCR	OIJNOMI-QTYFCR_UOM
PRORATEQTY	OIJNOMI-UNIT_I
ASSIGNEDQTY	OIJNOMI-UNIT_I
ACTUALQTY	OIJNOMI-ACTUALUOM
ITBOTOLABS	OIJNOMI-ITTOLUNIT
ITBUTOLABS	OIJNOMI-ITTOLUNIT
LDRATE	OIJNOMI-LDQUOM
GA_CONF_QTY	OIJNOMI-GA_CONF_UOM
GA_TECHSCH_QTY	OIJNOMI-GA_TECHSCH_UOM
GA_CONF_QTY_CAL	OIJNOMI-GA_CONF_UOM
GA_TSCH_QTY_CAL	OIJNOMI-GA_TECHSCH_UOM
GA_ALLOCATED_QTY	OIJNOMI-GA_ALLOCATED_UOM
ATL_CRDT_QTY	OIJNOMI-ATL_CRDT_UOM
ATL_CRDT_VAL	OIJNOMI-ATL_CRDT_CURR
YYOIJ_OD_QTY	MEPO1211-MEINS
YYOIJ_UN_QTY	MEPO1211-MEINS
YYOIJ_AOD_QTY	MEPO1211-MEINS
YYOIJ_UNAOD_QTY	MEPO1211-MEINS
YYOIJ_OVR_QTY	MEPO1211-MEINS
YYOIJ_AOVR_QTY	MEPO1211-MEINS
YYOIJ_UNAOVR_QTY	MEPO1211-MEINS
YYOIJ_DIMB_QTY	MEPO1211-MEINS
YYOIJ_CNOM_QTY	MEPO1211-MEINS
YYOIJ_DPIMB_QTY	MEPO1211-MEINS
YYOIJ_DNIMB_QTY	MEPO1211-MEINS
YYOIJ_CUMIMB_QTY	MEPO1211-MEINS
YYOIJ_CRGIMB_QTY	MEPO1211-MEINS
YYOIJ_POS_CUMIMB	MEPO1211-MEINS
YYOIJ_NEG_CUMIMB	MEPO1211-MEINS
YYOIJ_LD_A_QTY	MEPO1211-MEINS
YYOIJ_LD_D_QTY	MEPO1211-MEINS
YYOIJ_SOP_A_QTY	MEPO1211-MEINS
YYOIJ_SOP_D_QTY	MEPO1211-MEINS
YYOIJ_SSF_A_QTY	MEPO1211-MEINS
YYOIJ_SSF_D_QTY	MEPO1211-MEINS
YYOIJ_TOP_A_QTY	MEPO1211-MEINS
YYOIJ_TOP_D_QTY	MEPO1211-MEINS
YYOIJ_GUJDNQ	MEPO1211-MEINS
YYOIJ_DDS_QTY	MEPO1211-MEINS
ACTUALQTY_PAR	OIJNOMI-ACTUALUOM_PAR
OIH_FOLQTY	OIHL-MEINS
OIH_FOLQTY_GI	OIHL-MEINS

Fields with conversion routines:

Field name	Conversion routine
NOMTK	ALPHA
S_MATNR_I	MATN1
MATNR_I	MATN1
UNIT_I	CUNIT
UNIT_I_T	CUNIT
DOCNR	ALPHA
QTYFCR_UOM	CUNIT
TANK	ALPHA
CONS	ALPHA
PARTNR	ALPHA
CONPAT	ALPHA
INSPE	ALPHA
IMPOEXPO	ALPHA
SHNUM	ALPHA
ACTUALUOM	CUNIT
ITTOLUNIT	CUNIT
LDQUOM	CUNIT
LDTUOM	CUNIT
UPMAT	MATN1
CO_CARR	ALPHA
CO_SHIP	ALPHA
SOLDTO	ALPHA
TCNUM	ALPHA
GA_NMSHIPPER	ALPHA
GA_CONF_UOM	CUNIT
GA_TECHSCH_UOM	CUNIT
GA_ALLOCATED_UOM	CUNIT
LESSHNUM	ALPHA
ATL_DELV_NUMBER	ALPHA
ATL_CRDT_UOM	CUNIT
YYOIJ_CNOM_UOM	CUNIT
YYOIJ_GUJDNQ_UOM	CUNIT
VBELN	ALPHA
ACTUALUOM_PAR	CUNIT
OIH_LICIN	ALPHA
OIH_LCFOL	ALPHA
OIH_LICIN_GI	ALPHA
OIH_LCFOL_GI	ALPHA
OIC_LIFNR	ALPHA
LICIN_NUM	ALPHA
SHIP_FROM	ALPHA
DUTY_TO	ALPHA

Technical Settings

- Data type: APPL1
- Size category: 4
- Buffering now allowed
- Logging switched off

Secondary Indexes

Index ID: LSI
Short description: index for LOCID, SITYP, IDATE.
Do not create index on database
Index fields
 MANDT
 LOCID
 SITYP
 IDATE

Index ID: Y01
Short description: Index for Faster the GMS Billing
Do not create index on database
Index fields
 DELIND
 DOCIND
 IDATE
 DOCNR

Index ID: Y02
Short description: Index to make GMS Biling faster
Do not create index on database
Index fields
 IDATE
 LOCID
 DELIND

Index ID: Y03
Short description: Index to make Sales order faster
Do not create index on database
Index fields
 DOCNR
 DELIND

Input Checks (Foreign Keys, Fiexed Values)

MANDT is checked against check table T000
Field assignment:
 T000 - MANDT = OIJNOMI - MANDT

NOMTK is checked against check table OIJNOMH
Field assignment:
 OIJNOMH - MANDT = OIJNOMI - MANDT
 OIJNOMH - NOMTK = OIJNOMI - NOMTK

SITYP is checked against check table TOIJ_EL_SITYPES
Field assignment:
 TOIJ_EL_SITYPES - CLIENT = SYST - MANDT
 TOIJ_EL_SITYPES - SITYP = OIJNOMI - SITYP

ISTAT is checked against check table OIJSTAT

Field assignment:

- OIJSTAT - MANDT = OIJNOMI - MANDT
- OIJSTAT - TABNAME = 'OIJNOMI' (constant)
- OIJSTAT - STATUS = OIJNOMI - ISTAT

ISUBSTAT is checked against check table OIJSUBSTAT

Field assignment:

- OIJSUBSTAT - MANDT = OIJNOMI - MANDT
- OIJSUBSTAT - TABNAME = 'OIJNOMI' (constant)
- OIJSUBSTAT - STATUS = OIJNOMI - ISTAT
- OIJSUBSTAT - SUBSTATUS = OIJNOMI - ISUBSTAT

LOCID is checked against check table OIJLOC

Field assignment:

- OIJLOC - MANDT = OIJNOMI - MANDT
- OIJLOC - LOCID = OIJNOMI - LOCID

S_MATNR_I is checked against check table MARA

Field assignment:

- MARA - MANDT = OIJNOMI - MANDT
- MARA - MATNR = OIJNOMI - S_MATNR_I

MATNR_I is checked against check table MARA

Field assignment:

- MARA - MANDT = OIJNOMI - MANDT
- MARA - MATNR = OIJNOMI - MATNR_I

UNIT_I is checked against check table T006

Field assignment:

- T006 - MANDT = OIJNOMI - MANDT
- T006 - MSEHI = OIJNOMI - UNIT_I

DOCIND checked against fixed values from domain OIJ_DOCIND

Fixed values:

- | | |
|---|--|
| B | Sales Quotation |
| G | Sales Contract |
| H | Released Pre-Trading Contract-Purchase Order |
| I | Released Pre-Trading Contract- Sales Order |
| J | Released Pre-Trading Contract- Stock Transport Order |
| K | Purchase Contract |
| L | Un Released Trading Contract -Purchase Order |
| M | Un Released Trading Contract -Sales Order |
| N | Un Released Trading Contract -Stock Transport Order |
| P | Purchase order |
| Q | Requisition document for SPW |
| R | Sales return |
| S | Sales order |
| T | Stock Transfer Order |
| U | Stock Transfer Requisition |
| X | Plant-to-plant transfer |

WORKLIST_I checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

IMPOEXPO is checked against check table LFA1

Field assignment:

- LFA1 - MANDT = OIJNOMI - MANDT
- LFA1 - LIFNR = OIJNOMI - IMPOEXPO

FLAG_IMEX is checked against check table OIJIMEX

Field assignment:

- OIJIMEX - MANDT = OIJNOMI - MANDT
- OIJIMEX - FLAG_IMEX = OIJNOMI - FLAG_IMEX

OWNER is checked against check table T149D

Field assignment:

- T149D - MANDT = OIJNOMI - MANDT
- T149D - BWTAR = OIJNOMI - OWNER

VALUATIONTYPE_O is checked against check table T149D

Field assignment:

- T149D - MANDT = SYST - MANDT
- T149D - BWTAR = OIJNOMI - VALUATIONTYPE_O

VALUATIONTYPE_D is checked against check table T149D

Field assignment:

- T149D - MANDT = SYST - MANDT
- T149D - BWTAR = OIJNOMI - VALUATIONTYPE_D

SHNUM is checked against check table OIGS

Field assignment:

- OIGS - CLIENT = OIJNOMI - MANDT
- OIGS - SHNUMBER = OIJNOMI - SHNUM

SHITEM is checked against check table OIGSI

Field assignment:

- OIGSI - CLIENT = OIJNOMI - MANDT
- OIGSI - SHNUMBER = OIJNOMI - SHNUM
- OIGSI - SHITEM = OIJNOMI - SHITEM

ILOCK checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

ACTUALS checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

ACTUALUOM is checked against check table T006

Field assignment:
T006 - MANDT = OIJNOMI - MANDT
T006 - MSEHI = OIJNOMI - ACTUALUOM

ITTOLUNIT is checked against check table T006

Field assignment:
T006 - MANDT = OIJNOMI - MANDT
T006 - MSEHI = OIJNOMI - ITTOLUNIT

UNLIMITED checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

BLOIND checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

DELIND checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

UPDATEXDOK checked against fixed values from domain FLAG

Fixed values:

	Flag is not set
X	Flag set (event raised)

INCOMPLETE_FLAG checked against fixed values from domain OIJ_INCOMPLETE_FLAG

Fixed values:

	checked and complete
E	Error
I	incomplete - on hold

STLTY checked against fixed values from domain STLTY

Fixed values:

D	Document Structure
E	Equipment BOM
K	Order BOM
M	Material BOM
P	Work Breakdown Structure BOM
S	Standard BOM
T	Functional Location BOM

CHARG_D_CREATE checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

CHARG_O_CREATE checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

COMMCTL checked against fixed values from domain OIJ_NOMCOMM

Fixed values:

	no specific communication control
01	no communication with Carrier & Shipper

PRORATE_ROUTINE is checked against check table TOIJ_EL_PR_RT

Field assignment:

TOIJ_EL_PR_RT - PRORATE_ROUTINE = OIJNOMI - PRORATE_ROUTINE

CHARG_L_CREATE checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

LESSHNUM is checked against check table VTTK

Field assignment:

VTTK - MANDT = SYST - MANDT

VTTK - TKNUM = OIJNOMI - LESSHNUM

LESTPNUM is checked against check table VTTP

Field assignment:

VTTP - MANDT = SYST - MANDT

VTTP - TKNUM = OIJNOMI - LESSHNUM

VTTP - TPNUM = OIJNOMI - LESTPNUM

PRE_EXIST_IND checked against fixed values from domain CHAR1_X

Fixed values:

	Not Selected
X	Selected

YYOIJ_GTA_ADJUST checked against fixed values from domain BOOLEAN

Fixed values:

	unknown
-	false
X	true

YYOIJ_GSA_ADJUST checked against fixed values from domain BOOLEAN

Fixed values:

	unknown
-	false
X	true

PLANIND checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes

LOCPT is checked against check table T001W
Field assignment:
 T001W - MANDT = OIJNOMI - MANDT
 T001W - WERKS = OIJNOMI - LOCPT

LOCSL is checked against check table T001L
Field assignment:
 T001L - MANDT = OIJNOMI - MANDT
 T001L - WERKS = OIJNOMI - LOCPT
 T001L - LGORT = OIJNOMI - LOCSL

QUICKCONF checked against fixed values from domain FLAG
Fixed values:

	Flag is not set
X	Flag set (event raised)

VBELN is checked against check table LIKP
Field assignment:
 LIKP - MANDT = OIJNOMI - MANDT
 LIKP - VBELN = OIJNOMI - VBELN

POSNR is checked against check table LIPS
Field assignment:
 LIPS - MANDT = OIJNOMI - MANDT
 LIPS - VBELN = OIJNOMI - VBELN
 LIPS - POSNR = OIJNOMI - POSNR

LOV_IND checked against fixed values from domain XFELD
Fixed values:

	No
X	Yes

FERRYIND checked against fixed values from domain XFELD
Fixed values:

	No
X	Yes

OITAXFROM is checked against check table OIH4
Field assignment:
 OIH4 - MANDT = SYST - MANDT
 OIH4 - TAXKEY = OIJNOMI - OITAXFROM

OIHANTYP is checked against check table OIH5
Field assignment:
 OIH5 - MANDT = SYST - MANDT
 OIH5 - HANTYP = OIJNOMI - OIHANTYP

OITAXGRP is checked against check table OIH2
Field assignment:
 OIH2 - MANDT = SYST - MANDT
 OIH2 - TAXGRP = OIJNOMI - OITAXGRP

OITAXTO is checked against check table OIH4

Field assignment:
OIH4 - MANDT = SYST - MANDT
OIH4 - TAXKEY = OIJNOMI - OITAXTO

OIOILCON checked against fixed values from domain OIH_OILCON

Fixed values:
0100Range of permissible values for Mineral Oil Content %

OIEDBAL checked against fixed values from domain X

Fixed values:
XNo
Yes

OIPRICIE checked against fixed values from domain X

Fixed values:
XNo
Yes

OIINEX is checked against check table OIH16

Field assignment:
OIH16 - MANDT = SYST - MANDT
OIH16 - INEX = OIJNOMI - OIINEX

OIEDBALM checked against fixed values from domain OIH_EDBALM

Fixed values:
0Transport & Distribution (TD) is not Active
1Loading with Vehicle's Status
2Loading with Customer's Status

OIH_LICTP is checked against check table OIH20

Field assignment:
OIH20 - MANDT = MSEG - MANDT
OIH20 - LICTP = OIJNOMI - OIH_LICTP

OIH_LICIN is checked against check table OIHL

Field assignment:
OIHL - MANDT = MSEG - MANDT
OIHL - LICIN = OIJNOMI - OIH_LICIN
OIHL - LICTP = * (generic)

OIH_LCFOL is checked against check table OIHL

Field assignment:
OIHL - MANDT = MSEG - MANDT
OIHL - LICIN = OIJNOMI - OIH_LCFOL
OIHL - LICTP = OIJNOMI - OIH_LICTP

OIH_LICTP_GI is checked against check table OIH20

Field assignment:
OIH20 - MANDT = SYST - MANDT
OIH20 - LICTP = OIJNOMI - OIH_LICTP_GI

OIH_LICIN_GI is checked against check table OIHL

- Field assignment:
- OIHL - MANDT = SYST - MANDT
 - OIHL - LICIN = OIJNOMI - OIH_LICIN_GI
 - OIHL - LICTP = * (generic)

OIH_LCFOL_GI is checked against check table OIHL

- Field assignment:
- OIHL - MANDT = SYST - MANDT
 - OIHL - LICIN = OIJNOMI - OIH_LCFOL_GI
 - OIHL - LICTP = OIJNOMI - OIH_LICTP_GI

OIPIPEVAL checked against fixed values from domain X

- Fixed values:
- | | |
|---|-----|
| | No |
| X | Yes |

OIC_LIFNR is checked against check table LFA1

- Field assignment:
- LFA1 - MANDT = SYST - MANDT
 - LFA1 - LIFNR = OIJNOMI - OIC_LIFNR

OIC_DCITYC is checked against check table T005G

- Field assignment:
- T005G - MANDT = SYST - MANDT
 - T005G - LAND1 = OIJNOMI - OIC_DLAND1
 - T005G - REGIO = OIJNOMI - OIC_DREGIO
 - T005G - CITYC = OIJNOMI - OIC_DCITYC

OIC_DCOUNC is checked against check table T005E

- Field assignment:
- T005E - MANDT = SYST - MANDT
 - T005E - LAND1 = OIJNOMI - OIC_DLAND1
 - T005E - REGIO = OIJNOMI - OIC_DREGIO
 - T005E - COUNC = OIJNOMI - OIC_DCOUNC

OIC_DREGIO is checked against check table T005S

- Field assignment:
- T005S - MANDT = SYST - MANDT
 - T005S - LAND1 = OIJNOMI - OIC_DLAND1
 - T005S - BLAND = OIJNOMI - OIC_DREGIO

OIC_DLAND1 is checked against check table T005

- Field assignment:
- T005 - MANDT = SYST - MANDT
 - T005 - LAND1 = OIJNOMI - OIC_DLAND1

OIC_OCITYC is checked against check table T005G

- Field assignment:
- T005G - MANDT = SYST - MANDT
 - T005G - LAND1 = OIJNOMI - OIC_OLAND1
 - T005G - REGIO = OIJNOMI - OIC_OREGIO
 - T005G - CITYC = OIJNOMI - OIC_OCITYC

OIC_OCOUNC is checked against check table T005E

- Field assignment:
- T005E - MANDT = SYST - MANDT
 - T005E - LAND1 = OIJNOMI - OIC_OLAND1
 - T005E - REGIO = OIJNOMI - OIC_OREGIO
 - T005E - COUNC = OIJNOMI - OIC_OCOUNC

OIC_OREGIO is checked against check table T005S

- Field assignment:
- T005S - MANDT = SYST - MANDT
 - T005S - LAND1 = OIJNOMI - OIC_OLAND1
 - T005S - BLAND = OIJNOMI - OIC_OREGIO

OIC_OLAND1 is checked against check table T005

- Field assignment:
- T005 - MANDT = SYST - MANDT
 - T005 - LAND1 = OIJNOMI - OIC_OLAND1

OIC_MOT is checked against check table TVTR

- Field assignment:
- TVTR - MANDT = SYST - MANDT
 - TVTR - VKTRA = OIJNOMI - OIC_MOT

OIEDOK checked against fixed values from domain X

- Fixed values:
- | | |
|---|-----|
| | No |
| X | Yes |

OIEDOK_GI checked against fixed values from domain X

- Fixed values:
- | | |
|---|-----|
| | No |
| X | Yes |

OIEDBAL_GI checked against fixed values from domain X

- Fixed values:
- | | |
|---|-----|
| | No |
| X | Yes |

OIEDBALM_GI checked against fixed values from domain OIH_EDBALM

- Fixed values:
- | | |
|---|---|
| 0 | Transport & Distribution (TD) is not Active |
| 1 | Loading with Vehicle's Status |
| 2 | Loading with Customer's Status |

OIHANTYP_GI is checked against check table OIH5

- Field assignment:
- OIH5 - MANDT = SYST - MANDT
 - OIH5 - HANTYP = OIJNOMI - OIHANTYP_GI

OIINEX_GI is checked against check table OIH16

- Field assignment:
- OIH16 - MANDT = SYST - MANDT
 - OIH16 - INEX = OIJNOMI - OIINEX_GI

OITAXGRP_GI is checked against check table OIH2

- Field assignment:
- OIH2 - MANDT = SYST - MANDT
 - OIH2 - TAXGRP = OIJNOMI - OITAXGRP_GI

OITAXFROM_GI is checked against check table OIH4

- Field assignment:
- OIH4 - MANDT = SYST - MANDT
 - OIH4 - TAXKEY = OIJNOMI - OITAXFROM_GI

OITAXTO_GI is checked against check table OIH4

- Field assignment:
- OIH4 - MANDT = SYST - MANDT
 - OIH4 - TAXKEY = OIJNOMI - OITAXTO_GI

BWTAR_INTRANSIT is checked against check table T149D

- Field assignment:
- T149D - MANDT = SYST - MANDT
 - T149D - BWTAR = OIJNOMI - BWTAR_INTRANSIT

HT_GL is checked against check table OIH5

- Field assignment:
- OIH5 - MANDT = SYST - MANDT
 - OIH5 - HANTYP = OIJNOMI - HT_GL

HT_LOAD is checked against check table OIH5

- Field assignment:
- OIH5 - MANDT = SYST - MANDT
 - OIH5 - HANTYP = OIJNOMI - HT_LOAD

HT_DIS is checked against check table OIH5

- Field assignment:
- OIH5 - MANDT = SYST - MANDT
 - OIH5 - HANTYP = OIJNOMI - HT_DIS

SHIP_FROM is checked against check table LFA1

- Field assignment:
- LFA1 - MANDT = SYST - MANDT
 - LFA1 - LIFNR = OIJNOMI - SHIP_FROM

DUTY_TO is checked against check table KNA1

- Field assignment:
- KNA1 - MANDT = SYST - MANDT
 - KNA1 - KUNNR = OIJNOMI - DUTY_TO

TM_RELEVANT checked against fixed values from domain XFELD

- Fixed values:
- | | |
|---|-----|
| | No |
| X | Yes |

TM_MANUAL checked against fixed values from domain XFELD

Fixed values:

	No
X	Yes