

Created on....07.06.2019 Last changed on/by..... 08.12.2025 EJX9006096
Author.....S204711

Title.....Amortization/Accrual Apportionment for DME Expenses

Type.....1 Reporting
Status.....K Customer Program
Application.....
Class.....
Logical database.....
 from Application....
Selection screen.....
Authorization group...
Package...../CCBJI/RTR

 Start by Variants
 Deactivate editor lock
X Fixed point arithmetic active

```

1  *
2  * Program Name      : /CCBJI/RUFIAPR_ACCURAL_DME
3  * Program Title    : Accrual Apportionment for DME Expenses
4  * Program Type     : Report
5  * Description      : The purpose of this program is to process accrual
6  *                  : Apportionment for DME Expenses
7  * Date             : 01-11-2018
8  * Author           : Kundan Kumar S204711
9  * Run Frequency    : NA
10 * Transaction       : /CCBJI/RURAP_ACC_DME
11 * Transport Number  : DJRK996164
12 * RICEF ID         : Gap 1000000930
13 * Release          : DME Tool
14 * Additional Info   :
15 *
16 *
17 * ===== MODIFICATION LOG =====
18 *
19 * Mod No.           : MOD-001
20 * Date              : 04-Sep-2019
21 * Author            : Kundan Kumar(S204711)
22 * Change Reference  : Defect 9000004787
23 * Transport Number  : MJRK906140
24 * Change Request    : 8000003983
25 * Change Description : Month End Related Changes:
26 *                  : 1)Tax logic correction for contract end month
27 *                  : 2)Accumulated Quant. logic for a contract
28 *                  : 3)Performance Related changes
29 *
30 * Mod No.           : MOD-002
31 * Date              : 05-Sep-2019
32 * Author            : Kundan Kumar(S204711)
33 * Change Reference  : Defect 9000004791
34 * Transport Number  : MJRK906158
35 * Change Request    : 8000003990
36 * Change Description : Performance Related Changes:
37 *                  : 1)Tax logic correction for Pre Pay cases
38 *                  : 2)Amortization logic for Pre pay Quantity
39 *                  : 3)Performance Related changes for COPA planning
40 *
41 * Mod No.           : MOD-003
42 * Date              : 06-Sep-2019
43 * Author            : Kundan Kumar(S204711)
44 * Change Reference  : Defect 9000004223
45 * Transport Number  : MJRK906175
46 * Change Request    : 8000003997
47 * Change Description : Performance Related Changes:
48 *                  : 1)Logic correction for Post Pay cases
49 *
50 * Mod No.           : MOD-004
51 * Date              : 24-Sep-2019
52 * Author            : Kundan Kumar(S204711)
53 * Change Reference  : Defect 9000005039
54 * Transport Number  : DJRK9A04K3
55 * Change Request    : 8000004086
56 * Change Description : 1)Logic changes for different tax rates
57 *                  : 2)Cross-Territory logic need to be added
58 *                  : 3)Dummy Sales logic need to be added
59 *                  : 4)Restrict back data posting based on period
60 *
61 * Mod No.           : MOD-005

```

```

62 * Date : 04-Oct-2019 *
63 * Author : Kundan Kumar(S204711) *
64 * Change Reference : Defect 9000005326 *
65 * Transport Number : DJRK9A0554 *
66 * Change Request : 8000004135 *
67 * Change Description : 1)Logic to update invoice date in dummy sales *
68 * 2)Changes for pre pay related to contract start *
69 * date changes *
70 *
71 * Mod No. : MOD-006 *
72 * Date : 07-Oct-2019 *
73 * Author : Kundan Kumar(S204711) *
74 * Change Reference : Defect 9000005367 *
75 * Transport Number : DJRK9A057S *
76 * Change Request : 8000004147 *
77 * Change Description : 1)Performance related changes suggested by SAP *
78 *
79 * Mod No. : MOD-007 *
80 * Date : 17-Oct-2019 *
81 * Author : Kundan Kumar(S204711) *
82 * Change Reference : Defect 9000005420,9000005421 *
83 * Transport Number : DJRK9A05LS *
84 * Change Request : 8000004199 *
85 * Change Description : 1)Multiple tax rates related changes *
86 * 2)Sales Tax and DME tax mapping logic *
87 * 3)Logic added to filter regular Data *
88 * 4)Fetching logic changes for Pre pay *
89 *
90 * Mod No. : MOD-008 *
91 * Date : 04-Nov-2019 *
92 * Author : Kundan Kumar(S204711) *
93 * Change Reference : Defect 9000005738 *
94 * Transport Number : DJRK9A064N/DJRK9A066H *
95 * Change Request : 8000004199 *
96 * Change Description : 1)Correct logic to update completed flag in hdr *
97 * 2)Update Posting date in case of sales update *
98 * 3)Correct the logic for mult. tax for mul.items *
99 *
100 * Mod No. : MOD-009 *
101 * Date : 12-Nov-2019 *
102 * Author : Kundan Kumar(S204711) *
103 * Change Reference : Defect 9000005720 *
104 * Transport Number : DJRK9A068K *
105 * Change Request : 8000004296 *
106 * Change Description : 1)Residual days should be considered for mid *
107 * month contract settlement *
108 *
109 * Mod No. : MOD-010 *
110 * Date : 29-Nov-2019 *
111 * Author : Kundan Kumar(S204711) *
112 * Change Reference : Defect 9000006114,9000006116 *
113 * Transport Number : DJRK9A06YA *
114 * Change Request : 8000004397 *
115 * Change Description : 1)Pre-Pay catch up functionality *
116 * 2)Pre-Pay Amortization stop logic change *
117 *
118 * Mod No. : MOD-011 *
119 * Date : 09-Dec-2019 *
120 * Author : Kundan Kumar(S204711) *
121 * Change Reference : Defect 9000006117 *
122 * Transport Number : DJRK9A0779 *

```

```

123 * Change Request      : 8000004428      *
124 * Change Description : 1)Post pay Prev. Year compar. logic need to be *
125 *                   added.                *
126 *                   2)Pre-Pay variable logic need to be changed *
127 * _____ *
128 * Mod No.           : MOD-012            *
129 * Date              : 17-Jan-2019        *
130 * Author            : Kundan Kumar(S204711) *
131 * Change Reference   : Defect 9000006686  *
132 * Transport Number   : DJRK9A07ZG       *
133 * Change Request     : 8000004523       *
134 * Change Description : 1)Include the logic for pre-period if contract *
135 *                   end date is in the same month of start date. *
136 *                   2)Correct the logic to pass fiscal year in case *
137 *                   of posting date provided for document display. *
138 * _____ *
139 * Mod No.           : MOD-013            *
140 * Date              : 28-Jan-2020        *
141 * Author            : Kundan Kumar(S204711) *
142 * Change Reference   : GAP 1000001923    *
143 * Transport Number   : DJRK9A0890       *
144 * Change Request     : 8000004574       *
145 * Change Description : 1)Regular Pay COPA allocation logic need to be *
146 *                   added                *
147 *                   2)Fetch all the item data from DME item table *
148 *                   and later on exclude deleted items. *
149 * _____ *
150 * Mod No.           : MOD-014            *
151 * Date              : 27-Feb-2020        *
152 * Author            : Kundan Kumar(S204711) *
153 * Change Reference   : Defect 9000006988  *
154 * Transport Number   : DJRK9A08RX       *
155 * Change Request     : 8000004685       *
156 * Change Description : 1)Add Seperate radio button for Regular Pay *
157 *                   2)LSA Complete logic to be added for regular pay *
158 *                   based on last cut-off date *
159 *                   3)Consider correct dealer in case of dummy cases *
160 *                   4)Add logic for Cross terr. 'By Group' scenario *
161 * _____ *
162 * Mod No.           : MOD-015            *
163 * Date              : 02-Apr-2020        *
164 * Author            : Kundan Kumar(S204711) *
165 * Change Reference   : Defect 9000007623  *
166 * Transport Number   : MJRK906549       *
167 * Change Request     : 8000004848       *
168 * Change Description : 1)Correct logic for mult. regular pay contracts *
169 *                   processing *
170 *                   2)Update Completion flag after allocation for *
171 *                   particulat cut-off date *
172 *                   3)Fetch Reg. contracts same like post pay and *
173 *                   process based on posting date in item table *
174 * _____ *
175 * Mod No.           : MOD-016            *
176 * Date              : 09-Apr-2020        *
177 * Author            : Kundan Kumar(S204711) *
178 * Change Reference   : Defect 9000007651  *
179 * Transport Number   : MJRK906706       *
180 * Change Request     : 8000004891       *
181 * Change Description : 1)Correct logic for completeion flag for regular *
182 *                   pay processing *
183 * _____ *

```

```

184 * Mod No.           : MOD-017                               *
185 * Date             : 08-May-2020                           *
186 * Author           : Kundan Kumar(S204711)                  *
187 * Change Reference  : Defect 9000008043                      *
188 * Transport Number  : MJRK907377                            *
189 * Change Request    : 8000005118                            *
190 * Change Description : 1)Remove the check for tax amount is not initial*
191 *                   : since for some cases in pre pay tax amount is 0*
192 *                   : and COPA tax need to be adjusted based on this.*
193 *                   :                                         *
194 * Mod No.           : MOD-018                               *
195 * Date             : 16-Oct-2020                           *
196 * Author           : Kundan Kumar(S204711)                  *
197 * Change Reference  : Defect 9000010003                      *
198 * Transport Number  : MJRK907377                            *
199 * Change Request    : 8000005118                            *
200 * Change Description : Correct the pre pay catch up functionality*
201 *                   :                                         *
202 * Mod No.           : MOD-019                               *
203 * Date             : 14-Sep-2020                           *
204 * Author           : Kundan Kumar(S204711)                  *
205 * Change Reference  : Gap 1000002164,Gap 2173                *
206 * Transport Number  : DJRK9A0AN9                            *
207 * Change Request    : 8000005710                            *
208 * Change Description : 1)Change the cutoff date to month-end date for *
209 *                   : fixed amount scenario to consider in settlement *
210 *                   : 2)Add logic for secondary customer scenario to *
211 *                   : do the allocation                        *
212 *                   : 3)Change rate to 2 point decimals as provided on *
213 *                   : FIORI screen                             *
214 *                   :                                         *
215 * Mod No.           : MOD-020                               *
216 * Date             : 22-Feb-2021                           *
217 * Author           : Kundan Kumar(S204711)                  *
218 * Change Reference  : Defect 9000012006/9000012007/9000012009 *
219 * Transport Number  : MJRK911380                            *
220 * Change Request    : 8000006892                            *
221 * Change Description : 1)Comment the logic for completion header and *
222 *                   : item table in case of post pay period scenario *
223 *                   : 2)Add logic to handle multiple tax for post pay *
224 *                   : period type of contracts.                *
225 *                   : 3)Add logic to put error message for no sales *
226 *                   : in case of pre pay contracts.            *
227 *                   :                                         *
228 * Mod No.           : MOD-021                               *
229 * Date             : 17-Mar-2021                           *
230 * Author           : Kundan Kumar(S204711)                  *
231 * Change Reference  : Defect 9000012007                      *
232 * Transport Number  : MJRK911760                            *
233 * Change Request    : 8000007068                            *
234 * Change Description : 1)Add the logic to handle multiple tax code for *
235 *                   : post pay period scenario                 *
236 *                   :                                         *
237 * Mod No.           : MOD-022                               *
238 * Date             : 10-Nov-2021                           *
239 * Author           : Ashok Kumar(S422335)                   *
240 * Change Reference  : Defect: 9000015115 & 9000015248        *
241 * Transport Number  : MJRK915617                            *
242 * Change Request    : 8000008739                            *
243 * Change Description : 1) DME item data rollback issue       *
244 *                   : 2) Incorrect message in rollback issue *

```

```

245 *                               3) FI/CO interface error while posting *
246 * _____ *
247 * Mod No. : MOD-023 *
248 * Date : 24-Dec-2021 *
249 * Author : Kundan Kumar(S204711) *
250 * Change Reference : Defect:9000015750 *
251 * Transport Number : MJRK915617 *
252 * Change Request : 8000008739 *
253 * Change Description : 1)Pass correct cost center in case of cross *
254 *                      scenario for COPA postings *
255 * _____ *
256 * Mod No. : MOD-024 *
257 * Date : 14-Mar-2022 *
258 * Author : Ashok Kumar(S422335) *
259 * Change Reference : Defect:9000016159 *
260 * Transport Number : MJRK917521 *
261 * Change Request : 8000009869 *
262 * Change Description : For huge contracts, sales will be update based *
263 *                      bottler wise *
264 * _____ *
265 * Mod No. : MOD-025 *
266 * Date : 12-Dec-2022 *
267 * Author : Kundan Kumar(S204711) *
268 * Change Reference : Defect:9000020160 *
269 * Transport Number : MJRK920873 *
270 * Change Request : 8000012470 *
271 * Change Description : For pre-pay period,the variable used for total *
272 *                      sales need to be cleared for correct allocation *
273 * _____ *
274 * Mod No. : MOD-026 *
275 * Date : 03-May-2023 *
276 * Author : Kundan Kumar(S204711) *
277 * Change Reference : GAP 1000003082-DME Invoice(JCT) Changes *
278 * Transport Number : DJRK9A0HH5 *
279 * Change Request : 8000013154 *
280 * Change Description : Need to pass Inv.Reg.Number to XREF1_HD field *
281 *                      of BKPF which will be used later to compare *
282 *                      change in Inv. Reg. Number *
283 * _____ *
284 * Mod No. : MOD-027 *
285 * Date : 05-Dec-2023 *
286 * Author : Kundan Kumar(S204711) *
287 * Change Reference : Defect 9000023987 JCT Hypercare Changes *
288 * Transport Number : MJRK924018 *
289 * Change Request : 8000014436 *
290 * Change Description : Need to correct tax base amount for tax items *
291 * _____ *
292 * Mod No. : MOD-028 *
293 * Date : 12-APR-2024 *
294 * Author : Kundan Kumar(S204711) *
295 * Change Reference : CR 1000003437-DME Pre-pay MEC Changes *
296 * Transport Number : MJRK925607 *
297 * Change Request : 8000015312 *
298 * Change Description : If end period is reached for pre-pay contracts *
299 *                      pass the correct tax for amortization instead of *
300 *                      calculating tax to avoid rounding issue *
301 * _____ *
302 * Mod No. : MOD-029 *
303 * Date : 03-MAY-2024 *
304 * Author : Kundan Kumar(S204711) *
305 * Change Reference : CR 1000003451-DME Prepay MEC Issue *

```



```

306 * Transport Number      : MJRK925836
307 * Change Request       : 8000015436
308 * Change Description   : If period reached for pre-pay contracts, handle
309 *                       : scenarios where adjustment needs to be done as
310 *                       : per pre-pay contracts conditions.
311 *
312 * Mod No.              : MOD-030
313 * Date                 : 13-June-2024
314 * Author              : Sabari SaaI Sunthosh Kanagaraj | EJX9005197
315 * Change Reference    : Defect 9000026150
316 * Transport Number    : DJRK9A0KQ0
317 * Change Request      : 8000015686
318 * Change Description   : Prepay amortization changes
319 *
320 * Mod No.              : MOD-031
321 * Date                 : 08-July-2024
322 * Author              : Sabari SaaI Sunthosh Kanagaraj | EJX9005197
323 * Change Reference    : GAP 1000003506
324 * Transport Number    : DJRK9A0KYL
325 * Change Request      : 8000015798
326 * Change Description   : Item table tax amount calculation
327 *
328 * Mod No.              : MOD-032
329 * Date                 : 24-October-2024
330 * Author              : Sabari SaaI Sunthosh Kanagaraj | EJX9005197
331 * Change Reference    : GAP 1000003586 / 1000003587
332 * Transport Number    : MJRK927911
333 * Change Request      : 8000016351
334 * Change Description   : DME Month end program changes /
335 *                       : Dummy logic modification for cross-company
336 *
337 * Mod No.              : MOD-033
338 * Date                 : 06-March-2025
339 * Author              : Sabari SaaI Sunthosh Kanagaraj | EJX9005197
340 * Change Reference    : GAP 1000003678
341 * Transport Number    : MJRK930744
342 * Change Request      : 8000016911
343 * Change Description   : DME accelerated monthly processing
344 *
345 * Mod No.              : MOD-034
346 * Date                 : 08-April-2025
347 * Author              : Sabari SaaI Sunthosh Kanagaraj | EJX9005197
348 * Change Reference    : GAP 1000003705
349 * Transport Number    : MJRK931716
350 * Change Request      : 8000017097
351 * Change Description   : Bottler Brand MEC Issue
352 *
353 * Mod No.              : MOD-035
354 * Date                 : 09-May-2025
355 * Author              : Sabari SaaI Sunthosh Kanagaraj | EJX9005197
356 * Change Reference    : GAP 1000003718
357 * Transport Number    : MJRK932248
358 * Change Request      : 8000017235
359 * Change Description   : Regular Pay Completion Flag Issue
360 *
361 * Mod No.              : MOD-036
362 * Date                 : 16-Jun-2025
363 * Author              : Sabari SaaI Sunthosh Kanagaraj | EJX9005197
364 * Change Reference    : GAP 1000003746
365 * Transport Number    : MJRK932811
366 * Change Request      : 8000017444

```

```

367 * Change Description : DME Regpay ITM table doc number set issue *
368 * _____ *
369 * Mod No. : MOD-037 *
370 * Date : 30-Jun-2025 *
371 * Author : Sabari Saai Sunthosh Kanagaraj | EJX9005197 *
372 * Change Reference : GAP 1000003720 *
373 * Transport Number : MJRK932459 *
374 * Change Request : 8000017343 *
375 * Change Description : Dummy logic for sub company *
376 * _____ *
377 * Mod No. : MOD-038 *
378 * Date : 14-Aug-2025 *
379 * Author : Sabari Saai Sunthosh Kanagaraj | EJX9005197 *
380 * Change Reference : GAP 1000003777 *
381 * Transport Number : MJRK933534 *
382 * Change Request : 8000017721 *
383 * Change Description : Prepay by group dummy logic *
384 * _____ *
385 * Mod No. : MOD-039 *
386 * Date : 11-Nov-2025 *
387 * Author : Anandhraj Rajkumar | EJX9006096 *
388 * Change Reference : GAP 1000003844 *
389 * Transport Number : MJRK934938 *
390 * Change Request : 8000018230 *
391 * Change Description : Regular Pay changes for bukr 7828 *
392 * _____ *
393 * & _____ *
394 * & Report /CCBJI/RUFIAPR_ACCURAL_DME *
395 * & _____ *
396 * & _____ *
397
398 REPORT /ccbj/rufiapr_accural_dme MESSAGE-ID /ccbj/rtr.
399
400 "Top Declaration
401 INCLUDE /ccbj/rufiapr_dme_top.
402
403 "Selection Screen
404 INCLUDE /ccbj/rufiapr_dme_sel.
405
406 "Logic Processing
407 INCLUDE /ccbj/rufiapr_dme_f01.
408
409 * & _____ *
410 * & INITIALIZATION *
411 * & _____ *
412 * Clear all global and internal tables and variables.
413 INITIALIZATION.
414 * Perform to clear all global internal tables and variables
415 PERFORM f_clear.
416
417 * _____ *
418 * At Selection-Screen *
419 * _____ *
420 AT SELECTION-SCREEN.
421 * Validations
422 PERFORM f_validations.
423 * Sales office field F4 help
424 AT SELECTION-SCREEN ON VALUE-REQUEST FOR s_vkbur-low.
425 PERFORM f_soff_value USING c_slow.
426
427 AT SELECTION-SCREEN OUTPUT. " MOD-024 ++

```



```
428     PERFORM f_screen_field_enable. " MOD-024 ++
429 *-----*
430 *   Start-Of-Selection
431 *-----*
432 START-OF-SELECTION.
433 * Perform to fetch data from database tables
434     PERFORM f_get_data.
435 * Perform to process the fetched data
436 * Begin of changes by S204711    MOD-014
437 *   IF rb_spot IS INITIAL.
438 *       PERFORM f_process_data.
439 *   ELSE.
440 *       PERFORM f_process_spdata.
441 *   ENDIF.
442
443     "BOC | MOD-032 | EJX9005197 | 25-Oct-2024
444     IF rb_sale = abap_true AND
445       ( s_botacc[] IS NOT INITIAL OR
446         s_dealer[] IS NOT INITIAL ).
447       PERFORM f_bottler_dummy_check.
448     ENDIF.
449     "EOC | MOD-032 | EJX9005197 | 25-Oct-2024
450
451     IF rb_spot IS NOT INITIAL.
452       PERFORM f_process_spdata.
453     ELSEIF rb_reg IS NOT INITIAL.
454       PERFORM f_process_rgdata.
455 * Begin of changes by S204711    MOD-019
456     ELSEIF rb_sec IS NOT INITIAL.
457       PERFORM f_process_secon.
458 * End of changes by S204711    MOD-019
459     ELSE.
460       PERFORM f_process_data.
461     ENDIF.
462 * End of changes by S204711    MOD-014
463 END-OF-SELECTION.
464 *Perform to display the output.
465     PERFORM f_display_alv.
```

```
1 *
2 * Program Name      : /CCBJI/RUFIAPR_DME_F01
3 * Program Title     : Accrual Apportionment for DME Expenses
4 * Program Type      : Form Include
5 * Description       : The purpose of this program is to process accrual
6 *                   : Apportionment for DME Expenses
7 * Date              : 01-11-2018
8 * Author            : Kundan Kumar S204711
9 * Run Frequency     : NA
10 * Transaction       : /CCBJI/RURAP_ACC_DME
11 * Transport Number  : DJRK996164
12 * RICEF ID         : Gap 1000000930
13 * Release          : DME Tool
14 * Additional Info   :
15 *
16 *
17 * ===== MODIFICATION LOG =====
18 *
19 * Mod No.           : MOD-001
20 * Date              : 04-Sep-2019
21 * Author            : Kundan Kumar(S204711)
22 * Change Reference  : Defect 9000004787
23 * Transport Number  : MJRK906140
24 * Change Request    : 8000003983
25 * Change Description : Month End Related Changes:
26 *                   : 1)Tax logic correction for contract end month
27 *                   : 2)Accumulated Quant. logic for a contract
28 *                   : 3)Performance Related changes
29 *
30 * Mod No.           : MOD-002
31 * Date              : 05-Sep-2019
32 * Author            : Kundan Kumar(S204711)
33 * Change Reference  : Defect 9000004791
34 * Transport Number  : MJRK906158
35 * Change Request    : 8000003990
36 * Change Description : Performance Related Changes:
37 *                   : 1)Tax logic correction for Pre Pay cases
38 *                   : 2)Amortization logic for Pre pay Quantity
39 *                   : 3)Performance Related changes for COPA planning
40 *
41 * Mod No.           : MOD-003
42 * Date              : 06-Sep-2019
43 * Author            : Kundan Kumar(S204711)
44 * Change Reference  : Defect 9000004223
45 * Transport Number  : MJRK906175
46 * Change Request    : 8000003997
47 * Change Description : Performance Related Changes:
48 *                   : 1)Logic correction for Post Pay cases
49 *
50 * Mod No.           : MOD-004
51 * Date              : 24-Sep-2019
52 * Author            : Kundan Kumar(S204711)
53 * Change Reference  : Defect 9000005039
54 * Transport Number  : DJRK9A04K3
55 * Change Request    : 8000004086
56 * Change Description : 1)Logic changes for different tax rates
57 *                   : 2)Cross-Territory logic need to be added
58 *                   : 3)Dummy Sales logic need to be added
59 *                   : 4)Restrict back data posting based on period
60 *
61 * Mod No.           : MOD-005
```

```

62 * Date : 04-Oct-2019 *
63 * Author : Kundan Kumar(S204711) *
64 * Change Reference : Defect 9000005326 *
65 * Transport Number : DJRK9A0554 *
66 * Change Request : 8000004135 *
67 * Change Description : 1)Logic to update invoice date in dummy sales *
68 * 2)Changes for pre pay related to contract start *
69 * date changes *
70 *
71 * Mod No. : MOD-006 *
72 * Date : 07-Oct-2019 *
73 * Author : Kundan Kumar(S204711) *
74 * Change Reference : Defect 9000005367 *
75 * Transport Number : DJRK9A057S *
76 * Change Request : 8000004147 *
77 * Change Description : 1)Performance related changes suggested by SAP *
78 *
79 * Mod No. : MOD-007 *
80 * Date : 17-Oct-2019 *
81 * Author : Kundan Kumar(S204711) *
82 * Change Reference : Defect 9000005420,9000005421 *
83 * Transport Number : DJRK9A05LS *
84 * Change Request : 8000004199 *
85 * Change Description : 1)Multiple tax rates related changes *
86 * 2)Sales Tax and DME tax mapping logic *
87 * 3)Logic added to filter regular Data *
88 * 4)Fetching logic changes for Pre pay *
89 *
90 * Mod No. : MOD-008 *
91 * Date : 04-Nov-2019 *
92 * Author : Kundan Kumar(S204711) *
93 * Change Reference : Defect 9000005738 *
94 * Transport Number : DJRK9A064N/DJRK9A066H *
95 * Change Request : 8000004199 *
96 * Change Description : 1)Correct logic to update completed flag in hdr *
97 * 2)Update Posting date in case of sales update *
98 * 3)Correct the logic for mult. tax for mul.items *
99 *
100 * Mod No. : MOD-009 *
101 * Date : 12-Nov-2019 *
102 * Author : Kundan Kumar(S204711) *
103 * Change Reference : Defect 9000005720 *
104 * Transport Number : DJRK9A068K *
105 * Change Request : 8000004296 *
106 * Change Description : 1)Residual days should be considered for mid *
107 * month contract settlement *
108 *
109 * Mod No. : MOD-010 *
110 * Date : 29-Nov-2019 *
111 * Author : Kundan Kumar(S204711) *
112 * Change Reference : Defect 9000006114,9000006116 *
113 * Transport Number : DJRK9A06YA *
114 * Change Request : 8000004397 *
115 * Change Description : 1)Pre-Pay catch up functionality *
116 * 2)Pre-Pay Amortization stop logic change *
117 * 3)Spot-Pay dummy sales update for cross scenario *
118 *
119 * Mod No. : MOD-011 *
120 * Date : 09-Dec-2019 *
121 * Author : Kundan Kumar(S204711) *
122 * Change Reference : Defect 9000006117 *

```

```
123 * Transport Number      : DJRK9A0779      *
124 * Change Request       : 8000004428      *
125 * Change Description   : 1)Post pay Prev. Year compar. logic need to be  *
126 *                      : added.          *
127 *                      : 2)Pre-Pay variable logic need to be changed  *
128 *                      : 3)Add tax code in expense line item          *
129 *                      : _____      *
130 * Mod No.              : MOD-012          *
131 * Date                 : 17-Jan-2019     *
132 * Author               : Kundan Kumar(S204711) *
133 * Change Reference     : Defect 9000006686 *
134 * Transport Number     : DJRK9A07ZG      *
135 * Change Request       : 8000004523      *
136 * Change Description   : 1)Include the logic for pre-period if contract *
137 *                      : end date is in the same month of start date. *
138 *                      : 2)Correct the logic to pass fiscal year in case *
139 *                      : of posting date provided for document display. *
140 *                      : _____      *
141 * Mod No.              : MOD-013          *
142 * Date                 : 28-Jan-2019     *
143 * Author               : Kundan Kumar(S204711) *
144 * Change Reference     : GAP 1000001923/Defect 9000006959 *
145 * Transport Number     : DJRK9A0890      *
146 * Change Request       : 8000004574      *
147 * Change Description   : 1)Regular Pay COPA allocation logic need to be *
148 *                      : added          *
149 *                      : 2)Fetch all the item data from DME item table *
150 *                      : and later on exclude deleted items.          *
151 *                      : 3)Correct logic for cross pre quantity cases *
152 *                      : _____      *
153 * Mod No.              : MOD-014          *
154 * Date                 : 27-Feb-2020     *
155 * Author               : Kundan Kumar(S204711) *
156 * Change Reference     : Defect 9000006988 *
157 * Transport Number     : DJRK9A08RX      *
158 * Change Request       : 8000004685      *
159 * Change Description   : 1)Add Seperate radio button for Regular Pay *
160 *                      : 2)LSA Complete logic to be added for regular pay *
161 *                      : based on last cut-off date                    *
162 *                      : 3)Consider correct dealer in case of dummy cases *
163 *                      : 4)Add logic for Cross terr. 'By Group' scenario *
164 *                      : _____      *
165 * Mod No.              : MOD-015          *
166 * Date                 : 02-Apr-2020     *
167 * Author               : Kundan Kumar(S204711) *
168 * Change Reference     : Defect 9000007623 *
169 * Transport Number     : MJRK906549      *
170 * Change Request       : 8000004848      *
171 * Change Description   : 1)Correct logic for mult. regular pay contracts *
172 *                      : processing          *
173 *                      : 2)Update Completion flag after allocation for *
174 *                      : particulat cut-off date                    *
175 *                      : 3)Fetch Reg. contracts same like post pay and *
176 *                      : process based on posting date in item table *
177 *                      : _____      *
178 * Mod No.              : MOD-016          *
179 * Date                 : 09-Apr-2020     *
180 * Author               : Kundan Kumar(S204711) *
181 * Change Reference     : Defect 9000007651 *
182 * Transport Number     : MJRK906706      *
183 * Change Request       : 8000004891      *
```

```
184 * Change Description : 1)Correct logic for completeion flag for regular*
185 * pay processing*
186 *-----*
187 * Mod No. : MOD-017*
188 * Date : 08-May-2020*
189 * Author : Kundan Kumar(S204711)*
190 * Change Reference : Defect 9000008043*
191 * Transport Number : MJRK907377*
192 * Change Request : 8000005118*
193 * Change Description : 1)Remove the check for tax amount is not initial*
194 * since for some cases in pre pay tax amount is 0*
195 * and COPA tax need to be adjusted based on this.*
196 *-----*
197 * Mod No. : MOD-018*
198 * Date : 16-Oct-2020*
199 * Author : Kundan Kumar(S204711)*
200 * Change Reference : Defect 9000010003*
201 * Transport Number : MJRK907377*
202 * Change Request : 8000005118*
203 * Change Description : Correct the pre pay catch up functionality*
204 *-----*
205 * Mod No. : MOD-019*
206 * Date : 14-Sep-2020*
207 * Author : Kundan Kumar(S204711)*
208 * Change Reference : Gap 1000002164,Gap 2173*
209 * Transport Number : DJRK9A0AN9*
210 * Change Request : 8000005710*
211 * Change Description : 1)Change the cutoff date to month-end date for*
212 * fixed amount scenario to consider in settlement*
213 * 2)Add logic for secondary customer scenario to*
214 * do the allocation*
215 * 3)Change rate to 2 point decimals as provided on*
216 * FIORI screen*
217 *-----*
218 * Mod No. : MOD-020*
219 * Date : 22-Feb-2021*
220 * Author : Kundan Kumar(S204711)*
221 * Change Reference : Defect 9000012006/9000012007/9000012009*
222 * Transport Number : MJRK911380*
223 * Change Request : 8000006892*
224 * Change Description : 1)Comment the logic for completion header and*
225 * item table in case of post pay period scenario*
226 * 2)Add logic to handle multiple tax for post pay*
227 * period type of contracts.*
228 * 3)Add logic to put error message for no sales*
229 * in case of pre pay contracts.*
230 *-----*
231 * Mod No. : MOD-021*
232 * Date : 17-Mar-2021*
233 * Author : Kundan Kumar(S204711)*
234 * Change Reference : Defect 9000012007*
235 * Transport Number : MJRK911760*
236 * Change Request : 8000007068*
237 * Change Description : 1)Add the logic to handle multiple tax code for*
238 * post pay period scenario*
239 *-----*
240 * Mod No. : MOD-022*
241 * Date : 10-Nov-2021*
242 * Author : Ashok Kumar(S422335)*
243 * Change Reference : Defect: 9000015115 & 9000015248*
244 * Transport Number : MJRK915617*
```

```
245 * Change Request      : 8000008739 *
246 * Change Description  : 1) DME item data rollback issue *
247 *                    : 2) Incorrect message in rollback issue *
248 *                    : 3) FI/CO interface error while posting *
249 * _____ *
250 * Mod No.             : MOD-023 *
251 * Date                : 24-Dec-2021 *
252 * Author              : Kundan Kumar(S204711) *
253 * Change Reference    : Defect:9000015750 *
254 * Transport Number    : MJRK915617 *
255 * Change Request      : 8000008739 *
256 * Change Description  : 1)Pass correct cost center in case of cross *
257 *                    : scenario for COPA postings *
258 * _____ *
259 * Mod No.             : MOD-024 *
260 * Date                : 14-Mar-2022 *
261 * Author              : Ashok Kumar(S422335) *
262 * Change Reference    : Defect:9000016159 *
263 * Transport Number    : MJRK917521 *
264 * Change Request      : 8000009869 *
265 * Change Description  : For huge contracts, sales will be update based *
266 *                    : bottler wise *
267 * _____ *
268 * Mod No.             : MOD-025 *
269 * Date                : 12-Dec-2022 *
270 * Author              : Kundan Kumar(S204711) *
271 * Change Reference    : Defect:9000020160 *
272 * Transport Number    : MJRK920873 *
273 * Change Request      : 8000012470 *
274 * Change Description  : For pre-pay period,the variable used for total *
275 *                    : sales need to be cleared for correct allocation *
276 * _____ *
277 * Mod No.             : MOD-026 *
278 * Date                : 03-May-2023 *
279 * Author              : Kundan Kumar(S204711) *
280 * Change Reference    : GAP 1000003082-DME Invoice(JCT) Changes *
281 * Transport Number    : DJRK9A0HH5 *
282 * Change Request      : 8000013154 *
283 * Change Description  : Need to pass Inv.Reg.Number to XREF1_HD field *
284 *                    : of BKPF which will be used later to compare *
285 *                    : change in Inv. Reg. Number *
286 * _____ *
287 * Mod No.             : MOD-027 *
288 * Date                : 05-Dec-2023 *
289 * Author              : Kundan Kumar(S204711) *
290 * Change Reference    : Defect 9000023987 JCT Hypercare Changes *
291 * Transport Number    : MJRK924018 *
292 * Change Request      : 8000014436 *
293 * Change Description  : Need to correct tax base amount for tax items *
294 * _____ *
295 * Mod No.             : MOD-028 *
296 * Date                : 12-APR-2024 *
297 * Author              : Kundan Kumar(S204711) *
298 * Change Reference    : CR 1000003437-DME Pre-pay MEC Changes *
299 * Transport Number    : MJRK925607 *
300 * Change Request      : 8000015312 *
301 * Change Description  : If end period is reached for pre-pay contracts *
302 *                    : pass the correct tax for amortization instead of *
303 *                    : calculating tax to avoid rounding issue *
304 * _____ *
305 * Mod No.             : MOD-029 *
```


306	*	Date	:	03-MAY-2024	*
307	*	Author	:	Kundan Kumar(S204711)	*
308	*	Change Reference	:	CR 1000003451-DME Prepay MEC Issue	*
309	*	Transport Number	:	MJRK925836	*
310	*	Change Request	:	8000015436	*
311	*	Change Description	:	If period reached for pre-pay contracts, handle	*
312	*			scenarios where adjustment needs to be done as	*
313	*			per pre-pay contracts conditions.	*
314	*				*
315	*	Mod No.	:	MOD-030	*
316	*	Date	:	13-June-2024	*
317	*	Author	:	Sabari SaaI Sunthosh Kanagaraj EJX9005197	*
318	*	Change Reference	:	Defect 9000026150	*
319	*	Transport Number	:	DJRK9A0KQ0	*
320	*	Change Request	:	8000015686	*
321	*	Change Description	:	Prepay amortization changes	*
322	*				*
323	*	Mod No.	:	MOD-031	*
324	*	Date	:	08-July-2024	*
325	*	Author	:	Sabari SaaI Sunthosh Kanagaraj EJX9005197	*
326	*	Change Reference	:	GAP 1000003506	*
327	*	Transport Number	:	DJRK9A0KYL	*
328	*	Change Request	:	8000015798	*
329	*	Change Description	:	Item table tax amount calculation	*
330	*				*
331	*	Mod No.	:	MOD-032	*
332	*	Date	:	24-October-2024	*
333	*	Author	:	Sabari SaaI Sunthosh Kanagaraj EJX9005197	*
334	*	Change Reference	:	GAP 1000003586 / 1000003587	*
335	*	Transport Number	:	MJRK927911	*
336	*	Change Request	:	8000016351	*
337	*	Change Description	:	DME Month end program changes /	*
338	*			Dummy logic modification for cross-company	*
339	*				*
340	*	Mod No.	:	MOD-033	*
341	*	Date	:	06-March-2025	*
342	*	Author	:	Sabari SaaI Sunthosh Kanagaraj EJX9005197	*
343	*	Change Reference	:	GAP 1000003678	*
344	*	Transport Number	:	MJRK930744	*
345	*	Change Request	:	8000016911	*
346	*	Change Description	:	DME accelerated monthly processing	*
347	*				*
348	*	Mod No.	:	MOD-034	*
349	*	Date	:	08-April-2025	*
350	*	Author	:	Sabari SaaI Sunthosh Kanagaraj EJX9005197	*
351	*	Change Reference	:	GAP 1000003705	*
352	*	Transport Number	:	MJRK931716	*
353	*	Change Request	:	8000017097	*
354	*	Change Description	:	Bottler Brand MEC Issue	*
355	*				*
356	*	Mod No.	:	MOD-035	*
357	*	Date	:	09-May-2025	*
358	*	Author	:	Sabari SaaI Sunthosh Kanagaraj EJX9005197	*
359	*	Change Reference	:	GAP 1000003718	*
360	*	Transport Number	:	MJRK932248	*
361	*	Change Request	:	8000017235	*
362	*	Change Description	:	Regular Pay Completion Flag Issue	*
363	*				*
364	*	Mod No.	:	MOD-036	*
365	*	Date	:	16-Jun-2025	*
366	*	Author	:	Sabari SaaI Sunthosh Kanagaraj EJX9005197	*

```

367 * Change Reference      : GAP 1000003746          *
368 * Transport Number     : MJRK932811              *
369 * Change Request       : 8000017444              *
370 * Change Description    : DME Regpay ITM table doc number set issue *
371 * _____ *
372 * Mod No.              : MOD-037                  *
373 * Date                 : 30-Jun-2025              *
374 * Author               : Sabari SaaI Sunthosh Kanagaraj | EJX9005197 *
375 * Change Reference     : GAP 1000003720          *
376 * Transport Number     : MJRK932459              *
377 * Change Request       : 8000017343              *
378 * Change Description    : Dummy logic for sub company *
379 * _____ *
380 * Mod No.              : MOD-038                  *
381 * Date                 : 14-Aug-2025              *
382 * Author               : Sabari SaaI Sunthosh Kanagaraj | EJX9005197 *
383 * Change Reference     : GAP 1000003777          *
384 * Transport Number     : MJRK933534              *
385 * Change Request       : 8000017721              *
386 * Change Description    : Prepay by group dummy logic *
387 * _____ *
388 * Mod No.              : MOD-039                  *
389 * Date                 : 11-Nov-2025              *
390 * Author               : Anandhraj Rajkumar | EJX9006096 *
391 * Change Reference     : GAP 1000003844          *
392 * Transport Number     : MJRK934938              *
393 * Change Request       : 8000018230              *
394 * Change Description    : Regular Pay changes for bukrS 7828 *
395 * _____ *
396 * _____ *
397 *& Include              /CCBJI/RUFIAPR_DME_F01 *
398 *& _____ *
399 *& _____ *
400 *& Form F_CLEAR *
401 *& _____ *
402 * text *
403 * _____ *
404 FORM f_clear .
405   CLEAR: i_dhdr[], i_ditem[], i_kona[], i_final[], i_dagt[], v_last,
406          i_mexc[], i_konh[], i_konp[], i_ce1jp00[], i_t6b2f[], i_custd[],
407          i_matd[], i_rval[], i_rated[], v_eflag, v_dbgl, v_crgl, v_mwskz,
408          i_dmeagl[], i_sfina[], r_stat[],
409          v_knuma, v_vkbur,
410          i_dsku[], "++MOD-004
411          v_nvwmwst, "++ MOD-030
412          r_per, r_bukrs, v_conn, v_kunnr, i_sales, v_dummy_flag. "++ MOD
413   -032
414   ENDFORM. " F_CLEAR
415 *& _____ *
416 *& Form F_VALIDATIONS *
417 * text *
418 * _____ *
419 FORM f_validations .
420   DATA: l_v_bukrs TYPE bukrs. "variable for company code
421
422 * _____ Company code _____
423   SELECT SINGLE bukrs
424     FROM t001
425     INTO l_v_bukrs
426     WHERE bukrs EQ p_bukrs.

```

```

427 IF sy-subrc IS NOT INITIAL.
428 *Please enter the valid Company Code
429 MESSAGE e002.
430 ELSE.
431 PERFORM f_authorization_bukrs.
432 ENDIF.
433
434 ENDFORM. " F_VALIDATIONS
435 *&-----*
436 *& Form F_GET_DATA *
437 *&-----*
438 * text *
439 *&-----*
440 FORM f_get_data.
441
442 DATA: l_i_dhdr TYPE STANDARD TABLE OF ty_dhdr,
443        l_i_kona TYPE STANDARD TABLE OF ty_kona,
444        l_i_temp TYPE STANDARD TABLE OF ty_kona,
445        l_i_konh TYPE STANDARD TABLE OF ty_konh,
446        l_r_kndnr TYPE RANGE OF kndnr,
447        l_r_ikndnr TYPE RANGE OF kndnr ##NEEDED,
448        l_wa_kndnr LIKE LINE OF l_r_kndnr ##NEEDED,
449        l_r_ww214 TYPE RANGE OF /ccej/mdm_botacct,
450        l_r_iww214 TYPE RANGE OF /ccej/mdm_botacct ##NEEDED,
451        l_wa_ww214 LIKE LINE OF l_r_ww214 ##NEEDED,
452        l_r_artnr TYPE RANGE OF artnr,
453        l_r_iartnr TYPE RANGE OF artnr ##NEEDED,
454        l_wa_artnr LIKE LINE OF l_r_artnr ##NEEDED,
455        l_wa_stat LIKE LINE OF r_stat,
456        l_r_paytyp TYPE RANGE OF /ccbj/dme_paytyp,
457        l_wa_paytyp LIKE LINE OF l_r_paytyp,
458        l_i_tdhdr TYPE STANDARD TABLE OF ty_dhdr,
459        l_i_adhdr TYPE STANDARD TABLE OF ty_dhdr,
460        l_i_rdhdr TYPE STANDARD TABLE OF ty_dhdr, "++MOD-013
461        l_i_dmegl TYPE STANDARD TABLE OF ty_dmegl, "++MOD-013
462        l_i_dreg TYPE STANDARD TABLE OF ty_dreg, "++MOD-013
463        l_r_boart TYPE RANGE OF boart, "++MOD-013
464        l_wa_boart LIKE LINE OF l_r_boart, "++MOD-013
465        l_v_tabnam TYPE tabname,
466        l_v_dat TYPE sy-datum,
467        l_v_tab TYPE kotabnr,
468        l_v_kschl TYPE kschl,
469        l_v_kobog TYPE kobog,
470 *        l_r_uind TYPE RANGE OF /ccej/mdm_upd_ind, "++MOD-007"—MOD-013
471 *        l_wa_uind LIKE LINE OF l_r_uind, "++MOD-007"—MOD-013
472        l_r_apdat TYPE RANGE OF /ccbj/otc_appdt, "++MOD-007
473        l_wa_apdat LIKE LINE OF l_r_apdat, "++MOD-007
474        l_r_stat TYPE RANGE OF /ccbj/dme_access, "++MOD-004
475        l_i_ditem TYPE STANDARD TABLE OF ty_ditem, "++MOD-026
476        l_r_ttype TYPE RANGE OF /ccbj/otc_dme_tran, "++MOD-026
477        l_wa_ttype LIKE LINE OF l_r_ttype, "++MOD-026
478        l_v_pdate TYPE sy-datum. "++MOD-026
479
480 FIELD-SYMBOLS: <l_fs_dagt> TYPE ty_dagt,
481                <l_fs_custd> TYPE ty_custd,
482                <l_fs_matd> TYPE ty_matd,
483                <l_fs_rated> TYPE ty_rated,
484                <l_fs_konp> TYPE ty_konp,
485                <l_fs_rval> TYPE ty_rval,
486                <l_fs_t6b2f> TYPE t6b2f.
487

```

```
488 * Clear all internal tables:
489 CLEAR: l_i_dhdr[], l_i_kona[], l_i_temp[], l_i_konh[], l_i_adhdr[],
490         l_r_kndnr[], l_r_ikndnr[], l_wa_kndnr, l_r_ww214[],
491         l_r_iww214[], l_wa_ww214, l_r_artnr[], l_r_iartnr[],
492         l_wa_artnr, l_wa_stat, l_i_tdhdr[],
493         l_v_tabnam, l_v_dat, l_v_tab,
494         l_v_kschl, l_v_kobog, l_r_paytyp, l_wa_paytyp.
495
496 CONSTANTS: l_c_dsku TYPE rvvari_vnam VALUE '/CCBJI/DME_DSKU', "++MOD-00
4
497         l_c_jcttax TYPE char40 VALUE 'ZINVOICE_DME'. "++MOD-026
498 * Range for Payment Type
499 CLEAR: l_wa_paytyp, l_r_paytyp.
500
501 IF rb_spot IS NOT INITIAL.
502     l_wa_paytyp-sign = c_i.
503     l_wa_paytyp-option = c_eq.
504     l_wa_paytyp-low = c_two. "Spot Payment type
505     APPEND l_wa_paytyp TO l_r_paytyp.
506     CLEAR: l_wa_paytyp.
507 ELSEIF rb_reg IS NOT INITIAL. "++MOD-014
508 * Begin of changes by S204711 MOD-013
509 * Include regular pay to payment type range
510     l_wa_paytyp-sign = c_i.
511     l_wa_paytyp-option = c_eq.
512     l_wa_paytyp-low = c_unt4. "Regular Pay Payment type
513     APPEND l_wa_paytyp TO l_r_paytyp.
514     CLEAR: l_wa_paytyp.
515 * Pass agreement type for Regular pay
516     CLEAR: l_r_boart, l_wa_boart.
517     l_wa_boart-sign = c_i.
518     l_wa_boart-option = c_eq.
519     l_wa_boart-low = c_fsco. "DME FS Comm
520     APPEND l_wa_boart TO l_r_boart.
521     CLEAR: l_wa_boart-low.
522     l_wa_boart-low = c_rego. "DME Regular pay
523     APPEND l_wa_boart TO l_r_boart.
524     CLEAR: l_wa_boart.
525 * End of changes by S204711 MOD-013
526 ELSEIF rb_pre IS NOT INITIAL.
527     l_wa_paytyp-sign = c_i.
528     l_wa_paytyp-option = c_eq.
529     l_wa_paytyp-low = c_one. "Pre Payment type
530     APPEND l_wa_paytyp TO l_r_paytyp.
531     CLEAR: l_wa_paytyp.
532 ELSEIF rb_pos IS NOT INITIAL
533     OR rb_sec IS NOT INITIAL. "++MOD-019
534     l_wa_paytyp-sign = c_i.
535     l_wa_paytyp-option = c_eq.
536     l_wa_paytyp-low = c_thr. "Post Payment type
537     APPEND l_wa_paytyp TO l_r_paytyp.
538     CLEAR: l_wa_paytyp.
539 ENDIF.
540 * ENDIF.
541 * Range for status
542 CLEAR: l_wa_stat.
543     l_wa_stat-sign = c_i.
544     l_wa_stat-option = c_eq.
545     l_wa_stat-low = c_appr. "Approved(05)
546     APPEND l_wa_stat TO r_stat.
547
```

```
548 CLEAR: l_wa_stat.
549 l_wa_stat-sign = c_i.
550 l_wa_stat-option = c_eq.
551 l_wa_stat-low = c_calc. "Calculated(06)
552 APPEND l_wa_stat TO r_stat.
553 CLEAR: l_wa_stat.
554 * Begin of changes by S204711 MOD-004
555 CLEAR: l_r_stat.
556 l_wa_stat-sign = c_ex.
557 l_wa_stat-option = c_eq.
558 l_wa_stat-low = c_clos. "Closed(07)
559 APPEND l_wa_stat TO l_r_stat.
560 CLEAR: l_wa_stat.
561 l_wa_stat-sign = c_ex.
562 l_wa_stat-option = c_eq.
563 l_wa_stat-low = c_canc. "Cancelled(08)
564 APPEND l_wa_stat TO l_r_stat.
565 CLEAR: l_wa_stat.
566 l_wa_stat-sign = c_ex.
567 l_wa_stat-option = c_eq.
568 l_wa_stat-low = c_with. "Withdrawn(09)
569 APPEND l_wa_stat TO l_r_stat.
570 CLEAR: l_wa_stat.
571 * End of changes by S204711 MOD-004
572 * Begin of changes by S204711 MOD-007
573 * Begin of changes by S204711 MOD-013
574 * Fetch all item data including delete items
575 * CLEAR: l_r_uind, l_wa_uind.
576 * l_wa_uind-sign = c_ex.
577 * l_wa_uind-option = c_eq.
578 * l_wa_uind-low = c_indel. "Delete(D)
579 * APPEND l_wa_uind TO l_r_uind.
580 * CLEAR: l_wa_uind.
581 * End of changes by S204711 MOD-013
582 * Begin of changes by S204711 MOD-026
583 CLEAR: l_r_ttype.
584 l_wa_ttype-sign = c_ex.
585 l_wa_ttype-option = c_eq.
586 l_wa_ttype-low = c_amort.
587 APPEND l_wa_ttype TO l_r_ttype.
588 CLEAR: l_wa_ttype.
589 * End of changes by S204711 MOD-026
590 CLEAR: l_v_dat, v_last, l_r_apdat, l_wa_apdat.
591 CONCATENATE p_gjahr p_monat c_opcon
592 INTO l_v_dat.
593 * Get the month end date
594 CALL FUNCTION 'RP_LAST_DAY_OF_MONTHS'
595 EXPORTING
596 day_in = l_v_dat
597 IMPORTING
598 last_day_of_month = v_last
599 EXCEPTIONS
600 day_in_no_date = 1
601 OTHERS = 2.
602 IF sy-subrc <> 0.
603 CLEAR: v_last.
604 ELSE.
605 l_wa_apdat-sign = c_i.
606 l_wa_apdat-option = c_btw.
607 l_wa_apdat-low = l_v_dat. "Start date
608 l_wa_apdat-high = v_last. "Last date
```

```
609     APPEND l_wa_apdat TO l_r_apdat.
610     CLEAR: l_wa_apdat.
611 ENDIF.
612
613 * End of changes by S204711      MOD-007
614 IF rb_spot IS NOT INITIAL.
615 * OR rb_reg IS NOT INITIAL.  "++MOD-014
616 * Fetch data from DME Header Table
617     SELECT knuma
618            bukrs
619            pay_type
620            cal_type
621            boart
622            start_date
623            cont_amnt
624            cont_vol
625            waers
626            compl
627            lsa_stop
628            lsastop_dat
629            tax_ind
630            cross_ind
631            pay_period
632            pay_cutoff
633            pay_month
634            pay_day
635            kvs11
636            hkont
637            agre_typ
638            main_bukrs
639            main_vkbur
640            main_kostl
641            main_trg_amt "++MOD-010
642            main_trg_vol
643            sub_bukrs
644            sub_vkbur
645            sub_kostl
646            sub_trg_amt
647            sub_trg_vol
648            status
649            app_date "++MOD-004
650            inv_reg_num "++MOD-026
651            inv_reg_dat "++MOD-026
652     FROM /ccbjj/t_dme_hdr
653     INTO TABLE i_dhdr
654     WHERE knuma IN s_knuma
655            AND bukrs EQ p_bukrs
656            AND pay_type IN l_r_paytyp
657            AND compl EQ space "++MOD-007
658 *      AND status IN l_r_stat "++MOD-004
659            AND status IN r_stat "++MOD-007
660            AND app_date IN l_r_apdat. "++MOD-007
661 ELSEIF rb_pre IS NOT INITIAL.
662     SELECT knuma
663            bukrs
664            pay_type
665            cal_type
666            boart
667            start_date
668            cont_amnt
669            cont_vol
```



```
670          waers
671          compl
672          lsa_stop
673          lsastop_dat
674          tax_ind
675          cross_ind
676          pay_period
677          pay_cutoff
678          pay_month
679          pay_day
680          kvsl1
681          hkont
682          agre_typ
683          main_bukrs
684          main_vkbur
685          main_kostl
686          main_trg_amt "++MOD-010
687          main_trg_vol
688          sub_bukrs
689          sub_vkbur
690          sub_kostl
691          sub_trg_amt
692          sub_trg_vol
693          status
694          app_date "++MOD-004
695          inv_reg_num "++MOD-026
696          inv_reg_dat "++MOD-026
697      FROM /ccbj/t_dme_hdr
698      INTO TABLE i_dhdr
699      WHERE knuma IN s_knuma
700            AND bukrs EQ p_bukrs
701            AND pay_type IN l_r_paytyp
702            AND start_date EQ v_last "++MOD-007
703            AND compl EQ space "++MOD-007
704      *      AND status IN l_r_stat. "++MOD-004
705            AND status IN r_stat. "++MOD-007
706
707      ELSEIF rb_pos IS NOT INITIAL "++MOD-007
708            OR rb_reg IS NOT INITIAL. "++MOD-015
709      SELECT knuma
710            bukrs
711            pay_type
712            cal_type
713            boart
714            start_date
715            cont_amnt
716            cont_vol
717            waers
718            compl
719            lsa_stop
720            lsastop_dat
721            tax_ind
722            cross_ind
723            pay_period
724            pay_cutoff
725            pay_month
726            pay_day
727            kvsl1
728            hkont
729            agre_typ
730            main_bukrs
```

```
731          main_vkbur
732          main_kostl
733          main_trg_amt "++MOD-010
734          main_trg_vol
735          sub_bukrs
736          sub_vkbur
737          sub_kostl
738          sub_trg_amt
739          sub_trg_vol
740          status
741          app_date "++MOD-004
742          inv_reg_num "++MOD-026
743          inv_reg_dat "++MOD-026
744      FROM /ccbj/t_dme_hdr
745      INTO TABLE i_dhdr
746      WHERE knuma IN s_knuma
747           AND bukrs EQ p_bukrs
748           AND pay_type IN l_r_paytyp
749           AND compl EQ space "++MOD-007
750 *       AND status IN l_r_stat. "++MOD-004
751           AND status IN r_stat. "++MOD-007
752 * Begin of changes by S204711 MOD-019
753 ELSEIF rb_sec IS NOT INITIAL.
754     SELECT knuma
755           bukrs
756           pay_type
757           cal_type
758           boart
759           start_date
760           cont_amnt
761           cont_vol
762           waers
763           compl
764           lsa_stop
765           lsastop_dat
766           tax_ind
767           cross_ind
768           pay_period
769           pay_cutoff
770           pay_month
771           pay_day
772           kvsl1
773           hkont
774           agre_typ
775           main_bukrs
776           main_vkbur
777           main_kostl
778           main_trg_amt
779           main_trg_vol
780           sub_bukrs
781           sub_vkbur
782           sub_kostl
783           sub_trg_amt
784           sub_trg_vol
785           status
786           app_date
787           inv_reg_num "++MOD-026
788           inv_reg_dat "++MOD-026
789     FROM /ccbj/t_dme_hdr
790     INTO TABLE i_dhdr
791     WHERE knuma IN s_knuma
```

```
792      AND bukr_s EQ p_bukrs
793      AND pay_type IN l_r_paytyp
794      AND cal_type EQ c_seco
795      AND compl EQ space
796      AND status IN r_stat.
797 * End of changes by S204711      MOD-019
798 ENDIF. "++MOD-007
799 IF sy-subrc IS INITIAL.
800     SORT i_dhdr BY cal_type.
801     IF rb_sec IS INITIAL. "++MOD-019
802         DELETE i_dhdr WHERE cal_type EQ c_seco.
803     ENDIF. "++MOD-019
804     IF i_dhdr[] IS NOT INITIAL.
805         SORT i_dhdr BY knuma.
806     ENDIF.
807     l_i_dhdr[] = i_dhdr[].
808     l_i_tdhdr[] = i_dhdr[].
809     SORT l_i_dhdr BY knuma.
810     DELETE ADJACENT DUPLICATES FROM l_i_dhdr
811         COMPARING knuma.
812     IF l_i_dhdr[] IS NOT INITIAL.
813 * Fetch data from DME Item Table
814     SELECT knuma
815            item
816            bukr_s
817            tposn
818            tran_type
819            sched_dat
820            vkbur
821            tar_unit
822            perc
823            cross_typ
824            compl
825            act_amnt
826            act_vol
827            unit_price
828            mws_kz
829            lsastop
830            lsa_doc
831            budat
832            item_status "++MOD-013
833            unt_dec "++MOD-019
834            inv_reg_num "++MOD-026
835            inv_reg_dat "++MOD-026
836            new_doc "++MOD-026
837            zupdind "++MOD-013
838     FROM /ccbj_i/t_dme_itm
839     INTO TABLE i_ditem
840     FOR ALL ENTRIES IN l_i_dhdr
841     WHERE knuma EQ l_i_dhdr-knuma.
842 *      AND zupdind IN l_r_uind. "++MOD-007 "—MOD-013
843     IF sy-subrc IS INITIAL.
844         SORT i_ditem BY knuma.
845     ENDIF.
846 * Begin of changes by S204711      MOD-026
847     l_i_ditem[] = i_ditem[].
848     SORT l_i_ditem BY mws_kz.
849     DELETE ADJACENT DUPLICATES FROM l_i_ditem COMPARING mws_kz.
850     IF l_i_ditem[] IS NOT INITIAL.
851 * Fetch Tax type data
852     SELECT kalsm
```

```
853         mwszkz
854         mwart
855     FROM t007a
856 INTO TABLE i_t007a
857     FOR ALL ENTRIES IN l_i_ditem
858     WHERE kalsm EQ c_taxp
859         AND mwszkz EQ l_i_ditem-mwszkz
860         AND mwart EQ sy-abcde+21(1).
861 IF sy-subrc IS INITIAL.
862     SORT i_t007a BY mwszkz mwart.
863     READ TABLE i_t007a WITH KEY mwart = sy-abcde+21(1)
864         TRANSPORTING NO FIELDS.
865 IF sy-subrc IS INITIAL.
866     IF p_budat IS INITIAL.
867         l_v_pdate = v_last.
868     ELSE.
869         l_v_pdate = p_budat.
870     ENDIF.
871     "Get JCT tax codes from ZNN0001 table
872     SELECT zzkey1
873         zzkey2
874         zzkey3
875         zzdata1
876         zzdata2
877     FROM znn0001
878     INTO TABLE i_znn0001
879     WHERE zzkey1 = l_c_jcttax
880     AND zzdata1 LE l_v_pdate
881     AND zzdata2 GE l_v_pdate.
882 IF sy-subrc IS INITIAL.
883     SORT i_znn0001 BY zzkey2.
884     ENDIF.
885 ENDIF.
886 ENDIF.
887 ENDIF.
888 FREE: l_i_ditem[].
889 l_i_ditem[] = i_ditem[].
890 DELETE l_i_ditem WHERE tran_type IN l_r_ttype.
891 DELETE l_i_ditem WHERE new_doc IS INITIAL.
892 SORT l_i_ditem BY new_doc.
893 DELETE ADJACENT DUPLICATES FROM l_i_ditem COMPARING new_doc.
894 IF l_i_ditem[] IS NOT INITIAL.
895 * Fetch data from Bseg for original document
896 " " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY
897 *      SELECT bukrs
898 *          belnr
899 *          gjahr
900 *          buzei
901 *          buzid
902 *          koart
903 *          shkzg
904 *          mwszkz
905 *          wrbtr
906 *          fwbas
907 *          mwart
908 *          hkont
909 *          kunnr
910 *          lifnr
911 *      FROM bseg
912 *      INTO TABLE i_bseg
```

```

913 *          FOR ALL ENTRIES IN l_i_ditem
914 *          WHERE buhrs = l_i_ditem-buhrs
915 *          AND belnr = l_i_ditem-new_doc
916 *          AND gjahr = p_gjahr.
917   SELECT COMPANYCODE AS BUKRS , ACCOUNTINGDOCUMENT AS BELNR ,
918   FISCALYEAR AS GJAHR , ACCOUNTINGDOCUMENTITEM AS BUZEI ,
919   ACCOUNTINGDOCUMENTITEMTYPE AS BUZID , FINANCIALACCOUNTTYPE AS KOART ,
920   UNADJUSTEDDEBITCREDITCODE AS SHKZG , TAXCODE AS MWSKZ ,
921   ABSOLUTEAMOUNTINTRANSACCRCY AS WRBTR , TAXABSLTBASEAMOUNTINTRANSCRCY AS
922   FWBAS , TAXTYPE AS MWART , GLACCOUNT AS HKONT , CUSTOMER AS KUNNR ,
923   SUPPLIER AS LIFNR FROM I_OPERATIONALACCTGDOCITEM FOR ALL ENTRIES IN
924   @L_I_DITEM WHERE COMPANYCODE = @L_I_DITEM-BUKRS AND ACCOUNTINGDOCUMENT =
925   @L_I_DITEM-NEW_DOC AND FISCALYEAR = @P_GJAHR INTO TABLE @I_BSEG .
926   " " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY
EJX9007359 04.06.2026 FOR ATC
927       IF sy-subrc IS INITIAL.
928           SORT i_bseg BY buhrs belnr.
929       ENDIF.
930   ENDIF.
931 * End of changes by S204711          MOD-026
932 * Fetch data from KONA
933       SELECT knuma
934              vkorg
935              vtweg
936              spart
937              vkbur
938              boart
939              bonem
940              datab
941              datbi
942              botext
943       FROM kona
944       INTO TABLE i_kona
945       FOR ALL ENTRIES IN l_i_dhdr
946       WHERE knuma EQ l_i_dhdr-knuma.
947 *          AND vkbur IN s_vkbur. "—MOD-007
948   IF sy-subrc IS INITIAL.
949       SORT i_kona BY knuma.
950       l_i_kona[] = i_kona[].
951       l_i_adhdr[] = l_i_dhdr[].
952       SORT l_i_adhdr BY pay_type cal_type.
953       DELETE ADJACENT DUPLICATES FROM l_i_adhdr
954           COMPARING pay_type cal_type.
955       IF l_i_adhdr[] IS NOT INITIAL.
956 * Fetch Payment type and calculation type from /CCBJI/T_DME_AGT
957       SELECT pay_type
958              cal_type
959              boart
960              payment
961              cust_inc
962              cust_exc
963              prod_inc
964              prod_exc
965              rate_unt
966              rate_amnt
967       FROM /ccbj/t_dme_agt
968       INTO TABLE i_dagt
969       FOR ALL ENTRIES IN l_i_adhdr
970       WHERE pay_type EQ l_i_adhdr-pay_type
971           AND cal_type EQ l_i_adhdr-cal_type.
972   IF sy-subrc IS INITIAL.

```

```
973          SORT i_dagt BY pay_type cal_type boart.
974          SORT l_i_tdhdr BY bukrs boart kvsl1.
975          DELETE ADJACENT DUPLICATES FROM l_i_tdhdr
976             COMPARING bukrs boart kvsl1.
977          IF l_i_tdhdr[] IS NOT INITIAL.
978 * Begin of changes by S204711      MOD-013
979 * Begin of changes by S204711      MOD-014
980 *          IF rb_spot IS NOT INITIAL.
981 *              CLEAR: l_i_rdhdr[].
982 *              l_i_rdhdr[] = l_i_tdhdr[].
983 *              DELETE l_i_tdhdr WHERE pay_type EQ c_unt4.
984 *              DELETE l_i_rdhdr WHERE pay_type <> c_unt4.
985          IF rb_reg IS NOT INITIAL.
986              CLEAR: l_i_rdhdr[].
987 *              l_i_rdhdr[] = l_i_tdhdr[]. "—MOD-015
988              l_i_rdhdr[] = l_i_dhdr[]. "++MOD-015
989 * End of changes by S204711      MOD-014
990          IF l_i_rdhdr[] IS NOT INITIAL.
991              SORT l_i_rdhdr BY knuma bukrs pay_type boart.
992 *      get entries from DME Regular table
993              SELECT knuma cut_off_date kunnr kunnr_type
994                  kvsl1 bukrs dkunnr lkunnr saknr
995                  mwszk amt_tax
996                  FROM /ccbj/t_dme_reg
997                  INTO TABLE i_dreg
998                  FOR ALL ENTRIES IN l_i_rdhdr
999                  WHERE knuma EQ l_i_rdhdr-knuma
1000                  AND ( zupdind EQ c_upd OR
1001                      zupdind EQ c_i ).
1002          IF sy-subrc IS INITIAL.
1003              SORT i_dreg BY knuma cut_off_date bukrs.
1004              CLEAR: l_i_dreg[].
1005              l_i_dreg[] = i_dreg[].
1006              SORT l_i_dreg BY kvsl1.
1007              DELETE ADJACENT DUPLICATES FROM l_i_dreg
1008                  COMPARING kvsl1.
1009              IF l_i_dreg[] IS NOT INITIAL.
1010 * Fetch GL account data from table /CCBJI/T_DME_GL
1011                  SELECT ktopl
1012                      bukrs
1013                      boart
1014                      kvsl1
1015                      sakn1
1016                      sakn3
1017                      sakn2
1018                      mwszk
1019                      mwszk1
1020                      vfield
1021                      FROM /ccbj/t_dme_gl
1022                      INTO TABLE l_i_dmegl
1023                      FOR ALL ENTRIES IN l_i_dreg
1024                      WHERE ktopl EQ c_erkrs
1025                      AND boart IN l_r_boart
1026                      AND kvsl1 EQ l_i_dreg-kvsl1.
1027              IF sy-subrc IS NOT INITIAL.
1028                  CLEAR: l_i_dmegl.
1029              ENDIF.
1030          ENDIF.
1031      ENDIF.
1032  ENDIF.
1033  ENDIF.
```



```

1034 * End of changes by S204711          MOD-013
1035 * Fetch Gl account data from table /CCBJI/T_DME_GL
1036         SELECT ktopl
1037                bukr
1038                boart
1039                kvsl1
1040                sakn1
1041                sakn3
1042                sakn2
1043                mwszk
1044                mwszk1
1045                vfield
1046         FROM /ccbj/t_dme_gl
1047         INTO TABLE i_dmegl
1048         FOR ALL ENTRIES IN l_i_tdhdr
1049         WHERE ktopl EQ c_erkrs
1050                AND bukr EQ p_bukrs
1051                AND boart EQ l_i_tdhdr-boart
1052                AND kvsl1 EQ l_i_tdhdr-kvsl1.
1053         IF sy-subrc IS INITIAL.
1054             SORT i_dmegl BY boart kvsl1.
1055         ENDIF.
1056 * Begin of changes by S204711          MOD-013
1057 *         IF rb_spot IS NOT INITIAL.  "—MOD-014
1058         IF rb_reg IS NOT INITIAL.  "++MOD-014
1059             IF l_i_dmegl[] IS NOT INITIAL.
1060                 APPEND LINES OF l_i_dmegl TO i_dmegl.
1061                 CLEAR: l_i_dmegl[].
1062                 SORT i_dmegl BY bukr boart kvsl1.
1063                 DELETE ADJACENT DUPLICATES FROM i_dmegl
1064                 COMPARING bukr boart kvsl1.
1065             ENDIF.
1066         ENDIF.
1067 * End of changes by S204711          MOD-013
1068         READ TABLE i_dagt ASSIGNING <l_fs_dagt> INDEX 1.
1069         IF sy-subrc IS INITIAL.
1070             SELECT SINGLE kobog
1071                FROM t6b1
1072                INTO l_v_kobog
1073                WHERE boart EQ <l_fs_dagt>-boart
1074                AND kapl EQ c_kapl.
1075             IF sy-subrc IS INITIAL.
1076 * Fetch condition type and table
1077 " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
1078 *             SELECT * FROM t6b2f                                "#EC CI_STAR
1079 *             INTO TABLE i_t6b2f
1080 *             WHERE kapl EQ c_kapl
1081 *             AND kobog EQ l_v_kobog.
1082 *             SELECT * FROM t6b2f                                "#EC CI_STAR
1083 *             INTO TABLE i_t6b2f
1084 *             WHERE kapl EQ c_kapl
1085 AND kobog EQ l_v_kobog
1086             ORDER BY PRIMARY KEY.
1087 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
1088             IF sy-subrc IS INITIAL.
1089                 SORT i_t6b2f BY kschl.
1090             ENDIF.
1091         ENDIF.
1092 *         ENDIF.  "—MOD-004

```

```
1093 *          ENDIF.      "—MOD-004
1094          SORT l_i_kona BY knuma.
1095          DELETE ADJACENT DUPLICATES FROM l_i_kona
1096              COMPARING knuma.
1097          IF l_i_kona[] IS NOT INITIAL.
1098 * Get the Header data for Condition Records from KONH table based on Agr
eements
1099          SELECT knumh
1100              kotabnr
1101              kschl
1102              knuma_bo
1103          FROM konh
1104          INTO TABLE i_konh
1105          FOR ALL ENTRIES IN l_i_kona
1106              WHERE kvewe EQ c_usage
1107                  AND kappl EQ c_kappl
1108                  AND knuma_bo EQ l_i_kona-knuma.
1109          IF sy-subrc IS INITIAL AND i_konh[] IS NOT INITIAL.
1110          SORT i_konh BY knumh kschl.
1111          l_i_konh[] = i_konh[].
1112          DELETE ADJACENT DUPLICATES FROM l_i_konh
1113              COMPARING knumh.
1114          IF l_i_konh[] IS NOT INITIAL.
1115          SELECT knumh
1116              kopos
1117              krech
1118              kbetr
1119              kpein
1120              loevm_ko
1121              kbrue
1122          FROM konp
1123          INTO TABLE i_konp
1124          FOR ALL ENTRIES IN l_i_konh
1125              WHERE knumh EQ l_i_konh-knumh
1126                  AND kappl EQ c_kappl.
1127          IF sy-subrc IS INITIAL.
1128          SORT i_konp BY knumh.
1129          DELETE i_konp WHERE loevm_ko IS NOT INITIAL.
1130          ENDIF.
1131          ENDIF.
1132          ENDIF.
1133          CLEAR: l_i_temp[].
1134          l_i_temp[] = l_i_kona[].
1135          SORT l_i_temp BY vkorg.
1136          DELETE ADJACENT DUPLICATES FROM l_i_temp
1137              COMPARING vkorg.
1138          IF l_i_temp IS NOT INITIAL.
1139 * Fetch DME Material exclusion list
1140          SELECT vkorg
1141              matnr
1142          FROM /ccbj/t_dme_exc
1143          INTO TABLE i_mexc
1144          FOR ALL ENTRIES IN l_i_temp
1145              WHERE vkorg EQ l_i_temp-vkorg.
1146          IF sy-subrc IS INITIAL.
1147          SORT i_mexc BY matnr.
1148          DELETE ADJACENT DUPLICATES FROM i_mexc
1149              COMPARING matnr.
1150          ENDIF.
1151          ENDIF.
1152          CLEAR: l_i_temp[].
```

```

1153 * Begin of changes by S204711          MOD-004
1154 * Fetch Dealer/Bottler account from KOTE713 table
1155 * Get the data for customer/Bottler acc code
1156         READ TABLE i_t6b2f ASSIGNING <l_fs_t6b2f>
1157         WITH KEY kschl = <l_fs_dagt>-cust_i
nc.
1158         IF sy-subrc IS INITIAL.
1159             l_v_kschl = <l_fs_t6b2f>-kschl.
1160             l_v_tab = <l_fs_t6b2f>-kotabnr.
1161             CONCATENATE c_pre l_v_tab INTO l_v_tabnam.
1162 * Fetch data from KOTE713 table based Agreement
1163             SELECT kappl                                "#EC CI_SEL_NESTED
1164                 kschl
1165                 vkorg
1166                 vtweg
1167                 kunnr
1168                 rke_ww214
1169                 datbi
1170                 knuma
1171                 knumh
1172             FROM (l_v_tabnam) "kote713
1173             INTO TABLE i_custd
1174             FOR ALL ENTRIES IN l_i_kona
1175             WHERE knuma EQ l_i_kona-knuma.
1176             IF sy-subrc IS INITIAL.
1177                 SORT i_custd BY knuma.
1178             ENDIF.
1179         ENDIF.
1180 * Fetch dummy material
1181 * Read TVARVC for dummy Material field
1182         SELECT sign
1183             opti
1184             low
1185             high
1186         FROM tvarvc
1187         INTO TABLE i_dsku
1188         WHERE name EQ l_c_dsku.
1189         IF sy-subrc IS INITIAL.
1190             SORT i_dsku BY low.
1191         ENDIF.
1192 * End of changes by S204711          MOD-004
1193         ENDIF.
1194         ENDIF. "++MOD-004
1195         ENDIF. "++MOD-004
1196         ENDIF.
1197         ENDIF.
1198
1199         ENDIF.
1200         ENDIF.
1201
1202         ENDIF.
1203         CLEAR: l_r_paytyp.
1204
1205
1206 ENDFORM.                                " F_GET_DATA
1207 *&-----*
1208 *&      Form  F_PROCESS_DATA
1209 *&-----*
1210 *      text
1211 *-----*
1212 FORM f_process_data .

```

```
1213
1214 DATA: l_wa_final TYPE ty_final,
1215         l_wa_sfinal TYPE ty_sfinal,
1216         l_v_accper TYPE kbrue, "/ccej/rtr_tot,
1217         l_v_kschl TYPE kschl,
1218         l_v_tab TYPE kotabnr,
1219         l_v_tabnam TYPE tabname,
1220         l_v_tlines TYPE i, "lines of Item table
1221         l_v_amnt TYPE /ccej/rtr_tot,
1222         l_v_coamnt TYPE /ccej/rtr_tot,
1223         l_v_cotax TYPE /ccej/rtr_tot,
1224         l_v_ftax TYPE /ccej/rtr_tot, "tax amount
1225         l_v_csamnt TYPE /ccej/rtr_tot,
1226         l_v_lsamnt TYPE /ccej/rtr_tot,
1227         l_v_gaamnt TYPE /ccej/rtr_tot,
1228         l_v_famnt TYPE /ccej/rtr_tot,
1229         l_v_camnt TYPE char16,
1230         l_v_round TYPE j_1itaxamt, "Rounding amount
1231         l_v_tcopa TYPE /ccej/rtr_tot,
1232         l_v_taxco TYPE /ccej/rtr_tot,
1233         l_v_adjst TYPE /ccej/rtr_tot,
1234         l_v_cline TYPE i,
1235         l_wa_ditem TYPE /ccbj/t_dme_itm,
1236         l_wa_thdr TYPE /ccbj/t_dme_hdr,
1237         l_i_ditem TYPE STANDARD TABLE OF ty_ditem,
1238         l_i_tditm TYPE STANDARD TABLE OF ty_ditem,
1239         l_i_ce1jp TYPE STANDARD TABLE OF ty_ce1jp00,
1240         l_i_copa TYPE STANDARD TABLE OF ty_copa,
1241         l_i_tcopa TYPE STANDARD TABLE OF ty_copa,
1242         l_wa_copa TYPE ty_copa,
1243         l_r_kndnr TYPE RANGE OF kunde_pa,
1244         l_r_kndnr_cross TYPE RANGE OF kunde_pa, "++ MOD-032
1245         l_r_kndnr_total TYPE RANGE OF kunde_pa, "++ MOD-032
1246         l_wa_kndnr LIKE LINE OF l_r_kndnr,
1247         l_r_ww214 TYPE RANGE OF /ccej/mdm_botacct,
1248         l_r_ww214_cross TYPE RANGE OF /ccej/mdm_botacct, "++ MOD-032
1249         l_r_ww214_total TYPE RANGE OF /ccej/mdm_botacct, "++ MOD-032
1250         l_wa_ww214 LIKE LINE OF l_r_ww214,
1251         l_r_artnr TYPE RANGE OF artnr,
1252         l_wa_artnr LIKE LINE OF l_r_artnr,
1253         l_r_brand TYPE RANGE OF /scl/brand,
1254         l_wa_brand LIKE LINE OF l_r_brand,
1255         l_r_bbrand TYPE RANGE OF /ccbj/otc_brand,
1256         l_wa_bbrand LIKE LINE OF l_r_bbrand,
1257         l_r_pack TYPE RANGE OF /ccej/mdm_cntnrsiz,
1258         l_wa_pack LIKE LINE OF l_r_pack,
1259         l_r_bpack TYPE RANGE OF /ccbj/otc_bpackg,
1260         l_wa_bpack LIKE LINE OF l_r_bpack,
1261         l_r_flvo TYPE RANGE OF /scl/flavo,
1262         l_wa_flvo LIKE LINE OF l_r_flvo,
1263         l_r_subc TYPE RANGE OF /ccbj/otc_subcat,
1264         l_wa_subc LIKE LINE OF l_r_subc,
1265         l_r_iartnr TYPE RANGE OF artnr,
1266         l_r_ibrand TYPE RANGE OF /scl/brand,
1267         l_r_ibbrand TYPE RANGE OF /ccbj/otc_brand,
1268         l_r_ipack TYPE RANGE OF /ccej/mdm_cntnrsiz,
1269         l_r_ibpack TYPE RANGE OF /ccbj/otc_bpackg,
1270         l_r_iflvo TYPE RANGE OF /scl/flavo,
1271         l_r_isubc TYPE RANGE OF /ccbj/otc_subcat,
1272         l_r_knuma TYPE RANGE OF knuma,
1273         l_wa_knuma LIKE LINE OF l_r_knuma,
```

```
1274      l_r_fkart TYPE RANGE OF fkart,
1275      l_wa_fkart LIKE LINE OF l_r_fkart,
1276      l_r_stran TYPE RANGE OF /ccbj/otc_dme_tran,
1277      l_wa_stran LIKE LINE OF l_r_stran,
1278      l_i_cdata TYPE STANDARD TABLE OF bapi_copa_data,
1279      l_i_fname TYPE STANDARD TABLE OF bapi_copa_field,
1280      l_i_selc  TYPE STANDARD TABLE OF bapi_copa_selection,
1281      l_i_accountgl TYPE STANDARD TABLE OF bapiacgl09,
1282      "G/L account item
1283      l_i_acctax TYPE STANDARD TABLE OF bapiactx09,
1284      l_v_message TYPE char255,
1285      l_v_dinfo TYPE symsgv,
1286      l_v_lines TYPE i, "lines of internal table
1287      l_v_blines TYPE i, "lines of internal table
1288      l_i_curr TYPE STANDARD TABLE OF bapiaccr09, " Currency Items
1289      l_i_accrec TYPE STANDARD TABLE OF bapiacar09, "Customer Item
1290      l_v_tindex TYPE sy-tabix,
1291      l_v_mindex TYPE sy-tabix,
1292      l_v_pindex TYPE sy-tabix,
1293      l_v_csval TYPE rke2_vv980,
1294      l_v_lsval TYPE rke2_vv981,
1295      l_v_gaval TYPE rke2_vv983,
1296      l_v_totval TYPE rke2_vv980,
1297      l_v_itax  TYPE rke2_vv507,
1298      l_v_etax TYPE rke2_vv506,
1299      l_v_absmg TYPE rke2_absmg,
1300      l_v_pertot TYPE rke2_vv506,
1301      l_v_erlos TYPE rke2_erlos,
1302      l_v_per  TYPE jahrper, "Period/month
1303      l_v_kbrue TYPE kbrue,
1304      l_v_skip TYPE char1,  "Skip Indicator
1305      l_v_excl TYPE char1,  "Excluded Items
1306      l_v_exit TYPE char1,  "Exit indicator
1307      l_wa_rval TYPE ty_rval,
1308      l_v_conn TYPE dbcon_name, "database conn name
1309      l_wa_data TYPE bapi_copa_data,
1310      l_wa_selc TYPE bapi_copa_selection,
1311      l_v_cnt  TYPE i,
1312      l_v_datum TYPE sy-datlo, "System Date
1313      l_v_bmon TYPE numc3,
1314      l_v_ndat TYPE sy-datlo, "New back date
1315      l_v_monat TYPE monat,  " New period
1316      l_v_year  TYPE gjahr,  "Year
1317      l_v_pdat TYPE sy-datum,
1318      l_v_lastd TYPE sy-datum, "Last date
1319      l_v_check TYPE char1,  "Check
1320      l_i_mbrand TYPE STANDARD TABLE OF ty_mbrand,
1321      l_i_bpack TYPE STANDARD TABLE OF ty_bpack,
1322      l_v_days TYPE tfmatage,
1323      l_v_mdays TYPE tfmatage,
1324      l_v_tdays TYPE tfmatage,
1325      l_v_index TYPE sy-index,
1326      l_v_item  TYPE /ccbj/otc_item,
1327      l_v_lstop TYPE char1,
1328      l_v_tval  TYPE char16,
1329      l_v_katr3 TYPE katr3,
1330      l_v_vfield TYPE rke_wrtfld,
1331      l_wa_tdata TYPE bapi_copa_data,
1332      l_v_tax  TYPE /ccej/rtr_tot, "tax amount in doc curr.
1333      l_v_stax TYPE /ccej/rtr_tot, "tax amount in doc curr.
1334      l_v_acctax TYPE /ccej/rtr_tot, "tax amount
```

```

1335      l_v_matd TYPE char1,      "Mat. Indicator
1336      l_v_adat TYPE sy-datlo,  "Acc date
1337      l_v_aquan TYPE rke2_vv980, "Pre-Quan amnt
1338      l_v_dquan TYPE rke2_vv980, "Pre-Quan amnt
1339      l_v_pamnt TYPE /ccej/rtr_tot, "Pre Amount
1340      l_v_aamnt TYPE /ccej/rtr_tot, "Pre Amount
1341      l_wa_hdr TYPE bapiache09, "header data
1342      l_i_temp TYPE STANDARD TABLE OF ty_temp,
1343      l_wa_temp TYPE ty_temp,
1344      l_i_temcopa TYPE STANDARD TABLE OF ty_copa,
1345      l_i_btype TYPE rseloption, "Business Type
1346      l_v_copa TYPE char1,      "++MOD-003
1347      l_i_matd TYPE STANDARD TABLE OF ty_matd, "++MOD-003
1348      l_wa_matd TYPE ty_matd, "++MOD-003
1349      l_i_tce1jp TYPE STANDARD TABLE OF ty_ce1jp00, "++MOD-003
1350      l_i_ice1jp TYPE STANDARD TABLE OF ty_ce1jp00, "++MOD-003
1351      l_wa_tce1jp TYPE ty_ce1jp00, "++MOD-003
1352      l_v_pcquan TYPE /ccbj/rtr_dme_quan, "++MOD-001
1353      l_i_txmap TYPE rseloption, "Tax Mapping "++MOD-007
1354      l_i_taxd TYPE STANDARD TABLE OF ty_taxd, "++MOD-007
1355      l_i_ftaxd TYPE STANDARD TABLE OF ty_taxd, "++MOD-008
1356      l_wa_taxd TYPE ty_taxd, "++MOD-007
1357      l_v_txline TYPE i, "lines of tax line "++MOD-007
1358      l_v_txadj TYPE char1, "++MOD-007
1359      l_v_vkau TYPE vkau, "++MOD-007
1360      * Begin of changes by S204711 MOD-004
1361      l_r_bukrs TYPE RANGE OF bukrs,
1362      l_wa_bukrs LIKE LINE OF l_r_bukrs,
1363      l_i_subce1 TYPE STANDARD TABLE OF ty_ce1jp00,
1364      l_i_subce2 TYPE STANDARD TABLE OF ty_ce2jp00,
1365      l_i_ce2jp00 TYPE STANDARD TABLE OF ty_ce2jp00,
1366      l_i_dumce1 TYPE STANDARD TABLE OF ty_ce1jp00,
1367      l_i_cust TYPE STANDARD TABLE OF ty_custd,
1368      l_v_bcust TYPE kunnr,
1369      l_v_bcust_cross TYPE kunnr, "++ MOD-032
1370      l_v_cramnt TYPE /ccej/rtr_tot, "Cross Amount
1371      l_v_sbamnt TYPE /ccej/rtr_tot,
1372      l_v_sbtax TYPE /ccej/rtr_tot,
1373      l_v_squan TYPE rke2_vv980, "Pre-Quan cross amnt
1374      l_v_spamnt TYPE /ccej/rtr_tot, "Pre cross Amount
1375      l_v_cpost TYPE char1, "Post ind.
1376      l_v_preacd TYPE sy-datlo,
1377      "Begin of addition by S204711 MOD-007
1378      l_v_txcopa TYPE /ccej/rtr_tot,
1379      l_i_crditem TYPE STANDARD TABLE OF ty_ditem,
1380      l_v_crlnes TYPE i, "lines of Item table
1381      l_v_sxtax TYPE /ccej/rtr_tot,
1382      l_v_stdatt TYPE sy-datlo,
1383      l_v_ctabix TYPE sy-tabix,
1384      l_v_fadat TYPE sy-datlo, "++MOD-009
1385      l_i_sditem TYPE STANDARD TABLE OF ty_ditem, "++MOD-009
1386      l_i_uditem TYPE STANDARD TABLE OF /ccbj/t_dme_itm, "++MOD-010
1387      l_v_mamnt TYPE /ccej/rtr_tot, "++MOD-008
1388      l_v_fper TYPE jahrper, "fPeriod/month '++MOD-010
1389      l_r_per TYPE RANGE OF jahrper, "++MOD-010
1390      l_wa_per LIKE LINE OF l_r_per, "++MOD-010
1391      l_v_tupd TYPE char1, "++MOD-010
1392      l_v_hstop TYPE char1, "++MOD-010
1393      l_v_pskip TYPE char1, "++MOD-010
1394      l_v_nodat TYPE char1, "++MOD-011
1395      l_i_atax TYPE STANDARD TABLE OF ty_atax, "++MOD-014

```



```

1396      l_r_doc TYPE RANGE OF belnr_d, "++MOD-014
1397      l_wa_doc LIKE LINE OF l_r_doc, "++MOD-014
1398      l_v_crgtax TYPE /ccej/rtr_tot, "++MOD-014
1399      l_v_crgajst TYPE /ccej/rtr_tot, "++MOD-014
1400      l_v_scdat TYPE sy-datlo,
1401      l_v_nodeal TYPE char1, "++MOD-020
1402      l_v_nosale TYPE char1, "++MOD-020
1403      l_v_nwjct TYPE char1, "++MOD-026
1404      l_v_mnvv TYPE wmwst, "++MOD-026
1405      l_v_snvv TYPE wmwst, "++MOD-026
1406      l_v_tamnt TYPE char16, "++MOD-026
1407      l_v_nvtax TYPE char16, "++MOD-026
1408      l_v_sbtamnt TYPE char16, "++MOD-026
1409      l_v_baseamnt TYPE /ccej/rtr_tot, "++MOD-027
1410      l_v_post TYPE char1, "++MOD-022
1411      "Begin of addition by S204711 MOD-007
1412      * End of changes by S204711 MOD-004
1413      l_v_total_amount TYPE rke2_vv506, "++ MOD-032
1414      l_v_sub_tot_amnt TYPE rke2_vv506, "++ MOD-038
1415      l_v_kcheck TYPE c, "++ MOD-032
1416      l_wa_sales TYPE ty_sales, "++ MOD-032
1417      l_v_ppay_flag TYPE c, "++ MOD-038
1418      l_v_indic TYPE c, "++ MOD-038
1419      l_v_cross_dummy TYPE c, "++ MOD-038
1420      l_v_actq TYPE rke2_vv980. "++ MOD-038
1421
1422      FIELD-SYMBOLS: <l_fs_kona> TYPE ty_kona,
1423                    <l_fs_ce1jp> TYPE ty_ce1jp00,
1424                    <l_fs_copa> TYPE ty_copa,
1425                    <l_fs_dagt> TYPE ty_dagt,
1426                    <l_fs_fname> TYPE bapi_copa_field,
1427                    <l_fs_dhdr> TYPE ty_dhdr,
1428                    <l_fs_custd> TYPE ty_custd,
1429                    <l_fs_matd> TYPE ty_matd,
1430                    <l_fs_rated> TYPE ty_rated,
1431                    <l_fs_rval> TYPE ty_rval,
1432                    <l_fs_dmegl> TYPE ty_dmegl,
1433                    <l_fs_t6b2f> TYPE t6b2f,
1434                    <l_fs_konp> TYPE ty_konp,
1435                    <l_fs_mexc> TYPE ty_mexc,
1436                    <l_fs_mbrand> TYPE ty_mbrand,
1437                    <l_fs_bpack> TYPE ty_bpack,
1438                    <l_fs_data> TYPE bapi_copa_data,
1439                    <l_fs_ce2jp> TYPE ty_ce2jp00,
1440                    <l_fs_ditem> TYPE ty_ditem,
1441                    <l_fs_cditem> TYPE ty_ditem, "++MOD-004
1442                    <l_fs_dsku> TYPE rsdsselopt, "++MOD-004
1443                    <l_fs_txmap> TYPE rsdsselopt, "++MOD-007
1444                    <l_fs_taxd> TYPE ty_taxd, "++MOD-007
1445                    <l_fs_ftaxd> TYPE ty_taxd, "++MOD-008
1446                    <l_fs_tcopa> TYPE ty_copa, "++MOD-007
1447                    <l_fs_final> TYPE ty_final, "++MOD-011
1448                    <l_fs_atax> TYPE ty_atax, "++MOD-014
1449                    <l_fs_itax> TYPE bapiactx09, "++MOD-014
1450                    <l_fs_icurr> TYPE bapiaccr09, "++MOD-014
1451                    <l_fs_temp> TYPE ty_temp,
1452                    <l_fs_znn0001> TYPE ty_znn0001. "++MOD-026
1453
1454      CONSTANTS: l_c_dummy_val TYPE rke2_vv980 VALUE '1.010', "+
+ MOD-038
1455      l_c_dummy_zero TYPE /ccbj/otc_act_vol VALUE '0.000'. "+

```

+ MOD-038

```
1456
1457 CLEAR: l_wa_final,v_eflag, l_v_message, l_v_dinfo,
1458         l_wa_hdr,l_i_accountgl[],l_i_accrec[], l_i_curr[],
1459         l_v_lines, v_dbgl, v_crgl,l_v_accper,l_v_amnt,
1460         l_v_csamnt,l_v_lsamnt, l_v_gaamnt, l_i_copa[],
1461         l_i_tcopa[], l_wa_copa, l_v_tindex, l_v_totval,
1462         l_v_skip, l_i_selc[],l_i_cdata[], l_i_fname[],
1463         l_v_tlines, l_v_famnt, l_r_stran[], l_wa_stran,
1464         l_i_tditem[], l_v_tdays, l_v_mdays, l_i_acctax[],
1465         v_mwskz, l_v_blines, l_v_adat, l_v_vfield,l_wa_tdata,
1466         l_v_stax, l_v_tax, l_v_acctax, l_v_aquan, l_v_pertot,
1467         l_v_pamnt, l_v_aamnt, l_i_temp[], l_wa_temp,
1468         l_v_copa."++MOD-003
1469
```

* Read TVARVC for Hana connection

```
1470
1471 SELECT SINGLE low
1472     FROM tvarvc
1473     INTO l_v_conn
1474     WHERE name EQ c_name
1475           AND type EQ c_type
1476           AND numb EQ c_numb.
1477 IF sy-subrc IS NOT INITIAL.
1478     CLEAR: l_v_conn.
1479 ENDIF.
1480
```

* Read TVARVC for Credit GL

```
1481
1482 SELECT SINGLE low
1483     FROM tvarvc
1484     INTO v_crgl
1485     WHERE name EQ c_gltv
1486           AND type EQ c_type
1487           AND numb EQ c_numb.
1488 IF sy-subrc IS INITIAL.
```

*Conversion parameter

```
1489
1490     PERFORM f_conversion CHANGING v_crgl.
1491 ENDIF.
```

* Get data for KATR4 from TVARVC

```
1492
1493 SELECT sign
1494         opti
1495         low
1496         high
1497     FROM tvarvc
1498     INTO TABLE l_i_btype
1499     WHERE name EQ c_bname.
1500 IF sy-subrc IS NOT INITIAL.
1501     CLEAR: l_i_btype.
1502 ENDIF.
```

* Begin of changes by S204711 MOD-007

* Get Tax Code Mapping for post pay from TVARVC

```
1503
1504 CLEAR: l_i_txmap[].
1505 SELECT sign
1506         opti
1507         low
1508         high
1509     FROM tvarvc
1510     INTO TABLE l_i_txmap
1511     WHERE name EQ c_taxmp.
1512 IF sy-subrc IS INITIAL.
1513     SORT l_i_txmap BY low.
1514 ELSE.
```

```

1516     CLEAR: l_i_txmap.
1517 ENDIF.
1518 * End of changes by S204711          MOD-007
1519 * Create Billing type range
1520 CLEAR: l_wa_fkart, l_r_fkart.
1521     l_wa_fkart-sign = c_i.
1522     l_wa_fkart-option = c_eq.
1523     l_wa_fkart-low = c_fsdc. "ZV1
1524 APPEND l_wa_fkart TO l_r_fkart.
1525 CLEAR: l_wa_fkart.
1526     l_wa_fkart-sign = c_i.
1527     l_wa_fkart-option = c_eq.
1528     l_wa_fkart-low = c_fsdc. "ZV2
1529 APPEND l_wa_fkart TO l_r_fkart.
1530 CLEAR: l_wa_fkart.
1531
1532 IF i_dhdr[] IS NOT INITIAL.
1533     LOOP AT i_dhdr ASSIGNING <l_fs_dhdr>.
1534         IF <l_fs_dhdr>-compl IS INITIAL.
1535             IF <l_fs_dhdr>-status IN r_stat.
1536                 READ TABLE i_dagt ASSIGNING <l_fs_dagt>
1537                     WITH KEY pay_type = <l_fs_dhdr>-pay_type
1538                             cal_type = <l_fs_dhdr>-cal_type
1539                             boart     = <l_fs_dhdr>-boart
1540                 BINARY SEARCH.
1541             IF sy-subrc IS INITIAL.
1542                 IF i_kona[] IS NOT INITIAL.
1543                     READ TABLE i_kona ASSIGNING <l_fs_kona>
1544                         * WITH KEY <l_fs_dhdr>-knuma "MOD-003
1545                             WITH KEY knuma = <l_fs_dhdr>-knuma "++MOD-003
1546                     BINARY SEARCH.
1547                 IF sy-subrc IS INITIAL.
1548                     CLEAR: l_v_vfield, l_v_tupd,
1549                             l_v_pskip, l_v_hstop,
1550                             l_v_cnt. "++MOD-010
1551                 * Get the GL account
1552                     READ TABLE i_dmegl ASSIGNING <l_fs_dmegl>
1553                         WITH KEY boart = <l_fs_kona>-boart
1554                                 kvsl1 = <l_fs_dhdr>-kvsl1
1555                     BINARY SEARCH.
1556                 IF sy-subrc IS INITIAL.
1557                     v_dbg1 = <l_fs_dmegl>-sakn1. "Debit GL
1558                     v_mwskz = <l_fs_dmegl>-mwskz.
1559                 *Conversion parameter
1560                     PERFORM f_conversion CHANGING v_dbg1.
1561                     l_v_vfield = <l_fs_dmegl>-vfield.
1562                     IF <l_fs_dhdr>-pay_type EQ c_one.
1563                         v_crg1 = <l_fs_dmegl>-sakn3. "Credit GL
1564                 *Conversion parameter
1565                     PERFORM f_conversion CHANGING v_crg1.
1566                 ENDIF.
1567             ENDIF.
1568         * Begin of changes by S204711          For MOD-004
1569         CLEAR: l_wa_bukrs, l_r_bukrs.
1570         l_wa_bukrs-sign = c_i.
1571         l_wa_bukrs-option = c_eq.
1572         l_wa_bukrs-low = <l_fs_dhdr>-bukrs.
1573         APPEND l_wa_bukrs TO l_r_bukrs.
1574         CLEAR: l_wa_bukrs.
1575         IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
1576             l_wa_bukrs-sign = c_i.

```

```

1577         l_wa_bukrs-option = c_eq.
1578         l_wa_bukrs-low = <l_fs_dhdr>-sub_bukrs.
1579         APPEND l_wa_bukrs TO l_r_bukrs.
1580         CLEAR: l_wa_bukrs.
1581     ENDIF.
1582 * End of changes by S204711 For MOD-004
1583     r_bukrs[] = l_r_bukrs[]. "++ MOD-032
1584 * Populate Agreement to range to filter Items
1585     CLEAR: l_wa_knuma, l_r_knuma.
1586     l_wa_knuma-sign = c_ex.
1587     l_wa_knuma-option = c_eq.
1588     l_wa_knuma-low = <l_fs_dhdr>-knuma.
1589     APPEND l_wa_knuma TO l_r_knuma.
1590     CLEAR: l_wa_knuma.
1591 * Filter Item table based on Agreement
1592     CLEAR: l_i_ditem[], l_i_tdititem[].
1593     l_i_ditem[] = i_ditem[].
1594     DELETE l_i_ditem WHERE knuma IN l_r_knuma.
1595 * Begin of changes by S204711 MOD-013
1596 * Read the latest Item number to update DME item table
1597 *     DESCRIBE TABLE l_i_ditem LINES l_v_lines.
1598     l_i_tdititem[] = l_i_ditem[].
1599     SORT l_i_tdititem BY item DESCENDING.
1600     READ TABLE l_i_tdititem ASSIGNING <l_fs_ditem> INDEX 1.
1601     IF sy-subrc IS INITIAL.
1602         l_v_lines = <l_fs_ditem>-item.
1603 *     Begin of change in MOD-024
1604         IF rb_sale EQ abap_true AND
1605             <l_fs_ditem>-tran_type EQ c_sales AND
1606             ( s_botacc[] IS NOT INITIAL
1607               OR s_dealer[] IS NOT INITIAL ). "++MOD-032
1608             l_v_lines = l_v_lines - 1 .
1609         ENDIF.
1610 *     End of change in MOD-024
1611     ENDIF.
1612     IF <l_fs_ditem> IS ASSIGNED.
1613         UNASSIGN: <l_fs_ditem>.
1614     ENDIF.
1615     CLEAR: l_i_tdititem[].
1616 * Deleted status to filter item data
1617     DELETE l_i_ditem WHERE zupdind EQ c_inde1. "Delete(D)
1618 * End of changes by S204711 MOD-013
1619     CLEAR: l_v_aamnt, l_v_coamnt, l_v_cotax,
1620             l_v_cramnt, l_v_sbamnt, l_v_sbtax, "++MOD-004
1621             l_v_preacd, l_i_dumcel[]. "++MOD-008
1622     IF <l_fs_dhdr>-pay_type EQ c_one.
1623 *     OR <l_fs_dhdr>-pay_type EQ c_two.
1624 * Transaction type '05'
1625         CLEAR: l_wa_stran, l_r_stran, l_i_tdititem[].
1626         l_wa_stran-sign = c_ex.
1627         l_wa_stran-option = c_eq.
1628         l_wa_stran-low = c_appr. "05 Payment
1629         APPEND l_wa_stran TO l_r_stran.
1630         CLEAR: l_wa_stran.
1631         l_i_tdititem[] = l_i_ditem[].
1632         DELETE l_i_tdititem WHERE tran_type IN l_r_stran.
1633         IF l_i_tdititem[] IS NOT INITIAL.
1634             LOOP AT l_i_tdititem ASSIGNING <l_fs_ditem>. "#EC CI_N
ESTED
1635 * Begin of changes by S204711 MOD-004
1636 *     l_v_aamnt = l_v_aamnt + <l_fs_ditem>-act_amnt.

```

```

1637             IF <l_fs_ditem>-bukrs EQ <l_fs_dhdr>-bukrs.
1638                 l_v_aamnt = l_v_aamnt + <l_fs_ditem>-act_amnt.
1639             ELSE.
1640                 l_v_cramnt = l_v_cramnt + <l_fs_ditem>-act_amnt.
1641             ENDIF.
1642 * End of changes by S204711                                MOD-004
1643             ENDLOOP.
1644         ENDIF.
1645         "Begin of changes by S204711                        MOD-011
1646         IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
1647             l_v_aamnt = l_v_aamnt - l_v_cramnt.
1648         ENDIF.
1649         "End of changes by S204711                        MOD-011
1650 * Begin of changes by S204711                                MOD-004
1651         IF <l_fs_ditem> IS ASSIGNED.
1652             UNASSIGN: <l_fs_ditem>.
1653         ENDIF.
1654         READ TABLE l_i_ditem ASSIGNING <l_fs_ditem>
1655                     WITH KEY tran_type = c_post.
1656         IF sy-subrc IS INITIAL.
1657             v_mwskz = <l_fs_ditem>-mwskz.
1658         ENDIF.
1659         "Begin of changes by S204711                        MOD-026
1660         "If tax code is purchase and Reg. no. blank
1661         "Get the new tax code from ZNN0001.
1662         IF <l_fs_dhdr>-inv_reg_num IS INITIAL.
1663             READ TABLE i_t007a WITH KEY mwskz = v_mwskz
1664                                     mwart = sy-abcde+21(1)
1665                                     BINARY SEARCH
1666                                     TRANSPORTING NO FIELDS.
1667         IF sy-subrc IS INITIAL.
1668             READ TABLE i_znn0001 ASSIGNING <l_fs_znn0001> WITH
KEY
1669                                     zzkey2 = v_mwskz
1670                                     BINARY SEARCH.
1671         IF sy-subrc IS INITIAL.
1672             v_mwskz = <l_fs_znn0001>-zzkey3.
1673             l_v_nwjct = abap_true.
1674         ENDIF.
1675         ENDIF.
1676         ENDIF.
1677         CLEAR: v_nv.
1678         "End of changes by S204711                        MOD-026
1679         IF l_v_cramnt IS NOT INITIAL.
1680 * Get the contract amount for Sub company
1681             PERFORM f_cal_stax USING <l_fs_dhdr>
1682 *                                     l_v_cramnt "—MOD-026
1683                                     CHANGING l_v_sbtax
1684                                             l_v_cramnt. "++MOD-026
1685             l_v_sbamnt = l_v_cramnt - l_v_sbtax.
1686             "Begin of changes by S204711                    MOD-026
1687             IF l_v_nwjct IS NOT INITIAL.
1688                 l_v_snvv = v_nv.
1689                 CLEAR: v_nv.
1690                 l_v_sbamnt = l_v_sbamnt - l_v_snvv.
1691             ENDIF.
1692             "End of changes by S204711                    MOD-026
1693             ENDIF.
1694 * End of changes by S204711                                MOD-004
1695             IF l_v_aamnt IS NOT INITIAL.
1696 * Get the contract amount

```

```

1697          PERFORM f_cal_stax USING <l_fs_dhdr>
1698 *          l_v_aamnt "—MOD-026
1699          CHANGING l_v_cotax
1700          l_v_aamnt. "++MOD-026
1701          l_v_coamnt = l_v_aamnt - l_v_cotax.
1702          "Begin of changes by S204711 MOD-026
1703          IF l_v_nwjct IS NOT INITIAL.
1704              l_v_mnvv = v_nvv.
1705              CLEAR: v_nvv.
1706              l_v_coamnt = l_v_coamnt - l_v_mnvv.
1707          ENDIF.
1708          "End of changes by S204711 MOD-026
1709          ENDIF.
1710 * Sum Amortization amount for Pre Pay quantity
1711 * Transaction type '04'
1712          CLEAR: l_wa_stran, l_r_stran, l_i_tditem[],
1713          l_v_aquan, l_v_pamnt, "++MOD-001
1714          l_v_preadc, l_v_squan, l_v_spamnt. "++MOD-004
1715          l_wa_stran-sign = c_ex.
1716          l_wa_stran-option = c_eq.
1717          l_wa_stran-low = c_kfsv. "04 Ammortize
1718          APPEND l_wa_stran TO l_r_stran.
1719          CLEAR: l_wa_stran.
1720          l_i_tditem[] = l_i_ditem[].
1721          DELETE l_i_tditem WHERE tran_type IN l_r_stran.
1722          IF l_i_tditem[] IS NOT INITIAL.
1723              l_wa_doc-sign = c_i. "++MOD-014
1724              l_wa_doc-option = c_eq. "++MOD-014
1725          LOOP AT l_i_tditem ASSIGNING <l_fs_ditem>. "#EC CI_N
ESTED
1726 * Begin of changes by S204711 MOD-004
1727          IF <l_fs_ditem>-bukrs EQ <l_fs_dhdr>-bukrs.
1728              l_v_aquan = l_v_aquan + <l_fs_ditem>-act_vol.
1729              l_v_pamnt = l_v_pamnt + <l_fs_ditem>-act_amnt.
1730          ELSE.
1731              l_v_squan = l_v_squan + <l_fs_ditem>-act_vol.
1732              l_v_spamnt = l_v_spamnt + <l_fs_ditem>-act_amnt.
1733          ENDIF.
1734 * End of changes by S204711 MOD-004
1735          l_wa_doc-low = <l_fs_ditem>-lsa_doc. "Documents
1736          APPEND l_wa_doc TO l_r_doc.
1737          CLEAR: l_wa_doc-low.
1738          ENDLOOP.
1739 * Begin of changes by S204711 For MOD-004
1740          IF <l_fs_ditem> IS ASSIGNED.
1741              UNASSIGN: <l_fs_ditem>.
1742          ENDIF.
1743 * Begin of changes by S204711 For MOD-014
1744          IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
1745              IF <l_fs_dhdr>-cal_type EQ c_two
1746                  OR <l_fs_dhdr>-cal_type EQ c_thr.
1747                  CLEAR: l_i_atax[].
1748                  " Fetch Tax data from COPA
1749                  IF l_v_conn IS NOT INITIAL.
1750                      SELECT mandt "#EC CI_SEL_NESTED
1751                      bukrs
1752                      SUM( vv605 ) AS vv605
1753                      FROM ce1jp00
1754                      CONNECTION (l_v_conn)
1755                      INTO TABLE l_i_atax
1756                      BYPASSING BUFFER

```



```

1757         WHERE bukr IN l_r_bukrs
1758             AND rbeln IN l_r_doc
1759             AND ww228 EQ <l_fs_dhdr>-knuma
1760         GROUP BY mandt bukr.
1761         IF sy-subrc IS INITIAL.
1762             SORT l_i_atax BY bukr.
1763         ENDIF.
1764     ENDIF.
1765 ENDIF.
1766 ENDIF.
1767 * End of changes by S204711 For MOD-014
1768 *     SORT l_i_tditm BY budat DESCENDING. "—MOD-010
1769     SORT l_i_tditm BY sched_dat DESCENDING."++MOD-010
1770     READ TABLE l_i_tditm ASSIGNING <l_fs_ditem> INDEX 1
1771 .
1772     IF sy-subrc IS INITIAL.
1773         *     l_v_preacd = <l_fs_ditem>-budat. "—MOD-010
1774         l_v_preacd = <l_fs_ditem>-sched_dat."++MOD-010
1775     ENDIF.
1776 * End of changes by S204711 For MOD-004
1777 * Begin of changes by S204711 For MOD-004
1778     ELSEIF <l_fs_dhdr>-pay_type EQ c_thr.
1779 * Transaction type '03'
1780     CLEAR: l_wa_stran, l_r_stran, l_i_tditm[],
1781           l_v_preacd.
1782     l_wa_stran-sign = c_ex.
1783     l_wa_stran-option = c_eq.
1784     l_wa_stran-low = c_accr. "03 Accrual
1785     APPEND l_wa_stran TO l_r_stran.
1786     CLEAR: l_wa_stran.
1787     l_i_tditm[] = l_i_ditem[].
1788     DELETE l_i_tditm WHERE tran_type IN l_r_stran.
1789     IF l_i_tditm[] IS NOT INITIAL.
1790 *     SORT l_i_tditm BY budat DESCENDING. "—MOD-010
1791     SORT l_i_tditm BY sched_dat DESCENDING."++MOD-010
1792     READ TABLE l_i_tditm ASSIGNING <l_fs_ditem> INDEX 1
1793 .
1794     IF sy-subrc IS INITIAL.
1795         *     l_v_preacd = <l_fs_ditem>-budat. "—MOD-010
1796         l_v_preacd = <l_fs_ditem>-sched_dat."++MOD-010
1797     ENDIF.
1798 ENDIF.
1799 * End of changes by S204711 For MOD-004
1800 * Transaction type '01'
1801     CLEAR: l_wa_stran, l_r_stran[], l_i_tditm[].
1802     l_wa_stran-sign = c_ex.
1803     l_wa_stran-option = c_eq.
1804     l_wa_stran-low = c_post. "01
1805     APPEND l_wa_stran TO l_r_stran.
1806     CLEAR: l_wa_stran.
1807 * For processing
1808     l_i_tditm[] = l_i_ditem[].
1809     DELETE l_i_tditm WHERE tran_type IN l_r_stran.
1810     SORT l_i_tditm BY knuma item."++MOD-010
1811     DESCRIBE TABLE l_i_tditm LINES l_v_tlines.
1812 * Begin of changes by S204711 MOD-004
1813     CLEAR: l_i_custd[], l_r_kndnr[], l_r_ww214[].
1814     l_i_custd[] = i_custd[].
1815     SORT l_i_custd BY knuma.

```

```

1816      DELETE l_i_custd WHERE knuma IN l_r_knuma.
1817      IF l_i_custd[] IS NOT INITIAL.
1818          SORT l_i_custd BY kschl.
1819      * End of changes by S204711 MOD-004
1820      CLEAR: l_wa_kndnr, l_r_kndnr, l_wa_ww214, l_r_ww214,
1821             l_r_kndnr_cross, l_r_ww214_cross. "++ MOD-032
1822      * LOOP AT i_custd ASSIGNING <l_fs_custd>. "#EC CI_NESTE
1823      D "—MOD-004 LOOP AT l_i_custd ASSIGNING <l_fs_custd>. "#EC CI_NEST
1824      ED
1825      * Check the deletion indicator
1826      READ TABLE i_konp ASSIGNING <l_fs_konp>
1827          WITH KEY knumh = <l_fs_custd>-knunh
1828          BINARY SEARCH.
1829      IF sy-subrc IS INITIAL.
1830          IF <l_fs_custd>-kschl EQ c_custe.
1831          * Range for Excluded customer
1832              l_wa_kndnr-sign = c_ex.
1833              l_wa_kndnr-option = c_eq.
1834              l_wa_kndnr-low = <l_fs_custd>-kunnr.
1835      * APPEND l_wa_kndnr TO l_r_kndnr. —MOD-032
1836      "BOC | MOD-032 | EJX9006170 | 19-11-2024
1837      IF s_dealer IS NOT INITIAL.
1838          IF l_wa_kndnr-low IN s_dealer.
1839              IF <l_fs_custd>-vkorg = c_vkor2.
1840                  APPEND l_wa_kndnr TO l_r_kndnr_cross.
1841              ELSE.
1842                  APPEND l_wa_kndnr TO l_r_kndnr.
1843              ENDIF.
1844          ELSE.
1845              IF <l_fs_custd>-vkorg = c_vkor2.
1846                  APPEND l_wa_kndnr TO l_r_kndnr_cross.
1847              ELSE.
1848                  APPEND l_wa_kndnr TO l_r_kndnr.
1849              ENDIF.
1850          ENDIF.
1851      "EOC | MOD-032 | EJX9006170 | 19-11-2024
1852      CLEAR: l_wa_kndnr-low.
1853      ELSEIF <l_fs_custd>-rke_ww214 IS NOT INITIAL.
1854      * Range for Excluded bottler account
1855          l_wa_ww214-sign = c_ex.
1856          l_wa_ww214-option = c_eq.
1857          l_wa_ww214-low = <l_fs_custd>-rke_ww214.
1858      "BOC | MOD-032 | EJX9006170 | 19-11-2024
1859      IF <l_fs_custd>-vkorg = c_vkor2.
1860          APPEND l_wa_ww214 TO l_r_ww214_cross.
1861      ELSE.
1862          "EOC | MOD-032 | EJX9006170 | 19-11-2024
1863          APPEND l_wa_ww214 TO l_r_ww214.
1864      ENDIF. "++ MOD-032
1865      CLEAR: l_wa_ww214-low.
1866      ENDIF.
1867      ELSEIF <l_fs_custd>-kschl EQ c_custi.
1868      IF <l_fs_custd>-kunnr IS NOT INITIAL.
1869      * Range for Included customer
1870          l_wa_kndnr-sign = c_i.
1871          l_wa_kndnr-option = c_eq.
1872          l_wa_kndnr-low = <l_fs_custd>-kunnr.
1873      * APPEND l_wa_kndnr TO l_r_kndnr. —MOD-032
1874      "BOC | MOD-032 | EJX9006170 | 19-11-2024

```

```

1875 "BOC | MOD-032 | EJX9006170 | 19-11-2024
1876 IF s_dealer IS NOT INITIAL.
1877   IF l_wa_kndnr-low IN s_dealer.
1878     IF <l_fs_custd>-vkorg = c_vkor2.
1879       APPEND l_wa_kndnr TO l_r_kndnr_cross.
1880     ELSE.
1881       APPEND l_wa_kndnr TO l_r_kndnr.
1882     ENDIF.
1883   ENDIF.
1884 ELSE.
1885   IF <l_fs_custd>-vkorg = c_vkor2.
1886     APPEND l_wa_kndnr TO l_r_kndnr_cross.
1887   ELSE.
1888     APPEND l_wa_kndnr TO l_r_kndnr.
1889   ENDIF.
1890 ENDIF.
1891 "EOC | MOD-032 | EJX9006170 | 19-11-2024
1892 CLEAR: l_wa_kndnr-low.
1893 ELSEIF <l_fs_custd>-rke_ww214 IS NOT INITIAL.
1894 * Range for Included bottler account
1895   l_wa_ww214-sign = c_i.
1896   l_wa_ww214-option = c_eq.
1897   l_wa_ww214-low = <l_fs_custd>-rke_ww214.
1898   * APPEND l_wa_ww214 TO l_r_iww214.
1899   * APPEND l_wa_ww214 TO l_r_ww214. " MOD-024 —
1900   * Begin of change in MOD-024
1901   "BOC | MOD-032 | EJX9006170 | 19-11-2024
1902   IF s_botacc IS NOT INITIAL.
1903     IF l_wa_ww214-low IN s_botacc.
1904       IF <l_fs_custd>-vkorg = c_vkor2.
1905         APPEND l_wa_ww214 TO l_r_ww214_cross.
1906       ELSE.
1907         APPEND l_wa_ww214 TO l_r_ww214.
1908       ENDIF.
1909     ENDIF.
1910   ELSE.
1911     IF <l_fs_custd>-vkorg = c_vkor2.
1912       APPEND l_wa_ww214 TO l_r_ww214_cross.
1913     ELSE.
1914       APPEND l_wa_ww214 TO l_r_ww214.
1915     ENDIF.
1916   ENDIF.
1917   "EOC | MOD-032 | EJX9006170 | 19-11-2024
1918   ** End of change in MOD-024
1919   CLEAR: l_wa_ww214-low.
1920   ENDIF.
1921   ENDIF.
1922   ENDIF.
1923   ENDOLOOP.
1924   IF <l_fs_custd> IS ASSIGNED.
1925     UNASSIGN <l_fs_custd>.
1926   ENDIF.
1927   ENDIF.
1928   *   "—MOD-004
1929   *   ENDIF.
1930   IF <l_fs_t6b2f> IS ASSIGNED.
1931     UNASSIGN: <l_fs_t6b2f>.
1932   ENDIF.
1933   CLEAR: l_v_kschl, l_v_tab, l_v_tabnam,
1934         i_matd[], "++MOD-003
1935         l_i_matd[], l_i_mbrand[], l_i_bpack[]. "++ MOD-03

```

```

1935 * Get the data related to Product (Material Inclusive/Exclusive etc.)
1936 READ TABLE i_t6b2f ASSIGNING <l_fs_t6b2f>
1937 WITH KEY kschl = <l_fs_dagt>-prod_inc
.
1938 IF sy-subrc IS INITIAL.
1939     l_v_kschl = <l_fs_t6b2f>-kschl.
1940     l_v_tab = <l_fs_t6b2f>-kotabnr.
1941     CONCATENATE c_pre l_v_tab INTO l_v_tabnam.
1942 * Fetch data from KOTE* table based on condition type
1943
1944 " ****Code Remediation changes S4 2025_S Conversion **begin of change by
EJX9007360 2026.06.11 ATC
1945 * SELECT kappl
1946 * SELECT kappl "#EC CI_SEL_NE
STED "#EC CI_FLDEXT_OK[2215424]
1947 SELECT kappl "#EC CI_FLDEXT_OK[2215424]
1948 " ****Code Remediation changes S4 2025_S Conversion **end of change by E
JX9007360 2026.06.11 ATC
1949 kschl
1950 vkorg
1951 vtweg
1952 tposn
1953 /scl/brand
1954 /ccbj/bbrand
1955 /ccbj/packcode
1956 /ccbj/bpackg
1957 /scl/flav
1958 /ccbj/subcat
1959 matnr
1960 datbi
1961 knuma
1962 knumh
1963 FROM (l_v_tabnam) "kote715
1964 INTO TABLE i_matd
1965 * FOR ALL ENTRIES IN l_i_kona
1966 * WHERE knuma EQ l_i_kona-knuma.
1967 WHERE knuma EQ <l_fs_dhdr>-knuma.
1968 IF sy-subrc IS INITIAL.
1969 SORT i_matd BY tposn.
1970 "BOC | 07-Mar-2025 | EJX9005197 | MOD-033
1971 LOOP AT i_matd ASSIGNING <l_fs_matd>.
1972 READ TABLE i_konp
1973 TRANSPORTING NO FIELDS
1974 WITH KEY knumh = <l_fs_matd>-knumh
1975 BINARY SEARCH.
1976 IF sy-subrc IS INITIAL.
1977 APPEND <l_fs_matd> TO l_i_matd.
1978 ENDIF.
1979 ENDLOOP.
1980 IF <l_fs_matd> IS ASSIGNED.
1981 UNASSIGN <l_fs_matd>.
1982 ENDIF.
1983 CLEAR i_matd[].
1984 i_matd[] = l_i_matd[].
1985 "EOC | 07-Mar-2025 | EJX9005197 | MOD-033
1986 ENDIF.
1987 ENDIF.
1988 UNASSIGN: <l_fs_t6b2f>.
1989 "Begin of changes by S204711 MOD-003
1990 CLEAR: l_i_matd[].
1991 l_i_matd[] = i_matd[].

```

```

1992      DELETE l_i_matd WHERE /ccbj/bbrand IS INITIAL.
1993      IF l_i_matd IS NOT INITIAL.
1994          SORT l_i_matd BY /ccbj/bbrand.
1995          DELETE ADJACENT DUPLICATES FROM l_i_matd
1996          COMPARING /ccbj/bbrand.
1997          IF l_i_matd[] IS NOT INITIAL.
1998      * Get Brand
1999          SELECT /scl/brand                                "#EC CI_SEL_NESTED
2000              /ccbj/bbrand
2001              FROM /scl/tmdm_brand
2002              INTO TABLE l_i_mbrand
2003              FOR ALL ENTRIES IN l_i_matd
2004              WHERE /ccbj/bbrand EQ l_i_matd-/ccbj/bbrand.
2005          IF sy-subrc IS INITIAL.
2006              SORT l_i_mbrand BY /scl/brand /ccbj/bbrand.
2007          ENDIF.
2008      ENDIF.
2009  ENDIF.
2010  CLEAR: l_i_matd[].
2011  l_i_matd[] = i_matd[].
2012  DELETE l_i_matd WHERE /ccbj/bpackg IS INITIAL.
2013  IF l_i_matd[] IS NOT INITIAL.
2014      SORT l_i_matd BY /ccbj/bpackg.
2015      DELETE ADJACENT DUPLICATES FROM l_i_matd
2016      COMPARING /ccbj/bpackg.
2017      IF l_i_matd[] IS NOT INITIAL.
2018  * Get Bottler package
2019      SELECT package_code "#EC CI_NOFIELD "#EC CI_SEL_NEST
ED
2020          /ccbj/bpackg
2021          FROM /ccej/t_packcode
2022          INTO TABLE l_i_bpack
2023          FOR ALL ENTRIES IN l_i_matd
2024          WHERE /ccbj/bpackg EQ l_i_matd-/ccbj/bpackg.
2025      IF sy-subrc IS INITIAL.
2026          SORT l_i_bpack BY package_code /ccbj/bpackg.
2027      ENDIF.
2028  ENDIF.
2029  ENDIF.
2030  CLEAR: l_i_matd[],i_rval[].
2031  "End of changes by S204711 MOD-003
2032  CLEAR: l_v_kschl, l_v_tab, l_v_tabnam.
2033  * Get the data for rate unit/value
2034  READ TABLE i_t6b2f ASSIGNING <l_fs_t6b2f>
2035      WITH KEY kschl = <l_fs_dagt>-rate_un
.
2036      IF sy-subrc IS INITIAL.
2037          l_v_kschl = <l_fs_t6b2f>-kschl.
2038          l_v_tab = <l_fs_t6b2f>-kotabnr.
2039          CONCATENATE c_pre l_v_tab INTO l_v_tabnam.
2040  * Fetch data from KOTE* table based on condition type
2041          SELECT kappl                                "#EC CI_SEL_NESTED
2042              kschl
2043              vkorg
2044              vtweg
2045              tposn
2046              katr3
2047              datbi
2048              knuma
2049              knumh
2050          FROM (l_v_tabnam) "kote712

```

```

2051          INTO TABLE i_rated
2052          WHERE knuma EQ <l_fs_dhdr>-knuma.
2053          IF sy-subrc IS INITIAL.
2054          SORT i_rated BY kschl.
2055          LOOP AT i_rated ASSIGNING <l_fs_rated>. "#EC CI_NEST
ED
2056 * Check the deletion indicator
2057          READ TABLE i_konp ASSIGNING <l_fs_konp>
2058          WITH KEY knumh = <l_fs_rated>-knun
h
2059          BINARY SEARCH.
2060          IF sy-subrc IS INITIAL.
2061
2062          CLEAR: l_v_kbrue.
2063          l_wa_rval-tposn = <l_fs_rated>-tposn.
2064          l_wa_rval-knuma = <l_fs_rated>-knuma.
2065          l_wa_rval-katr3 = <l_fs_rated>-katr3.
2066          l_wa_rval-kschl = <l_fs_rated>-kschl.
2067          l_wa_rval-krech = <l_fs_konp>-krech.
2068          l_wa_rval-kbetr = <l_fs_konp>-kbetr.
2069          l_wa_rval-kpein = <l_fs_konp>-kpein.
2070          l_wa_rval-kbrue = <l_fs_konp>-kbrue.
2071          APPEND l_wa_rval TO i_rval.
2072          CLEAR l_wa_rval.
2073
2074          ENDIF.
2075          ENDLLOOP.
2076          ENDIF.
2077          ENDIF.
2078          UNASSIGN: <l_fs_t6b2f>.
2079
2080          IF <l_fs_dhdr>-cal_type EQ c_one
2081 *          OR <l_fs_dhdr>-pay_type EQ c_two.
2082          OR <l_fs_dhdr>-cal_type EQ c_fixr. "++MOD-019
2083          " Calculate total no. of days
2084          CLEAR: l_v_tdays.
2085          CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AND_YEARS'
2086          EXPORTING
2087          i_date_from = <l_fs_kona>-datab
2088          i_date_to   = <l_fs_kona>-datbi
2089          IMPORTING
2090          e_days      = l_v_tdays.
2091          l_v_tdays = l_v_tdays + 1.
2092
2093          ENDIF.
2094
2095 * Get the last six periods based on current
2096          CLEAR: l_v_datum, l_v_bmon, l_v_ndat.
2097          CONCATENATE p_gjahr p_monat c_post
2098          INTO l_v_datum.
2099          l_v_bmon = p_pmon.
2100          CALL FUNCTION 'CCM_GO_BACK_MONTHS'
2101          EXPORTING
2102          currdte     = l_v_datum
2103          backmonths  = l_v_bmon
2104          IMPORTING
2105          newdate     = l_v_ndat.
2106 * Calculate total no. of days
2107          CLEAR: l_v_days.
2108          CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AND_YEARS'
2109          EXPORTING

```



```

2110         i_date_from = l_v_ndat
2111         i_date_to    = l_v_datum
2112     IMPORTING
2113         e_months      = l_v_days.
2114     l_v_days = l_v_days + 1.
2115     CLEAR: l_v_index, l_v_item.
2116     DO l_v_days TIMES.                                "#EC CI_NESTED
2117 *   Get the cutoff date
2118         CALL FUNCTION 'BKK_ADD_MONTH_TO_DATE'
2119         EXPORTING
2120             months     = l_v_index
2121             olddate    = l_v_ndat
2122         IMPORTING
2123             newdate    = l_v_pdat.
2124 *   IF <l_fs_dhdr>-pay_type <> c_two.
2125 *   Pass Sy-index to get next period
2126         l_v_index = sy-index.
2127 *   ENDIF.
2128
2129     CLEAR: l_v_monat, l_v_year, l_v_lastd.
2130     l_v_year = l_v_pdat+0(4).
2131     l_v_monat = l_v_pdat+4(2).
2132 *   Get the month end date
2133     CALL FUNCTION 'RP_LAST_DAY_OF_MONTHS'
2134     EXPORTING
2135         day_in              = l_v_pdat
2136     IMPORTING
2137         last_day_of_month  = l_v_lastd
2138     EXCEPTIONS
2139         ##FM_SUBRC_OK
2140         day_in_no_date     = 1
2141         OTHERS              = 2.
2142 *   Begin of changes by S204711                        For MOD-004
2143     CLEAR: l_v_skip.
2144     IF p_pmon IS NOT INITIAL
2145         AND l_v_lastd LE l_v_preacd.
2146         l_v_skip = abap_true.
2147     ENDIF.
2148     IF l_v_skip IS INITIAL.
2149 *   End of changes by S204711                        For MOD-004
2150 *   IF l_v_lastd GT <l_fs_kona>-datab."—MOD-005
2151     IF l_v_lastd GE <l_fs_kona>-datab. "++MOD-005
2152         IF <l_fs_ditem> IS ASSIGNED.
2153             UNASSIGN: <l_fs_ditem>.
2154         ENDIF.
2155     CLEAR: l_v_check, l_v_lstop.
2156     IF <l_fs_dhdr>-pay_type EQ c_one.
2157         READ TABLE i_ditem ASSIGNING <l_fs_ditem>
2158             WITH KEY knuma = <l_fs_dhdr>-knuma
2159                 sched_dat = l_v_lastd
2160                 tran_type = c_amort.'"04'-Amor
t.
2161         IF sy-subrc IS INITIAL.
2162             l_v_check = abap_true.
2163             l_v_aquan = l_v_aquan + <l_fs_ditem>-act_vol.
2164             l_v_pamnt = l_v_pamnt + <l_fs_ditem>-act_amnt.
2165         ENDIF.
2166         IF <l_fs_dhdr>-cal_type EQ c_two
2167             OR <l_fs_dhdr>-cal_type EQ c_thr.
2168             IF l_v_aquan GE <l_fs_dhdr>-cont_vol.
2169                 l_v_lstop = abap_true.

```

```

2170             ENDIF.
2171         ENDIF.
2172         ELSEIF <l_fs_dhdr>-pay_type EQ c_thr.
2173             READ TABLE i_ditem ASSIGNING <l_fs_ditem>
2174                 WITH KEY knuma = <l_fs_dhdr>-knuma
2175                     budat = l_v_lastd
2176                     tran_type = c_accr."03'-Accr
    ual
2177             IF sy-subrc IS INITIAL.
2178                 l_v_check = abap_true.
2179             ENDIF.
2180         ENDIF.
2181         * Read Item table based on posting date.
2182
2183         IF l_v_check IS INITIAL.
2184             IF l_v_conn IS NOT INITIAL.
2185                 v_conn = l_v_conn. "++ MOD-032
2186                 CLEAR: l_v_per.
2187                 CONCATENATE l_v_year c_zero l_v_monat
2188                     INTO l_v_per.
2189                 "Begin of changes by S204711 MOD-010
2190                 IF rb_sale IS INITIAL.
2191                     CLEAR: l_r_per, l_wa_per.
2192                     "Create range for period
2193                     l_wa_per-sign = c_i.
2194                     l_wa_per-option = c_bt.
2195                     l_wa_per-low = l_v_per.
2196                     l_wa_per-high = l_v_per.
2197                     APPEND l_wa_per TO l_r_per.
2198                     CLEAR: l_wa_per.
2199                 ELSE.
2200                     CLEAR: l_v_scdat, l_v_fper.
2201                     "Populate the range for period
2202                     IF l_v_pread IS NOT INITIAL.
2203                         l_v_scdat = l_v_pread + 1.
2204                         CONCATENATE l_v_scdat+0(4)
2205                             c_zero l_v_scdat+4(2)
2206                             INTO l_v_fper.
2207                     ELSE.
2208                         CONCATENATE <l_fs_kona>-datab+0(4)
2209                             c_zero <l_fs_kona>-datab+4(2)
2210                             INTO l_v_fper.
2211                     ENDIF.
2212                     CLEAR: l_r_per, l_wa_per.
2213                     "Create range for period
2214                     l_wa_per-sign = c_i.
2215                     l_wa_per-option = c_bt.
2216                     l_wa_per-low = l_v_fper.
2217                     l_wa_per-high = l_v_per.
2218                     APPEND l_wa_per TO l_r_per.
2219                     CLEAR: l_wa_per, l_v_scdat.
2220                 ENDIF.
2221                 "End of changes by S204711 MOD-010
2222                 r_per[] = l_r_per. "++ MOD-032
2223                 CLEAR: i_ce1jp00[], i_ce2jp00[].
2224                 "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
2225                 CLEAR: l_r_ww214_total[], l_r_kndnr_total[].
2226                 IF l_r_ww214[] IS NOT INITIAL.
2227                     APPEND LINES OF l_r_ww214 TO l_r_ww214_total
2228
2229             ENDIF.

```

```
2229             IF l_r_ww214_cross[] IS NOT INITIAL.
2230                 APPEND LINES OF l_r_ww214_cross TO l_r_ww214
                _total.
2231             ENDIF.
2232             IF l_r_kndnr[] IS NOT INITIAL.
2233                 APPEND LINES OF l_r_kndnr TO l_r_kndnr_total
                .
2234             ENDIF.
2235             IF l_r_kndnr_cross[] IS NOT INITIAL.
2236                 APPEND LINES OF l_r_kndnr_cross TO l_r_kndnr
                _total.
2237             ENDIF.
2238             * IF l_r_kndnr[] IS NOT INITIAL
2239             * AND l_r_ww214[] IS NOT INITIAL.
2240             IF l_r_kndnr_total[] IS NOT INITIAL
2241                 AND l_r_ww214_total[] IS NOT INITIAL.
2242                 "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
2243                 IF rb_sale IS INITIAL.
2244                     SELECT mandt             "#EC CI_SEL_NESTED
2245                         paledger
2246                         vrgar
2247                         versi
2248                         paobjnr
2249                         pasubnr
2250                         belnr
2251                         perbl
2252                         gjahr
2253                         kndnr
2254                         artnr
2255                         fkart
2256                         buksr
2257                         werks
2258                         vkorg
2259                         vtweg
2260                         spart
2261                         prctr
2262                         kunwe
2263                         kmvkbv
2264                         ww207
2265                         katr4
2266                         ww214
2267                         vkaus "++MOD-007
2268                         ww224
2269                         ww225
2270                         ww226
2271                         ww227
2272                         ww228
2273                         ww229
2274                         absmg_me
2275                         vv980_me
2276                         vv981_me
2277                         vv982_me
2278                         vv983_me
2279                         absmg001
2280                         erlos001
2281                         vv506001
2282                         vv507001
2283                         vv980001
2284                         vv981001
2285                         vv982001
2286                         vv983001
```

```

2287 FROM ce2jp00
2288 CONNECTION (l_v_conn)
2289 INTO TABLE i_ce2jp00
2290 BYPASSING BUFFER
2291 WHERE paledger EQ c_opcon
2292 AND vrgar EQ c_exrec
2293 AND versi EQ c_eversti
2294 * AND perbl EQ l_v_per "—MOD-010
2295 AND perbl IN l_r_per "++MOD-010
2296 * AND bukrs EQ p_bukrs "—MOD-004
2297 AND bukrs IN l_r_bukrs "++MOD-004
2298 AND kmvkbui IN s_vkbu
2299 * AND ( ww207 IN l_r_kndnr "—MOD-032
2300 * OR ww214 IN l_r_ww214 ) "—MOD-032
2301 AND ( ww207 IN l_r_kndnr_total "++MOD-03
2302 2 OR ww214 IN l_r_ww214_total ) "++MOD-0
2303 32 AND ww228 EQ <l_fs_dhdr>-knuma.
2304 IF sy-subrc IS NOT INITIAL.
2305 CLEAR: i_ce2jp00[].
2306 ELSE.
2307 SORT i_ce2jp00 BY kndnr artnr.
2308 ENDIF.
2309 ELSE.
2310 SELECT mandt "#EC CI_SEL_NESTED
2311 paledger
2312 vrgar
2313 versi
2314 perio
2315 paobjnr
2316 pasubnr
2317 belnr
2318 posnr
2319 gjahr
2320 perde
2321 fadat
2322 kndnr
2323 artnr
2324 fkart
2325 bukrs
2326 werks
2327 vkorg
2328 vtweg
2329 spart
2330 prctr
2331 kunwe
2332 kmvkbui
2333 ww207
2334 katr4
2335 ww214
2336 vkaus "++MOD-007
2337 ww224
2338 ww225
2339 ww226
2340 ww227
2341 ww228
2342 ww229
2343 absmg_me
2344 vv980_me
2345 vv981_me

```

```

2346          vv982_me
2347          vv983_me
2348          absmg
2349          erlos
2350          vv506
2351          vv507
2352          vv980
2353          vv981
2354          vv982
2355          vv983
2356          FROM ce1jp00
2357          CONNECTION (l_v_conn)
2358          INTO TABLE i_ce1jp00
2359          BYPASSING BUFFER
2360          WHERE paledger EQ c_opcon
2361          AND vrgar EQ c_record
2362  *          AND perio EQ l_v_per "—MOD-010
2363          AND perio IN l_r_per "++MOD-010
2364  *          AND bukrs EQ p_bukrs "—MOD-004
2365          AND bukrs IN l_r_bukrs "++MOD-004
2366          AND kmvkbü IN s_vkbur
2367  *          AND ( ww207 IN l_r_kndnr "—MOD-032
2368  *          OR ww214 IN l_r_ww214 ). "—MOD-032
2369          AND ( ww207 IN l_r_kndnr_total "++MOD-03
2
2370          OR ww214 IN l_r_ww214_total ). "++MOD-
032
2371          IF sy-subrc IS NOT INITIAL.
2372          CLEAR: i_ce1jp00[].
2373          ELSE.
2374          SORT i_ce1jp00 BY kndnr artnr.
2375          ENDIF.
2376          ENDIF.
2377  *          ELSEIF l_r_kndnr[] IS INITIAL
2378  *          AND l_r_ww214[] IS NOT INITIAL. "—MOD-032
2379          ELSEIF l_r_kndnr_total[] IS INITIAL
2380          AND l_r_ww214_total[] IS NOT INITIAL. "++MOD-
032
2381          IF rb_sale IS INITIAL.
2382          SELECT mandt          "#EC CI_SEL_NESTED
2383          paledger
2384          vrgar
2385          versi
2386          paobjnr
2387          pasubnr
2388          belnr
2389          perbl
2390          gjahr
2391          kndnr
2392          artnr
2393          fkart
2394          bukrs
2395          werks
2396          vkorg
2397          vtweg
2398          spart
2399          prctr
2400          kunwe
2401          kmvkbü
2402          ww207
2403          katr4

```

```
2404          ww214
2405          vkaus "++MOD-007
2406          ww224
2407          ww225
2408          ww226
2409          ww227
2410          ww228
2411          ww229
2412          absmg_me
2413          vv980_me
2414          vv981_me
2415          vv982_me
2416          vv983_me
2417          absmg001
2418          erlos001
2419          vv506001
2420          vv507001
2421          vv980001
2422          vv981001
2423          vv982001
2424          vv983001
2425          FROM ce2jp00
2426          CONNECTION (l_v_conn)
2427          INTO TABLE i_ce2jp00
2428          BYPASSING BUFFER
2429          WHERE paledger EQ c_opcon
2430          AND vrgar EQ c_exrec
2431          AND versi EQ c_eversi
2432          *      AND perbl EQ l_v_per "—MOD-010
2433          *      AND perbl IN l_r_per "++MOD-010
2434          *      AND bukrs EQ p_bukrs "—MOD-004
2435          AND bukrs IN l_r_bukrs "++MOD-004
2436          AND kmvkbv IN s_vkbur
2437          *      AND ww214 IN l_r_ww214 "—MOD-032
2438          AND ww214 IN l_r_ww214_total "++MOD-032
2439          AND ww228 EQ <l_fs_dhdr>-knuma.
2440          IF sy-subrc IS NOT INITIAL.
2441              CLEAR: i_ce2jp00[].
2442          ELSE.
2443              SORT i_ce2jp00 BY kindr artnr.
2444          ENDIF.
2445          ELSE.
2446              SELECT mandt          "#EC CI_SEL_NESTED
2447              paledger
2448              vrgar
2449              versi
2450              perio
2451              paobjnr
2452              pasubnr
2453              belnr
2454              posnr
2455              gjahr
2456              perde
2457              fadat
2458              kindr
2459              artnr
2460              fkart
2461              bukrs
2462              werks
2463              vkorg
2464              vtweg
```



```

2465          spart
2466          prctr
2467          kunwe
2468          kmvkbv
2469          ww207
2470          katr4
2471          ww214
2472          vkaus "++MOD-007
2473          ww224
2474          ww225
2475          ww226
2476          ww227
2477          ww228
2478          ww229
2479          absmg_me
2480          vv980_me
2481          vv981_me
2482          vv982_me
2483          vv983_me
2484          absmg
2485          erlos
2486          vv506
2487          vv507
2488          vv980
2489          vv981
2490          vv982
2491          vv983
2492          FROM ce1jp00
2493          CONNECTION (l_v_conn)
2494          INTO TABLE i_ce1jp00
2495          BYPASSING BUFFER
2496          WHERE paledger EQ c_opcon
2497          AND vrgar EQ c_record
2498 *          AND perio EQ l_v_per "—MOD-010
2499          AND perio IN l_r_per "++MOD-010
2500 *          AND bukrs EQ p_bukrs "—MOD-004
2501          AND bukrs IN l_r_bukrs "++MOD-004
2502          AND kmvkbv IN s_vkbur
2503 *          AND ww214 IN l_r_ww214. "—MOD-032
2504          AND ww214 IN l_r_ww214_total. "++MOD-
032
2505          IF sy-subrc IS NOT INITIAL.
2506          CLEAR: i_ce1jp00[].
2507          ELSE.
2508          SORT i_ce1jp00 BY kndnr artnr.
2509          ENDIF.
2510          ENDIF.
2511
2512 *          ELSEIF l_r_kndnr[] IS NOT INITIAL
2513 *          AND l_r_ww214[] IS INITIAL. "—MOD-032
2514          ELSEIF l_r_kndnr_total[] IS NOT INITIAL
2515          AND l_r_ww214_total[] IS INITIAL. "++MOD
-032
2516          IF rb_sale IS INITIAL.
2517          SELECT mandt "#EC CI_SEL_NESTED
2518          paledger
2519          vrgar
2520          versi
2521          paobjnr
2522          pasubnr
2523          belnr

```

```
2524          perbl
2525          gjahr
2526          kindr
2527          artnr
2528          fkart
2529          bukr
2530          werks
2531          vkorg
2532          vtweg
2533          spart
2534          prctr
2535          kunwe
2536          kmvkb
2537          ww207
2538          katr4
2539          ww214
2540          vkaus "++MOD-007
2541          ww224
2542          ww225
2543          ww226
2544          ww227
2545          ww228
2546          ww229
2547          absmg_me
2548          vv980_me
2549          vv981_me
2550          vv982_me
2551          vv983_me
2552          absmg001
2553          erlos001
2554          vv506001
2555          vv507001
2556          vv980001
2557          vv981001
2558          vv982001
2559          vv983001
2560      FROM ce2jp00
2561      CONNECTION (l_v_conn)
2562      INTO TABLE i_ce2jp00
2563      BYPASSING BUFFER
2564      WHERE paledger EQ c_opcon
2565             AND vrgar EQ c_exrec
2566             AND versi EQ c_ever
2567 *             AND perbl EQ l_v_per "—MOD-010
2568             AND perbl IN l_r_per "++MOD-010
2569 *             AND bukr EQ p_bukr "—MOD-004
2570             AND bukr IN l_r_bukr "++MOD-004
2571             AND kmvkb IN s_vkbu
2572 *             AND ww207 IN l_r_kndr "—MOD-032
2573             AND ww207 IN l_r_kndr_total "++MOD-032
2574             AND ww228 EQ <l_fs_dhdr>-knuma.
2575      IF sy-subrc IS NOT INITIAL.
2576          CLEAR: i_ce2jp00[].
2577      ELSE.
2578          SORT i_ce2jp00 BY kindr artnr.
2579      ENDIF.
2580      ELSE.
2581          SELECT mandt "#EC CI_SEL_NESTED
2582                 paledger
2583                 vrgar
2584                 versi
```

```
2585      perio
2586      paobjnr
2587      pasubnr
2588      belnr
2589      posnr
2590      gjahr
2591      perde
2592      fadat
2593      kindnr
2594      artnr
2595      fkart
2596      bukrs
2597      werks
2598      vkorg
2599      vtweg
2600      spart
2601      prctr
2602      kunwe
2603      kmvkbü
2604      ww207
2605      kattr4
2606      ww214
2607      vkaus "++MOD-007
2608      ww224
2609      ww225
2610      ww226
2611      ww227
2612      ww228
2613      ww229
2614      absmg_me
2615      vv980_me
2616      vv981_me
2617      vv982_me
2618      vv983_me
2619      absmg
2620      erlos
2621      vv506
2622      vv507
2623      vv980
2624      vv981
2625      vv982
2626      vv983
2627      FROM ce1jp00
2628      CONNECTION (l_v_conn)
2629      INTO TABLE i_ce1jp00
2630      BYPASSING BUFFER
2631      WHERE paledger EQ c_opcon
2632      AND vrgar EQ c_record
2633      *      AND perio EQ l_v_per "—MOD-010
2634      AND perio IN l_r_per "++MOD-010
2635      *      AND bukrs EQ p_bukrs "—MOD-004
2636      AND bukrs IN l_r_bukrs "++MOD-004
2637      AND kmvkbü IN s_vkbur
2638      *      AND ww207 IN l_r_kindnr. "—MOD-032
2639      AND ww207 IN l_r_kindnr_total. "++MOD-0
32
2640      IF sy-subrc IS NOT INITIAL.
2641      CLEAR: i_ce1jp00[].
2642      ELSE.
2643      SORT i_ce1jp00 BY kindnr artnr.
2644      ENDIF.
```

```

2645             ENDIF.
2646             ENDIF.
2647             ENDIF.
2648 * Begin of changes by S204711 For MOD-004
2649 "Pre pay No sales scenario
2650 IF <l_fs_dhdr>-pay_type EQ c_one
2651 OR ( <l_fs_dhdr>-pay_type EQ c_thr " MOD-024
++
2652 AND <l_fs_dhdr>-cal_type EQ c_fixr )." MOD-024
++
2653 * AND <l_fs_dhdr>-cal_type EQ c_one. "—MOD-010
2654 * Begin of changes by S204711 For MOD-005
2655 IF <l_fs_dhdr>-cal_type EQ c_one. "++MOD-010
2656 IF rb_sale IS NOT INITIAL.
2657 IF <l_fs_kona>-datab+0(6) EQ l_v_lastd+0(6
).
2658 IF i_ce1jp00[] IS NOT INITIAL.
2659 DELETE i_ce1jp00 WHERE fadat
2660 LT <l_fs_kona>-datab.
2661 ENDIF.
2662 ELSEIF <l_fs_kona>-datbi+0(6) EQ l_v_lastd
+0(6).
2663 IF i_ce1jp00[] IS NOT INITIAL.
2664 DELETE i_ce1jp00 WHERE fadat
2665 GT <l_fs_kona>-datbi.
2666 ENDIF.
2667 ENDIF.
2668 ENDIF.
2669 ENDIF. "++MOD-010
2670 * End of changes by S204711 For MOD-005
2671 IF i_ce1jp00[] IS INITIAL.
2672 IF rb_sale IS NOT INITIAL.
2673 * Consider Dummy material
2674 CLEAR: l_v_bcust,
2675         l_v_nodeal, l_v_nosale, "++MOD-020
2676 "BOC | MOD-032 | EJX9005197 | 08-Jan-2025
2677         l_v_bcust_cross.
2678 IF <l_fs_dhdr>-sub_bukrs = c_7827 OR
2679 <l_fs_dhdr>-bukrs = c_7827.
2680 "EOC | MOD-032 | EJX9005197 | 08-Jan-202
5
2681 IF l_r_kndnr IS INITIAL.
2682 IF l_r_ww214 IS NOT INITIAL. "++MOD-0
32
2683
2684 * *****
2685 * # *****Code Remediation changes S4 2025_S Conversion **begin of change
by EJX9007360 2026.06.09 ATC
2686 * *****
2687 * Quick Fix Append ORDER BY PRIMARY KEY to the SELECT statement
2688 * 10.06.2026 08:22:06 EJX9007361
2689 * Transport Q4RK902230 ATC Correction S4 HANA
2690 * Replaced Code:
2691 * SELECT kunnr UP TO 1 ROWS "#EC CI
_SEL_NESTED "#EC CI_NOORDER
2692 * FROM kna1
2693 * CONNECTION (l_v_conn) "++MOD-020
2694 * INTO l_v_bcust
2695 * BYPASSING BUFFER "++MOD-020
2696 * WHERE /ccc/gedatnr IN l_r_ww214.
2697 * SELECT kunnr UP TO 1 ROWS "#EC CI_

```

```
SEL_NESTED "#EC CI_NOORDER
2698 * *****
2699 * # *****Code Remediation changes S4 2025_S Conversion **end of change b
y EJX9007360 2026.06.09 ATC
2700 * *****
2701 FROM kna1
2702 CONNECTION (l_v_conn) "++MOD-020
2703 INTO l_v_bcust
2704 BYPASSING BUFFER "++MOD-020
2705 WHERE /ccc/gedatnr IN l_r_ww214 OR
DER BY PRIMARY KEY.
2706 * End of Quick Fix
2707
2708 ENDSELECT.
2709 IF sy-subrc IS NOT INITIAL.
2710 CLEAR: l_v_bcust.
2711 * Begin of changes by S204711 MOD-020
2712 * Populate message if no dealer found for Bottler acc. code
2713 l_v_nodeal = abap_true.
2714 * End of changes by S204711 MOD-020
2715 ENDIF.
2716 ENDIF. "++MOD-032
2717 ELSE.
2718 READ TABLE l_r_kndnr INTO l_wa_kndnr I
NDEX 1.
2719 IF sy-subrc IS INITIAL.
2720 l_v_bcust = l_wa_kndnr-low.
2721 ENDIF.
2722 ENDIF.
2723 "BOC | MOD-032 | EJX9005197 | 03-Dec-202
4
2724 ENDIF.
2725 IF <l_fs_dhdr>-sub_bukrs = c_7828 OR
2726 <l_fs_dhdr>-bukrs = c_7828.
2727 IF l_r_kndnr_cross IS INITIAL.
2728 IF l_r_ww214_cross IS NOT INITIAL.
2729
2730 * *****
2731 * # *****Code Remediation changes S4 2025_S Conversion **begin of change
by EJX9007360 2026.06.09 ATC
2732 * *****
2733 * Quick Fix Append ORDER BY PRIMARY KEY to the SELECT statement
2734 * 10.06.2026 08:22:06 EJX9007361
2735 * Transport Q4RK902230 ATC Correction S4 HANA
2736 * Replaced Code:
2737 * SELECT kunnr UP TO 1 ROWS
2738 * FROM kna1
2739 * CONNECTION (l_v_conn)
2740 * INTO l_v_bcust_cross
2741 * BYPASSING BUFFER
2742 * WHERE /ccc/gedatnr IN l_r_ww214_c
ross.
2743 SELECT kunnr UP TO 1 ROWS "#EC CI_
SEL_NESTED "#EC CI_NOORDER
2744 * *****
2745 * # *****Code Remediation changes S4 2025_S Conversion **end of change b
y EJX9007360 2026.06.09 ATC
2746 * *****
2747 FROM kna1
2748 CONNECTION (l_v_conn)
2749 INTO l_v_bcust_cross
```

```

2750                                BYPASSING BUFFER
2751                                WHERE /ccc/gedatnr IN l_r_ww214_cr
                                oss ORDER BY PRIMARY KEY.
2752    * End of Quick Fix
2753
2754                                ENDSELECT.
2755                                IF sy-subrc IS NOT INITIAL.
2756                                    CLEAR: l_v_bcust_cross.
2757    * Populate message if no dealer found for Bottler acc. code
2758                                    l_v_nodeal = abap_true.
2759                                ENDIF.
2760                                ENDIF.
2761                                ELSE.
2762                                    READ TABLE l_r_kndnr_cross INTO l_wa_k
                                ndnr INDEX 1.
2763                                    IF sy-subrc IS INITIAL.
2764                                        l_v_bcust_cross = l_wa_kndnr-low.
2765                                    ENDIF.
2766                                ENDIF.
2767                                ENDIF.
2768                                CLEAR : l_i_dumce1[].
2769                                "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
2770                                IF l_v_bcust IS NOT INITIAL
2771                                    OR l_v_bcust_cross IS NOT INITIAL. "++
                                MOD-032
2772                                    l_v_nosale = abap_true. "++MOD-020
2773                                    "BOC | MOD-032 | EJX9005197 | 03-Dec-202
                                4
2774                                    "BOC | 22-May-2025 | EJX9005197 | MOD-03
                                5    "Commenting the code
2775    *
2776    *                                IF i_sales[] IS NOT INITIAL.
2777    *                                    IF <l_fs_dhdr>-cross_ind IS NOT INIT
2778    *                                        IAL.
2779    *                                            READ TABLE i_sales INTO l_wa_sales
2780    *                                                WITH KEY bukrs = <l_fs_dhdr>-sub_
2781    *                                                    bukrs
2782    *                                                        BINARY SEARCH.
2783    *                                                        IF sy-subrc IS INITIAL.
2784    *                                                            PERFORM f_dummy_check_sales
2785    *                                                                USING l_wa_sales
2786    *                                                                    <l_fs_dhdr>
2787    *                                                                        <l_fs_dhdr>-sub_bukrs
2788    *                                                                            CHANGING v_dummy_flag.
2789    *                                                        ELSE.
2790    *                                                            v_dummy_flag = abap_true.
2791    *                                                        ENDIF.
2792    *                                                            CLEAR l_wa_sales.
2793    *                                                        ENDIF.
2794    *                                                    ENDIF.
2795    *                                                    "EOC | 22-May-2025 | EJX9005197 | MOD-03
                                5    "Commenting the code
2796                                IF v_dummy_flag IS INITIAL.
2797                                    READ TABLE l_i_ditem ASSIGNING <l_fs_d
                                item>
2798                                    WITH KEY knuma =
                                <l_fs_dhdr>-knuma
                                tran_typ
                                e = c_post.
2799                                "EOC | MOD-032 | EJX9005197 | 03-Dec-2
                                024
2800                                PERFORM f_dummy_sales USING <l_fs_dhdr

```



```

2799 > <l_fs_kona
2800 > <l_fs_dite
2801 m> "++ MOD-032
2802 l_v_bcust
2802 cross "++ MOD-032 l_v_bcust_
2803 l_v_lastd
2804 lag "++ MOD-038 l_v_ppay_f
2805 dummy "++ MOD-038 l_v_cross_
2806 CHANGING l_i_dumce1.
2807 "BOC | MOD-032 | EJX9005197 | 03-Dec-2
2808 024 IF <l_fs_ditem> IS ASSIGNED.
2809 UNASSIGN <l_fs_ditem>.
2810 ENDIF.
2811 "EOC | MOD-032 | EJX9005197 | 03-Dec-2
2812 024 ENDIF. "++ MOD-032
2813 i_ce1jp00[] = l_i_dumce1[].
2814 ELSE. "++MOD-007
2815 CLEAR: l_wa_final, l_v_message.
2816 l_wa_final-monat = p_monat.
2817 l_wa_final-gjahr = p_gjahr.
2818 l_wa_final-bukrs = p_bukrs.
2819 l_wa_final-knuma = <l_fs_dhdr>-knuma.
2820 * Begin of changes by S204711 MOD-020
2821 IF l_v_nodeal IS NOT INITIAL.
2822 l_wa_final-sched_dat = l_v_lastd.
2823 * Populate message if no dealer found for Bottler acc. code
2824 l_wa_final-msg = text-044.
2825 ELSEIF l_v_nosale IS NOT INITIAL.
2826 * Populate message if no sales found for dealer/Bottler account
2827 l_wa_final-msg = text-045.
2828 ENDIF.
2829 * End of changes by S204711 MOD-020
2830 IF l_wa_final-msg IS INITIAL. "++MOD-02
2831 0
2832 CONCATENATE text-040 <l_fs_dhdr>-knuma
2833 INTO l_v_message SEPARATED BY space.
2834 l_wa_final-msg = l_v_message.
2835 ENDIF. "++MOD-020
2836 APPEND l_wa_final TO i_final.
2837 CLEAR: l_wa_final, l_v_message.
2838 ENDIF.
2839 ENDIF.
2840 ENDIF. "++MOD-007
2841 " Begin of changes by S204711 For MO
2842 D-009
2843 IF rb_sale IS NOT INITIAL AND
2844 <l_fs_dhdr>-pay_type EQ c_thr.
2845 CLEAR: l_v_fadat, l_i_sditem[].
2846 "Begin of changes by S204711 MOD-009
2847 IF p_monat EQ <l_fs_kona>-datab+4(2).
2848 DELETE i_ce1jp00 WHERE fadat
2849 LT <l_fs_kona>-datab.
2850 ENDIF.

```

```

2850 "End of changes by S204711 MOD-009
2851 IF <l_fs_ditem> IS ASSIGNED.
2852 UNASSIGN: <l_fs_ditem>.
2853 ENDIF.
2854 l_i_sditem[] = l_i_ditem[].
2855 DELETE l_i_sditem WHERE tran_type <> c_acct.
2856 IF l_i_sditem[] IS NOT INITIAL.
2857 SORT l_i_sditem BY sched_dat DESCENDING.
2858 READ TABLE l_i_sditem ASSIGNING <l_fs_ditem>
2859 WITH KEY knuma = <l_fs_dh
dr>-knuma
2860 tran_type = c_ac
ct.'"07'-Settl.
2861 IF sy-subrc IS INITIAL.
2862 l_v_fadat = <l_fs_ditem>-sched_dat + 1.
2863 IF l_v_fadat+4(2) EQ p_monat.
2864 DELETE i_ce1jp00 WHERE fadat
2865 LT l_v_fadat.
2866 ENDIF.
2867 ENDIF.
2868 ENDIF.
2869 FREE: l_i_sditem[].
2870 ENDIF.
2871 " End of changes by S204711 For MOD-
009
2872 IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
2873 CLEAR: l_i_subce1[], l_i_subce2[].
2874 IF i_ce1jp00[] IS NOT INITIAL.
2875 l_i_subce1[] = i_ce1jp00[].
2876 DELETE l_i_subce1 WHERE buhrs EQ <l_fs_dhdr>
-buhrs.
2877 IF l_i_subce1[] IS NOT INITIAL.
2878 SORT l_i_subce1 BY kindnr artnr.
2879 ENDIF.
2880 DELETE i_ce1jp00 WHERE buhrs EQ <l_fs_dhdr>-
sub_buhrs.
2881 ENDIF.
2882 IF i_ce2jp00[] IS NOT INITIAL.
2883 l_i_subce2[] = i_ce2jp00[].
2884 DELETE l_i_subce2 WHERE buhrs EQ <l_fs_dhdr>
-buhrs.
2885 IF l_i_subce2[] IS NOT INITIAL.
2886 SORT l_i_subce2 BY kindnr artnr.
2887 ENDIF.
2888 DELETE i_ce2jp00 WHERE buhrs EQ <l_fs_dhdr>-
sub_buhrs.
2889 ENDIF.
2890 "Begin of changes by S204711 For M
OD-009
2891 CLEAR: l_i_sditem[].
2892 l_i_sditem[] = l_i_tditem[].
2893 SORT l_i_sditem BY buhrs.
2894 DELETE l_i_sditem WHERE buhrs EQ <l_fs_dhdr>-s
ub_buhrs.
2895 " End of changes by S204711 For MO
D-009
2896 *
2897 ENDIF.
2898 IF i_ce1jp00[] IS NOT INITIAL
2899 OR i_ce2jp00[] IS NOT INITIAL
2900 OR l_i_subce1[] IS NOT INITIAL

```

```

2901                                OR l_i_subce2[] IS NOT INITIAL.
2902 * End of changes by S204711                                For MOD-004
2903
2904                                IF i_rval[] IS NOT INITIAL.
2905                                    SORT i_rval BY tposn knuma.
2906                                ENDIF.
2907
2908                                IF <l_fs_ditem> IS ASSIGNED.
2909                                    UNASSIGN: <l_fs_ditem>.
2910                                ENDIF.
2911                                CLEAR: l_v_stax,
2912                                        i_ftaxd[], l_i_uditem[], "++MOD-008
2913                                        l_v_post. "++MOD-022
2914 * Get the total sales values/Quantity
2915                                READ TABLE l_i_tditem WITH KEY knuma = <l_fs_k
ona>-knuma
2916                                BINARY SEARCH
2917                                TRANSPORTING NO FIELDS.
2918                                IF sy-subrc IS INITIAL.
2919                                    l_v_tindex = sy-tabix.
2920                                LOOP AT l_i_tditem ASSIGNING <l_fs_ditem> FR
OM l_v_tindex. "#EC CI_NESTED
2921                                    IF <l_fs_kona>-knuma <> <l_fs_ditem>-knuma
.
2922                                        EXIT.                                "#EC CI_EXITININC
2923                                ENDIF.
2924                                CLEAR: l_v_pindex.
2925                                l_v_pindex = sy-tabix.
2926                                IF <l_fs_ditem>-tran_type EQ c_post.
2927                                    "Begin of addition by S204711                                MO
D-010
2928                                CLEAR:l_v_exit.
2929                                IF <l_fs_dhdr>-pay_type EQ c_one.
2930                                    READ TABLE l_i_ditem WITH KEY bukrs =
<l_fs_ditem>-bukrs
2931                                                                    compl =
abap_true
2932                                                                    TRANSPORTING NO FI
ELDS.
2933                                IF sy-subrc IS INITIAL.
2934                                    l_v_exit = abap_true.
2935                                ENDIF.
2936                                IF <l_fs_dhdr>-cross_ind IS NOT INITIA
L. "++MOD-011
2937                                    IF <l_fs_dhdr>-main_bukrs EQ <l_fs_d
item>-bukrs.
2938                                        IF <l_fs_dhdr>-main_trg_amt IS INI
TIAL.
2939                                            l_v_exit = abap_true.
2940                                        ENDIF.
2941                                    ELSE.
2942                                        IF <l_fs_dhdr>-sub_trg_amt IS INIT
IAL.
2943                                            l_v_exit = abap_true.
2944                                        ENDIF.
2945                                    ENDIF.
2946
2947                                    "BOC | 14-Aug-2025 | EJX9005197 | MO
D-038
2948                                IF ( <l_fs_dhdr>-cal_type = c_two 0
R <l_fs_dhdr>-cal_type = c_thr ) AND

```

```

2949          <l_fs_dhdr>-agre_typ = c_two.
2950          CLEAR l_v_exit.
2951          l_v_ppay_flag = abap_true.
2952      ENDIF.
2953      "EOC | 14-Aug-2025 | EJX9005197 | MO
D-038
2954
2955      ENDIF. "++MOD-011
2956  ENDIF.
2957  IF l_v_exit IS INITIAL.
2958      "End of addition by S204711 MO
D-010
2959      " Begin of addition
MOD-004
2960      "Check the item exist for the contract
2961      READ TABLE i_rval ASSIGNING <l_fs_rval
>
2962      WITH KEY tposn = <l_
fs_ditem>-tposn
2963      knuma = <l_
fs_kona>-knuma
2964      BINARY SEARCH.
2965      IF sy-subrc IS INITIAL.
2966          " End of addition
MOD-004
2967          l_wa_final-monat = l_v_monat.
2968          l_wa_final-gjahr = l_v_year.
2969          l_wa_final-bukrs = <l_fs_ditem>-bukr
s. "++MOD-004
2970          l_wa_final-sched_dat = l_v_lastd.
2971          l_wa_final-knuma = <l_fs_kona>-knuma
.
2972          l_wa_final-tposn = <l_fs_ditem>-tpos
n.
2973          IF <l_fs_ditem>-tar_unit EQ c_one.
2974              l_wa_final-tar_unit = text-033. "C
ase(CS)
2975          ELSEIF <l_fs_ditem>-tar_unit EQ c_tw
o.
2976              l_wa_final-tar_unit = text-034. "L
oose(LS)
2977          ELSEIF <l_fs_ditem>-tar_unit EQ c_th
r.
2978              l_wa_final-tar_unit = text-035. "G
allon(GAL)
2979          ELSEIF <l_fs_ditem>-tar_unit EQ c_un
t4.
2980              l_wa_final-tar_unit = text-036. "A
mount(Tax Inc.)
2981          ELSEIF <l_fs_ditem>-tar_unit EQ c_un
t5.
2982              l_wa_final-tar_unit = text-037. "A
mount(Tax Exc.)
2983          ELSEIF <l_fs_ditem>-tar_unit EQ c_si
x.
2984          *
2985          OR <l_fs_dhdr>-pay_type EQ c_two.
2986              l_wa_final-tar_unit = text-003. "P
eriod
2987          "Begin of changes by S204711 MO
D-019
2988          "Add logic for postpay period alon

```

```

g with pre period
2988
2989
2990
2991
D-019
2992
2993
2994 * Get the logic for Pre paid scenario
2995
2996
_lastd+0(6).
2997
2998 * Begin of changes by S204711
2999
ne.
3000
fs_dhdr>-bukrs. "++MOD-004
3001
IAL.
3002
adat
3003
tab.
3004
3005 * Begin of changes by S204711
3006
3007
TIAL.
3008
fadat
3009
tab.
3010
3011
3012 * End of changes by S204711
3013
3014 * End of changes by S204711
3015
_l_v_lastd+0(6).
3016
MOD-020
3017
case
3018
3019 a>-datab+0(6).
3020
s
3021
_MONTHS_AND_YEARS'
3022
3023 >-datab
3024 >-datbi
3025
3026
3027
3028
MOD-020

ENDIF. "++MOD-019
IF <l_fs_ditem>-tar_unit EQ c_six
OR <l_fs_dhdr>-cal_type EQ c_fixr.
"End of changes by S204711 MO
CLEAR: l_v_skip.
IF l_v_skip IS INITIAL.
CLEAR: l_v_mdays, l_v_adat.
IF <l_fs_kona>-datab+0(6) EQ l_v
l_v_adat = <l_fs_kona>-datab.
MOD-006
IF <l_fs_dhdr>-cal_type <> c_o
IF <l_fs_ditem>-bukrs EQ <l_
IF i_ce1jp00[] IS NOT INIT
DELETE i_ce1jp00 WHERE f
LT <l_fs_kona>-da
ENDIF.
For MOD-004
ELSE.
IF l_i_subce1[] IS NOT INI
DELETE l_i_subce1 WHERE
LT <l_fs_kona>-da
ENDIF.
ENDIF.
For MOD-004
ENDIF.
MOD-006
ELSEIF <l_fs_kona>-datbi+0(6) EQ
"Begin of changes by S204711
" Add catch up logic for this
IF l_v_pread IS INITIAL
AND l_v_pdat+0(6) <> <l_fs_kon
" Calculate total no. of day
CALL FUNCTION 'FIMA_DAYS_AND
EXPORTING
i_date_from = <l_fs_kona
i_date_to = <l_fs_kona
IMPORTING
e_days = l_v_mdays.
ELSE.
"End of changes by S204711

```

```

3029                                     " Calculate total no. of day
3030 s                                     CALL FUNCTION 'FIMA_DAYS_AND
    _MONTHS_AND_YEARS'
3031                                     EXPORTING
3032                                     i_date_from = l_v_pdat
3033                                     i_date_to   = <l_fs_kona
    >-datbi
3034                                     IMPORTING
3035                                     e_days      = l_v_mdays.
3036 ENDIF.                                "++MOD-020
3037 CLEAR: l_v_adat.                      MOD-006
3038 * Begin of changes by S204711
3039 IF <l_fs_dhdr>-cal_type <> c_o
    ne.
3040 IF <l_fs_ditem>-bukrs EQ <l_
    fs_dhdr>-bukrs. "++MOD-004
3041 IAL.
3042 DELETE i_ce1jp00 WHERE f
    adat
3043 GT <l_fs_kona>-da
    tbi.
3044 ENDIF.
3045 * Begin of changes by S204711        For MOD-004
3046 ELSE.
3047 IF l_i_subce1[] IS NOT INI
    TIAL.
3048 DELETE l_i_subce1 WHERE
    fadat
3049 GT <l_fs_kona>-da
    tbi.
3050 ENDIF.
3051 ENDIF.                                For MOD-004
3052 * End of changes by S204711          MOD-006
3053 ENDIF.
3054 * End of changes by S204711
3055 ELSE.
3056 "Begin of changes by S204711
    MOD-018
3057 "Consider pre catch funcionalit
    ty
3058 *                                     l_v_adat = l_v_pdat.
3059 IF l_v_pread IS INITIAL
3060 AND l_v_pdat+0(6) <> <l_fs_kon
    a>-datab+0(6).
3061 l_v_adat = <l_fs_kona>-datab
    .
3062 ELSE.
3063 l_v_adat = l_v_pdat.
3064 ENDIF.
3065 "End of changes by S204711
    MOD-018
3066 ENDIF.
3067 IF l_v_adat IS NOT INITIAL.
3068 " Calculate total no. of days
3069 CALL FUNCTION 'FIMA_DAYS_AND_M
    ONTHS_AND_YEARS'
3070 EXPORTING
3071 i_date_from = l_v_adat
3072 i_date_to   = l_v_lastd

```



```

3073                                IMPORTING
3074                                e_days      = l_v_mdays.
3075                                ENDIF.
3076                                l_v_mdays = l_v_mdays + 1.
3077                                ELSE.
3078                                l_v_mdays = l_v_tdays.
3079                                ENDIF.
3080                                CLEAR: l_v_skip.
3081                                "Begin of changes by S204711
MOD-012
3082                                " If start date and end date lie w
ithin the same month
3083                                " then total contract amount shoul
d be considered
3084                                IF <l_fs_kona>-datab+0(6) EQ <l_fs
_kona>-datbi+0(6).
3085                                l_v_mdays = l_v_tdays.
3086                                ENDIF.
3087                                "End of changes by S204711      MO
D-012
3088                                "Begin of changes by S204711      MO
D-019
3089                                IF <l_fs_dhdr>-cal_type EQ c_fixr.
3090                                CLEAR: l_v_coamnt.
3091                                IF <l_fs_rval>-krech EQ c_prec.
"++MOD-020
3092                                l_v_coamnt = <l_fs_rval>-kbrue
/ 10.
3093                                ELSE.
3094                                l_v_coamnt = <l_fs_rval>-kbrue
.
3095                                ENDIF. "++MOD-020
3096                                l_v_camnt = ( l_v_mdays / l_v_td
ays ) *
3097                                l_v_coamnt.
3098                                ELSE.
3099                                "End of changes by S204711      MO
D-019
3100                                CLEAR: l_v_tamnt, l_v_nvtax. "++
MOD-026
3101                                * Begin of changes by S204711
For MOD-004
3102                                IF <l_fs_dhdr>-cross_ind IS INIT
IAL.
3103                                l_v_camnt = ( l_v_mdays / l_v_
tdays ) *
3104                                l_v_coamnt.
3105                                "Begin of changes by S204711
MOD-026
3106                                IF l_v_nwjct IS NOT INITIAL.
3107                                l_v_tamnt = ( l_v_mdays / l_
v_tdays ) *
3108                                l_v_mnvv.
3109                                l_v_nvtax = ( l_v_mdays / l_
v_tdays ) *
3110                                l_v_cotax.
3111                                ENDIF.
3112                                "End of changes by S204711
MOD-026
3113                                ELSE.
3114                                CLEAR: l_v_amnt.
3115                                IF <l_fs_ditem>-bukrs EQ <l_fs

```

```

_dhdr>-bukrs.
3116 *                                     l_v_amnt = l_v_coamnt - l_v_s
bamnt. "—MOD-011
3117                                     l_v_amnt = l_v_coamnt. "++MO
D-011
3118                                     "Begin of changes by S204711
MOD-026
3119                                     IF l_v_nwjct IS NOT INITIAL.
3120                                     CLEAR: l_v_tamnt.
3121                                     l_v_tamnt = ( l_v_mdays /
l_v_tdays ) *
3122                                     l_v_mnvv.
3123                                     l_v_nvtax = ( l_v_mdays /
l_v_tdays ) *
3124                                     l_v_cotax.
3125                                     ENDIF.
3126                                     "End of changes by S204711
MOD-026
3127                                     ELSE.
3128                                     l_v_amnt = l_v_sbamnt.
3129                                     "Begin of changes by S204711
MOD-026
3130                                     IF l_v_nwjct IS NOT INITIAL.
3131                                     CLEAR: l_v_tamnt.
3132                                     l_v_tamnt = ( l_v_mdays /
l_v_tdays ) *
3133                                     l_v_snvv.
3134                                     l_v_nvtax = ( l_v_mdays /
l_v_tdays ) *
3135                                     l_v_sbtax.
3136                                     ENDIF.
3137                                     "End of changes by S204711
MOD-026
3138                                     ENDIF.
3139                                     l_v_camnt = ( l_v_mdays / l_v_
tdays ) *
3140                                     l_v_amnt.
3141                                     ENDIF.
3142                                     CLEAR: l_v_amnt.
3143 * End of changes by S204711                                     For MOD-004
3144                                     ENDIF. "++MOD-019
3145                                     CONDENSE l_v_camnt.
3146                                     l_v_round = l_v_camnt.
3147                                     CALL FUNCTION 'J_1I6_ROUND_TO_NEAR
EST_AMT'
3148                                     EXPORTING
3149                                     i_amount = l_v_round
3150                                     IMPORTING
3151                                     e_amount = l_v_round.
3152                                     l_v_csamnt = l_v_round.
3153                                     l_v_amnt = l_v_amnt + l_v_csamnt.
3154                                     ENDIF.
3155                                     CONDENSE l_wa_final-tar_unit.
3156 * Get Accrual Percentage
3157                                     l_v_katr3 = <l_fs_rval>-katr3.
3158                                     CLEAR: l_v_tval.
3159                                     IF <l_fs_rval>-krech EQ c_quan.
3160 *                                     l_v_tval = <l_fs_rval>-kbrue *
3161 *                                     <l_fs_rval>-kpein."
—MOD-019
3162                                     l_v_tval = <l_fs_rval>-kbrue. "++

```

```

MOD-019
3163 CONDENSE: l_v_tval.
3164 IF <l_fs_dhdr>-cal_type EQ c_two
3165 OR <l_fs_dhdr>-cal_type EQ c_thr
.
3166 CLEAR: l_v_kbrue,
3167 * l_v_tval, "—MOD-002
3168 l_v_pcquan. "++MOD-001
3169 IF <l_fs_dhdr>-cross_ind IS INIT
IAL. "++MOD-007
3170 l_v_pcquan = ( l_v_coamnt /
3171 <l_fs_dhdr>-cont
_vol ).
3172 "Begin of changes by S204711
MOD-026
3173 IF l_v_nwjct IS NOT INITIAL.
3174 l_v_tamnt = ( l_v_mnvv /
3175 <l_fs_dhdr>-cont
_vol ).
3176 l_v_nvtax = ( l_v_cotax /
3177 <l_fs_dhdr>-cont
_vol ).
3178 ENDIF.
3179 "End of changes by S204711
MOD-026
3180 "Begin of changes by S204711
MOD-007
3181 ELSE.
3182 IF <l_fs_dhdr>-agre_typ EQ c_o
ne. "++MOD-014
3183 IF <l_fs_ditem>-bukrs EQ <l_
fs_dhdr>-bukrs.
3184 "Begin of changes by S2047
11 MOD-013
3185 "Sub amount already subtra
cted from main amount earlier
3186 * l_v_pcquan = ( ( l_v_coamnt
- l_v_sbamnt ) /
3187 * <l_fs_dhdr>-m
ain_trg_vol ).
3188 l_v_pcquan = ( l_v_coamnt
/
3189 <l_fs_dhdr>-
main_trg_vol ).
3190 "End of changes by S204711
MOD-013
3191 * "Begin of changes by S20471
1 MOD-010
3192 * IF l_v_aquan GT <l_fs_dhdr>
-main_trg_vol.
3193 *
3194 *
3195 * ENDIF.
MOD-010
3196 "End of changes by S204711
11 MOD-026
3197 "Begin of changes by S2047
L. IF l_v_nwjct IS NOT INITIA
3198 l_v_tamnt = ( l_v_mnvv /
3199 <l_fs_dhdr>-
main_trg_vol ).

```

```

3200 / l_v_nvtax = ( l_v_cotax
3201 / <l_fs_dhdr>-
main_trg_vol ).
3202 ENDIF.
3203 "End of changes by S204711
MOD-026
3204 ELSEIF <l_fs_ditem>-bukrs EQ
<l_fs_dhdr>-sub_bukrs.
3205 l_v_pcquan = ( l_v_sbamnt
/
3206 <l_fs_dhdr>-
sub_trg_vol ).
3207 "Begin of changes by S2047
11 MOD-026
3208 IF l_v_nwjct IS NOT INITIA
L.
3209 l_v_tamnt = ( l_v_snvv /
3210 <l_fs_dhdr>-
sub_trg_vol ).
3211 l_v_nvtax = ( l_v_sbtax
/
3212 <l_fs_dhdr>-
sub_trg_vol ).
3213 ENDIF.
3214 "End of changes by S204711
MOD-026
3215 ENDIF.
3216 "Begin of changes by S204711
MOD-014
3217 "For Cross territory 'By Gro
up' scenario
3218 ELSE.
3219 l_v_pcquan = ( ( l_v_coamnt
+ l_v_sbamnt ) /
3220 <l_fs_dhdr>-con
t_vol ).
3221 "Begin of changes by S204711
MOD-026
3222 IF l_v_nwjct IS NOT INITIAL.
3223 l_v_tamnt = ( ( l_v_mnvv +
l_v_snvv ) /
3224 <l_fs_dhdr>-co
nt_vol ).
3225 l_v_nvtax = ( ( l_v_cotax
+ l_v_sbtax ) /
3226 <l_fs_dhdr>-co
nt_vol ).
3227 ENDIF.
3228 "End of changes by S204711
MOD-026
3229 ENDIF.
3230 "End of changes by S204711
MOD-014
3231 ENDIF.
3232 "End of changes by S204711
MOD-007
3233 * End of changes by S204711 for DME month end defect 9000004787 MOD-0
01
3234 ENDIF.
3235 * l_wa_final-accper = l_v_tval.

```

```

3236                                     l_wa_final-acquan = l_v_tval.
3237
3238                                     ELSEIF <l_fs_rval>-krech EQ c_prec.
3239                                         l_v_tval = <l_fs_rval>-kbrue / 10.
3240                                         CONDENSE: l_v_tval.
3241                                         l_wa_final-accper = l_v_tval.
3242                                     ENDIF.
3243 *                                     l_wa_final-accper = l_wa_final-accper * -1.
3244 *                                     ENDF. "—MOD-004
3245                                     CLEAR: l_v_matd,l_r_artnr[],l_r_bran
3246 d[],
3247                                     l_r_subc[], l_r_artnr[], l_r_
3248 ibrand[],
3249                                     l_r_ipack[], l_r_iflvo[], l_r
3250 _isubc[],
3251                                     l_r_iartnr[], l_r_flvo[],l_r_
3252 pack[],
3253                                     l_r_bbrand[],l_r_ibbrand[],l_
3254 r_bpack[],
3255                                     l_r_ibpack[], l_v_copa, l_wa_
3256 matd,
3257                                     l_i_matd[]."++MOD-003
3258
3259 IF rb_sale IS NOT INITIAL.
3260 * Get Index for material brand table KOTE
3261 READ TABLE i_matd WITH KEY tposn =
3262     <l_fs_ditem>-tposn
3263 BINARY SEARCH
3264 TRANSPORTING NO FIELDS.
3265 IF sy-subrc IS INITIAL.
3266     l_v_mindex = sy-tabix.
3267 LOOP AT i_matd ASSIGNING <l_fs_m
3268 atd> FROM l_v_mindex. "#EC CI_NESTED
3269 IF <l_fs_matd>-tposn <> <l_fs_
3270 ditem>-tposn.
3271 EXIT.
3272 ENDF.
3273 CLEAR: l_wa_artnr,l_wa_brand,l_
3274 _wa_bbrand,
3275 l_wa_pack,l_wa_bpack,l_
3276 wa_flvo,
3277 l_wa_subc, l_v_excl."+
3278 +MOD-003
3279 * Check the deletion indicator
3280 READ TABLE i_konp ASSIGNING <l_
3281 _fs_konp>
3282 WITH KEY knumh
3283     = <l_fs_matd>-knunh
3284 BINARY SEARCH.
3285 IF sy-subrc IS INITIAL.
3286     IF <l_fs_matd>-kschl EQ c_ma
3287 te.
3288         IF <l_fs_matd>-/scl/brand
3289 IS NOT INITIAL.
3290 * Range for Excluded Brand
3291 l_wa_brand-sign = c_i.
3292 l_wa_brand-option = c_eq
3293 .
3294 l_wa_brand-low = <l_fs_m
3295 atd>-/scl/brand.
3296 APPEND l wa brand TO l r

```

```

    _brand.
3279                                     CLEAR: l_wa_brand.
3280                               ENDIF.
3281                               IF <l_fs_matd>-/ccbj/bbra
nd IS NOT INITIAL.
3282 * Range for Excluded Bottler Brand
3283                                     l_wa_brand-sign = c_i.
3284                                     l_wa_brand-option = c_eq
.
3285                                     l_wa_brand-low = <l_fs_m
atd>-/ccbj/bbrand.
3286                                     APPEND l_wa_brand TO l_r
_bbrand.
3287                                     CLEAR: l_wa_brand.
3288                               ENDIF.
3289                               IF <l_fs_matd>-/ccbj/pack
code IS NOT INITIAL.
3290 * Range for Excluded Pacakge Code
3291                                     l_wa_pack-sign = c_i.
3292                                     l_wa_pack-option = c_eq.
3293                                     l_wa_pack-low = <l_fs_ma
td>-/ccbj/packcode.
3294                                     APPEND l_wa_pack TO l_r_
pack.
3295                                     CLEAR: l_wa_pack.
3296                               ENDIF.
3297                               IF <l_fs_matd>-/ccbj/bpac
kg IS NOT INITIAL.
3298 * Range for Excluded Bottler Pacakge Code
3299                                     l_wa_pack-sign = c_i.
3300                                     l_wa_pack-option = c_eq.
3301                                     l_wa_pack-low = <l_fs_ma
td>-/ccbj/bpackg.
3302                                     APPEND l_wa_pack TO l_r_
bpack.
3303                                     CLEAR: l_wa_pack.
3304                               ENDIF.
3305                               IF <l_fs_matd>-/scl/flav I
S NOT INITIAL.
3306 * Range for Excluded Flavor
3307                                     l_wa_flvo-sign = c_i.
3308                                     l_wa_flvo-option = c_eq.
3309                                     l_wa_flvo-low = <l_fs_ma
td>-/scl/flav.
3310                                     APPEND l_wa_flvo TO l_r_
flvo.
3311                                     CLEAR: l_wa_flvo.
3312                               ENDIF.
3313                               IF <l_fs_matd>-/ccbj/subc
at IS NOT INITIAL.
3314 * Range for Excluded Sub-Category
3315                                     l_wa_subc-sign = c_i.
3316                                     l_wa_subc-option = c_eq.
3317                                     l_wa_subc-low = <l_fs_ma
td>-/ccbj/subcat.
3318                                     APPEND l_wa_subc TO l_r_
subc.
3319                                     CLEAR: l_wa_subc.
3320                               ENDIF.
3321                               IF <l_fs_matd>-matnr IS NO
T INITIAL.

```

[illegible]

3361		CLEAR: l_wa_pack.
3362		ENDIF.
3363		IF <l_fs_matd>-/ccbj/bpac
	kg IS NOT INITIAL.	
3364	* Range for Included Bottler Pacakge Code	
3365		l_wa_pack-sign = c_i.
3366		l_wa_pack-option = c_eq.
3367		l_wa_pack-low = <l_fs_ma
	td>-/ccbj/bpackg.	
3368		APPEND l_wa_pack TO l_r_
	ibpack.	
3369		CLEAR: l_wa_pack.
3370		ENDIF.
3371		IF <l_fs_matd>-/scl/flav I
	S NOT INITIAL.	
3372	* Range for Included Flavor	
3373		l_wa_flvo-sign = c_i.
3374		l_wa_flvo-option = c_eq.
3375		l_wa_flvo-low = <l_fs_ma
	td>-/scl/flav.	
3376		APPEND l_wa_flvo TO l_r_
	iflvo.	
3377		CLEAR: l_wa_flvo.
3378		ENDIF.
3379		IF <l_fs_matd>-/ccbj/subc
	at IS NOT INITIAL.	
3380	* Range for Included Sub-Category	
3381		l_wa_subc-sign = c_i.
3382		l_wa_subc-option = c_eq.
3383		l_wa_subc-low = <l_fs_ma
	td>-/ccbj/subcat.	
3384		APPEND l_wa_subc TO l_r_
	isubc.	
3385		CLEAR: l_wa_subc.
3386		ENDIF.
3387		IF <l_fs_matd>-matnr IS NO
	T INITIAL.	
3388	* Range for Included Product	
3389		l_wa_artnr-sign = c_i.
3390		l_wa_artnr-option = c_eq
	.	
3391		l_wa_artnr-low = <l_fs_m
	atd>-matnr.	
3392		APPEND l_wa_artnr TO l_r
	_iartnr.	
3393		CLEAR: l_wa_artnr-low.
3394		ENDIF.
3395		ENDIF.
3396		"Begin of changes by S204711
	MOD-003	
3397		IF l_v_excl IS INITIAL.
3398		l_wa_matd = <l_fs_matd>.
3399		APPEND l_wa_matd TO l_i_ma
	td.	
3400		CLEAR: l_wa_matd.
3401		ENDIF.
3402		"End of changes by S204711
	MOD-003	
3403		ENDIF.
3404		ENDLOOP.
3405		IF <l fs matd> IS ASSIGNED.


```

3452 *                                IF <l_fs_ce1jp>-fkart IN l_r_fk
art.
3453                                IF <l_fs_ce1jp>-katr4 IN l
_i_btype.                                CLEAR: l_v_skip.
3454                                ELSE.
3455                                l_v_skip = abap_true.
3456                                ENDIF.
3457                                "Begin of changes by S2047
3458 11          MOD-007
3459                                ELSEIF l_v_katr3 EQ c_post.
3460                                IF <l_fs_ce1jp>-katr4 EQ c
_one.                                CLEAR: l_v_skip.
3461                                ELSE.
3462                                l_v_skip = abap_true.
3463                                ENDIF.
3464                                "End of changes by S204711
3465                                MOD-007
3466                                ENDIF.
3467                                "Begin of changes by S204711
3468                                MOD-011
3469                                IF <l_fs_ce1jp>-vv506 IS INI
TIAL
3470                                AND <l_fs_ce1jp>-vv507 IS IN
ITIAL
3471                                AND <l_fs_ce1jp>-vv980 IS IN
ITIAL
3472                                AND <l_fs_ce1jp>-vv981 IS IN
ITIAL
3473                                AND <l_fs_ce1jp>-vv982 IS IN
ITIAL.
3474                                AND <l_fs_ce1jp>-vv983 IS IN
3475                                l_v_skip = abap_true.
3476                                ENDIF.
3477                                "End of changes by S204711
3478                                MOD-011
3479                                IF l_v_skip IS INITIAL.
_tce1jp,                                IF l_v_matd IS INITIAL.
3480                                CLEAR: l_i_tce1jp[], l_wa
3481                                l_v_excl.
ED.                                IF <l_fs_matd> IS ASSIGN
3482                                UNASSIGN: <l_fs_matd>.
3483                                ENDIF.
3484                                READ TABLE l_i_matd WITH
KEY kschl = c_mate                                BINARY SEARCH
3485                                TRANSPORTING NO FIELDS.
3486                                IF sy-subrc IS INITIAL.
3487                                l_v_mindex = sy-tabix.
3488                                LOOP AT l_i_matd ASSIG
3489                                NING <l_fs_matd> FROM l_v_mindex. "#EC CI_NESTED
3490                                IF <l_fs_matd>-kschl
<> c_mate.                                EXIT.
3491                                ENDIF.
3492                                IF l_i_tce1jp[] IS I
3493                                NITIAL.

```

```

3494                                     l_v_excl = abap_tr
ue.
3495 ELSE.
3496     EXIT.
3497 ENDIF.
3498 IF <l_fs_matd>-/scl/
brand IS NOT INITIAL
3499     AND l_v_excl IS NO
T INITIAL.
3500     IF <l_fs_ce1jp>-ww
225 EQ <l_fs_matd>-/scl/brand.
3501         l_v_excl = abap_
true.
3502     ELSE.
3503         CLEAR: l_v_excl.
3504         CONTINUE.
3505     ENDIF.
3506 ENDIF.
3507 IF <l_fs_matd>-/ccbj
i/bbrand IS NOT INITIAL
3508     AND l_v_excl IS NO
T INITIAL.
3509     IF <l_fs_ce1jp>-ww
225 IS ASSIGNED
3510         AND <l_fs_ce1jp>-
ww225 IS NOT INITIAL.
3511         READ TABLE l_i_m
brand ASSIGNING <l_fs_mbrand>
3512         WITH KEY /scl/br
and = <l_fs_ce1jp>-ww225
3513             /ccbj/
bbrand = <l_fs_matd>-/ccbj/bbrand
3514         BINARY SEARCH.
3515         IF sy-subrc IS I
NITIAL.
3516             l_v_excl = aba
p_true.
3517     ELSE.
3518         CLEAR: l_v_exc
l.
3519         CONTINUE.
3520     ENDIF.
3521 ENDIF.
3522 ENDIF.
3523 IF <l_fs_matd>-/ccbj
i/packcode IS NOT INITIAL
3524     AND l_v_excl IS NO
T INITIAL.
3525     IF <l_fs_ce1jp>-ww
226 EQ <l_fs_matd>-/ccbj/packcode.
3526         l_v_excl = abap_
true.
3527     ELSE.
3528         CLEAR: l_v_excl.
3529         CONTINUE.
3530     ENDIF.
3531 ENDIF.
3532 IF <l_fs_matd>-/ccbj
i/bpackg IS NOT INITIAL
3533     AND l_v_excl IS NO
T INITIAL.

```

```

3534      226 IS ASSIGNED                                IF <l_fs_ce1jp>-ww
3535      ww226 IS NOT INITIAL.                            AND <l_fs_ce1jp>-
3536      pack ASSIGNING <l_fs_bpack>                      READ TABLE l_i_b
3537      _code = <l_fs_ce1jp>-ww226                      WITH KEY package
3538      bpackg = <l_fs_matd>-/ccbj/bpackg                /ccbj/
3539      BINARY SEARCH.
3540      IF sy-subrc IS I
3541      l_v_excl = aba
3542      p_true.
3543      ELSE.
3544      CLEAR: l_v_exc
3545      l.
3546      CONTINUE.
3547      ENDIF.
3548      ENDIF.
3549      IF <l_fs_matd>-/scl/
3550      AND l_v_excl IS NO
3551      IF <l_fs_ce1jp>-ww
3552      l_v_excl = abap_
3553      ELSE.
3554      CLEAR: l_v_excl.
3555      CONTINUE.
3556      ENDIF.
3557      ENDIF.
3558      IF <l_fs_matd>-/ccbj
3559      AND l_v_excl IS NO
3560      IF <l_fs_ce1jp>-ww
3561      l_v_excl = abap_
3562      ELSE.
3563      CLEAR: l_v_excl.
3564      CONTINUE.
3565      ENDIF.
3566      ENDIF.
3567      IF l_v_excl IS NOT I
3568      l_wa_tce1jp = <l_f
3569      APPEND l_wa_tce1jp
3570      CLEAR: l_wa_tce1jp
3571      .
3572      ENDIF.
3573      ENDOLOOP.
3574      ENDIF.
3575      CLEAR: l_v_mindex, l_v_e
3576      xcl.

```

```

3574 ED. IF <l_fs_matd> IS ASSIGN
3575 UNASSIGN: <l_fs_matd>.
3576 ENDIF.
3577 "Begin of changes by S20
4711 MOD-003
3578 IF l_v_copa IS NOT INITI
AL. READ TABLE l_i_tce1jp
3579 WITH KEY paledger = <l_fs_ce1jp>-paledger
3580 vrgar = <l_fs_ce1jp>-vrgar
3581 versi = <l_fs_ce1jp>-versi
3582 perio = <l_fs_ce1jp>-perio
3583 paobjnr = <l_fs_ce1jp>-paobjnr
3584 pasubnr = <l_fs_ce1jp>-pasubnr
3585 belnr = <l_fs_ce1jp>-belnr
3586 posnr = <l_fs_ce1jp>-posnr
3587 TRANSPORTING NO
FIELDS. IF sy-subrc IS NOT INI
3588 TIAL. l_v_skip = abap_true
3589 .
3590 ENDIF.
3591 ENDIF.
3592 CLEAR: l_i_ice1jp[], l_wa
_tce1jp. READ TABLE l_i_matd WITH
3593 KEY kschl = c_mati BINA
3594 RY SEARCH TRAN
3595 SPORTING NO FIELDS.
3596 IF sy-subrc IS INITIAL.
3597 l_v_mindex = sy-tabix.
3598 LOOP AT l_i_matd ASSIG
NING <l_fs_matd> FROM l_v_mindex. "#EC CI_NESTED
3599 IF <l_fs_matd>-kschl
<> c_mati.
3600 EXIT.
3601 ENDIF.
3602 IF l_i_ice1jp[] IS I
NITIAL. l_v_skip = abap_tr
3603 ue.
3604 ELSE.
3605 EXIT.
3606 ENDIF.
3607 IF <l_fs_matd>-/scl/
brand IS NOT INITIAL AND l_v_skip IS NOT
3608 INITIAL.
3609 IF <l_fs_ce1jp>-ww
225 EQ <l_fs_matd>-/scl/brand.

```

```

3610                                     l_v_skip = abap_
true.
3611                                     ELSE.
3612                                     CLEAR: l_v_skip.
3613                                     CONTINUE.
3614                                     ENDIF.
3615                                     ENDIF.
3616                                     IF <l_fs_matd>-/ccbj
i/bbrand IS NOT INITIAL
3617                                     AND l_v_skip IS N
OT INITIAL.
3618                                     IF <l_fs_ce1jp>-ww
225 IS ASSIGNED
3619                                     AND <l_fs_ce1jp>-
ww225 IS NOT INITIAL.
3620                                     READ TABLE l_i_m
brand ASSIGNING <l_fs_mbrand>
3621                                     WITH KEY /scl/br
and = <l_fs_ce1jp>-ww225
3622                                     /ccbj/
bbrand = <l_fs_matd>-/ccbj/bbrand
3623                                     BINARY SEARCH.
3624                                     IF sy-subrc IS I
NITIAL.
3625                                     l_v_skip = aba
p_true.
3626                                     ELSE.
3627                                     CLEAR: l_v_ski
p.
3628                                     CONTINUE.
3629                                     ENDIF.
3630                                     ENDIF.
3631                                     ENDIF.
3632                                     IF <l_fs_matd>-/ccbj
i/packcode IS NOT INITIAL
3633                                     AND l_v_skip IS N
OT INITIAL.
3634                                     IF <l_fs_ce1jp>-ww
226 EQ <l_fs_matd>-/ccbj/packcode.
3635                                     l_v_skip = abap_
true.
3636                                     ELSE.
3637                                     CLEAR: l_v_skip.
3638                                     CONTINUE.
3639                                     ENDIF.
3640                                     ENDIF.
3641                                     IF <l_fs_matd>-/ccbj
i/bpackg IS NOT INITIAL
3642                                     AND l_v_skip IS N
OT INITIAL.
3643                                     IF <l_fs_ce1jp>-ww
226 IS ASSIGNED
3644                                     AND <l_fs_ce1jp>-
ww226 IS NOT INITIAL.
3645                                     READ TABLE l_i_b
pack ASSIGNING <l_fs_bpack>
3646                                     WITH KEY package
_code = <l_fs_ce1jp>-ww226
3647                                     /ccbj/
bpackg = <l_fs_matd>-/ccbj/bpackg
3648                                     BINARY SEARCH.

```



```

3649      IF sy-subrc IS I
3650      NITIAL.
3651      l_v_skip = aba
3652      p_true.
3653      ELSE.
3654      CLEAR: l_v_ski
3655      p.
3656      CONTINUE.
3657      ENDIF.
3658      ENDIF.
3659      ENDIF.
3660      IF <l_fs_matd>-/scl/
3661      flav IS NOT INITIAL
3662      AND l_v_skip IS N
3663      OT INITIAL.
3664      IF <l_fs_ce1jp>-ww
3665      227 EQ <l_fs_matd>-/scl/flav.
3666      l_v_skip = abap_
3667      true.
3668      ELSE.
3669      CLEAR: l_v_skip.
3670      CONTINUE.
3671      ENDIF.
3672      ENDIF.
3673      IF <l_fs_matd>-/ccbj
3674      i/subcat IS NOT INITIAL
3675      AND l_v_skip IS N
3676      OT INITIAL.
3677      IF <l_fs_ce1jp>-ww
3678      224 EQ <l_fs_matd>-/ccbj/subcat.
3679      l_v_skip = abap_
3680      true.
3681      ELSE.
3682      CLEAR: l_v_skip.
3683      CONTINUE.
3684      ENDIF.
3685      ENDIF.
3686      IF <l_fs_matd>-matnr
3687      IS NOT INITIAL
3688      AND l_v_skip IS N
3689      OT INITIAL.
3690      IF <l_fs_ce1jp>-ar
3691      tnr EQ <l_fs_matd>-matnr.
3692      l_v_skip = abap_
3693      true.
3694      ELSE.
3695      CLEAR: l_v_skip.
3696      CONTINUE.
3697      ENDIF.
3698      ENDIF.
3699      IF l_v_skip IS NOT I
3700      IF l_i_tce1jp[] IS
3701      READ TABLE l_i_t
3702      ce1jp WITH KEY paledger = <l_fs_ce1jp>-paledger
3703      vrgar = <l_fs_ce1jp>-vrgar
3704      versi = <l_fs_ce1jp>-versi
3705      perio = <l_fs_ce1jp>-perio

```

```
3689          paobjnr = <l_fs_ce1jp>-paobjnr
3690          pasubnr = <l_fs_ce1jp>-pasubnr
3691          belnr = <l_fs_ce1jp>-belnr
3692          posnr = <l_fs_ce1jp>-posnr
3693
3694 NO FIELDS.
3695
3696 OT INITIAL.
3697
3698 <l_fs_ce1jp>.
3699
3700 e1jp TO l_i_ice1jp.
3701
3702 e1jp.
3703
3704
3705
3706
3707 skip.
3708
3709 WITH KEY paledger = <l_fs_ce1jp>-paledger
3710
3711 vrgar = <l_fs_ce1jp>-vrgar
3712
3713 versi = <l_fs_ce1jp>-versi
3714
3715 perio = <l_fs_ce1jp>-perio
3716
3717 paobjnr = <l_fs_ce1jp>-paobjnr
3718
3719 pasubnr = <l_fs_ce1jp>-pasubnr
3720
3721 belnr = <l_fs_ce1jp>-belnr
3722
3723 posnr = <l_fs_ce1jp>-posnr
3724
3725
3726
3727
3728
3729
3730
3731
3732
3733
3734
3735
3736
3737
3738
3739
3740
3741
3742
3743
3744
3745
3746
3747
3748
3749
3750
3751
3752
3753
3754
3755
3756
3757
3758
3759
3760
3761
3762
3763
3764
3765
3766
3767
3768
3769
3770
3771
3772
3773
3774
3775
3776
3777
3778
3779
3780
3781
3782
3783
3784
3785
3786
3787
3788
3789
3790
3791
3792
3793
3794
3795
3796
3797
3798
3799
3800
3801
3802
3803
3804
3805
3806
3807
3808
3809
3810
3811
3812
3813
3814
3815
3816
3817
3818
3819
3820
3821
3822
3823
3824
3825
3826
3827
3828
3829
3830
3831
3832
3833
3834
3835
3836
3837
3838
3839
3840
3841
3842
3843
3844
3845
3846
3847
3848
3849
3850
3851
3852
3853
3854
3855
3856
3857
3858
3859
3860
3861
3862
3863
3864
3865
3866
3867
3868
3869
3870
3871
3872
3873
3874
3875
3876
3877
3878
3879
3880
3881
3882
3883
3884
3885
3886
3887
3888
3889
3890
3891
3892
3893
3894
3895
3896
3897
3898
3899
3900
3901
3902
3903
3904
3905
3906
3907
3908
3909
3910
3911
3912
3913
3914
3915
3916
3917
3918
3919
3920
3921
3922
3923
3924
3925
3926
3927
3928
3929
3930
3931
3932
3933
3934
3935
3936
3937
3938
3939
3940
3941
3942
3943
3944
3945
3946
3947
3948
3949
3950
3951
3952
3953
3954
3955
3956
3957
3958
3959
3960
3961
3962
3963
3964
3965
3966
3967
3968
3969
3970
3971
3972
3973
3974
3975
3976
3977
3978
3979
3980
3981
3982
3983
3984
3985
3986
3987
3988
3989
3990
3991
3992
3993
3994
3995
3996
3997
3998
3999
4000
```

```

3725 .
3726 _ce1jp>-gjahr.
3727 _ce1jp>-perde.
3728 _ce1jp>-kndnr.
3729 _ce1jp>-artnr.
3730 _ce1jp>-fkart.
3731 _ce1jp>-bukrs.
3732 _ce1jp>-werks.
3733 _ce1jp>-vkorg.
3734 _ce1jp>-vtweg.
3735 _ce1jp>-spart.
3736 _ce1jp>-prctr.
3737 s_ce1jp>-kmvkbu.
3738 ce1jp>-katr4. "++ MOD-032
3739 4711 MOD-007
3740 ce1jp>-vkaus.
3741 EQ c_thr.
3742 INITIAL.
3743 utax.
3744
3745
3746 . "++MOD-010
3747
3748 11 MOD-007
3749 ce1jp>-ww224.
3750 ce1jp>-ww225.
3751 ce1jp>-ww226.
3752 ce1jp>-ww227.
3753 ce1jp>-ww228.
3754 ce1jp>-ww229.
3755 _fs_ce1jp>-absmg_me.
3756

l_wa_copa-gjahr = <l_fs
l_wa_copa-perde = <l_fs
l_wa_copa-kndnr = <l_fs
l_wa_copa-artnr = <l_fs
l_wa_copa-fkart = <l_fs
l_wa_copa-bukrs = <l_fs
l_wa_copa-werks = <l_fs
l_wa_copa-vkorg = <l_fs
l_wa_copa-vtweg = <l_fs
l_wa_copa-spart = <l_fs
l_wa_copa-prctr = <l_fs_
l_wa_copa-kunwe = <l_fs
l_wa_copa-kmvkbu = <l_f
l_wa_copa-katr4 = <l_fs_
"Begin of changes by S20
l_wa_copa-vkaus = <l_fs_
IF <l_fs_dhdr>-pay_type
    IF l_wa_copa-vkaus IS
        l_wa_copa-vkaus = c_
    ENDIF.
ELSE. "++MOD-010
    CLEAR: l_wa_copa-vkaus
ENDIF.
"End of changes by S2047
l_wa_copa-ww224 = <l_fs_
l_wa_copa-ww225 = <l_fs_
l_wa_copa-ww226 = <l_fs_
l_wa_copa-ww227 = <l_fs_
l_wa_copa-ww228 = <l_fs_
l_wa_copa-ww229 = <l_fs_
l_wa_copa-absmg_me = <l
l_wa_copa-vv980_me = <l

```

```

3757 _fs_ce1jp>-vv980_me. l_wa_copa-vv981_me = <l
3758 _fs_ce1jp>-vv981_me. l_wa_copa-vv982_me = <l
3759 _fs_ce1jp>-vv982_me. l_wa_copa-vv983_me = <l
3760 _fs_ce1jp>-vv983_me. l_wa_copa-absmg = <l_fs
3761 _ce1jp>-absmg. l_wa_copa-erlos = <l_fs
3762 _ce1jp>-erlos. l_wa_copa-vv506 = <l_fs_
3763 ce1jp>-vv506. l_wa_copa-vv507 = <l_fs_
3764 ce1jp>-vv507. l_wa_copa-vv980 = <l_fs
3765 _ce1jp>-vv980. l_wa_copa-vv981 = <l_fs
3766 _ce1jp>-vv981. l_wa_copa-vv982 = <l_fs
3767 _ce1jp>-vv982. l_wa_copa-vv983 = <l_fs
3768 * Begin of changes by S204711 MOD-006
3769 nges "Performance related cha
3770 * APPEND l_wa_copa TO l_i_c
3771 opa.
3772 197 | 24-Oct-2024 "BOC | MOD-032 | EJX9005
3773 it. CASE <l_fs_ditem>-tar_un
3774 WHEN c_one.
3775 l_v_total_amount = l
3776 WHEN c_two.
3777 l_v_total_amount = l
3778 _v_total_amount + l_wa_copa-vv980.
3779 _v_total_amount + l_wa_copa-vv981.
3780 _v_total_amount + l_wa_copa-vv983.
3781 _v_total_amount + l_wa_copa-vv507.
3782 _v_total_amount + l_wa_copa-vv506.
3783 197 | 24-Oct-2024 WHEN c_un4.
3784 9005197 | MOD-038 l_v_total_amount = l
3785 true AND WHEN c_un5 OR c_six.
3786 <l_fs_ditem>-bukrs. l_v_total_amount = l
3787 unit. ENDCASE.
3788 CASE <l_fs_ditem>-tar_ "EOC | MOD-032 | EJX9005
3789 WHEN c_one. "BOC | 14-Aug-2025 | EJX
3790 l_v_sub_tot_amnt = IF l_v_ppay_flag = abap_
3791 <l_fs_ce1jp>-bukrs <>
CASE <l_fs_ditem>-tar_
WHEN c_one.
l_v_sub_tot_amnt =

```

```

3792     l_v_sub_tot_amnt + l_wa_copa-vv980.
3793                                     WHEN c_two.
                                     l_v_sub_tot_amnt =
3794     l_v_sub_tot_amnt + l_wa_copa-vv981.
3795                                     WHEN c_thr.
3796     l_v_sub_tot_amnt + l_wa_copa-vv983.
3797                                     ENDIF.
3798                                     ENDIF.
3799                                     IF l_wa_copa-bukrs = <l_
3800     fs_ditem>-bukrs.
3801                                     COLLECT l_wa_copa INTO
3802     l_i_copa.
3803                                     ENDIF.
3804     *
3805     COLLECT l_wa_copa INTO
3806     l_i_copa.
3807                                     "EOC | 14-Aug-2025 | EJX
3808     9005197 | MOD-038
3809                                     MOD-006
3810     * End of changes by S204711
3811                                     CLEAR: l_wa_copa.
3812                                     ENDIF.
3813                                     ENDIF.
3814                                     ENDIF.
3815     CLEAR: l_v_excl, l_v_skip.
3816     *
3817     ENDIF.
3818     ENDLLOOP.
3819     CLEAR: l_i_ice1jp[], l_wa_tce1jp,
3820     l_i_tce1jp[].
3821     IF <l_fs_ce1jp> IS ASSIGNED.
3822     UNASSIGN: <l_fs_ce1jp>.
3823     ENDIF.
3824     "BOC | 14-Aug-2025 | EJX9005197
3825     | MOD-038
3826     CLEAR l_v_cross_dummy.
3827     IF l_v_ppay_flag = abap_true.
3828     IF <l_fs_dhdr>-cont_vol <=
3829     ( l_v_total_amount + l_v_aq
3830     uan + l_v_squan ).
3831     l_v_cross_dummy = abap_true.
3832     ENDIF.
3833     IF <l_fs_dhdr>-bukrs EQ <l_fs_
3834     ditem>-bukrs.
3835     l_v_total_amount = l_v_total
3836     _amount - l_v_sub_tot_amnt.
3837     ENDIF.
3838     CLEAR l_v_sub_tot_amnt.
3839     ENDIF.
3840     "EOC | 14-Aug-2025 | EJX9005197
3841     | MOD-038
3842     "BOC | MOD-032 | EJX9005197 | 24
3843     -Oct-2024
3844     IF l_i_copa IS INITIAL.
3845     CLEAR l_v_kcheck.
3846     IF <l_fs_dhdr>-pay_type EQ c_o
3847     ne AND

```

```

3838      ( <l_fs_dhdr>-cal_type EQ c
3839      _two OR
3839      <l_fs_dhdr>-cal_type EQ c
3840      _thr ).
3840      IF l_v_katr3 EQ c_kfsv.
3841      READ TABLE l_i_ce1jp ASSIG
3841      NING <l_fs_ce1jp>
3842      WITH KEY katr4 = sy-abcd
3842      e+10(1). " K
3843      IF sy-subrc IS NOT INITIAL
3843      .
3844      READ TABLE l_i_ce1jp ASS
3844      IGNING <l_fs_ce1jp>
3845      WITH KEY katr4 = sy-ab
3845      cde+11(1). " L
3846      IF sy-subrc IS NOT INITI
3846      AL.
3847      READ TABLE l_i_ce1jp A
3847      SSIGNING <l_fs_ce1jp>
3848      WITH KEY katr4 = sy-
3848      abcde+19(1). " T
3849      IF sy-subrc IS NOT INI
3849      TIAL.
3850      l_v_kcheck = abap_tr
3850      ue.
3851      ENDIF.
3852      ENDIF.
3853      ENDIF.
3854      ELSEIF l_v_katr3 EQ c_post.
3855      * IF <l_fs_ce1jp>-katr4 EQ
3855      c_one. "— MOD-033
3856      READ TABLE l_i_ce1jp ASSIG
3856      NING <l_fs_ce1jp>
3857      WITH KEY katr4 = c_one
3857      .
3858      IF sy-subrc IS NOT INITIAL
3858      .
3859      l_v_kcheck = abap_true.
3860      ENDIF.
3861      * ENDIF. "— MOD-033
3862      ENDIF.
3863      ENDIF.
3864      ELSE.
3865      "When the sum of all the sales
3865      are zero, we need to create a dummy sales
3866      IF l_v_total_amount IS INITIAL
3866      .
3867      CLEAR: l_i_copa[].
3867      ENDIF.
3868      ENDIF.
3869      CLEAR l_v_total_amount.
3870
3871      * Begin of changes by S204711
3872      * MOD-006
3873      IF l_i_copa[] IS INITIAL.
3874      IF l_i_copa[] IS INITIAL AND
3875      l_v_kcheck IS INITIAL.
3876      "EOC | MOD-032 | EJX9005197 |
3876      24-Oct-2024
3877      IF <l_fs_dhdr>-pay_type EQ c_o
3877      ne
3878      OR ( <l_fs_dhdr>-pay_type EQ c

```

```

_thr      " MOD-024++
3879      AND <l_fs_dhdr>-cal_type EQ c_
fixr ).   " MOD-024++
3880      *                               AND <l_fs_dhdr>-cal_type EQ c_one
      ."—MOD-010
3881      * Consider Dummy material
3882      CLEAR: l_v_bcust, l_i_dumce1
      [].
3883      IF <l_fs_ditem>-bukrs = c_7
827. "++ MOD-032
3884      IF l_r_kndnr IS INITIAL.
3885      IF l_r_ww214 IS NOT INIT
IAL.    "++MOD-032
3886
3887      * *****
3888      * # *****Code Remediation changes S4 2025_S Conversion **begin of change
      by EJX9007360 2026.06.09 ATC
3889      * *****
3890      * Quick Fix Append ORDER BY PRIMARY KEY to the SELECT statement
3891      * 10.06.2026 08:22:06 EJX9007361
3892      * Transport Q4RK902230 ATC Correction S4 HANA
3893      * Replaced Code:
3894      SELECT kunnr UP TO 1
ROWS
      *
3895      FROM kna1
3896      INTO l_v_bcust
3897      WHERE /ccc/gedatnr
IN l_r_ww214.
3898      SELECT kunnr UP TO 1 R
OWS "#EC CI_SEL_NESTED "#EC CI_NOORDER
3899      * *****
3900      * # *****Code Remediation changes S4 2025_S Conversion **end of change b
      y EJX9007360 2026.06.09 ATC
3901      * *****
3902      FROM kna1
3903      INTO l_v_bcust
3904      WHERE /ccc/gedatnr I
N l_r_ww214 ORDER BY PRIMARY KEY.
3905      * End of Quick Fix
3906
3907      ENDSELECT.
3908      IF sy-subrc IS NOT INI
TIAL.
3909      CLEAR: l_v_bcust.
3910      ENDIF.
3911      ENDIF.    "++MOD-032
3912      ELSE.
3913      READ TABLE l_r_kndnr INT
O l_wa_kndnr INDEX 1.
3914      IF sy-subrc IS INITIAL.
3915      l_v_bcust = l_wa_kndnr
-low.
3916      ENDIF.
3917      ENDIF.
3918      "BOC | MOD-032 | EJX900519
7 | 03-Dec-2024
3919      ELSE.
3920      IF l_r_kndnr_cross IS INIT
IAL.
3921      IF l_r_ww214_cross IS NO
T INITIAL.

```



```

3922
3923 * *****
3924 * # *****Code Remediation changes S4 2025_S Conversion **begin of change
    by EJX9007360 2026.06.09 ATC
3925 * *****
3926
3927 * Quick Fix Append ORDER BY PRIMARY KEY to the SELECT statement
3928 * 10.06.2026 08:22:06 EJX9007361
3929 * Transport Q4RK902230 ATC Correction S4 HANA
3930 * Replaced Code:
3931 *
                                SELECT kunnr UP TO 1
ROWS
3932 *
                                FROM kna1
3933 *
                                INTO l_v_bcust_cross
S
3934 *
                                WHERE /ccc/gedatnr
IN l_r_ww214_cross.
3935
                                SELECT kunnr UP TO 1 R
OWS "#EC CI_SEL_NESTED "#EC CI_NOORDER
3936 * *****
3937 * # *****Code Remediation changes S4 2025_S Conversion **end of change b
    y EJX9007360 2026.06.09 ATC
3938 * *****
3939
                                FROM kna1
3940
                                INTO l_v_bcust_cross
3941
                                WHERE /ccc/gedatnr I
N l_r_ww214_cross ORDER BY PRIMARY KEY.
3942 * End of Quick Fix
3943
3944
                                ENDSELECT.
3945
                                IF sy-subrc IS NOT INI
3946
                                CLEAR: l_v_bcust_cro
3947
                                ENDIF.
3948
                                ENDIF.
3949
                                ELSE.
3950
                                READ TABLE l_r_kndnr_cro
ss INTO l_wa_kndnr INDEX 1.
3951
                                IF sy-subrc IS INITIAL.
3952
                                l_v_bcust_cross = l_wa
_kndnr-low.
3953
                                ENDIF.
3954
                                ENDIF.
3955
                                ENDIF.
3956
                                "EOC | MOD-032 | EJX9005197
| 03-Dec-2024
3957
                                IF l_v_bcust IS NOT INITIAL
3958
                                OR l_v_bcust_cross IS NOT
INITIAL. "++ MOD-032
3959
                                . "++ MOD-032
3960
                                PERFORM f_dummy_sales US
ING <l_fs_dhdr>
3961
                                <l_fs_kona>
3962
                                <l_fs_ditem> "++ MOD-032
3963
                                l_v_bcust
3964

```

```

l_v_bcust_cross  "++ MOD-032
l_v_lastd
l_v_ppay_flag    "++ MOD-038
l_v_cross_dummy  "++ MOD-038
G l_i_dumce1.
ENDING <l_fs_ce1jp>
KEY bukrs = <l_fs_ditem>-bukrs.
ce1jp> TO l_wa_copa.
4711 MOD-024
EQ c_thr.
INITIAL.
utax.
11 MOD-024
copa.
127. "++ MOD-032
IAL. "++MOD-032
" Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC

```

```
4005 SELECT kunnr UP TO 1 R
4006 OWS "#EC CI_NOORDER
4007 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
4008 X9007359 04.06.2026 FOR ATC
4009 FROM kna1
4010 INTO l_v_bcust
4011 WHERE /ccc/gedatnr I
4012 N l_r_ww214.
4013 ENDSELECT.
4014 IF sy-subrc IS NOT INI
4015 TIAL.
4016 CLEAR: l_v_bcust.
4017 ENDIF.
4018 ENDIF. "++MOD-032
4019 ELSE.
4020 READ TABLE l_r_kndnr INT
4021 IF sy-subrc IS INITIAL.
4022 l_v_bcust = l_wa_kndnr
4023 -low.
4024 ENDIF.
4025 ENDIF.
4026 "BOC | MOD-032 | EJX900519
4027 7 | 03-Dec-2024
4028 ELSE.
4029 IF l_r_kndnr_cross IS INIT
4030 IAL.
4031 IF l_r_ww214_cross IS NO
4032 T INITIAL.
4033 * *****
4034 * # *****Code Remediation changes S4 2025_S Conversion **begin of change
4035 by EJX9007360 2026.06.09 ATC
4036 * *****
4037 * Quick Fix Append ORDER BY PRIMARY KEY to the SELECT statement
4038 * 10.06.2026 08:22:06 EJX9007361
4039 * Transport Q4RK902230 ATC Correction S4 HANA
4040 * Replaced Code:
4041 * IF l_r_ww214_cross IS N
4042 OT INITIAL.
4043 *
4044 SELECT kunnr UP TO 1
4045 ROWS
4046 * FROM kna1
4047 * INTO l_v_bcust_cross
4048 S
4049 * WHERE /ccc/gedatnr
4050 IN l_r_ww214_cross.
4051 SELECT kunnr UP TO 1 R
4052 OWS "#EC CI_SEL_NESTED "#EC CI_NOORDER
4053 * *****
4054 * # *****Code Remediation changes S4 2025_S Conversion **end of change b
4055 y EJX9007360 2026.06.09 ATC
4056 * *****
4057 FROM kna1
4058 INTO l_v_bcust_cross
4059 WHERE /ccc/gedatnr I
4060 N l_r_ww214_cross ORDER BY PRIMARY KEY.
4061 * End of Quick Fix
4062
```

4049		ENDSELECT.
4050		IF sy-subrc IS NOT INI
	TIAL.	
4051		CLEAR: l_v_bcust_cro
	ss.	
4052		ENDIF.
4053		ENDIF.
4054		ELSE.
4055		READ TABLE l_r_kndnr_cro
	ss INTO l_wa_kndnr INDEX 1.	
4056		IF sy-subrc IS INITIAL.
4057		l_v_bcust_cross = l_wa
	_kndnr-low.	
4058		ENDIF.
4059		ENDIF.
4060		ENDIF.
4061		"EOC MOD-032 EJX9005197
	03-Dec-2024	
4062		IF l_v_bcust IS NOT INITIAL
4063		OR l_v_bcust_cross IS NOT
	INITIAL. "++ MOD-032	
4064		IF v_dummy_flag IS INITIAL
	. "++ MOD-032	
4065		PERFORM f_dummy_sales US
	ING <l_fs_dhdr>	
4066		
	<l_fs_kona>	
4067		
	<l_fs_ditem> "++ MOD-032	
4068		
	l_v_bcust	
4069		
	l_v_bcust_cross "++ MOD-032	
4070		
	l_v_lastd	
4071		
	l_v_ppay_flag "++ MOD-038	
4072		
	l_v_cross_dummy "++ MOD-038	
4073		CHANGIN
	G l_i_dumce1.	
4074		ENDIF. "++ MOD-032
4075		CLEAR: l_wa_copa.
4076		READ TABLE l_i_dumce1 ASSI
	GNING <l_fs_ce1jp>	
4077		WITH
	KEY bukrs = <l_fs_ditem>-bukrs.	
4078		IF sy-subrc IS INITIAL.
4079		MOVE-CORRESPONDING <l_fs
	_ce1jp> TO l_wa_copa.	
4080		"Begin of changes by S20
4081	4711 MOD-024	
	EQ c_thr.	
4082		IF l_wa_copa-vkaus IS
	INITIAL.	
4083		l_wa_copa-vkaus = c_
	utax.	
4084		ENDIF.
4085		ENDIF.
4086		"End of changes by S2047

```

11 MOD-024
4087 APPEND l_wa_copa TO l_i_
    copa.
4088 CLEAR: l_wa_copa.
4089 ENDIF.
4090 ENDIF.
4091 ENDIF.
4092 ELSE. "++MOD-010
4093     l_v_tupd = abap_true. "++MOD-0
10
4094 ENDIF.
4095 * End of changes by S204711 MOD-006
4096 ENDIF.
4097 ELSE.
4098 CLEAR: l_wa_copa, l_i_copa[], l_i_t
    copa[],
4099     l_v_tupd. "++MOD-011
4100 * Begin of changes by S204711 For MOD-004
4101 CLEAR: l_i_ce2jp00[],
4102     " To clear sales data for pre
    vious contract
4103     l_v_pertot. "++MOD-025
4104
4105 "BOC | 14-Aug-2025 | EJX9005197 |
MOD-038
4106 IF l_v_ppay_flag = abap_true AND
4107     <l_fs_dhdr>-bukrs = <l_fs_ditem
    APPEND LINES OF i_ce2jp00 TO l_i
    APPEND LINES OF l_i_subce2 TO l_
    i_ce2jp00.
4110 ELSE.
4111     "EOC | 14-Aug-2025 | EJX9005197
    | MOD-038
4112
4113 IF <l_fs_ditem>-bukrs EQ <l_fs_d
    l_i_ce2jp00[] = i_ce2jp00[].
4114 ELSE.
4115     l_i_ce2jp00[] = l_i_subce2[].
4116     IF <l_fs_dhdr>-pay_type EQ c_o
    ne
4117     AND <l_fs_dhdr>-cal_type EQ c
    _one.
4118     CLEAR: l_v_acctax, l_v_stax,
    l_v_pertot,
    l_v_famnt.
4120 ENDIF.
4121 CLEAR: l_v_acctax, l_v_stax, l_
    v_famnt, "++MOD-007
4122     i_ftaxd[]. "++MOD-008
4123
4124 ENDIF.
4125 ENDIF. "++ MOD-038
4126
4127 IF l_i_ce2jp00[] IS NOT INITIAL.
4128 * Populate the Internal table for subtotal values of COPA
4129 * LOOP AT i_ce2jp00 ASSIGNING <l_fs_ce2
    jp>. "#EC CI_NESTED
4130 LOOP AT l_i_ce2jp00 ASSIGNING <l_

```

4132 _fs_ce2jp>. "#EC CI_NESTED
4133 * End of changes by S204711

For MOD-004

4133 _fs_mexc>
4134 tnr = <l_fs_ce2jp>-artnr
4135 CH.

READ TABLE i_mexc ASSIGNING <l
WITH KEY ma
BINARY SEAR

4136
4137 jp>-kndnr.

IF sy-subrc IS NOT INITIAL.
l_wa_copa-kndnr = <l_fs_ce2

4138 jp>-artnr.

l_wa_copa-artnr = <l_fs_ce2

4139 jp>-gjahr.

l_wa_copa-gjahr = <l_fs_ce2

4140 jp>-fkart.

l_wa_copa-fkart = <l_fs_ce2

4141 jp>-bukrs.

l_wa_copa-bukrs = <l_fs_ce2

4142 jp>-werks.

l_wa_copa-werks = <l_fs_ce2

4143 jp>-vkorg.

l_wa_copa-vkorg = <l_fs_ce2

4144 jp>-vtweg.

l_wa_copa-vtweg = <l_fs_ce2

4145 jp>-spart.

l_wa_copa-spart = <l_fs_ce2

4146 p>-prctr.

l_wa_copa-prctr = <l_fs_ce2j

4147 p>-kunwe.

l_wa_copa-kunwe = <l_fs_ce2j

4148 2jp>-kmvkbkbu.

l_wa_copa-kmvkbkbu = <l_fs_ce

4149 p>-vkaus. "++MOD-007

l_wa_copa-vkaus = <l_fs_ce2j

4150 p>-ww224.

l_wa_copa-ww224 = <l_fs_ce2j

4151 p>-ww225.

l_wa_copa-ww225 = <l_fs_ce2j

4152 p>-ww226.

l_wa_copa-ww226 = <l_fs_ce2j

4153 p>-ww227.

l_wa_copa-ww227 = <l_fs_ce2j

4154 p>-ww228.

l_wa_copa-ww228 = <l_fs_ce2j

4155 p>-ww229.

l_wa_copa-ww229 = <l_fs_ce2j

4156 ce2jp>-absmg_me.

l_wa_copa-absmg_me = <l_fs_

4157 ce2jp>-vv980_me.

l_wa_copa-vv980_me = <l_fs_

4158 ce2jp>-vv981_me.

l_wa_copa-vv981_me = <l_fs_

4159 ce2jp>-vv982_me.

l_wa_copa-vv982_me = <l_fs_

4160 ce2jp>-vv983_me.

l_wa_copa-vv983_me = <l_fs_

4161 jp>-absmg.

l_wa_copa-absmg = <l_fs_ce2

4162 jp>-erlos.

l_wa_copa-erlos = <l_fs_ce2

```

4163                                     l_wa_copa-vv506 = <l_fs_ce2j
4164 p>-vv506.                                     l_wa_copa-vv507 = <l_fs_ce2j
4165 p>-vv507.                                     l_wa_copa-vv980 = <l_fs_ce2
4166 jp>-vv980.                                     l_wa_copa-vv981 = <l_fs_ce2
4167 jp>-vv981.                                     l_wa_copa-vv982 = <l_fs_ce2
4168 jp>-vv982.                                     l_wa_copa-vv983 = <l_fs_ce2
4169 jp>-vv983.                                     MOD-006
4169 * Begin of changes by S204711                "Performance related changes
4170                                     APPEND l_wa_copa TO l_i_c
4171 *
4172 opa.                                     IF l_wa_copa-bukrs = <l_fs_d
4173 item>-bukrs."++ MOD-038                      COLLECT l_wa_copa INTO l_i
4174 _copa.                                     ENDIF.
4175                                     "++ MOD-038
4175 * End of changes by S204711                MOD-006
4176                                     CLEAR: l_wa_copa.
4177                                     ENDIF.
4178                                     ENDLOOP.
4179 ELSE. "++MOD-011
4180     l_v_tupd = abap_true. "++MOD-010
4181 ENDIF.
4182 ENDIF.
4183 CLEAR: l_v_absmsg, l_i_temp[],
4184         l_v_nodat. "++MOD-011
4185 * Subtotal logic
4186
4187     artnr
4188                                     vkaus. "++MOD-007
4189     LOOP AT l_i_copa ASSIGNING <l_fs_c
4190         l_wa_copa-ww228 = <l_fs_copa>-ww
4191         l_wa_copa-ww229 = <l_fs_copa>-ww
4192         l_wa_copa-gjahr = <l_fs_copa>-g
4193         l_wa_copa-perde = <l_fs_copa>-p
4194         l_wa_copa-kndnr = <l_fs_copa>-k
4195         l_wa_copa-artnr = <l_fs_copa>-a
4196         l_wa_copa-vkaus = <l_fs_copa>-vk
4197         l_wa_copa-fkart = <l_fs_copa>-f
4198         l_wa_copa-bukrs = <l_fs_copa>-b
4199         l_wa_copa-werks = <l_fs_copa>-w
4200         l_wa_copa-vkorg = <l_fs_copa>-v
4190         228.
4191         229.
4192         jahr.
4193         erde.
4194         ndnr.
4195         rtnr.
4196         aus. "++MOD-007
4197         kart.
4198         ukrs.
4199         erks.
4200         korg.

```


4201		l_wa_copa-vtweg = <l_fs_copa>-v
4202	tweg.	
4203	part.	l_wa_copa-spart = <l_fs_copa>-s
4204	rcctr.	l_wa_copa-prctr = <l_fs_copa>-p
4205	unwe.	l_wa_copa-kunwe = <l_fs_copa>-k
4206	kmvkbv.	l_wa_copa-kmvkbv = <l_fs_copa>-
4207	224.	l_wa_copa-ww224 = <l_fs_copa>-ww
4208	225.	l_wa_copa-ww225 = <l_fs_copa>-ww
4209	226.	l_wa_copa-ww226 = <l_fs_copa>-ww
4210	227.	l_wa_copa-ww227 = <l_fs_copa>-ww
4211	tr4. "++ MOD-032	l_wa_copa-katr4 = <l_fs_copa>-ka
4212	>-absmg_me.	l_wa_copa-absmg_me = <l_fs_copa
4213	>-vv980_me.	l_wa_copa-vv980_me = <l_fs_copa
4214	>-vv981_me.	l_wa_copa-vv981_me = <l_fs_copa
4215	>-vv982_me.	l_wa_copa-vv982_me = <l_fs_copa
4216	>-vv983_me.	l_wa_copa-vv983_me = <l_fs_copa
4217	g + <l_fs_copa>-absmg.	l_wa_copa-absmg = l_wa_copa-absm
4218	os + <l_fs_copa>-erlos.	l_wa_copa-erlos = l_wa_copa-erl
4219	6 + <l_fs_copa>-vv506.	l_wa_copa-vv506 = l_wa_copa-vv50
4220	7 + <l_fs_copa>-vv507.	l_wa_copa-vv507 = l_wa_copa-vv50
4221	0 + <l_fs_copa>-vv980.	l_wa_copa-vv980 = l_wa_copa-vv98
4222	1 + <l_fs_copa>-vv981.	l_wa_copa-vv981 = l_wa_copa-vv98
4223	2 + <l_fs_copa>-vv982.	l_wa_copa-vv982 = l_wa_copa-vv98
4224	3 + <l_fs_copa>-vv983.	l_wa_copa-vv983 = l_wa_copa-vv98
4225	pa>-vv980.	l_v_absmg = l_v_absmg + <l_fs_co
4226	copa>-vv506.	l_v_pertot = l_v_pertot + <l_fs_
4227	MOD-007	"Begin of change by S204711
4228	228.	l_wa_taxd-ww228 = <l_fs_copa>-ww
4229	229.	l_wa_taxd-ww229 = <l_fs_copa>-ww
4230	aus.	l_wa_taxd-vkaus = <l_fs_copa>-vk
4231	0 + <l_fs_copa>-vv980.	l_wa_taxd-vv980 = l_wa_taxd-vv98
		l_wa_taxd-vv981 = l_wa_taxd-vv98

```

1 + <l_fs_copa>-vv981.
4232 l_wa_taxd-vv983 = l_wa_taxd-vv98
3 + <l_fs_copa>-vv983.
4233 l_wa_taxd-vv506 = l_wa_taxd-vv50
6 + <l_fs_copa>-vv506.
4234 l_wa_taxd-vv507 = l_wa_taxd-vv50
7 + <l_fs_copa>-vv507.
4235 "End of change by S204711
MOD-007
4236 * AT END OF artnr.
4237 * APPEND l_wa_copa TO l_i_tcopa.
4238 * CLEAR: l_wa_copa.
4239 * ENDAT.
4240 "Begin of Changes by S204711
MOD-007
4241 AT END OF vkaus.
4242 APPEND l_wa_copa TO l_i_tcopa.
4243 CLEAR: l_wa_copa.
4244 APPEND l_wa_taxd TO l_i_taxd.
4245 CLEAR: l_wa_taxd.
4246 ENDAT.
4247 "End of Changes by S204711
MOD-007
4248 ENDLOOP.
4249 IF <l_fs_copa> IS ASSIGNED.
4250 UNASSIGN: <l_fs_copa>.
4251 ENDIF.
4252 ELSE. "++MOD-011
4253 l_v_nodat = abap_true. "++MOD-011
4254 ENDIF.
4255 FREE: l_i_copa[]. "++MOD-006
4256
4257 "Begin of Changes by S204711 M
OD-007
4258 CLEAR: l_v_txline, l_i_ftaxd[], l_v_t
xadj.
4259 * IF <l_fs_dhdr>-cal_type <> c_fixr.
"++MOD-019 "—MOD-021
4260 IF l_v_nodat IS INITIAL. "++MOD-011
4261 IF rb_sale IS INITIAL
4262 AND <l_fs_dhdr>-pay_type EQ c_th
r.
4263 IF l_i_taxd[] IS NOT INITIAL.
4264 SORT l_i_taxd BY ww228 ww229 v
kaus.
4265 LOOP AT l_i_taxd ASSIGNING <l_
fs_taxd>.
4266 IF <l_fs_taxd>-ww228 EQ <l_f
s_ditem>-knuma
4267 AND <l_fs_taxd>-ww229 EQ <l_
fs_ditem>-tposn.
4268 CLEAR: l_v_taxco, l_v_tax,
v_mwskz,
4269 l_v_camnt, l_v_round
.
4270 l_wa_taxd-ww228 = <l_fs_ta
xd>-ww228.
4271 l_wa_taxd-ww229 = <l_fs_ta
xd>-ww229.
4272 l_wa_taxd-vkaus = <l_fs_ta
xd>-vkaus.

```

4273	d-vv980 + <l_fs_taxd>-vv980.	l_wa_taxd-vv980 = l_wa_tax
4274	d-vv981 + <l_fs_taxd>-vv981.	l_wa_taxd-vv981 = l_wa_tax
4275	d-vv983 + <l_fs_taxd>-vv983.	l_wa_taxd-vv983 = l_wa_tax
4276	d-vv506 + <l_fs_taxd>-vv506.	l_wa_taxd-vv506 = l_wa_tax
4277	d-vv507 + <l_fs_taxd>-vv507.	l_wa_taxd-vv507 = l_wa_tax
4278		AT END OF vkaus.
4279	aus+1(2).	v_mwskz = <l_fs_taxd>-vk
4280	EQ c_one	IF <l_fs_ditem>-tar_unit
4281	pe <> c_fixr. "++MOD-021	AND <l_fs_dhdr>-cal_ty
4282	-acquan *	l_v_camnt = l_wa_final
4283	xd-vv980.	l_wa_ta
4284		CONDENSE l_v_camnt.
4285		l_v_round = l_v_camnt.
4286	OUND_TO_NEAREST_AMT'	CALL FUNCTION 'J_1I6_R
4287		EXPORTING
4288	nd	i_amount = l_v_rou
4289		IMPORTING
4290	nd.	e_amount = l_v_rou
4291		l_v_taxco = l_v_round.
4292	unit EQ c_two	ELSEIF <l_fs_ditem>-tar_
4293	e <> c_fixr. "++MOD-021	AND <l_fs_dhdr>-cal_typ
4294	-acquan *	l_v_camnt = l_wa_final
4295	d-vv981.	l_wa_tax
4296		CONDENSE l_v_camnt.
4297		l_v_round = l_v_camnt.
4298	OUND_TO_NEAREST_AMT'	CALL FUNCTION 'J_1I6_R
4299		EXPORTING
4300	nd	i_amount = l_v_rou
4301		IMPORTING
4302	nd.	e_amount = l_v_rou
4303		l_v_taxco = l_v_round.
4304	unit EQ c_thr	ELSEIF <l_fs_ditem>-tar_
4305	pe <> c_fixr. "++MOD-021	AND <l_fs_dhdr>-cal_ty
4306	-acquan *	l_v_camnt = l_wa_final
4307	d-vv983.	l_wa_tax
4308		CONDENSE l_v_camnt.
4309		l_v_round = l_v_camnt.

```

4310                                CALL FUNCTION 'J_1I6_R
      OUND_TO_NEAREST_AMT'
4311                                EXPORTING
4312                                i_amount = l_v_rou
      nd
4313                                IMPORTING
4314                                e_amount = l_v_rou
      nd.
4315                                l_v_taxco = l_v_round.
4316      ELSEIF <l_fs_ditem>-tar_
4317                                AND <l_fs_dhdr>-cal_ty
4318                                l_v_camnt = l_wa_final
      -accper *
4319                                l_wa_taxd-v
      v507.
4320                                CONDENSE l_v_camnt.
4321                                l_v_round = l_v_camnt.
4322      OUND_TO_NEAREST_AMT'
4323                                EXPORTING
4324                                i_amount = l_v_rou
      nd
4325                                IMPORTING
4326                                e_amount = l_v_rou
      nd.
4327                                l_v_taxco = l_v_round.
4328      ELSEIF <l_fs_ditem>-tar_
4329                                AND <l_fs_dhdr>-cal_ty
4330                                l_v_camnt = l_wa_final
      -accper *
4331                                l_wa_taxd-v
      v506.
4332                                CONDENSE l_v_camnt.
4333                                l_v_round = l_v_camnt.
4334      OUND_TO_NEAREST_AMT'
4335                                EXPORTING
4336                                i_amount = l_v_rou
      nd
4337                                IMPORTING
4338                                e_amount = l_v_rou
      nd.
4339                                l_v_taxco = l_v_round.
4340      ENDIF.
4341      "Begin of changes by S20
      4711      MOD-021
4342      EQ c_fixr.
4343                                l_v_camnt = ( l_wa_tax
4344                                l_v_perto
      t ) * l_v_amnt.
4345                                CONDENSE l_v_camnt.
4346                                l_v_round = l_v_camnt.
4347      OUND_TO_NEAREST_AMT'
4348                                EXPORTING

```

```

4349                                     i_amount = l_v_rou
4350 nd
4351                                     IMPORTING
4352                                     e_amount = l_v_rou
4353 nd.
4354                                     l_v_taxco = l_v_round.
4355 ENDIF.
4356                                     "End of changes by S2047
4357 11 MOD-021
4358 IF <l_fs_dhdr>-tax_ind I
4359 S INITIAL.
4360 PERFORM f_cal_ctax USI
4361 NG <l_fs_dhdr>
4362 *
4363     l_v_taxco "—MOD-026
4364                                     CHANGI
4365 NG l_v_tax
4366     l_v_taxco. "++MOD-026
4367 ELSE.
4368     PERFORM f_cal_stax USI
4369 NG <l_fs_dhdr>
4370 *
4371     l_v_taxco "—MOD-026
4372                                     CHANGI
4373 NG l_v_tax
4374     l_v_taxco. "++MOD-026
4375 - l_v_tax.
4376     l_v_taxco = l_v_taxco
4377 ENDIF.
4378 l_wa_taxd-txamnt = l_v_t
4379 l_wa_taxd-txtax = l_v_ta
4380 "Begin of changes by S20
4381 READ TABLE i_ftaxd ASSIG
4382 NING <l_fs_ftaxd>
4383 WITH KEY ww228 = <l_fs_dhdr>-knuma
4384     vkaus = l_wa_taxd-vkaus.
4385 *
4386     BIN
4387     ARY SEARCH.
4388 IF sy-subrc IS INITIAL.
4389     <l_fs_ftaxd>-txamnt =
4390     <l_fs_ftaxd>-txamnt +
4391     l_wa_taxd-txamnt.
4392     <l_fs_ftaxd>-txtax = <
4393     l_fs_ftaxd>-txtax +
4394     l_wa_taxd-txtax.
4395 ELSE.
4396     APPEND l_wa_taxd TO i_
4397     ftaxd.
4398 ENDIF.
4399 APPEND l_wa_taxd TO i_ftaxd
4400 . "—MOD-008
4401 APPEND l_wa_taxd TO l_i_

```

```

ftaxd. "++MOD-008
4384                                     "End of changes by S2047
11      For MOD-008
4385                                     CLEAR: l_wa_taxd.
4386                                     ENDAT.
4387                                     ENDIF.
4388                                     ENDLOOP.
4389                                     FREE: l_i_taxd[].
4390                                     CLEAR: l_v_taxco, l_v_tax, l_v_c
amnt, l_v_round.
4391                                     "Begin of changes by S204711
      For MOD-008
4392 *                                     IF i_ftaxd[] IS NOT INITIAL.
4393 *                                     SORT i_ftaxd BY ww228 vkaus.
4394 *                                     ENDIF.
4395 *                                     DESCRIBE TABLE i_ftaxd LINES l_v_
txline. "—MOD-008
4396                                     DESCRIBE TABLE l_i_ftaxd LINES
      l_v_txline. "++MOD-008
4397                                     "End of changes by S204711
      For MOD-008
4398                                     IF l_v_txline > c_one.
4399                                     l_v_txadj = abap_true.
4400                                     ENDIF.
4401                                     ENDIF.
4402                                     ENDIF.
4403                                     ENDIF. "++MOD-011
4404 *                                     ENDIF. "++MOD-019 "—MOD-021
4405                                     "End of Changes by S204711          MOD
-007
4406                                     CLEAR: l_v_exit.
4407                                     IF l_v_absmg IS INITIAL
4408                                     AND <l_fs_dhdr>-pay_type EQ c_two.
4409                                     l_v_exit = abap_true.
4410                                     ENDIF.
4411                                     IF l_v_exit IS INITIAL.
4412                                     IF l_v_nodat IS INITIAL. "++MOD-01
4413 1                                     IF l_i_tcopa[] IS NOT INITIAL.
4414                                     IF rb_sale IS INITIAL.
4415                                     IF <l_fs_dhdr>-pay_type EQ c
4416 _thr.
4417                                     CLEAR: l_i_temcopa[].
4418                                     l_i_temcopa[] = l_i_tcopa[
].
4419                                     SORT l_i_temcopa BY ww229.
4420                                     DELETE l_i_temcopa WHERE w
w229 <>
4421                                     <l_fs_d
item>-tposn.
4422 *                                     IF l_i_temcopa[] IS NOT INITIAL.
" —MOD-003
4423                                     CLEAR: l_i_tcopa[].
4424                                     l_i_tcopa[] = l_i_temcopa[
].
4425                                     SORT l_i_tcopa BY vkaus.
"++MOD-007
4426 *                                     ENDIF.          " —MO
D-003
4427                                     ENDIF.

```

4428		ENDIF.	
4429	v_txcopa."++MOD-007	CLEAR: l_v_ctabix,l_v_sxtax,l_v	
4430	_fs_copa>. "#EC CI_NESTED	LOOP AT l_i_tcopa ASSIGNING <l	
4431	++MOD-007	l_v_ctabix = sy-tabix + 1. "	
4432		CLEAR: l_v_skip.	
4433	c_one	IF <l_fs_ditem>-tar_unit EQ	
4434	c_fixr. "++MOD-019	AND <l_fs_dhdr>-cal_type <>	
4435	11 MOD-006	"Begin of changes by S2047	
4436	ITIAL.	IF <l_fs_copa>-vv980 IS IN	
4437		l_v_skip = abap_true.	
4438		ELSE.	
4439	11 MOD-006	"End of changes by S2047	
4440	9005197 MOD-038	"BOC 14-Aug-2025 EJX	
4441	true AND	IF l_v_ppay_flag = abap_	
4442	l_fs_ditem>-bukrs.	<l_fs_dhdr>-bukrs = <	
4443	= <l_fs_copa>-bukrs.	IF <l_fs_ditem>-bukrs	
4444	l + <l_fs_copa>-vv980.	l_v_csval = l_v_csval	
4445		ELSE.	
4446	n + <l_fs_copa>-vv980.	l_v_squan = l_v_squan	
4447		ENDIF.	
4448		ELSE.	
4449	JX9005197 MOD-038	"EOC 14-Aug-2025 E	
4450	+ <l_fs_copa>-vv980.	l_v_csval = l_v_csval	
4451		ENDIF. "++ MOD-038	
4452		ENDIF. "++MOD-006	
4453	EQ c_two	ELSEIF <l_fs_ditem>-tar_unit	
4454	> c_fixr. "++MOD-019	AND <l_fs_dhdr>-cal_type <	
4455	11 MOD-006	"Begin of changes by S2047	
4456	ITIAL.	IF <l_fs_copa>-vv981 IS IN	
4457		l_v_skip = abap_true.	
4458		ELSE.	
4459	11 MOD-006	"End of changes by S2047	
4460		"BOC 14-Aug-2025 EJX	
4461	9005197 MOD-038	IF l_v_ppay_flag = abap_	
4462	true.	IF <l_fs_ditem>-bukrs	
4463	= <l_fs_copa>-bukrs.	l_v_lsval = l_v_lsval	
4464			


```

4465      l + <l_fs_copa>-vv981.
4466
4467      n + <l_fs_copa>-vv981.
4468
4469      JX9005197 | MOD-038
4470      + <l_fs_copa>-vv981.
4471
4472
4473
4474      EQ c_thr
4475      > c_fixr. "++MOD-019
4476      11          MOD-006
4477      ITIAL.
4478
4479
4480      11          MOD-006
4481
4482      9005197 | MOD-038
4483      true.
4484      = <l_fs_copa>-bukrs.
4485      l + <l_fs_copa>-vv983.
4486
4487      n + <l_fs_copa>-vv983.
4488
4489
4490      JX9005197 | MOD-038
4491      + <l_fs_copa>-vv983.
4492
4493
4494
4495      EQ c_unt4
4496      > c_fixr. "++MOD-019
4497      11          MOD-006
4498      ITIAL.
4499
4500
4501      11          MOD-006
4502      _fs_copa>-vv507.
4503

```

```

ELSE.
    l_v_squan = l_v_squa
ENDIF.
ELSE.
    "EOC | 14-Aug-2025 | E
    l_v_lsval = l_v_lsval
ENDIF. "++ MOD-038

ENDIF. "++MOD-006
ELSEIF <l_fs_ditem>-tar_unit
AND <l_fs_dhdr>-cal_type <
"Begin of changes by S2047
IF <l_fs_copa>-vv983 IS IN
    l_v_skip = abap_true.
ELSE.
    "End of changes by S2047

    "BOC | 14-Aug-2025 | EJX
    IF l_v_ppay_flag = abap_
        IF <l_fs_ditem>-bukrs
            l_v_gaval = l_v_gava
        ELSE.
            l_v_squan = l_v_squa
        ENDIF.
    ELSE.
        "EOC | 14-Aug-2025 | E
        l_v_gaval = l_v_gaval
    ENDIF. "++ MOD-038

ENDIF. "++MOD-006
ELSEIF <l_fs_ditem>-tar_unit
AND <l_fs_dhdr>-cal_type <
"Begin of changes by S2047
IF <l_fs_copa>-vv507 IS IN
    l_v_skip = abap_true.
ELSE.
    "End of changes by S2047

    l_v_itax = l_v_itax + <l
ENDIF. "++MOD-006

```

```

4504      EQ c_unt5
4505      Q c_six
4506      c_fixr. "++MOD-019
4507      11      MOD-006
4508      ITIAL.
4509
4510
4511      11      MOD-006
4512      _fs_copa>-vv506.
4513
4514
4515      OD-006
4516      _fs_copa>-erlos.
4517
4518      cnt.
4519
4520      *      Fill Currency Type
4521
4522      curty.
4523
4524      al.
4525
4526      ldname = c_curty
4527
4528      NO FIELDS.
4529
4530      c_curty.
4531
4532      q.
4533
4534      al.
4535
4536      i_selc.
4537
4538      fs_dhdr>-waers.
4539
4540      cdata.
4541
4542      IGNING <l_fs_fname>
4543
4544      ldname = c_curty.
4545
4546      name TO l_i_fname.

```

```

ELSEIF <l_fs_ditem>-tar_unit
      OR <l_fs_ditem>-tar_unit E
      OR <l_fs_dhdr>-cal_type EQ
      "Begin of changes by S2047
      IF <l_fs_copa>-vv506 IS IN
          l_v_skip = abap_true.
      ELSE.
          "End of changes by S2047
          l_v_etax = l_v_etax + <l
      ENDIF. "++MOD-006
    ENDIF.
    IF l_v_skip IS INITIAL. "++M
        l_v_erlos = l_v_erlos + <l
        l_v_cnt = l_v_cnt + 1.
        l_wa_data-record_id = l_v_
    IF rb_sale IS NOT INITIAL.
        l_wa_data-fieldname = c_
        l_wa_data-value = c_curv
    READ TABLE l_i_selc
        WITH KEY fie
        TRANSPORTING
    IF sy-subrc NE 0.
        l_wa_selc-fieldname =
        l_wa_selc-sign = c_i.
        l_wa_selc-option = c_e
        l_wa_selc-low = c_curv
        APPEND l_wa_selc TO l_
        CLEAR: l_wa_selc.
    ENDIF.
    l_wa_data-currency = <l_
    APPEND l_wa_data TO l_i_
    READ TABLE l_i_fname ASS
        WITH KEY fie
    IF sy-subrc NE 0.
        APPEND l_wa_data-field

```

4542		ENDIF.
4543		CLEAR: l_wa_data-fieldna
	me, l_wa_data-value.	
4544		ENDIF.
4545	* Fill Record type	
4546		l_wa_data-fieldname = c_re
	cty.	
4547		IF rb_sale IS INITIAL.
4548		IF rb_pre IS NOT INITIAL
	.	
4549		l_wa_data-value = c_re
	cval.	
4550		ELSEIF rb_pos IS NOT INI
	TIAL.	
4551		l_wa_data-value = c_pr
	ecval.	
4552		ENDIF.
4553		ELSE.
4554		l_wa_data-value = c_salv
	al.	
4555		READ TABLE l_i_selc
4556		WITH KEY fie
	ldname = c_recty	
4557		TRANSPORTING
	NO FIELDS.	
4558		IF sy-subrc NE 0.
4559		l_wa_selc-fieldname =
	c_recty.	
4560		l_wa_selc-sign = c_i.
4561		l_wa_selc-option = c_e
	q.	
4562		l_wa_selc-low = c_salv
	al.	
4563		APPEND l_wa_selc TO l_
	i_selc.	
4564		CLEAR: l_wa_selc.
4565		ENDIF.
4566		ENDIF.
4567		l_wa_data-currency = <l_fs
	_dhdr>-waers.	
4568		APPEND l_wa_data TO l_i_cd
	ata.	
4569		READ TABLE l_i_fname ASSIG
	NING <l_fs_fname>	
4570		WITH KEY field
	name = c_recty.	
4571		IF sy-subrc NE 0.
4572		APPEND l_wa_data-fieldna
	me TO l_i_fname.	
4573		ENDIF.
4574		CLEAR: l_wa_data-fieldname
	, l_wa_data-value.	
4575		
4576	* Fill Version	
4577		IF rb_sale IS NOT INITIAL.
4578		l_wa_data-fieldname = c_
	versi.	
4579		l_wa_data-value = c_verv
	al.	
4580		l_wa_data-currency = <l_
	fs dhdr>-waers.	

```

4581                                APPEND l_wa_data TO l_i_
      cdata.
4582                                READ TABLE l_i_selc
4583                                WITH KEY fie
4584                                TRANSPORTING
      NO FIELDS.
4585                                IF sy-subrc NE 0.
4586                                l_wa_selc-fieldname =
4587                                l_wa_selc-sign = c_i.
4588                                l_wa_selc-option = c_e
4589                                l_wa_selc-low = c_verv
4590                                APPEND l_wa_selc TO l_
      i_selc.
4591                                CLEAR: l_wa_selc.
4592                                ENDIF.
4593                                READ TABLE l_i_fname ASS
4594                                WITH KEY fie
      ldbname = c_versi.
4595                                IF sy-subrc NE 0.
4596                                APPEND l_wa_data-field
4597                                ENDIF.
4598                                CLEAR: l_wa_data-fieldna
      me, l_wa_data-value.
4599      *      Fill PERIO
4600                                l_wa_data-fieldname = c_
      perio.
4601      *
4602      *
4603      *
      nat
4604      *
4605      *
4606      *
4607                                IF <l_fs_dhdr>-pay_type EQ c_two.
4608                                CLEAR: l_v_per.
4609                                CONCATENATE p_gjahr c_zero p_mo
4610                                INTO l_v_per.
4611                                l_wa_data-value = l_v_per.
4612                                ELSE.
4613                                IF l_v_per IS INITIAL.
4614                                CLEAR: l_v_per.
4615                                CONCATENATE p_gjahr c_
4616                                INTO l_v_per.
4617                                l_wa_data-value = l_v_
4618                                ELSE.
4619                                l_wa_data-value = l_v_
4620                                ENDIF.
4621                                l_wa_data-currency = <l_
      fs_dhdr>-waers.
4617                                APPEND l_wa_data TO l_i_
      cdata.
4618                                READ TABLE l_i_selc
4619                                WITH KEY fie
4620                                TRANSPORTING
      NO FIELDS.
4621                                IF sy-subrc NE 0.

```

```

4622 c_perio. l_wa_selc-fieldname =
4623 l_wa_selc-sign = c_i.
4624 l_wa_selc-option = c_e
4625 q. l_wa_selc-low = l_v_pe
4626 r. APPEND l_wa_selc TO l_
4627 i_selc. CLEAR: l_wa_selc.
4628 ENDIF.
4629 READ TABLE l_i_fname ASS
4630 IGNING <l_fs_fname> WITH KEY fie
4631 ldname = c_perio. IF sy-subrc NE 0.
4632 name TO l_i_fname. APPEND l_wa_data-field
4633 ENDIF.
4634 me, l_wa_data-value. CLEAR: l_wa_data-fieldna
4635 * Fill Posting date ENDIF.
4636 budat. IF rb_sale IS INITIAL.
4637 l_wa_data-fieldname = c_
4638 IF p_budat IS INITIAL.
4639 l_wa_data-value = v_la
4640 ELSE.
4641 l_wa_data-value = p_bu
4642 dat. ENDIF.
4643 l_wa_data-currency = <l_
4644 fs_dhdr>-waers. APPEND l_wa_data TO l_i_
4645 cdata. READ TABLE l_i_fname ASS
4646 IGNING <l_fs_fname> WITH KEY fie
4647 ldname = c_budat. IF sy-subrc NE 0.
4648 name TO l_i_fname. APPEND l_wa_data-field
4649 me, l_wa_data-value. CLEAR: l_wa_data-fieldna
4650 * Fill Customer ENDIF.
4651 eldname = c_kndnr IF rb_sale IS NOT INITIAL.
4652 w = <l_fs_copa>-kndnr READ TABLE l_i_selc
4653 G NO FIELDS. WITH KEY fi
4654 c_kndnr. lo
4655 TRANSPORTIN
4656 IF sy-subrc NE 0.
4657 l_wa_selc-fieldname =
4658 l_wa_selc-sign = c_i.

```

```

4662                                     l_wa_selc-option = c_e
4663 q.                                     l_wa_selc-low = <l_fs_
4664 copa>-kndnr.                          APPEND l_wa_selc TO l_
4665 i_selc.                                CLEAR: l_wa_selc.
4666                                     ENDIF.
4667                                     ENDIF.
4668 l_wa_data-fieldname = c_kn
4669 dnr.                                   l_wa_data-value = <l_fs_co
4670 pa>-kndnr.                             l_wa_data-currency = <l_fs
4671 _dhdr>-waers.                          APPEND l_wa_data TO l_i_cd
4672 ata.                                   READ TABLE l_i_fname ASSIG
4673 NING <l_fs_fname>                      WITH KEY field
4674 name = c_kndnr.                        IF sy-subrc NE 0.
4675 me TO l_i_fname.                      APPEND l_wa_data-fieldna
4676                                     ENDIF.
4677 CLEAR: l_wa_data-fieldname
4678 , l_wa_data-value.
4679 *      Fill Material
4680                                     IF rb_sale IS NOT INITIAL.
4681                                     READ TABLE l_i_selc
4682                                     WITH KEY fi
4683                                     lo
4684                                     TRANSPORTIN
4685                                     IF sy-subrc NE 0.
4686                                     l_wa_selc-fieldname =
4687                                     l_wa_selc-sign = c_i.
4688                                     l_wa_selc-option = c_e
4689                                     l_wa_selc-low = <l_fs_
4690                                     APPEND l_wa_selc TO l_
4691                                     CLEAR: l_wa_selc.
4692                                     ENDIF.
4693                                     ENDIF.
4694 l_wa_data-fieldname = c_ar
4695 l_wa_data-value = <l_fs_co
4696 l_wa_data-currency = <l_fs
4697 APPEND l_wa_data TO l_i_cd
4698 READ TABLE l_i_fname ASSIG
4699 WITH KEY field
4700 name = c_artnr.

```

```

4699                                     IF sy-subrc NE 0.
4700                                     APPEND l_wa_data-fieldna
me TO l_i_fname.
4701                                     ENDIF.
4702                                     CLEAR: l_wa_data-fieldname
, l_wa_data-value.
4703                                     *
4704                                     Fill Sender cost center
4705                                     IF rb_sale IS INITIAL.
4706                                     l_wa_data-fieldname = c_
skost.
4707                                     "Begin of changes for de
fect 9000015750      MOD-023
4708                                     *
4709                                     *
ostl. "
4710                                     IF <l_fs_ditem>-bukrs EQ
<l_fs_dhdr>-bukrs.
4711                                     l_wa_data-value =
4712                                     <l_fs_dhdr>-m
ain_kostl.
4713                                     ELSE.
4714                                     l_wa_data-value =
4715                                     <l_fs_dhdr>-su
b_kostl.
4716                                     ENDIF.
4717                                     "End of changes for defe
ct 9000015750      MOD-023
4718                                     l_wa_data-currency = <l_
fs_dhdr>-waers.
4719                                     APPEND l_wa_data TO l_i_
cdata.
4720                                     READ TABLE l_i_fname ASS
4721                                     WITH KEY fie
ldname = c_skost.
4722                                     IF sy-subrc NE 0.
4723                                     APPEND l_wa_data-field
name TO l_i_fname.
4724                                     ENDIF.
4725                                     CLEAR: l_wa_data-fieldna
me, l_wa_data-value.
4726                                     ENDIF.
4727                                     *
4728                                     Fill bukrs
4729                                     IF rb_sale IS NOT INITIAL.
4730                                     READ TABLE l_i_selc
4731                                     WITH KEY f
ieldname = c_bukrs
4732                                     TRANSPORTI
NG NO FIELDS.
4733                                     IF sy-subrc NE 0.
4734                                     l_wa_selc-fieldname =
c_bukrs.
4735                                     l_wa_selc-sign = c_i.
4736                                     l_wa_selc-option = c_e
q.
4737                                     *
OD-004
4738                                     l_wa_selc-low = <l_fs_
ditem>-bukrs. "++MOD-004

```



```

4739          i_selc.                                APPEND l_wa_selc TO l_
4740                                                    CLEAR: l_wa_selc.
4741                                                    ENDIF.
4742                                                    ENDIF.
4743                                                    l_wa_data-fieldname = c_bu
4744          krs.                                l_wa_data-value = p_bukrs. "—MOD-0
4745          *                                04
4746          tem>-bukrs. "++MOD-004
4747          _dhdr>-waers.
4748          ata.                                APPEND l_wa_data TO l_i_cd
4749          NING <l_fs_fname>                    READ TABLE l_i_fname ASSIG
4750          name = c_bukrs.                                WITH KEY field
4751          me TO l_i_fname.
4752                                                    IF sy-subrc NE 0.
4753                                                    APPEND l_wa_data-fieldna
4754          , l_wa_data-value.
4755          *      Fill Plant
4756                                                    IF rb_sale IS NOT INITIAL.
4757                                                    READ TABLE l_i_selc
4758                                                    WITH KEY fi
4759                                                    eldname = c_werks
4760                                                    lo
4761          w = <l_fs_copa>-werks
4762                                                    TRANSPORTIN
4763          G NO FIELDS.
4764                                                    IF sy-subrc NE 0.
4765          c_werks.                                l_wa_selc-fieldname =
4766          q.                                l_wa_selc-sign = c_i.
4767          copa>-werks.                                l_wa_selc-option = c_e
4768          i_selc.                                l_wa_selc-low = <l_fs_
4769          CLEAR: l_wa_selc.
4770          ENDIF.
4771          ENDIF.
4772          l_wa_data-fieldname = c_we
4773          l_wa_data-value = <l_fs_co
4774          l_wa_data-currency = <l_fs
4775          APPEND l_wa_data TO l_i_cd
4776          READ TABLE l_i_fname ASSIG
4777          WITH KEY field
4778          IF sy-subrc NE 0.
4779          APPEND l wa data-fieldna

```

```

me TO l_i_fname.
4777
4778
4779 *      l_wa_data-value.
4780 *      Fill sales org
4781
4782 ieldname = c_vkorg
4783
4784 NG NO FIELDS.
4785
4786 c_vkorg.
4787
4788 q.
4789 *      -vkorg. "—MOD-004
4790
4791 copa>-vkorg. "++MOD-004
4792
4793 i_selc.
4794
4795 org.
4796 *
4797 korg. "—MOD-004
4798
4799 pa>-vkorg. "++MOD-004
4800
4801 _dhdr>-waers.
4802
4803 ata.
4804
4805 NING <l_fs_fname>
4806
4807 name = c_vkorg.
4808
4809 me TO l_i_fname.
4810
4811
4812 *      l_wa_data-value.
4813 *      Fill distribution
4814
4815 ieldname = c_vtweg
4816
4817 NG NO FIELDS.
4818
4819 c_vtweg.
4820
4821 q.
4822
4823 kona>-vtweg.

```

```

ENDIF.
CLEAR: l_wa_data-fieldname

IF rb_sale IS NOT INITIAL.
  READ TABLE l_i_selc
    WITH KEY f
    TRANSPORTI

  IF sy-subrc NE 0.
    l_wa_selc-fieldname =
    l_wa_selc-sign = c_i.
    l_wa_selc-option = c_e
    l_wa_selc-low = <l_fs_kona>
    l_wa_selc-low = <l_fs_
    APPEND l_wa_selc TO l_
    CLEAR: l_wa_selc.
  ENDIF.
ENDIF.
l_wa_data-fieldname = c_vk
l_wa_data-value = <l_fs_kona>-v
l_wa_data-value = <l_fs_co
l_wa_data-currency = <l_fs
APPEND l_wa_data TO l_i_cd
READ TABLE l_i_fname ASSIG
  WITH KEY field

IF sy-subrc NE 0.
  APPEND l_wa_data-fieldna

ENDIF.
CLEAR: l_wa_data-fieldname

IF rb_sale IS NOT INITIAL.
  READ TABLE l_i_selc
    WITH KEY f
    TRANSPORTI

  IF sy-subrc NE 0.
    l_wa_selc-fieldname =
    l_wa_selc-sign = c_i.
    l_wa_selc-option = c_e
    l_wa_selc-low = <l_fs_

```

```

4815                                     APPEND l_wa_selc TO l_
      i_selc.
4816                                     CLEAR: l_wa_selc.
4817                                     ENDIF.
4818                                     ENDIF.
4819                                     l_wa_data-fieldname = c_vt
4820                                     l_wa_data-value = <l_fs_ko
      na>-vtweg.
4821                                     l_wa_data-currency = <l_fs
      _dhdr>-waers.
4822                                     APPEND l_wa_data TO l_i_cd
      ata.
4823                                     READ TABLE l_i_fname ASSIG
4824                                     WITH KEY field
      name = c_vtweg.
4825                                     IF sy-subrc NE 0.
4826                                     APPEND l_wa_data-fieldna
4827                                     ENDIF.
4828                                     CLEAR: l_wa_data-fieldname
      , l_wa_data-value.
4829      *      Fill division
4830
4831
4832                                     ieldname = c_spart
4833                                     NG NO FIELDS.
4834
4835                                     c_spart.
4836                                     l_wa_selc-sign = c_i.
4837                                     l_wa_selc-option = c_e
      q.
4838                                     l_wa_selc-low = <l_fs_
      kona>-spart.
4839                                     APPEND l_wa_selc TO l_
      i_selc.
4840                                     CLEAR: l_wa_selc.
4841                                     ENDIF.
4842                                     ENDIF.
4843                                     l_wa_data-fieldname = c_sp
4844                                     l_wa_data-value = <l_fs_ko
      na>-spart.
4845                                     l_wa_data-currency = <l_fs
      _dhdr>-waers.
4846                                     APPEND l_wa_data TO l_i_cd
      ata.
4847                                     READ TABLE l_i_fname ASSIG
4848                                     WITH KEY field
      name = c_spart.
4849                                     IF sy-subrc NE 0.
4850                                     APPEND l_wa_data-fieldna
4851                                     ENDIF.
4852                                     CLEAR: l_wa_data-fieldname
      , l_wa_data-value.

```

```

4853
4854 *      Fill cost element
4855
4856 kstar.
4857
4858 .
4859 fs_dhdr>-waers.
4860 cdata.
4861 IGNING <l_fs_fname>
4862 ldname = c_kstar.
4863
4864 name TO l_i_fname.
4865
4866 me, l_wa_data-value.
4867
4868 *      Reference document number
4869
4870 rbeln.
4871 *
4872 *
4873 *
4874 ditem>-knuma.
4875 *
4876 fs_dhdr>-waers.
4877 cdata.
4878 IGNING <l_fs_fname>
4879 ldname = c_rbeln.
4880
4881 name TO l_i_fname.
4882
4883 me, l_wa_data-value.
4884 *      Item number from reference document
4885
4886 rposn.
4887 ditem>-tposn.
4888 fs_dhdr>-waers.
4889 cdata.
4890 IGNING <l_fs_fname>
4891 ldname = c_rposn.

```

```

IF rb_sale IS INITIAL.
  l_wa_data-fieldname = c_
  l_wa_data-value = v_dbg1
  l_wa_data-currency = <l_
  APPEND l_wa_data TO l_i_
  READ TABLE l_i_fname ASS
  WITH KEY fie
  IF sy-subrc NE 0.
    APPEND l_wa_data-field
  ENDIF.
  CLEAR: l_wa_data-fieldna
ENDIF.
IF rb_sale IS INITIAL.
  l_wa_data-fieldname = c_
  IF <l_fs_dhdr>-pay_type EQ c_two.
    l_wa_data-value = l_v_sdoc.
  ELSE.
    l_wa_data-value = <l_fs_
  ENDIF.
  l_wa_data-currency = <l_
  APPEND l_wa_data TO l_i_
  READ TABLE l_i_fname ASS
  WITH KEY fie
  IF sy-subrc NE 0.
    APPEND l_wa_data-field
  ENDIF.
  CLEAR: l_wa_data-fieldna
  l_wa_data-fieldname = c_
  l_wa_data-value = <l_fs_
  l_wa_data-currency = <l_
  APPEND l_wa_data TO l_i_
  READ TABLE l_i_fname ASS
  WITH KEY fie
  IF sy-subrc NE 0.

```

```

4892                                     APPEND l_wa_data-field
name TO l_i_fname.
4893                                     ENDIF.
4894                                     CLEAR: l_wa_data-fieldna
me, l_wa_data-value.
4895                                     ENDIF.
4896 *      Fill Ship to
4897                                     IF rb_sale IS NOT INITIAL.
4898                                     READ TABLE l_i_selc
4899                                     WITH KEY fi
eldname = c_kunwe
4900                                     lo
w = <l_fs_copa>-kunwe
4901                                     TRANSPORTIN
G NO FIELDS.
4902                                     IF sy-subrc NE 0.
4903                                     l_wa_selc-fieldname =
c_kunwe.
4904                                     l_wa_selc-sign = c_i.
4905                                     l_wa_selc-option = c_e
q.
4906                                     l_wa_selc-low = <l_fs_
copa>-kunwe.
4907                                     APPEND l_wa_selc TO l_
i_selc.
4908                                     CLEAR: l_wa_selc.
4909                                     ENDIF.
4910                                     ENDIF.
4911                                     l_wa_data-fieldname = c_ku
nwe.
4912                                     l_wa_data-value = <l_fs_co
pa>-kunwe.
4913                                     l_wa_data-currency = <l_fs
_dhdr>-waers.
4914                                     APPEND l_wa_data TO l_i_cd
ata.
4915                                     READ TABLE l_i_fname ASSIG
NING <l_fs_fname>
4916                                     WITH KEY field
name = c_kunwe.
4917                                     IF sy-subrc NE 0.
4918                                     APPEND l_wa_data-fieldna
me TO l_i_fname.
4919                                     ENDIF.
4920                                     CLEAR: l_wa_data-fieldname
, l_wa_data-value.
4921 *      Fill Sales Office
4922                                     IF rb_sale IS NOT INITIAL.
4923                                     READ TABLE l_i_selc
4924                                     WITH KEY f
ieldname = c_kmvkbu
4925                                     TRANSPORTI
NG NO FIELDS.
4926                                     IF sy-subrc NE 0.
4927                                     l_wa_selc-fieldname =
c_kmvkbu.
4928                                     l_wa_selc-sign = c_i.
4929                                     l_wa_selc-option = c_e
q.
4930                                     IF <l_fs_ditem>-bukrs
EQ <l_fs_dhdr>-bukrs. "++MOD-004

```

```

4931                                l_wa_selc-low = <l_f
s_kona>-vkbur.
4932                                ELSE.
4933                                l_wa_selc-low = <l_f
s_dhdr>-sub_vkbur.    "++MOD-004
4934                                ENDIF.    "++MOD-004
4935                                APPEND l_wa_selc TO l_
i_selc.
4936                                CLEAR: l_wa_selc.
4937                                ENDIF.
4938                                ENDIF.
4939                                l_wa_data-fieldname = c_km
vkbu.
4940                                IF <l_fs_ditem>-bukrs EQ <
l_fs_dhdr>-bukrs.    "++MOD-004
4941                                l_wa_data-value = <l_fs_
kona>-vkbur.
4942                                ELSE.
4943                                l_wa_data-value = <l_fs
_dhdr>-sub_vkbur.    "++MOD-004
4944                                ENDIF.    "++MOD-004
4945                                l_wa_data-currency = <l_fs
_dhdr>-waers.
4946                                APPEND l_wa_data TO l_i_cd
ata.
4947                                READ TABLE l_i_fname ASSIG
4948                                WITH KEY field
name = c_kmvkbu.
4949                                IF sy-subrc NE 0.
4950                                APPEND l_wa_data-fieldna
me TO l_i_fname.
4951                                ENDIF.
4952                                CLEAR: l_wa_data-fieldname
, l_wa_data-value.
4953                                *      Fill Usage Code
4954                                sage.
4955                                l_wa_data-fieldname = c_cu
4956                                "Begin of changes by S2047
11      MOD-007
4957                                c_thr.
4958                                L.
4959                                READ TABLE l_i_txmap A
SSIGNING <l_fs_txmap>
4960                                WI
TH KEY low+0(3) = <l_fs_copa>-vkaus
4961                                BI
NARY SEARCH.
4962                                IF sy-subrc IS INITIAL
.
4963                                l_wa_data-value = <l
_fs_txmap>-high+0(3).
4964                                v_mwskz = <l_fs_txma
p>-high+1(2).
4965                                ENDIF.
4966                                ELSE.
4967                                l_wa_data-value = <l_f
s_copa>-vkaus.

```

```

4968      v_mwskz = <l_fs_copa>-
4969      ENDIF.
4970      ELSE.
4971      IF rb_sale IS NOT INITIAL.
4972      CONCATENATE c_ptax v_m
4973      INTO l_wa_data-value.
4974      ELSE.
4975      l_wa_data-value = <l_f
4976      s_copa>-vkaus. "++MOD-007
4977      ENDIF.
4978      ENDIF.
4979      MOD-007
4980      _dhdr>-waers.
4981      ata.
4982      IF rb_sale IS NOT INITIAL.
4983      READ TABLE l_i_selc
4984      WITH KEY fie
4985      low
4986      TRANSPORTING
4987      IF sy-subrc NE 0.
4988      l_wa_selc-fieldname =
4989      l_wa_selc-sign = c_i.
4990      l_wa_selc-option = c_e
4991      l_wa_selc-low = l_wa_d
4992      APPEND l_wa_selc TO l_
4993      CLEAR: l_wa_selc.
4994      ENDIF.
4995      ENDIF.
4996      READ TABLE l_i_fname ASSIG
4997      WITH KEY field
4998      IF sy-subrc NE 0.
4999      APPEND l_wa_data-fieldna
5000      ENDIF.
5001      CLEAR: l_wa_data-fieldname
5002      IF rb_sale IS NOT INITIAL.
5003      READ TABLE l_i_selc
5004      WITH KEY f
5005      TRANSPORTI
5006      IF sy-subrc NE 0.
5007      l_wa_selc-fieldname =
5008

```



```

c_ww228.
5009                                     l_wa_selc-sign = c_i.
5010                                     l_wa_selc-option = c_e
q.
5011                                     l_wa_selc-low = <l_fs_
kona>-knuma.
5012                                     APPEND l_wa_selc TO l_
i_selc.
5013                                     CLEAR: l_wa_selc.
5014                                     ENDIF.
5015                                     ENDIF.
5016                                     l_wa_data-fieldname = c_ww
228.
5017                                     l_wa_data-value = <l_fs_ko
na>-knuma.
5018                                     l_wa_data-currency = <l_fs
_dhdr>-waers.
5019                                     APPEND l_wa_data TO l_i_cd
ata.
5020                                     READ TABLE l_i_fname ASSIG
5021                                     WITH KEY field
name = c_ww228.
5022                                     IF sy-subrc NE 0.
5023                                     APPEND l_wa_data-fieldna
me TO l_i_fname.
5024                                     ENDIF.
5025                                     CLEAR: l_wa_data-fieldname
, l_wa_data-value.
5026 *      Fill Agreement Item
5027
229.
5028                                     l_wa_data-fieldname = c_ww
tem>-tposn.
5029                                     l_wa_data-value = <l_fs_di
5030                                     IF rb_sale IS NOT INITIAL.
5031                                     READ TABLE l_i_selc
                                     WITH KEY f
ielddname = c_ww229
5032                                     TRANSPORTI
NG NO FIELDS.
5033                                     IF sy-subrc NE 0.
5034                                     l_wa_selc-fieldname =
c_ww229.
5035                                     l_wa_selc-sign = c_i.
5036                                     l_wa_selc-option = c_e
q.
5037                                     l_wa_selc-low = l_wa_d
ata-value.
5038                                     APPEND l_wa_selc TO l_
i_selc.
5039                                     CLEAR: l_wa_selc.
5040                                     ENDIF.
5041                                     ENDIF.
5042                                     l_wa_data-currency = <l_fs
_dhdr>-waers.
5044                                     APPEND l_wa_data TO l_i_cd
ata.
5045                                     READ TABLE l_i_fname ASSIG
5046                                     WITH KEY field

```

```

name = c_ww229.
5047
5048 me TO l_i_fname.
5049
5050 , l_wa_data-value.
5051 * Controlling area
5052
5053
5054 ieldname = c_kokrs
5055
5056 NG NO FIELDS.
5057
5058 c_kokrs.
5059
5060 q.
5061
5062 s.
5063
5064 i_selc.
5065
5066 krs.
5067
5068 _dhdr>-waers.
5069
5070 ata.
5071
5072 NING <l_fs_fname>
5073
5074 name = c_kokrs.
5075
5076 me TO l_i_fname.
5077
5078 , l_wa_data-value.
5079
5080 * Value field
5081
5082 ax, l_v_taxco.
5083
5084 * l_wa_data-fieldname = c_vv573.
5085
5086 v_vfield.
5087
5088 _wa_data-record_id.
5089
5090 _vv605.
5091
5092 EQ c_one
5093
5094 e <> c_fixr. "++MOD-019
5095

```

```

IF sy-subrc NE 0.
  APPEND l_wa_data-fieldna
ENDIF.
CLEAR: l_wa_data-fieldname

IF rb_sale IS NOT INITIAL.
  READ TABLE l_i_selc
    WITH KEY f
    TRANSPORTI

  IF sy-subrc NE 0.
    l_wa_selc-fieldname =
      l_wa_selc-sign = c_i.
      l_wa_selc-option = c_e
      l_wa_selc-low = c_erkr
      APPEND l_wa_selc TO l_
      CLEAR: l_wa_selc.
    ENDIF.
  ENDIF.
  l_wa_data-fieldname = c_ko
  l_wa_data-value = c_erkr.
  l_wa_data-currency = <l_fs
  APPEND l_wa_data TO l_i_cd
  READ TABLE l_i_fname ASSIG
    WITH KEY field

  IF sy-subrc NE 0.
    APPEND l_wa_data-fieldna
  ENDIF.
  CLEAR: l_wa_data-fieldname

  IF rb_sale IS INITIAL.
    CLEAR: l_wa_tdata, l_v_t
    l_wa_data-fieldname = c_vv573.
    l_wa_data-fieldname = l_
    l_wa_tdata-record_id = l
    l_wa_tdata-fieldname = c
    IF <l_fs_ditem>-tar_unit
      AND <l_fs_dhdr>-cal_typ
      IF <l_fs_dhdr>-cal_typ

```

```

5086 e EQ c_two OR <l_fs_dhdr>-cal_typ
e EQ c_thr.
5087 * Begin of changes by S204711 for DME month end defect 9000004787 MOD
-001
5088 * l_wa_data-value = l_v_kbrue *
5089 * <l_fs_copa>-
vv980.
5090
5091 l_wa_data-value = l_
v_pcquan *
5092 <l_
fs_copa>-vv980.
5093 * End of changes by S204711 for DME month end defect 9000004787 MOD-0
01
5094 ELSE.
5095 l_wa_data-value = l_
wa_final-acquan *
5096 <l_
fs_copa>-vv980.
5097 ENDIF.
5098 CONDENSE l_wa_data-val
ue.
5099 l_v_taxco = l_wa_data-
value.
5100 *| BOC | 12-11-2024 | MOD-032 | EJX9006170
5101 IF <l_fs_dhdr>-pay_typ
e EQ c_one.
5102 PERFORM f_cal_ctax U
SING <l_fs_dhdr>
5103 C
HANGING l_v_tax
5104 l_v_taxco.
5105 ELSE.
5106 *| EOC | 12-11-2024 | MOD-032 | EJX9006170
5107 IF <l_fs_dhdr>-pay_ty
pe EQ c_one AND "—MOD-011
5108 IF <l_fs_dhdr>-tax_i
nd IS NOT INITIAL."++MOD-010
5109 PERFORM f_cal_stax
USING <l_fs_dhdr>
5110 *
l_v_taxco "—MOD-026
5111 CH
ANGING l_v_tax
5112 l_v_taxco. "++MOD-026
5113 l_v_taxco = l_v_ta
xco - l_v_tax.
5114 ELSE.
5115 PERFORM f_cal_ctax
USING <l_fs_dhdr>
5116 *
l_v_taxco "—MOD-026
5117 CHAN
GING l_v_tax
5118 l_v_taxco. "++MOD-026
5119
5120 ENDIF. "++MOD-010
ENDIF. "++ MOD-032

```

```

5121      _tax.                                l_wa_tdata-value = l_v
5122      l_v_tax.                             l_v_stax = l_v_stax +
5123      + l_v_taxco.                         l_v_tcopa = l_v_tcopa
5124      MOD-007                             "Begin of changes
5125      *                                  IF l_v_txadj IS NOT I
5126      INITIAL.                             l_v_sxtax = l_v_sxtax
5127      + l_v_tax.                           l_v_txcopa = l_v_txcop
5128      a + l_v_taxco.                       ENDIF.
5129      *                                  "End of changes
5130      MOD-007                             l_wa_data-value = l_v_
5131      taxco.                               CONDENSE l_wa_data-val
5132      ue.                                  ELSEIF <l_fs_ditem>-tar_
5133      unit EQ c_two                        AND <l_fs_dhdr>-cal_ty
5134      pe <> c_fixr. "++MOD-019             IF <l_fs_dhdr>-cal_typ
5135      e EQ c_two                           OR <l_fs_dhdr>-cal_typ
5136      e EQ c_thr.                         MOD
5137      * Begin of changes by S204711 for DME month end defect 9000004787
5138      *                                  l_wa_data-value = l_v_kbrue *
5139      *                                  <l_fs_copa>-
5140      vv981.                               l_wa_data-value = l_
5141      v_pcquan *                           <l_
5142      fs_copa>-vv981.                      ELSE.
5143      * End of changes by S204711 for DME month end defect 9000004787 MOD-0
5144      01                                  l_wa_data-value = l_
5145      wa_final-acquan *                   <l_
5146      _fs_copa>-vv981.                     ENDIF.
5147      ue.                                CONDENSE l_wa_data-val
5148      value.                             l_v_taxco = l_wa_data-
5149      * | BOC | 12-11-2024 | MOD-032 | EJX9006170
5150      e EQ c_one.                         IF <l_fs_dhdr>-pay_typ
5151      SING <l_fs_dhdr>                     PERFORM f_cal_ctax U
5152      HANGING l_v_tax                      C
5153      l_v_taxco.
5154      ELSE.

```

```

5155                                     IF <l_fs_dhdr>-tax_i
5156 nd IS NOT INITIAL.                                     IF <l_fs_dhdr>-pay_
5157 *                                                         AND <l_fs_dhdr>-tax_
5158 ind IS NOT INITIAL."++MOD-010
5159 *| EOC | 12-11-2024 | MOD-032 | EJX9006170
5159                                     PERFORM f_cal_stax
5160 USING <l_fs_dhdr>
5160 *                                     CH
5161                                     l_v_taxco "—MOD-026
5161 ANGING l_v_tax
5162                                     l_v_taxco. "++MOD-026
5163                                     l_v_taxco = l_v_ta
5164 xco - l_v_tax.
5164 ELSE.
5165 PERFORM f_cal_ctax
5165 USING <l_fs_dhdr>
5166 *                                     CHAN
5167                                     l_v_taxco "—MOD-026
5167 GING l_v_tax
5168                                     l_v_taxco. "++MOD-026
5169                                     ENDIF. "++MOD-010
5170                                     ENDIF. "++MOD-032
5171                                     l_wa_tdata-value = l_v
5172 _tax.
5172                                     l_v_stax = l_v_stax +
5173 l_v_tax.
5173                                     l_v_tcopa = l_v_tcopa
5174 + l_v_taxco.
5174 "Begin of changes
5174 MOD-007
5175 *                                     IF l_v_txadj IS NOT I
5175 INITIAL.
5176                                     l_v_sxtax = l_v_sxtax
5176 + l_v_tax.
5177                                     l_v_txcopa = l_v_txcop
5177 a + l_v_taxco.
5178 *                                     ENDIF.
5179 "End of changes
5179 MOD-007
5180                                     l_wa_data-value = l_v_
5180 taxco.
5181 CONDENSE l_wa_data-val
5181 ue.
5182 ELSEIF <l_fs_ditem>-tar_
5182 unit EQ c_thr
5183 AND <l_fs_dhdr>-cal_ty
5183 pe <> c_fixr. "++MOD-019
5184 IF <l_fs_dhdr>-cal_typ
5184 e EQ c_two
5185 OR <l_fs_dhdr>-cal_typ
5185 e EQ c_thr.
5186 * Begin of changes by S204711 for DME month end defect 9000004787 MOD
5186 * -001
5187 * l_wa_data-value = l_v_kbrue *
5188 * <l_fs_copa>-

```

```

vv983.
5189 l_wa_data-value = l_
v_pcquan *
5190 <l_
fs_copa>-vv983.
5191 * End of changes by S204711 for DME month end defect 9000004787 MOD-0
01
5192 ELSE.
5193 l_wa_data-value = l_
wa_final-acquan *
5194 <l_
_fs_copa>-vv983.
5195 ENDIF.
5196 CONDENSE l_wa_data-val
ue.
5197 l_v_taxco = l_wa_data-
value.
5198 **| BOC | 12-11-2024 | MOD-032 | EJX9006170
5199 IF <l_fs_dhdr>-pay_ttyp
5200 PERFORM f_cal_ctax U
5201 C
5202 HANGING l_v_tax
5203 l_v_taxco.
5204 ELSE.
5205 IF <l_fs_dhdr>-tax_i
5206 IF <l_fs_dhdr>-pay_ty
5207 AND <l_fs_dhdr>-tax_i
5208 PERFORM f_cal_stax
5209 USING <l_fs_dhdr>
5210 l_v_taxco "—MOD-026
5211 CH
5212 ANGING l_v_tax
5213 l_v_taxco. "++MOD-026
5214 l_v_taxco = l_v_ta
5215 xco - l_v_tax.
5216 ELSE.
5217 PERFORM f_cal_ctax
5218 USING <l_fs_dhdr>
5219 l_v_taxco "—MOD-026
5220 CH
5221 ANGING l_v_tax
5222 l_v_taxco. "++MOD-026
5223 ENDIF. "++MOD-010
5224 ENDIF. "++MOD-032
5225 l_wa_tdata-value = l_v
5226 l_v_stax = l_v_stax +
5227 l_v_tcopa = l_v_tcopa
+ l_v_taxco.

```

```

5223                                     "Begin of changes
5224     * MOD-007                                     IF l_v_txadj IS NOT I
5225     INITIAL.                                     l_v_sxtax = l_v_sxtax
5226     + l_v_tax.                                     l_v_txcopa = l_v_txcop
5227     a + l_v_taxco.                                ENDIF.
5228     *                                               "End of changes
5229     MOD-007                                     l_wa_data-value = l_v_
5230     taxco.                                     CONDENSE l_wa_data-val
5231     ue.                                     ELSEIF <l_fs_ditem>-tar_
5232     unit EQ c_unt4                             AND <l_fs_dhdr>-cal_ty
5233     pe <> c_fixr. "++MOD-019                     CLEAR: l_v_camnt, l_v_
5234     round.                                     l_v_camnt = ( l_wa_fin
5235     al-accper / 100 )                             * <l
5236     _fs_copa>-vv507.                             l_v_camnt = l_v_camnt
5237     * 100.                                     CONDENSE l_v_camnt.
5238     l_v_round = l_v_camnt.
5239     CALL FUNCTION 'J_1I6_R
5240     OUND_TO_NEAREST_AMT'
5241     nd
5242     IMPORTING
5243     e_amount = l_v_rou
5244     nd.
5245     l_wa_data-value = l_v_
5246     CONDENSE l_wa_data-val
5247     l_v_taxco = l_wa_data-
5248     IF <l_fs_dhdr>-tax_ind
5249     PERFORM f_cal_ctax U
5250     CHANGI
5251     NG l_v_tax
5252     l_v_taxco. "++MOD-026
5253     SING <l_fs_dhdr>
5254     * l_v_taxco "—MOD-026
5255     NG l_v_tax
5256     CHANGI

```



```

      l_v_taxco. "++MOD-026
5257 o - l_v_tax.
5258
5259 _tax.
5260 l_v_tax.
5261 + l_v_taxco.
5262 MOD-007
5263 *
5264 INITIAL.
5265 + l_v_tax.
5266 a + l_v_taxco.
5267 *
5268 MOD-007
5269 taxco.
5270 ue.
5271 unit EQ c_unit5
5272 pe <> c_fixr. "++MOD-019
5273 round.
5274 al-accper / 100 )
5275 _fs_copa>-vv506.
5276 * 100.
5277
5278 OUND_TO_NEAREST_AMT'
5279
5280 nd
5281
5282 nd.
5283 round.
5284 ue.
5285 value.
5286 IS INITIAL.
5287 SING <l_fs_dhdr>
5288 *
5289 l_v_taxco "—MOD-026
NG l_v_tax

```

```

      l_v_taxco = l_v_taxc
ENDIF.
l_wa_tdata-value = l_v
l_v_stax = l_v_stax +
l_v_tcopa = l_v_tcopa
"Begin of changes
IF l_v_txadj IS NOT I
l_v_sxtax = l_v_sxtax
l_v_txcopa = l_v_txcop
ENDIF.
"End of changes
l_wa_data-value = l_v_
CONDENSE l_wa_data-val
ELSEIF <l_fs_ditem>-tar_
AND <l_fs_dhdr>-cal_ty
CLEAR: l_v_camnt, l_v_
l_v_camnt = ( l_wa_fin
* <l
l_v_camnt = l_v_camnt
CONDENSE l_v_camnt.
l_v_round = l_v_camnt.
CALL FUNCTION 'J_1I6_R
EXPORTING
i_amount = l_v_rou
IMPORTING
e_amount = l_v_rou
l_wa_data-value = l_v_
CONDENSE l_wa_data-val
l_v_taxco = l_wa_data-
IF <l_fs_dhdr>-tax_ind
PERFORM f_cal_ctax U

```

CHANGI

```

5290      l_v_taxco. "++MOD-026
5291
5292      ELSE.
5293      SING <l_fs_dhdr>      PERFORM f_cal_stax U
5294      *      l_v_taxco "—MOD-026
5295
5296      NG l_v_tax      CHANGI
5297      l_v_taxco. "++MOD-026
5298      o - l_v_tax.      l_v_taxco = l_v_taxc
5299      _tax.      ENDIF.
5300      l_v_tax.      l_wa_tdata-value = l_v
5301      + l_v_taxco.      l_v_stax = l_v_stax +
5302      MOD-007      l_v_tcopa = l_v_tcopa
5303      *      "Begin of changes
5304      INITIAL.      IF l_v_txadj IS NOT I
5305      + l_v_tax.      l_v_sxtax = l_v_sxtax
5306      a + l_v_taxco.      l_v_txcopa = l_v_txcop
5307      *      ENDIF.
5308      MOD-007      "End of changes
5309      taxco.      l_wa_data-value = l_v_
5310      ue.      CONDENSE l_wa_data-val
5311      unit EQ c_six      ELSEIF <l_fs_ditem>-tar_
5312      e EQ c_fixr. "++MOD-019      OR <l_fs_dhdr>-cal_typ
5313      round.      CLEAR: l_v_camnt, l_v_
5314      *      IF l_v_absmg IS NOT INITIAL.
5315      INITIAL.      IF l_v_pertot IS NOT I
5316      unit EQ c_six. "++MOD-021      IF <l_fs_ditem>-tar_
5317      *      l_v_camnt = ( <l_fs_copa>-vv980
5318      /      l_v_absmg ) * l_v_
5319      amnt.      l_v_camnt = ( <l_f
5320      s_copa>-vv506 /      l_v_p
5321      ertot ) * l_v_amnt.      CONDENSE l_v_camnt
5322      .      l_v_round = l_v_ca
5323      mnt.      CALL FUNCTION 'J_1
5324      I6_ROUND_TO_NEAREST_AMT'      EXPORTING

```

```

5323          _round                                i_amount = l_v
5324          IMPORTING
5325          _round.                                e_amount = l_v
5326          l_v_round.                            l_wa_data-value =
5327          -value.                              CONDENSE l_wa_data
5328          ata-value.                          l_v_taxco = l_wa_d
5329          ENDIF. "++MOD-021
5330          S204711 MOD-019                     "Begin of changes by
5331          type EQ c_fixr.                     IF <l_fs_dhdr>-cal_t
5332          by S204711 MOD-021                   "Begin of changes
5333          to handle multiple tax code         "Allocation logic
5334          ASSIGNED.                          IF <l_fs_taxd> IS
5335          taxd>.                            UNASSIGN: <l_fs_
5336          copa>-vkaus.                       ENDIF.
5337          xd ASSIGNING <l_fs_taxd>            l_v_vkaus = <l_fs_
5338          WITH KEY ww228 = <l_fs_ditem>-knuma  READ TABLE l_i_fta
5339          ww229 = <l_fs_ditem>-tposn
5340          vkaus = l_v_vkaus.
5341          TIAL.
5342          _fs_taxd>-txamnt /
5343          vv506 ) * <l_fs_copa>-vv506.
5344          nt.
5345          camnt.
5346          CALL FUNCTION 'J
5347          _1I6_ROUND_TO_NEAREST_AMT'
5348          EXPORTING
5349          _v_round                                i_amount = l
5350          IMPORTING
5351          _v_round.                                e_amount = l
5352          = l_v_round.                            l_wa_data-value
5353          ta-value.                              CONDENSE l_wa_da
5354          _data-value.                          l_v_taxco = l_wa
5355          ENDIF.
5356          "End of changes by

```

```

5357     S204711  MOD-021                                IF <l_fs_dhdr>-tax
_ind IS INITIAL.                                PERFORM f_cal_ct
5358                                                     ax USING <l_fs_dhdr>
5359 *           l_v_taxco "—MOD-026                                CHANGI
5360 NG l_v_tax
5361           l_v_taxco. "++MOD-026
5362 ELSE.
5363 PERFORM f_cal_st
ax USING <l_fs_dhdr>
5364 *           l_v_taxco "—MOD-026                                CHANGI
5365 NG l_v_tax
5366           l_v_taxco. "++MOD-026
5367 taxco - l_v_tax.                                l_v_taxco = l_v_
5368 ENDIF.
5369 ELSE.
5370 "End of changes by
S204711  MOD-019                                IF <l_fs_dhdr>-tax_ind IS INI
5371 * TIAL.                                PERFORM f_cal_ctax
5372 USING <l_fs_dhdr>
5373 *           l_v_taxco "—MOD-026                                CHANGI
5374 NG l_v_tax
5375           l_v_taxco. "++MOD-026
5376 ENDIF. "++MOD-019
5377 * ELSE.
5378 * PERFORM f_cal_stax USING <l_
5379 * _fs_dhdr>                                l_
5380 * v_taxco                                CHANGING l_
5381 * v_tax.                                l_v_taxco = l_v_taxco - l_v
5382 * _tax.                                ENDIF.
5383 _v_tax.                                l_wa_tdata-value = l
5384 + l_v_tax.                                l_v_stax = l_v_stax
5385 a + l_v_taxco.                                l_v_tcopa = l_v_tcop
5386 MOD-007                                "Begin of changes
5387 INITIAL.                                IF l_v_txadj IS NOT
5388 tax + l_v_tax.                                l_v_sxtax = l_v_sx
5389 xcopa+ l_v_taxco.                                l_v_txcopa = l_v_t

```



```

5427          ldname TO l_i_fname.
5428
5429
5430 me, l_wa_data-value.
5431     EQ c_unt4
5432 e <> c_fixr. "++MOD-019
5433
5434 c_vv507.
5435 fs_copa>-vv507
5436 00.
5437 l_fs_dhdr>-waers.
5438 i_cdata.
5439 SSIGNING <l_fs_fname>
5440 ieldname = c_vv507.
5441
5442 ldname TO l_i_fname.
5443
5444 name, l_wa_data-value.
5445
5446     EQ c_one
5447 pe <> c_fixr. "++MOD-019
5448 0_me
5449 c_vv980_m.
5450 fs_copa>-vv980_me.
5451 l_fs_dhdr>-waers.
5452 i_cdata.
5453 SSIGNING <l_fs_fname>
5454 ieldname = c_vv980_m.
5455
5456 ldname TO l_i_fname.
5457
5458 name, l_wa_data-value.
5459
5460
5461 c_vv980.
5462

```

```

APPEND l_wa_data-fie
ENDIF.
ENDIF.
CLEAR: l_wa_data-fieldna
IF <l_fs_ditem>-tar_unit
AND <l_fs_dhdr>-cal_typ
"Value field VV507
l_wa_data-fieldname =
l_wa_data-value = <l_
* 1
l_wa_data-currency = <
APPEND l_wa_data TO l_
READ TABLE l_i_fname A
WITH KEY f
IF sy-subrc NE 0.
APPEND l_wa_data-fie
ENDIF.
CLEAR: l_wa_data-field
ENDIF.
IF <l_fs_ditem>-tar_unit
AND <l_fs_dhdr>-cal_ty
"Value Unit field VV98
l_wa_data-fieldname =
l_wa_data-value = <l_
l_wa_data-currency = <
APPEND l_wa_data TO l_
READ TABLE l_i_fname A
WITH KEY f
IF sy-subrc NE 0.
APPEND l_wa_data-fie
ENDIF.
CLEAR: l_wa_data-field
"Value field VV980
l_wa_data-fieldname =
l_wa_data-value = <l_

```

```

5463 fs_copa>-vv980.
5464 l_fs_dhdr>-waers.
5465 i_cdata.
5466 SSIGNING <l_fs_fname>
5467 ieldname = c_vv980.
5468 ldname TO l_i_fname.
5469 name, l_wa_data-value.
5470
5471 EQ c_two
5472 pe <> c_fixr. "++MOD-019
5473 l_me
5474 c_vv981_m.
5475 fs_copa>-vv981_me.
5476 l_fs_dhdr>-waers.
5477 i_cdata.
5478 SSIGNING <l_fs_fname>
5479 ieldname = c_vv981_m.
5480 ldname TO l_i_fname.
5481 name, l_wa_data-value.
5482 c_vv981.
5483 fs_copa>-vv981.
5484 l_fs_dhdr>-waers.
5485 i_cdata.
5486 SSIGNING <l_fs_fname>
5487 ieldname = c_vv981.
5488 ldname TO l_i_fname.
5489 name, l_wa_data-value.
5490
5491 EQ c_two
5492 pe <> c_fixr. "++MOD-019
5493 l_me
5494 c_vv981_m.
5495 fs_copa>-vv981_me.
5496 l_fs_dhdr>-waers.
5497 i_cdata.
5498 SSIGNING <l_fs_fname>
5499 ieldname = c_vv981_m.
5500 ldname TO l_i_fname.
5501 name, l_wa_data-value.

```

```

l_wa_data-currency = <
APPEND l_wa_data TO l_
READ TABLE l_i_fname A
WITH KEY f
IF sy-subrc NE 0.
APPEND l_wa_data-fie
ENDIF.
CLEAR: l_wa_data-field
ENDIF.
IF <l_fs_ditem>-tar_unit
AND <l_fs_dhdr>-cal_ty
"Value Unit field VV98
l_wa_data-fieldname =
l_wa_data-value = <l_
l_wa_data-currency = <
APPEND l_wa_data TO l_
READ TABLE l_i_fname A
WITH KEY f
IF sy-subrc NE 0.
APPEND l_wa_data-fie
ENDIF.
CLEAR: l_wa_data-field
"Value field VV981
l_wa_data-fieldname =
l_wa_data-value = <l_
l_wa_data-currency = <
APPEND l_wa_data TO l_
READ TABLE l_i_fname A
WITH KEY f
IF sy-subrc NE 0.
APPEND l_wa_data-fie
ENDIF.
CLEAR: l_wa_data-field

```



```

5498
5499
5500      EQ c_thr
5501
5502      pe <> c_fixr. "++MOD-019
5503      3_me
5504      c_vv983_m.
5505      fs_copa>-vv983_me.
5506      l_fs_dhdr>-waers.
5507      i_cdata.
5508      SSIGNING <l_fs_fname>
5509      ieldname = c_vv983_m.
5510
5511      ldname TO l_i_fname.
5512
5513      name, l_wa_data-value.
5514
5515      c_vv983.
5516      fs_copa>-vv983.
5517      l_fs_dhdr>-waers.
5518      i_cdata.
5519      SSIGNING <l_fs_fname>
5520      ieldname = c_vv983.
5521      ldname TO l_i_fname.
5522
5523      name, l_wa_data-value.
5524
5525      OD-007
5526      L.
5527      vkaus.
5528
5529      IGNING <l_fs_tcopa>
5530      EX l_v_ctabix.
5531
5532      <> l_v_vkaus.
5533

```

```

ENDIF.
IF <l_fs_ditem>-tar_unit
    AND <l_fs_dhdr>-cal_ty
    "Value Unit field VV98
    l_wa_data-fieldname =
    l_wa_data-value = <l_
    l_wa_data-currency = <
    APPEND l_wa_data TO l_
    READ TABLE l_i_fname A
        WITH KEY f
    IF sy-subrc NE 0.
        APPEND l_wa_data-fie
    ENDIF.
    CLEAR: l_wa_data-field

    "Value field VV983
    l_wa_data-fieldname =
    l_wa_data-value = <l_
    l_wa_data-currency = <
    APPEND l_wa_data TO l_
    READ TABLE l_i_fname A
        WITH KEY f
    IF sy-subrc NE 0.
        APPEND l_wa_data-fie
    ENDIF.
    CLEAR: l_wa_data-field
ENDIF.
ENDIF.
"Begin of changes M
IF l_v_txadj IS NOT INITIA
    l_v_vkous = <l_fs_copa>-
    READ TABLE l_i_tcopa ASS
        IND
    IF sy-subrc IS INITIAL.
        IF <l_fs_tcopa>-vkous

```

```

5534 SIGNED.
5535 UNASSIGN: <l_fs_ta
5536 ENDIF.
5537 * READ TABLE i_ftaxd ASSI
5538 GNING <l_fs_taxd>"—MOD-008
5539 READ TABLE l_i_ftaxd
5539 ASSIGNING <l_fs_taxd> "++MOD-008
5540 WITH KEY ww228 = <l_fs_ditem>-knuma
5541 ww229 = <l_fs_ditem>-tposn
5542 vkaus = l_v_vkaus.
5543 IF sy-subrc IS INITI
5544 AL.
5545 IF <l_fs_taxd>-txa
5546 mnt <> l_v_txcopa.
5547 CLEAR: l_v_adjst
5548 ,l_v_cline.
5549 l_v_adjst = <l_f
5550 s_taxd>-txamnt - l_v_txcopa.
5551 DESCRIBE TABLE l
5552 _i_cdata LINES l_v_cline.
5553 READ TABLE l_i_c
5554 data ASSIGNING <l_fs_data>
5555 INDEX l_v_cline.
5556 IF sy-subrc IS I
5557 <l_fs_data>-va
5558 lue = <l_fs_data>-value +
5559 l_v_adjst.
5560 ENDIF.
5561 ENDIF.
5562 IF <l_fs_taxd>-txt
5563 CLEAR: l_v_cline
5564 ,l_v_adjst.
5565 l_v_adjst = <l_f
5566 s_taxd>-txtax - l_v_sntax.
5567 DESCRIBE TABLE l
5568 _i_cdata LINES l_v_cline.
5569 l_v_cline = l_v_
5570 cline - 1.
5571 READ TABLE l_i_c
5572 data ASSIGNING <l_fs_data>
5573 INDEX l_v_cline.
5574 IF sy-subrc IS I
5575 <l_fs_data>-va
5576 lue = <l_fs_data>-value +
5577 l_v_adjst.
5578 ENDIF.
5579 ENDIF.
5580 CLEAR: l_v_txcopa,
5581 l v sntax.

```

```

5567                                     ENDIF.
5568                                     ENDIF.
5569                                     ELSE.
5570                                     IF <l_fs_taxd> IS ASSI
5571                                     GNED.
5572                                     UNASSIGN: <l_fs_taxd
5573                                     >.
5574                                     ENDIF.
5575                                     *
5576                                     READ TABLE i_ftaxd ASSI
5577                                     GNING <l_fs_taxd>"—MOD-008
5578                                     READ TABLE l_i_ftaxd A
5579                                     SSIGNING <l_fs_taxd> "++MOD-008
5580                                     WIT
5581                                     H KEY ww228 = <l_fs_ditem>-knuma
5582                                     ww229 = <l_fs_ditem>-tposn
5583                                     vkaus = l_v_vkaus.
5584                                     IF sy-subrc IS INITIAL
5585                                     .
5586                                     IF <l_fs_taxd>-txamn
5587                                     CLEAR: l_v_adjst,l
5588                                     l_v_adjst = <l_fs_
5589                                     _cdata LINES l_v_cline.
5590                                     DESCRIBE TABLE l_i
5591                                     ta ASSIGNING <l_fs_data>
5592                                     READ TABLE l_i_cda
5593                                     INDEX l_v_cline.
5594                                     IF sy-subrc IS INI
5595                                     TIAL.
5596                                     <l_fs_data>-valu
5597                                     e = <l_fs_data>-value +
5598                                     l_v_adjst.
5599                                     ENDIF.
5600                                     CLEAR: l_v_txcopa.
5601                                     ENDIF.
5602                                     IF <l_fs_taxd>-txtax
5603                                     CLEAR: l_v_cline,l
5604                                     l_v_adjst = <l_fs_
5605                                     _cdata LINES l_v_cline.
5606                                     DESCRIBE TABLE l_i
5607                                     l_v_cline = l_v_cl
5608                                     ine - 1.
5609                                     READ TABLE l_i_cda
5610                                     ta ASSIGNING <l_fs_data>
5611                                     INDEX l_v_cline.
5612                                     IF sy-subrc IS INI
5613                                     TIAL.
5614                                     <l_fs_data>-valu
5615                                     e = <l_fs_data>-value +
5616                                     l_v_adjst.

```

```

5601                                     ENDIF.
5602                                     CLEAR: l_v_sxtax.
5603                                     ENDIF.
5604                                     ENDIF.
5605                                     ENDIF.
5606                                     ENDIF.
5607                                     CLEAR: l_v_ctabix.
5608                                     "End of changes MOD
-007
5609                                     ENDIF. "++MOD-006
5610                                     ENDLOOP.
5611                                     ENDIF.
5612                                     FREE: l_i_tcopa[]. "++MOD-006
5613                                     ENDIF. "++MOD-011
5614
5615                                     IF <l_fs_taxd> IS ASSIGNED.
5616                                     UNASSIGN: <l_fs_taxd>. "++MOD-00
8
5617                                     ENDIF.
5618                                     CLEAR: l_v_csamnt, l_v_lsamnt, l_v_g
aamnt,
5619                                     l_v_camnt, l_v_round,
5620                                     l_v_skip, l_v_adjst, "++MOD-0
07
5621                                     l_v_crgtax, l_v_crgajst, "++M
OD-014
5622                                     l_v_dquan, "++ MOD-032
5623                                     l_v_ftax, "++ MOD-033
5624                                     l_v_actq. "++ MOD-038
5625                                     IF l_v_nodat IS INITIAL. "++MOD-01
1
5626                                     IF <l_fs_ditem>-tar_unit EQ c_on
e
5627                                     AND <l_fs_dhdr>-cal_type <> c_
fixr. "++MOD-019
5628                                     IF <l_fs_dhdr>-cal_type EQ c_t
wo
5629                                     OR <l_fs_dhdr>-cal_type EQ c
_thr.
5630                                     CLEAR: l_v_dquan,
5631                                     l_v_lstop. "++MOD-014
5632                                     IF <l_fs_dhdr>-cross_ind IS
INITIAL. "++MOD-010
5633                                     l_v_aquan = l_v_aquan + l_
v_csval.
5634                                     IF l_v_aquan GE <l_fs_dhdr>
>-cont_vol.
5635                                     l_v_dquan = l_v_aquan -
5636                                     <l_fs_dhdr>-
cont_vol.
5637                                     l_v_csval = l_v_csval -
l_v_dquan.
5638                                     l_v_camnt = l_v_aamnt -
5639                                     l_v_pamnt.
5640                                     "Begin of change by S204
711 MOD-022
5641                                     CLEAR: l_v_amnt.
5642                                     l_v_amnt = l_v_camnt.
5643                                     PERFORM f_cal_stax USING
<l_fs_dhdr>
5644                                     *

```

[illegible]

```

5681      l - l_v_dquan.      l_v_csval = l_v_csva
5682      nt -      l_v_camnt = l_v_aam
5683      .      l_v_pamnt
5684      e.      l_v_lstop = abap_tru
5685
5686      9005197 | 24-Oct-2024      "BOC | MOD-032 | EJX
5687      CLEAR: l_v_amnt.
5688      l_v_amnt = l_v_camnt
5689      .      PERFORM f_cal_stax U
5690      SING <l_fs_dhdr>
5691      *      l_v_amnt  "—MOD-026
5692      NG l_v_ftax      CHANGI
5693      l_v_amnt.  "++MOD-026
5694      - l_v_ftax.      l_v_camnt = l_v_amnt
5695      9005197 | 24-Oct-2024      "EOC | MOD-032 | EJX
5696
5697      ELSE.
5698      *      l_v_camnt = l_v_pcqu
5699      2      Begin of change in MOD-02
5700      ype EQ c_thr AND      IF <l_fs_dhdr>-cal_t
5701      (6) EQ l_v_lastd+0(6).      <l_fs_kona>-datbi+0
5702
5703      CLEAR: l_v_amnt,
5704      l_v_ftax.
5705      nt -      l_v_amnt = l_v_aam
5706      *      l_v
5707      PERFORM f_cal_stax
5708      USING <l_fs_dhdr>
5709      *      l_v_amnt  "—MOD-026
5710      _v_ftax      CHANGING l
5711      _v_amnt.  "++MOD-026      l
5712      nt - l_v_ftax.      l_v_camnt = l_v_am
5713      rue.      l_v_lstop = abap_t
5714      *      ENDIF.
5715      End of change in MOD-022
5716      ENDIF.
5717      "Begin of changes by S
5718      204711  MOD-014

```

```

5717
5718     * l_v_csval.
5719
5720     + l_v_camnt.
5721     SIGNING <l_fs_atax>
5722     TH KEY bukr = <l_fs_ditem>-bukrs
5723     NARY SEARCH.
5724     .
5725     tax>-vv605 * 100.
5726     *
5727     ind IS INITIAL.
5728     mnt - l_v_crgtax.
5729     *
5730
5731     JX9005197 | MOD-038
5732
5733     dhdr>-main_trg_vol.
5734     n -
5735     dr>-main_trg_vol.
5736     l - l_v_dquan.
5737     nt -
5738     .
5739     e.
5740     _squan.
5741     .
5742     SING <l_fs_dhdr>
5743     NG l_v_ftax
5744     l_v_amnt.
5745     - l_v_ftax.
5746     _v_squan ) GE <l_fs_dhdr>-cont_vol.
5747     nt - l_v_pamnt.
5748     e.
5749     _squan.
5750
ELSE.
    l_v_camnt = l_v_pcquan
    CLEAR: l_v_lsamnt.
    l_v_lsamnt = l_v_pamnt
    READ TABLE l_i_atax AS
                                WI
                                BI
    IF sy-subrc IS INITIAL
        l_v_crgtax = <l_fs_a
        IF <l_fs_dhdr>-tax_
        l_v_lsamnt = l_v_lsa
        ENDIF.
    ENDIF.
    "BOC | 14-Aug-2025 | E
    l_v_actq = l_v_csval.
    IF l_v_aquan GE <l_fs_
        l_v_dquan = l_v_aqua
                                <l_fs_dh
        l_v_csval = l_v_csva
        l_v_camnt = l_v_aam
                                l_v_pamnt
        l_v_lstop = abap_tru
        CLEAR: l_v_amnt, l_v
        l_v_amnt = l_v_camnt
        PERFORM f_cal_stax U
                                CHANGI
        l_v_camnt = l_v_amnt
    ELSEIF ( l_v_aquan + l
        l_v_camnt = l_v_aam
        l_v_lstop = abap_tru
        CLEAR: l_v_amnt, l_v
        l_v_amnt = l_v_camnt

```

```

5751 .                                PERFORM f_cal_stax U
5752 SING <l_fs_dhdr>                                CHANGI
5753 NG l_v_ftax
5754     l_v_amnt.                                l_v_camnt = l_v_amnt
5755     - l_v_ftax.                                ENDIF.
5756
5757 *                                IF l_v_lsamnt GE l_v_
5758 *                                CLEAR: l_v_csamnt.
5759 *                                l_v_csamnt = l_v_ls
5760 amnt - l_v_coamnt.                                l_v_camnt = l_v_cam
5761 *                                CLEAR: l_v_csamnt.
5762 *                                l_v_lstop = abap_tr
5763 ue.                                l_v_crgajst = l_v_c
5764 otax - l_v_crgtax.                                ENDIF.
5765 *                                "EOC | 14-Aug-2025 | E
JX9005197 | MOD-038
5766
5767 CLEAR: l_v_lsamnt.
5768 ENDIF.
5769 "End of changes by S2047
11 MOD-014
5770
5771 ELSE.
5772     l_v_csval.                                l_v_squan = l_v_squan +
5773 EQ c_one. "++MOD-014                                IF <l_fs_dhdr>-agre_typ
5774 dhdr>-sub_trg_vol.                                IF l_v_squan GE <l_fs_
5775 n -                                l_v_dquan = l_v_squa
5776 dr>-sub_trg_vol.                                <l_fs_dh
5777 l - l_v_dquan.                                l_v_csval = l_v_csva
5778 mnt -                                l_v_camnt = l_v_cra
5779 t.                                l_v_spamn
5780 e.                                l_v_lstop = abap_tru
5781                                "BOC | MOD-032 | EJX
5782                                CLEAR: l_v_amnt.
5783                                l_v_amnt = l_v_camnt
5784 .                                PERFORM f_cal_stax U
5785 SING <l_fs_dhdr>                                CHANGI
5786 NG l_v_ftax
5787     l_v_amnt.

```



```

5786                                     l_v_camnt = l_v_amnt
      - l_v_ftax.
5787                                     "EOC | MOD-032 | EJX
9005197 | 24-Oct-2024
5788                                     ELSE.
5789                                     l_v_camnt = l_v_pcqu
      an * l_v_csval.
5790 *                                     Begin of change in MOD-02
      2
5791                                     IF <l_fs_dhdr>-cal_t
      ype EQ c_thr AND
5792                                     <l_fs_kona>-datbi+0
      (6) EQ l_v_lastd+0(6).
5793
5794                                     CLEAR: l_v_amnt,
5795                                             l_v_ftax.
5796                                     l_v_amnt = l_v_cra
      mnt -
5797                                     l_v
      _spamnt.
5798 *
5799                                     PERFORM f_cal_stax
      USING <l_fs_dhdr>
5800 *
      l_v_amnt  "—MOD-026
5801                                     CHANGING l
      _v_ftax
5802                                     l
      _v_amnt.  "++MOD-026
5803                                     l_v_camnt = l_v_am
      nt - l_v_ftax.
5804                                     l_v_lstop = abap_t
      rue.
5805                                     ENDIF.
5806 *                                     End of change in MOD-022
5807                                     ENDIF.
5808                                     "Begin of changes by S
      204711  MOD-014
5809
5810                                     ELSE.
      * l_v_csval.
5811                                     CLEAR: l_v_lsamnt.
5812                                     l_v_lsamnt = l_v_spamn
      t + l_v_camnt.
5813                                     READ TABLE l_i_atax AS
      SIGNING <l_fs_atax>
5814                                     WI
      TH KEY bukrs = <l_fs_ditem>-bukrs
5815                                     BI
      NARY SEARCH.
5816                                     IF sy-subrc IS INITIAL
      .
5817                                     l_v_crgtax = <l_fs_a
      tax>-vv605 * 100.
5818 *                                     IF <l_fs_dhdr>-tax_
      ind IS INITIAL.
5819                                     l_v_lsamnt = l_v_lsa
      mnt - l_v_crgtax.
5820 *                                     ENDIF.
5821                                     ENDIF.
5822

```



```

5857 *                                l_v_crgajst = l_v_s
      btax - l_v_crgtax.
5858 *                                ENDIF.
5859                                "EOC | 14-Aug-2025 | E
      JX9005197 | MOD-038
5860
      CLEAR: l_v_lsamnt.
5861                                ENDIF.
5862                                "End of changes by S2047
5863
      11    MOD-014
5864                                ENDIF.
5865                                ENDIF.
5866                                "End of changes by S204711
      MOD-010
5867
      ELSE.
5868                                l_v_camnt = l_wa_final-acqua
      n * l_v_csval.
5869                                ENDIF.
5870
      CONDENSE l_v_camnt.
5871                                l_v_round = l_v_camnt.
5872                                CALL FUNCTION 'J_1I6_ROUND_TO_
5873                                NEAREST_AMT'
5874                                EXPORTING
5875                                    i_amount = l_v_round
5876                                IMPORTING
5877                                    e_amount = l_v_round.
5878                                l_v_csamnt = l_v_round.
5879                                "BOC | 28-Aug-2025 | EJX900519
      7 | MOD-038
5880
      IF l_v_actq IS INITIAL.
5881                                l_wa_final-csquan = l_v_csva
5882                                l.
5883
      ELSE.
5884                                l_wa_final-csquan = l_v_actq
5885                                .
5886                                ENDIF.
5887                                "EOC | 28-Aug-2025 | EJX900519
      7 | MOD-038
5888                                "Begin of changes by S204711
5889                                MOD-026
5890
      IF l_v_nwjct IS NOT INITIAL.
5891                                "Set the Base amount
5892                                l_v_baseamnt = l_v_csamnt.
5893                                l_v_tamnt = l_v_tamnt * l_v_
5894                                csval. "++MOD-027
5895                                "++MOD-027
5896                                "++MOD-027
5897                                "++ MOD-030
5898                                "++ MOD-030
5899                                - l_v_tamnt. "++MOD-027
5900                                ENDIF.

```

```

5900                                l_v_nvtax = l_v_nvtax * l_v_
csval.
5901                                IF l_v_lstop IS NOT INITIAL
5902                                *                                AND <l_fs_dhdr>-cal_type E
5903                                Q c_thr. "— MOD-030                                AND ( <l_fs_dhdr>-cal_type
5904                                EQ c_thr OR "++ MOD-030                                <l_fs_dhdr>-cal_type
5905                                EQ c_two ). "++ MOD-030                                l_v_nvtax = l_v_ftax.
5906                                ENDIF.
5907                                ENDIF.
5908                                "End of changes by S204711
MOD-026
5909                                l_wa_final-kbrue = l_v_csamnt.
5910                                IF rb_sale IS INITIAL. "++MOD
-003
5911                                IF l_v_txadj IS INITIAL. "+
+MOD-007
5912                                IF <l_fs_dhdr>-pay_type EQ
c_one. "++MOD-002
5913
5914                                IF l_v_csamnt <> l_v_tco
5915                                l_v_adjst = l_v_csamnt
- l_v_tcopa.
5916                                ENDIF.
5917                                * Begin of changes by S204711 for DME month end defect 9000004791 MOD
-002
5918                                ELSEIF <l_fs_dhdr>-pay_typ
e EQ c_thr.
5919                                IF <l_fs_dhdr>-tax_ind I
S INITIAL.
5920                                "Begin of changes
MOD-008
5921                                IF l_i_ftaxd IS NOT IN
ITIAL.
5922                                READ TABLE l_i_ftaxd
ASSIGNING <l_fs_taxd> INDEX 1.
5923                                IF sy-subrc IS INITI
AL.
5924                                *                                IF <l_fs_taxd>-tx
tax <> l_v_stax."—MOD-011
5925                                IF <l_fs_taxd>-txt
ax <> l_v_sxtax. "++MOD-011
5926                                CLEAR: l_v_cline
,l_v_adjst.
5927                                l_v_adjst = <l_f
s_taxd>-txtax - l_v_stax.
5928                                DESCRIBE TABLE l
_i_cdata LINES l_v_cline.
5929                                l_v_cline = l_v_
cline - 1.
5930                                READ TABLE l_i_c
data ASSIGNING <l_fs_data>
5931                                INDEX l_v_cline.
5932                                IF sy-subrc IS I
NITIAL.
5933                                <l_fs_data>-va
lue =<l_fs_data>-value +

```

```

5934          l_v_adjst.
5935                                     ENDIF.
5936          tax + l_v_adjst.                                     l_v_stax = l_v_s
5937                                     ENDIF.
5938          CLEAR: l_v_adjst.
5939          ENDIF.
5940          ENDIF.
5941          "End of changes
          MOD-008
5942          IF l_v_csamnt <> l_v_t
5943          copa.
          l_v_adjst = l_v_csam
5944          nt - l_v_tcopa.
          ENDIF.
5945          ELSE.
5946          CLEAR: l_v_taxco, l_v_
5947          tax.
          l_v_taxco = l_v_csamnt
5948          .
          PERFORM f_cal_stax USI
5949          NG <l_fs_dhdr>
          *
          l_v_taxco "—MOD-026
5950                                     CHANGI
5951          NG l_v_tax
          l_v_taxco. "++MOD-026
5952          - l_v_tax.
          l_v_taxco = l_v_taxco
5953          opa.
          IF l_v_taxco <> l_v_tc
5954          o - l_v_tcopa.
          l_v_adjst = l_v_taxc
5955          ENDIF.
5956          ENDIF.
5957          ENDIF.
5958          ENDIF. "++MOD-007
5959          ENDIF. "++MOD-003
5960          * End of changes by S204711 for DME month end defect 9000004791 MOD-0
          02
5961          CLEAR: l_v_dquan.
5962          "BOC | 28-Aug-2025 | EJX900519
          l_v_dquan = l_v_csval. "Updat
5963          7 | MOD-038
          *
          e Item quantity
          IF l_v_actq IS INITIAL.
5964          l_v_dquan = l_v_csval. "Upda
5965          te Item quantity
          ELSE.
5966          l_v_dquan = l_v_actq. "Updat
5967          e Item quantity
          ENDIF.
5968          "EOC | 28-Aug-2025 | EJX900519
5969          7 | MOD-038
          ELSEIF <l_fs_ditem>-tar_unit EQ
5970          c_two
          AND <l_fs_dhdr>-cal_type <> c
5971          _fixr. "++MOD-019
          IF <l_fs_dhdr>-cal_type EQ c_t
5972

```

```

5973      wO
      _thr.
5974
5975      INITIAL. "++MOD-010
5976
5977      v_lsval.
5978      >-cont_vol.
5979
5980      cont_vol.
5981
5982      l_v_dquan.
5983
5984      711      MOD-022
5985
5986      <l_fs_dhdr>
5987      *
5988      l_v_amnt  "—MOD-026
5989
5990      _v_ftax
5991      _v_amnt. "++MOD-026
5992      _v_ftax.
5993      1      MOD-022
5994
5995      * Begin of changes by S204711 for DME month end defect 9000004791 MOD
5996      -002
5997      *
5998      _v_lsval.
5999      l_v_lsval.
6000      * End of changes by S204711 for DME month end defect 9000004791 MOD-0
6001      02
6002      *
6003      2
6004      EQ c_thr AND
6005      EQ l_v_lastd+0(6).
6006
6007      nt.
6008      *
6009      NG <l_fs_dhdr>
6010      *
6011      l_v_amnt  "—MOD-026

```

```

OR <l_fs_dhdr>-cal_type EQ c
CLEAR: l_v_dquan,
      l_v_lstop. "++MOD-014
IF <l_fs_dhdr>-cross_ind IS
      l_v_aquan = l_v_aquan + l_
IF l_v_aquan GT <l_fs_dhdr>-
      l_v_dquan = l_v_aquan -
      <l_fs_dhdr>-
      l_v_lsval = l_v_lsval -
      l_v_camnt = l_v_aamnt -
      l_v_pamnt.
"Begin of change by S204
CLEAR: l_v_amnt.
l_v_amnt = l_v_camnt.
PERFORM f_cal_stax USING
CHANGING l
l
l_v_camnt = l_v_amnt - l
"End of change by S20471
l_v_lstop = abap_true.
ELSE.
      l_v_camnt = l_wa_final-acquan * l
      l_v_camnt = l_v_pcquan *
      l_v_camnt = l_v_pamnt -
      l_v_pamnt.
PERFORM f_cal_stax USI

```

```

6010                                     CHANGING l
        _v_ftax                                     l
6011                                     l
        _v_amnt.  "++MOD-026
6012                                     l_v_camnt = l_v_amnt -
        l_v_ftax.                                     l_v_lstop = abap_true.
6013                                     ENDIF.
6014                                     End of change in MOD-022
6015 *                                     ENDIF.
6016                                     "Begin of changes by S2047
6017 11    MOD-010
6018                                     ELSE.
6019                                     IF <l_fs_ditem>-bukrs EQ <
        l_fs_dhdr>-main_bukrs.
6020                                     l_v_aquan = l_v_aquan +
        l_v_lsval.
6021                                     IF <l_fs_dhdr>-agre_typ
        EQ c_one.  "++MOD-014
6022                                     IF l_v_aquan GE <l_fs_
        dhdr>-main_trg_vol.
6023                                     l_v_dquan = l_v_aqua
        n -
6024                                     <l_fs_dh
        dr>-main_trg_vol.
6025 *                                     l_v_csval = l_v_lsv
        al - l_v_dquan.  "— MOD-032
6026                                     l_v_lsval = l_v_lsval
        l - l_v_dquan.  "++ MOD-032
6027                                     l_v_camnt = l_v_aam
        nt -
6028                                     l_v_pamnt
        .
6029                                     l_v_lstop = abap_tru
        e.
6030                                     "BOC | MOD-032 | EJX
        9005197 | 24-Oct-2024
6031                                     CLEAR: l_v_amnt.
6032                                     l_v_amnt = l_v_camnt
        .
6033                                     PERFORM f_cal_stax U
        SING <l_fs_dhdr>
6034 *
        l_v_amnt  "—MOD-026
6035                                     CHANGI
        NG l_v_ftax
6036                                     l_v_amnt.  "++MOD-026
6037                                     l_v_camnt = l_v_amnt
        - l_v_ftax.
6038                                     "EOC | MOD-032 | EJX
        9005197 | 24-Oct-2024
6039                                     ELSE.
6040                                     l_v_camnt = l_v_pcqu
        an * l_v_lsval.
6041 *                                     Begin of change in MOD-02
        2
6042                                     IF <l_fs_dhdr>-cal_t
        ype EQ c_thr AND
6043                                     <l_fs_kona>-datbi+0
        (6) EQ l_v_lastd+0(6).

```

```

6044
6045
6046 CLEAR: l_v_amnt,
6047          l_v_ftax.
          l_v_amnt = l_v_aam
6048 nt -
          l_v
        _pamnt.
6049 *
6050 PERFORM f_cal_stax
        USING <l_fs_dhdr>
6051 *
        l_v_amnt  "—MOD-026
6052          _v_ftax
          CHANGING l
6053          _v_amnt.  "++MOD-026
          l
6054          l_v_camnt = l_v_am
        nt - l_v_ftax.
6055          l_v_lstop = abap_t
        rue.
6056
6057 *
6058
6059 204711 MOD-014
        ENDIF.
        End of change in MOD-022
        ENDIF.
        "Begin of changes by S
6060
6061 * l_v_lsval.
        ELSE.
        l_v_camnt = l_v_pcquan
6062
6063 + l_v_camnt.
        CLEAR: l_v_lsamnt.
        l_v_lsamnt = l_v_pamnt
6064 SIGNING <l_fs_atax>
        READ TABLE l_i_atax AS
6065 TH KEY bukrs = <l_fs_ditem>-bukrs
        WI
6066 NARY SEARCH.
        BI
6067 .
        IF sy-subrc IS INITIAL
6068 tax>-vv605 * 100.
        l_v_crgtax = <l_fs_a
6069 *
        ind IS INITIAL.
        IF <l_fs_dhdr>-tax_
6070 mnt - l_v_crgtax.
        l_v_lsamnt = l_v_lsa
6071 *
        ENDIF.
6072
6073
6074 JX9005197 | MOD-038
        ENDIF.
        "BOC | 14-Aug-2025 | E
6075 dhdr>-main_trg_vol.
        l_v_actq = l_v_lsval.
6076
        IF l_v_aquan GE <l_fs_
6077 n -
        l_v_dquan = l_v_aqua
6078 dr>-main_trg_vol.
        <l_fs_dh
6079 l - l_v_dquan.
        l_v_lsval = l_v_lsva
6080 nt -
        l_v_camnt = l_v_aam

```



```
6081 . l_v_pamnt
6082 e. l_v_lstop = abap_tru
6083 _squan. CLEAR: l_v_amnt, l_v
6084 . l_v_amnt = l_v_camnt
6085 SING <l_fs_dhdr> PERFORM f_cal_stax U
6086 NG l_v_ftax CHANGI
6087 l_v_amnt.
6088 - l_v_ftax. l_v_camnt = l_v_amnt
6089 _v_squan ) GE <l_fs_dhdr>-cont_vol. ELSEIF ( l_v_aquan + l
6090 nt - l_v_pamnt. l_v_camnt = l_v_aam
6091 e. l_v_lstop = abap_tru
6092 _squan. CLEAR: l_v_amnt, l_v
6093 . l_v_amnt = l_v_camnt
6094 SING <l_fs_dhdr> PERFORM f_cal_stax U
6095 NG l_v_ftax CHANGI
6096 l_v_amnt.
6097 - l_v_ftax. l_v_camnt = l_v_amnt
6098 ENDIF.
6099 * IF l_v_lsamnt GE l_v_
6100 coamnt. CLEAR: l_v_csamnt.
6101 * l_v_csamnt = l_v_ls
6102 * amnt - l_v_coamnt. l_v_camnt = l_v_cam
6103 * nt - l_v_csamnt. CLEAR: l_v_csamnt.
6104 * l_v_lstop = abap_tr
6105 ue. l_v_crgajst = l_v_c
6106 otax - l_v_crgtax.
6107 * ENDIF.
6108 JX9005197 | MOD-038 "EOC | 14-Aug-2025 | E
6109 CLEAR: l_v_lsamnt.
6110 ENDIF.
6111 "End of changes by S2047
6112 11 MOD-014
6113 ELSE.
6114 l_v_lsval. l_v_squan = l_v_squan +
6115 EQ c_one. "++MOD-014 IF <l_fs_dhdr>-agre_typ
```

```

6116 dhdr>-sub_trg_vol. IF l_v_squan GE <l_fs_
6117 n - l_v_dquan = l_v_squa
6118 <l_fs_dh
6119 dr>-sub_trg_vol. l_v_csval = l_v_lsv
6120 * l_v_lsval = l_v_lsval
6121 al - l_v_dquan. "— MOD-032 l_v_camnt = l_v_cra
6122 l - l_v_dquan. "++ MOD-032 l_v_spamn
6123 mnt - t. l_v_lstop = abap_tru
6124 e. "BOC | MOD-032 | EJX
6125 9005197 | 24-Oct-2024 CLEAR: l_v_amnt.
6126 l_v_amnt = l_v_camnt
6127 . PERFORM f_cal_stax U
6128 SING <l_fs_dhdr> CHANGI
6129 NG l_v_ftax
6130 l_v_amnt. l_v_camnt = l_v_amnt
6131 - l_v_ftax. "EOC | MOD-032 | EJX
6132 9005197 | 24-Oct-2024 ELSE.
6133 an * l_v_lsval. l_v_camnt = l_v_pcqu
6134 * Begin of change in MOD-02
6135 2 IF <l_fs_dhdr>-cal_t
6136 ype EQ c_thr AND <l_fs_kona>-datbi+0
6137 (6) EQ l_v_lastd+0(6).
6138 CLEAR: l_v_amnt,
6139 l_v_ftax.
6140 l_v_amnt = l_v_cra
6141 mnt - l_v
6142 _spamn.
6143 * PERFORM f_cal_stax
6144 USING <l_fs_dhdr>
6145 * l_v_amnt "—MOD-026 CHANGING l
6146 _v_ftax l
6147 _v_amnt. "++MOD-026 l_v_camnt = l_v_am
6148 nt - l_v_ftax. l_v_lstop = abap_t
6149 rue. ENDIF.

```

6150	*	End of change in MOD-022
6151		ENDIF.
6152		"Begin of changes by S
6153	204711 MOD-014	
6154	* l_v_lsval.	ELSE.
6155		l_v_camnt = l_v_pcquan
6156	t + l_v_camnt.	CLEAR: l_v_lsamnt.
6157	SIGNING <l_fs_atax>	l_v_lsamnt = l_v_spamn
6158	TH KEY bukrs = <l_fs_ditem>-bukrs	READ TABLE l_i_atax AS
6159	NARY SEARCH.	WI
6160	.	BI
6161	tax>-vv605 * 100.	IF sy-subrc IS INITIAL
6162	* ind IS INITIAL.	l_v_crgtax = <l_fs_a
6163	mnt - l_v_crgtax.	IF <l_fs_dhdr>-tax_
6164	*	l_v_lsamnt = l_v_lsa
6165		ENDIF.
6166		ENDIF.
6167	JX9005197 MOD-038	"BOC 14-Aug-2025 E
6168		l_v_actq = l_v_lsval.
6169	dhdr>-sub_trg_vol.	IF l_v_squan GE <l_fs_
6170	n -	l_v_dquan = l_v_squa
6171	dr>-sub_trg_vol.	<l_fs_dh
6172	l - l_v_dquan.	l_v_lsval = l_v_lsva
6173	mnt -	l_v_camnt = l_v_cra
6174	t.	l_v_spamn
6175	e.	l_v_lstop = abap_tru
6176		CLEAR: l_v_amnt.
6177		l_v_amnt = l_v_camnt
6178	SING <l_fs_dhdr>	PERFORM f_cal_stax U
6179	NG l_v_ftax	CHANGI
6180	l_v_amnt.	
6181	- l_v_ftax.	l_v_camnt = l_v_amnt
6182	_v_squan) GE	ELSEIF (l_v_aquan + l
6183	_vol.	<l_fs_dhdr>-cont
6184	mnt -	l_v_camnt = l_v_cra

```

6185                                     l_v_spamn
6186 t.                                     l_v_lstop = abap_tru
6187 e.                                     CLEAR: l_v_amnt.
6188                                     l_v_amnt = l_v_camnt
6189 .                                     PERFORM f_cal_stax U
SING <l_fs_dhdr>                                     CHANGI
6190 NG l_v_ftax
6191     l_v_amnt.
6192     - l_v_ftax.                                     l_v_camnt = l_v_amnt
6193                                     ENDIF.
6194
6195 *                                     IF l_v_lsamnt GE l_v_
sbamnt.
6196 *                                     CLEAR: l_v_csamnt.
6197 *                                     l_v_csamnt = l_v_ls
amnt - l_v_sbamnt.
6198 *                                     l_v_camnt = l_v_cam
nt - l_v_csamnt.
6199 *                                     CLEAR: l_v_csamnt.
6200 *                                     l_v_lstop = abap_tr
ue.
6201 *                                     l_v_crgajst = l_v_s
btax - l_v_crgtax.
6202 *                                     ENDIF.
6203                                     "EOC | 14-Aug-2025 | E
JX9005197 | MOD-038
6204
6205                                     CLEAR: l_v_lsamnt.
6206                                     ENDIF.
6207                                     "End of changes by S2047
11    MOD-014
6208                                     ENDIF.
6209                                     ENDIF.
6210                                     "End of changes by S204711
MOD-010
6211
6212 ELSE.
l_v_camnt = l_wa_final-acqua
6213 n * l_v_lsval.
6214                                     ENDIF.
6215                                     CONDENSE l_v_camnt.
6216                                     l_v_round = l_v_camnt.
CALL FUNCTION 'J_1I6_ROUND_TO_
NEAREST_AMT'
6217                                     EXPORTING
6218                                     i_amount = l_v_round
6219                                     IMPORTING
6220                                     e_amount = l_v_round.
6221                                     l_v_lsamnt = l_v_round.
6222                                     "BOC | 28-Aug-2025 | EJX900519
7 | MOD-038
6223 *                                     l_wa_final-lsquan = l_v_lsval
.
6224
6225 IF l_v_actq IS INITIAL.
l_wa_final-lsquan = l_v_lsval
l.

```

6226		ELSE.
6227		l_wa_final-lsquan = l_v_actq
6228	.	ENDIF.
6229		"EOC 28-Aug-2025 EJX900519
6230	7 MOD-038	"Begin of changes by S204711
	MOD-026	
6231		IF l_v_nwjct IS NOT INITIAL.
6232		"Set the Base amount
6233		l_v_baseamnt = l_v_lsamnt.
	"++MOD-027	
6234		l_v_tamnt = l_v_tamnt * l_v_
	lsval. "++MOD-027	
6235		IF l_v_lstop IS INITIAL.
6236		l_v_lsamnt = l_v_lsamnt +
6237		l_v_tamnt. "++MOD-027
6238	*	(l_v_tamnt * l_v_lsval)
	."—MOD-027	
6239		ELSE.
	"++MOD-027	
6240		l_v_tamnt = v_nv_v_wmwst.
	"++ MOD-030	
6241		CLEAR v_nv_v_wmwst.
	"++ MOD-030	
6242		l_v_baseamnt = l_v_lsamnt
	- l_v_tamnt. "++MOD-027	
6243		ENDIF.
6244		l_v_nv_tax = l_v_nv_tax * l_v_
	lsval.	
6245	30-June-2024	"BOC MOD-030 EJX9005197
6246		IF l_v_lstop IS NOT INITIAL
6247		AND (<l_fs_dhdr>-cal_type
	EQ c_thr OR	
6248		<l_fs_dhdr>-cal_type
	EQ c_two).	
6249		l_v_nv_tax = l_v_ftax.
6250		ENDIF.
6251		"EOC MOD-030 EJX9005197
	30-June-2024	
6252		ENDIF.
6253		"End of changes by S204711
	MOD-026	
6254		l_wa_final-kbrue = l_v_lsamnt.
6255		IF rb_sale IS INITIAL. "++MOD
	-003	
6256		IF l_v_txadj IS INITIAL. "+
	+MOD-007	
6257		IF <l_fs_dhdr>-pay_type EQ
	c_one. "++MOD-002	
6258		IF l_v_lsamnt <> l_v_tco
	pa.	
6259		l_v_adjst = l_v_lsamnt
	- l_v_tcopa.	
6260		ENDIF.
6261		l_wa_final-kbrue = l_v_lsamnt.
	* Begin of changes by S204711 for DME month end defect 9000004791 MOD	
	-002	
6262		ELSEIF <l_fs_dhdr>-pay_typ
	e EQ c_thr.	
6263		IF <l_fs_dhdr>-tax_ind I

6264	S INITIAL.	"Begin of changes
6265	MOD-008	IF l_i_ftaxd IS NOT IN
6266	INITIAL.	READ TABLE l_i_ftaxd
6267	ASSIGNING <l_fs_taxd> INDEX 1.	IF sy-subrc IS INITI
6268	AL.	IF <l_fs_taxd>-tx
6269	* tax <> l_v_stax. "—MOD-011	IF <l_fs_taxd>-txt
6270	ax <> l_v_sxtax. "++MOD-011	CLEAR: l_v_cline
6271	,l_v_adjst.	l_v_adjst = <l_f
6272	s_taxd>-txtax - l_v_stax.	DESCRIBE TABLE l
6273	_i_cdata LINES l_v_cline.	l_v_cline = l_v_
6274	cline - 1.	READ TABLE l_i_c
6275	data ASSIGNING <l_fs_data>	
6276	INDEX l_v_cline.	IF sy-subrc IS I
6277	INITIAL.	<l_fs_data>-va
6278	lue = <l_fs_data>-value +	
6279	l_v_adjst.	ENDIF.
6280	tax + l_v_adjst.	l_v_stax = l_v_s
6281		ENDIF.
6282		CLEAR: l_v_adjst.
6283		ENDIF.
6284		ENDIF.
6285	MOD-008	"End of changes
6286	copa.	IF l_v_lsamnt <> l_v_t
6287	nt - l_v_tcopa.	l_v_adjst = l_v_lsam
6288		ENDIF.
6289		ELSE.
6290	tax.	CLEAR: l_v_taxco, l_v_
6291	.	l_v_taxco = l_v_lsamnt
6292	NG <l_fs_dhdr>	PERFORM f_cal_stax USI
6293	* l_v_taxco "—MOD-026	
6294	NG l_v_tax	CHANGI
6295	l_v_taxco. "++MOD-026	
6296	- l_v_tax.	l_v_taxco = l_v_taxco
6297		IF l_v_taxco <> l_v_tc

```

6298 opa. l_v_adjst = l_v_taxc
6299 o - l_v_tcopa. ENDIF.
6300 ENDIF.
6301 ENDIF.
6302 ENDIF. "++MOD-007
6303 ENDIF. "++MOD-003
6304 * End of changes by S204711 for DME month end defect 9000004791 MOD-0
02
6305 CLEAR: l_v_dquan.
6306 "BOC | 28-Aug-2025 | EJX900519
7 | MOD-038
6307 IF l_v_actq IS INITIAL.
6308 l_v_dquan = l_v_lsval. "Upda
te Item quantity
6309 ELSE.
6310 l_v_dquan = l_v_actq. "Upda
te Item quantity
6311 ENDIF.
6312 "EOC | 28-Aug-2025 | EJX900519
7 | MOD-038
6313 ELSEIF <l_fs_ditem>-tar_unit EQ
c_thr
6314 AND <l_fs_dhdr>-cal_type <> c
_fixr. "++MOD-019
6315 IF <l_fs_dhdr>-cal_type EQ c_t
wo
6316 OR <l_fs_dhdr>-cal_type EQ c
_thr.
6317 CLEAR: l_v_dquan,
6318 l_v_lstop. "++MOD-014
6319 IF <l_fs_dhdr>-cross_ind IS
INITIAL. "++MOD-010
6320 l_v_aquan = l_v_aquan + l_
v_gaval.
6321 IF l_v_aquan GT <l_fs_dhdr>-
>-cont_vol.
6322 l_v_dquan = l_v_aquan -
6323 <l_fs_dhdr>-
cont_vol.
6324 l_v_gaval = l_v_gaval -
l_v_dquan.
6325 l_v_camnt = l_v_aamnt -
6326 l_v_pamnt.
6327 "Begin of change by S204
711 MOD-022
6328 CLEAR: l_v_amnt.
6329 l_v_amnt = l_v_camnt.
6330 PERFORM f_cal_stax USING
<l_fs_dhdr>
6331 *
l_v_amnt "—MOD-026
6332 CHANGING l
_v_ftax
6333 l
_v_amnt. "++MOD-026
6334 l_v_camnt = l_v_amnt - l
_v_ftax.
6335 "End of change by S20471
1 MOD-022

```

```

6336                                     l_v_lstop = abap_true.
6337                                     ELSE.
6338 * Begin of changes by S204711 for DME month end defect 9000004791    MOD
6339 -002
6339 *                                     l_v_camnt = l_wa_final-acquan * l
6340 _v_gaval.                                     l_v_camnt = l_v_pcquan *
6340 l_v_gaval.
6341 * End of changes by S204711 for DME month end defect 9000004791    MOD-0
6342 02
6342 *                                     Begin of change in MOD-02
6343 2
6343                                     IF <l_fs_dhdr>-cal_type
6344 EQ c_thr AND                                     <l_fs_kona>-datbi+0(6)
6344 EQ l_v_lastd+0(6).
6345
6346                                     CLEAR: l_v_amnt,
6347                                             l_v_ftax.
6348 l_v_amnt = l_v_aamnt -
6349 l_v_pamnt.
6350 *
6351                                     PERFORM f_cal_stax USI
6352 NG <l_fs_dhdr>
6352 *
6353 l_v_amnt  "—MOD-026
6353                                     CHANGING l
6354 _v_ftax
6354                                     l
6354 _v_amnt.  "++MOD-026
6355 l_v_camnt = l_v_amnt -
6355 l_v_ftax.
6356 l_v_lstop = abap_true.
6357 ENDIF.
6358 * End of change in MOD-022
6359 ENDIF.
6360 "Begin of changes by S2047
6361 11    MOD-010
6361 ELSE.
6362 IF <l_fs_ditem>-bukrs EQ <
6363 l_fs_dhdr>-main_bukrs.
6363 l_v_aquan = l_v_aquan +
6364 l_v_gaval.
6364 IF <l_fs_dhdr>-agre_typ
6365 EQ c_one.  "++MOD-014
6365 IF l_v_aquan GE <l_fs_
6366 dhdr>-main_trg_vol.
6366 l_v_dquan = l_v_aqua
6367 n -
6367 <l_fs_dh
6367 dr>-main_trg_vol.
6368 * l_v_csval = l_v_gav
6368 al - l_v_dquan.  "— MOD-032
6369 l_v_gaval = l_v_gava
6369 l - l_v_dquan.  "++ MOD-032
6370 l_v_camnt = l_v_aam
6371 nt -
6371 l_v_pamnt
6372 .
6372 l_v_lstop = abap_tru

```



```

e.
6373 "BOC | MOD-032 | EJX
9005197 | 24-Oct-2024
6374 CLEAR: l_v_amnt.
6375 l_v_amnt = l_v_camnt
.
6376 PERFORM f_cal_stax U
SING <l_fs_dhdr>
6377 *
l_v_amnt "—MOD-026
6378 CHANGI
NG l_v_ftax
6379 l_v_amnt. "++MOD-026
6380 l_v_camnt = l_v_amnt
- l_v_ftax.
6381 "EOC | MOD-032 | EJX
9005197 | 24-Oct-2024
6382 ELSE.
6383 l_v_camnt = l_v_pcqu
an * l_v_gaval.
6384 * Begin of change in MOD-02
2
6385 IF <l_fs_dhdr>-cal_t
6386 <l_fs_kona>-datbi+0
(6) EQ l_v_lastd+0(6).
6387
6388 CLEAR: l_v_amnt,
6389 l_v_ftax.
6390 l_v_amnt = l_v_aam
nt -
6391 l_v
_pamnt.
6392 *
6393 PERFORM f_cal_stax
USING <l_fs_dhdr>
6394 *
l_v_amnt "—MOD-026
6395 CHANGING l
_v_ftax
6396 l
_v_amnt. "++MOD-026
6397 l_v_camnt = l_v_am
nt - l_v_ftax.
6398 l_v_lstop = abap_t
rue.
6399 ENDIF.
6400 * End of change in MOD-022
6401 ENDIF.
6402 "Begin of changes by S
204711 MOD-014
6403 ELSE.
6404
6405 "BOC | 14-Aug-2025 | E
JX9005197 | MOD-038
6406 PERFORM f_cal_stax US
ING <l_fs_dhdr>
6407 CH
ANGING l_v_ftax
6408

```

```

        l_v_amnt.
6409 JX9005197 | MOD-038 "EOC | 14-Aug-2025 | E
6410
6411 * l_v_gaval. l_v_camnt = l_v_pcquan
6412 CLEAR: l_v_lsamnt.
6413 + l_v_camnt. l_v_lsamnt = l_v_pamnt
6414 SIGNING <l_fs_atax> READ TABLE l_i_atax AS
6415 TH KEY bukrs = <l_fs_ditem>-bukrs WI
6416 NARY SEARCH. BI
6417 . IF sy-subrc IS INITIAL
6418 tax>-vv605 * 100. l_v_crgtax = <l_fs_a
6419 * IF <l_fs_dhdr>-tax_
6420 ind IS INITIAL. l_v_lsamnt = l_v_lsa
6421 mnt - l_v_crgtax. ENDIF.
6422 * ENDIF.
6423
6424 JX9005197 | MOD-038 "BOC | 14-Aug-2025 | E
6425
6426 dhdr>-main_trg_vol. l_v_actq = l_v_gaval.
6427 n - IF l_v_aquan GE <l_fs_
6428 dr>-main_trg_vol. l_v_dquan = l_v_aqua
6429 l - l_v_dquan. <l_fs_dh
6430 nt - l_v_aam
6431 l_v_pamnt
6432 . l_v_lstop = abap_tru
6433 e. CLEAR: l_v_amnt, l_v
6434 _squan. l_v_amnt = l_v_camnt
6435 . PERFORM f_cal_stax U
6436 SING <l_fs_dhdr> CHANGI
6437 NG l_v_ftax
6438 l_v_amnt. l_v_camnt = l_v_amnt
6439 - l_v_ftax. ELSEIF ( l_v_aquan + l
6440 _v_squan ) GE <l_fs_dhdr>-cont_vol. l_v_camnt = l_v_aam
6441 nt - l_v_pamnt. l_v_lstop = abap_tru
        e.

```

6442	_squan.	CLEAR: l_v_amnt, l_v
6443	.	l_v_amnt = l_v_camnt
6444	SING <l_fs_dhdr>	PERFORM f_cal_stax U
6445	NG l_v_ftax	CHANGI
6446	l_v_amnt.	
6447	- l_v_ftax.	l_v_camnt = l_v_amnt
6448		ENDIF.
6449		
6450	* IF l_v_lsamnt GE l_v	
6451	coamnt.	CLEAR: l_v_csamnt.
6452	* l_v_csamnt = l_v_ls	
6453	amnt - l_v_coamnt.	l_v_camnt = l_v_cam
6454	* nt - l_v_csamnt.	CLEAR: l_v_csamnt.
6455	* ue.	l_v_lstop = abap_tr
6456	* otax - l_v_crgtax.	l_v_crgajst = l_v_c
6457	* ENDIF.	
6458	JX9005197 MOD-038	"EOC 14-Aug-2025 E
6459		
6460		CLEAR: l_v_lsamnt.
6461		ENDIF.
6462	11 MOD-014	"End of changes by S2047
6463		ELSE.
6464	l_v_gaval.	l_v_squan = l_v_squan +
6465	EQ c_one. "++MOD-014	IF <l_fs_dhdr>-agre_typ
6466	dhdr>-sub_trg_vol.	IF l_v_squan GE <l_fs_
6467	n -	l_v_dquan = l_v_squa
6468	dr>-sub_trg_vol.	<l_fs_dh
6469	* l_v_csval = l_v_gav	
6470	al - l_v_dquan. "— MOD-032	l_v_gaval = l_v_gava
6471	l - l_v_dquan. "++ MOD-032	l_v_camnt = l_v_cra
6472	mnt -	l_v_spamn
6473	t.	l_v_lstop = abap_tru
6474	e.	"BOC MOD-032 EJX
6475	9005197 24-Oct-2024	CLEAR: l_v_amnt.
6476	.	l_v_amnt = l_v_camnt
6477		PERFORM f_cal_stax U

```

6478 SING <l_fs_dhdr>
6479 NG l_v_ftax
6480 l_v_amnt.
6481 - l_v_ftax.
6482 9005197 | 24-Oct-2024
6483 an * l_v_gaval.
6484 *
6485 2
6486 type EQ c_thr AND
6487 (6) EQ l_v_lastd+0(6).
6488
6489 mnt -
6490 _spamnt.
6491 *
6492 USING <l_fs_dhdr>
6493 l_v_amnt "—MOD-026
6494 _v_ftax
6495 _v_amnt. "++MOD-026
6496 nt - l_v_ftax.
6497 rue.
6498 *
6499 204711 MOD-014
6500 * l_v_gaval.
6501 t + l_v_camnt.
6502 SIGNING <l_fs_atax>
6503 TH KEY buhrs = <l_fs_ditem>-buhrs
6504 NARY SEARCH.
6505 .
6506 tax>-vv605 * 100.
6507 *
6508 ind IS INITIAL.

```

CHANGI

l_v_camnt = l_v_amnt

"EOC | MOD-032 | EJX

ELSE.

l_v_camnt = l_v_pcqu

Begin of change in MOD-02

IF <l_fs_dhdr>-cal_t

<l_fs_kona>-datbi+0

CLEAR: l_v_amnt,

l_v_ftax.

l_v_amnt = l_v_cra

l_v

PERFORM f_cal_stax

CHANGING l

l

l_v_camnt = l_v_am

l_v_lstop = abap_t

ENDIF.

End of change in MOD-022

ENDIF.

"Begin of changes by S

ELSE.

l_v_camnt = l_v_pcquan

CLEAR: l_v_lsamnt.

l_v_lsamnt = l_v_spamn

READ TABLE l_i_atax AS

WI

BI

IF sy-subrc IS INITIAL

l_v_crgtax = <l_fs_a

IF <l_fs_dhdr>-tax_

```

6513                                l_v_lsamnt = l_v_lsa
6514    mnt - l_v_crgtax.                                ENDIF.
6515    *                                                ENDIF.
6516
6517    JX9005197 | MOD-038                                "BOC | 14-Aug-2025 | E
6518                                l_v_actq = l_v_gaval.
6519    dhdr>-sub_trg_vol.                                IF l_v_squan GE <l_fs_
6520                                l_v_dquan = l_v_squa
6521    n -                                                <l_fs_dh
6522    dr>-sub_trg_vol.                                l_v_gaval = l_v_gava
6523    l - l_v_dquan.                                l_v_camnt = l_v_cra
6524    mnt -                                                l_v_spamn
6525    t.                                                l_v_lstop = abap_tru
6526    e.                                                CLEAR: l_v_amnt.
6527                                l_v_amnt = l_v_camnt
6528    .                                                PERFORM f_cal_stax U
6529    SING <l_fs_dhdr>                                CHANGI
6530    NG l_v_ftax
6531    l_v_amnt.
6532    - l_v_ftax.
6533    _v_squan ) GE                                ELSEIF ( l_v_aquan + l
6534    _vol.                                <l_fs_dhdr>-cont
6535    mnt -                                l_v_camnt = l_v_cra
6536    t.                                                l_v_spamn
6537    e.                                                l_v_lstop = abap_tru
6538                                CLEAR: l_v_amnt.
6539                                l_v_amnt = l_v_camnt
6540    .                                                PERFORM f_cal_stax U
6541    SING <l_fs_dhdr>                                CHANGI
6542    NG l_v_ftax
6543    l_v_amnt.
6544    - l_v_ftax.
6545    *                                                l_v_camnt = l_v_amnt
6546    sbamnt.                                ENDIF.
6547    *                                                IF l_v_lsamnt GE l_v_
6548    *                                CLEAR: l_v_csamnt.
6549    *                                l_v_csamnt = l_v_ls
6550    amnt - l_v_sbamnt.

```


6590	"++ MOD-030	l_v_tamnt = v_nv_vwmwst.
6591	"++ MOD-030	CLEAR v_nv_vwmwst.
6592	- l_v_tamnt. "++MOD-027	l_v_baseamnt = l_v_gaamnt
6593		ENDIF.
6594	gaval.	l_v_nvtax = l_v_nvtax * l_v_
6595	30-June-2024	"BOC MOD-030 EJX9005197
6596		IF l_v_lstop IS NOT INITIAL
6597	EQ c_thr OR	AND (<l_fs_dhdr>-cal_type
6598	EQ c_two).	<l_fs_dhdr>-cal_type
6599		l_v_nvtax = l_v_ftax.
6600		ENDIF.
6601	30-June-2024	"EOC MOD-030 EJX9005197
6602		ENDIF.
6603	MOD-026	"End of changes by S204711
6604		l_wa_final-kbrue = l_v_gaamnt.
6605	-003	IF rb_sale IS INITIAL. "++MOD
6606	+MOD-007	IF l_v_txadj IS INITIAL. "+
6607	c_one. "++MOD-002	IF <l_fs_dhdr>-pay_type EQ
6608	pa.	IF l_v_gaamnt <> l_v_tco
6609	- l_v_tcopa.	l_v_adjst = l_v_gaamnt
6610		ENDIF.
6611	* Begin of changes by S204711 for DME month end defect 9000004791 MOD	
6612	-002	ELSEIF <l_fs_dhdr>-pay_typ
6613	e EQ c_thr.	IF <l_fs_dhdr>-tax_ind I
6614	S INITIAL.	"Begin of changes
6615	MOD-008	IF l_i_ftaxd IS NOT IN
6616	ITIAL.	READ TABLE l_i_ftaxd
6617	ASSIGNING <l_fs_taxd> INDEX 1.	IF sy-subrc IS INITI
6618	AL.	IF <l_fs_taxd>-tx
6619	* tax <> l_v_stax. "MOD-011	IF <l_fs_taxd>-txt
6620	ax <> l_v_sxtax. "++MOD-011	CLEAR: l_v_cline
6621	,l_v_adjst.	l_v_adjst = <l_f
6622	s_taxd>-txtax - l_v_stax.	DESCRIBE TABLE l
6623	_i_cdata LINES l_v_cline.	l_v_cline = l_v_
	cline - 1.	

```

6624 data ASSIGNING <l_fs_data> READ TABLE l_i_c
6625 INDEX l_v_cline.
6626 INITIAL. IF sy-subrc IS I
6627 lue = <l_fs_data>-value + <l_fs_data>-va
6628 l_v_adjst.
6629 tax + l_v_adjst. ENDIF.
6630 tax + l_v_adjst. l_v_stax = l_v_s
6631 tax + l_v_adjst. ENDIF.
6632 tax + l_v_adjst. CLEAR: l_v_adjst.
6633 tax + l_v_adjst. ENDIF.
6634 tax + l_v_adjst. ENDIF.
6635 MOD-008 "End of changes
6636 copa. IF l_v_gaamnt <> l_v_t
6637 nt - l_v_tcopa. l_v_adjst = l_v_gaam
6638 tax. ENDIF.
6639 tax. ELSE.
6640 tax. CLEAR: l_v_taxco, l_v_
6641 tax. l_v_taxco = l_v_gaamnt
6642 tax. PERFORM f_cal_stax USI
6643 * NG <l_fs_dhdr>
6644 * l_v_taxco "—MOD-026
6645 NG l_v_tax
6646 l_v_taxco. "++MOD-026
6647 - l_v_tax. l_v_taxco = l_v_taxco
6648 opa. IF l_v_taxco <> l_v_tc
6649 o - l_v_tcopa. l_v_adjst = l_v_taxc
6650 ENDIF.
6651 ENDIF.
6652 ENDIF.
6653 ENDIF. "++MOD-007
6654 * End of changes by S204711 for DME month end defect 9000004791 MOD-0
6655 02
6656 CLEAR: l_v_dquan.
6657 7 | MOD-038 "BOC | 28-Aug-2025 | EJX900519
6658 * l_v_dquan = l_v_gaval. "Updat
6659 e Item quantity
6660 IF l_v_actq IS INITIAL.
6661 l_v_dquan = l_v_gaval. "Upda
6662 te Item quantity
6663 ELSE.
6664 l_v_dquan = l_v_actq. "Updat
6665 e Item quantity

```



```

6662                                     ENDIF.
6663                                     "EOC | 28-Aug-2025 | EJX900519
7 | MOD-038
6664 c_unt4
6665 _fixr. "++MOD-019
6666 * l_v_itax.
6667 NEAREST_AMT'
6670 EXPORTING
6671     i_amount = l_v_round
6672 IMPORTING
6673     e_amount = l_v_round.
6674     l_v_csamnt = l_v_round.
6675 * l_v_csamnt = l_v_csamnt / 100.
6676     l_wa_final-vv507 = l_v_itax *
        100.
6677     l_wa_final-kbrue = l_v_csamnt.
6678 IF rb_sale IS INITIAL. "++MOD
        -003
6679 +MOD-007
        IF l_v_txadj IS INITIAL. "+"
6680 INITIAL. "++MOD-002
        IF <l_fs_dhdr>-tax_ind IS
6681     MOD-008
        "Begin of changes
6682 IAL.
        IF l_i_ftaxd IS NOT INIT
6683 SSIGNING <l_fs_taxd> INDEX 1.
        READ TABLE l_i_ftaxd A
6684 :
        IF sy-subrc IS INITIAL
6685 * IF <l_fs_taxd>-tx
        tax <> l_v_stax."—MOD-011
        IF <l_fs_taxd>-txtax
6686     <> l_v_sxtax. "++MOD-011
        CLEAR: l_v_cline,l
6687 _v_adjst.
        l_v_adjst = <l_fs_
6688 taxd>-txtax - l_v_stax.
        DESCRIBE TABLE l_i
6689 _cdata LINES l_v_cline.
        l_v_cline = l_v_cl
6690 ine - 1.
        READ TABLE l_i_cda
6691 ta ASSIGNING <l_fs_data>
        IF sy-subrc IS INI
        INDEX l_v_cline.
        <l_fs_data>-valu
6692 TIAL.
        e = <l_fs_data>-value +
6693     l_v_adjst.
        ENDF.
6694 x + l_v_adjst.
        l_v_stax = l_v_sta

```

```

6698                                     ENDIF.
6699                                     CLEAR: l_v_adjst.
6700                                     ENDIF.
6701                                     ENDIF.
6702                                     "End of changes          M
OD-008
6703                                     IF l_v_csamnt <> l_v_tco
pa.
6704                                     l_v_adjst = l_v_csamnt
- l_v_tcopa.
6705                                     ENDIF.
6706 * Begin of changes by S204711 for DME month end defect 9000004791 MOD
-002
6707                                     ELSE.
6708                                     CLEAR: l_v_taxco, l_v_ta
x.
6709                                     l_v_taxco = l_v_csamnt.
6710                                     PERFORM f_cal_stax USING
<l_fs_dhdr>
6711 *
l_v_taxco "—MOD-026
6712                                     CHANGI
NG l_v_tax
6713 l_v_taxco. "++MOD-026
6714                                     l_v_taxco = l_v_taxco -
l_v_tax.
6715                                     IF l_v_taxco <> l_v_tcop
a.
6716                                     l_v_adjst = l_v_taxco
- l_v_tcopa.
6717                                     ENDIF.
6718                                     ENDIF.
6719                                     ENDIF. "++MOD-007
6720                                     ENDIF. "++MOD-003
6721 * End of changes by S204711 for DME month end defect 9000004791 MOD-0
02
6722                                     ELSEIF <l_fs_ditem>-tar_unit EQ
c_unt5
6723                                     AND <l_fs_dhdr>-cal_type <> c
_fixr. "++MOD-019
6724 * l_v_etax.
6725                                     CONDENSE l_v_camnt.
6726                                     l_v_round = l_v_camnt.
6727                                     CALL FUNCTION 'J_1I6_ROUND_TO_
NEAREST_AMT'
6728                                     EXPORTING
6729                                     i_amount = l_v_round
6730                                     IMPORTING
6731                                     e_amount = l_v_round.
6732                                     l_v_csamnt = l_v_round.
6733                                     l_wa_final-vv506 = l_v_etax *
100.
6734                                     l_wa_final-kbrue = l_v_csamnt.
6735                                     IF rb_sale IS INITIAL. "++MOD
-003
6736                                     IF l_v_txadj IS INITIAL. "+
+MOD-007
6737                                     IF <l_fs_dhdr>-tax_ind IS
INITIAL. "++MOD-002

```

```

6738 MOD-008 "Begin of changes
6739 IF l_i_ftaxd IS NOT INIT
6740 IAL. READ TABLE l_i_ftaxd A
6741 SSIGNING <l_fs_taxd> INDEX 1. IF sy-subrc IS INITIAL
6742 * IF <l_fs_taxd>-tx
6743 tax <> l_v_stax."—MOD-011 IF <l_fs_taxd>-txtax
6744 <> l_v_sxtax. "++MOD-011
6745 _v_adjst. CLEAR: l_v_cline,l
6746 taxd>-txtax - l_v_stax. l_v_adjst = <l_fs_
6747 _cdata LINES l_v_cline. DESCRIBE TABLE l_i
6748 ine - 1. l_v_cline = l_v_cl
6749 ta ASSIGNING <l_fs_data> READ TABLE l_i_cda
6750 INDEX l_v_cline. IF sy-subrc IS INI
6751 TIAL. <l_fs_data>-valu
6752 e = <l_fs_data>-value +
6753 l_v_adjst. ENDIF.
6754 x + l_v_adjst. l_v_stax = l_v_sta
6755 ENDIF.
6756 CLEAR: l_v_adjst.
6757 ENDIF.
6758 ENDIF.
6759 "End of changes M
6760 OD-008
6761 pa. IF l_v_csamnt <> l_v_tco
6762 - l_v_tcopa. l_v_adjst = l_v_csamnt
6763 * Begin of changes by S204711 for DME month end defect 9000004791 MOD
6764 -002 ELSE.
6765 x. CLEAR: l_v_taxco, l_v_ta
6766 <l_fs_dhdr> l_v_taxco = l_v_csamnt.
6767 * l_v_taxco "—MOD-026 PERFORM f_cal_stax USING
6768 NG l_v_tax CHANGI
6770 l_v_taxco. "++MOD-026
6771 l_v_tax. l_v_taxco = l_v_taxco -
6772 IF l_v_taxco <> l_v_tcop

```

```

6773 a. l_v_adjst = l_v_taxco
- l_v_tcopa.
6774 ENDIF.
6775 ENDIF.
6776 ENDIF. "++MOD-007
6777 ENDIF. "++MOD-003
6778 * End of changes by S204711 for DME month end defect 9000004791 MOD-0
02
6779 ELSEIF <l_fs_ditem>-tar_unit EQ
c_six
6780 OR <l_fs_dhdr>-cal_type EQ c_
fixr. "++MOD-019
6781 * l_v_csamnt = l_v_pamnt + l_v_amnt.
6782 "Begin of changes by S204711
MOD-019
6783 IF <l_fs_dhdr>-cal_type EQ c_f
ixr.
6784 CLEAR: l_v_ftax.
6785 IF <l_fs_dhdr>-tax_ind IS IN
ITIAL.
6786 PERFORM f_cal_ctax USING <
l_fs_dhdr>
6787 *
l_v_amnt "—MOD-026
6788 CHANGING l
_v_ftax
6789 _v_amnt. "++MOD-026
6790 ELSE.
6791 PERFORM f_cal_stax USING <
l_fs_dhdr>
6792 *
l_v_amnt "—MOD-026
6793 CHANGING l
_v_ftax
6794 _v_amnt. "++MOD-026
6795 l_v_amnt = l_v_amnt - l_v_
ftax.
6796 ENDIF.
6797 ELSE.
6798 "End of changes by S204711
MOD-019
6799 IF <l_fs_kona>-datbi+0(6) EQ
l_v_lastd+0(6).
6800 CLEAR: l_v_amnt,
6801 l_v_ftax. "++MOD-0
01
6802 l_v_amnt = l_v_aamnt -
6803 l_v_pamnt.
6804 * IF <l_fs_dhdr>-tax_ind IS NOT INITI
AL.
6805 PERFORM f_cal_stax USING <
l_fs_dhdr>
6806 *
l_v_amnt "—MOD-026
6807 CHANGING l
_v_ftax
6808 _v_amnt. "++MOD-026

```

```

6809                                     l_v_amnt = l_v_amnt - l_v_
ftax.
6810 *                                     ENDIF.
6811                                     l_v_lstop = abap_true.
6812 * Begin of changes by S204711                                     MOD-004
6813 l_fs_dhdr>-bukrs.                                     IF <l_fs_ditem>-bukrs <> <
6814                                     CLEAR: l_v_amnt,
6815                                             l_v_ftax.
6816                                     l_v_amnt = l_v_cramnt -
6817                                             l_v_spamn
6818 t.
6819 *                                     IF <l_fs_dhdr>-tax_ind IS NOT INITI
AL.                                     PERFORM f_cal_stax USING
6820 <l_fs_dhdr>
6821 *                                     l_v_amnt  "—MOD-026
6822                                     CHANGING l
_v_ftax                                     l
6823 _v_amnt.  "++MOD-026
6824 v_ftax.                                     l_v_amnt = l_v_amnt - l_
6825 .  "++MOD-026                                     IF l_v_nvtax <> l_v_ftax
6826 "++MOD-026                                     l_v_nvtax = l_v_ftax.
6827                                     ENDIF.  "++MOD-026
6828                                     ENDIF.
6829                                     ENDIF.
6830
6831 * End of changes by S204711                                     MOD-004
6832 *                                     ENDIF.  "++MOD-019  "—MOD-02
0
6833                                     "Begin of changes by S204711
MOD-012                                     " If start date and end date
6834 lie within the same month                                     " then mark completed
6835                                     IF <l_fs_kona>-datab+0(6) EQ
6836 <l_fs_kona>-datbi+0(6).                                     l_v_lstop = abap_true.
6837                                     ENDIF.
6838                                     "End of changes by S204711
6839 MOD-012                                     ENDIF.  "++MOD-019  "++MOD-
6840 020                                     l_wa_final-vv506 = l_v_etax *
6841 100.                                     "Begin of changes by S204711
6842 MOD-026                                     IF l_v_nwjct IS NOT INITIAL.
6843 *                                     AND l_v_lstop IS INITIAL.  "-
6844 -MOD-026                                     "Set the Base amount
6845                                     l_v_baseamt = l_v_amnt.  "+"
6846 +MOD-027                                     IF l_v_lstop IS INITIAL.  "+"
6847 +MOD-027

```

```

6848                                     l_v_amnt = l_v_amnt + l_v_
tamnt.
6849                                     ELSE.
        "++MOD-027
6850                                     l_v_tamnt = v_nv. "++MOD
-029
6851                                     l_v_baseamnt = l_v_amnt -
l_v_tamnt. "++MOD-027
6852                                     ENDIF. "++MOD-027
6853                                     ENDIF.
6854                                     "End of changes by S204711
MOD-026
6855
6856                                     l_wa_final-kbrue = l_v_amnt.
6857 * Begin of changes by S204711 for DME month end defect 9000004791 MOD
-002
6858 * Begin of changes by S204711 MOD-004
6859 IF l_v_txadj IS INITIAL. "++M
OD-007
6860                                     IF l_v_amnt <> l_v_tcopa.
6861                                     l_v_adjst = l_v_amnt - l_v
_tcopa.
6862                                     ENDIF.
6863                                     ENDIF. "++MOD-007
6864 * End of changes by S204711 MOD-004
6865 * End of changes by S204711 for DME month end defect 9000004791 MOD-0
02
6866                                     ENDIF.
6867                                     ENDIF. "++MOD-011
6868 l_v_famnt = l_v_famnt + l_wa_final
-kbrue.
6869
6870 "BOC | 14-Aug-2025 | EJX9005197 |
MOD-038
6871 CLEAR l_v_indic.
6872 IF l_v_ppay_flag = abap_true AND
6873 rb_sale IS NOT INITIAL.
6874 l_v_indic = abap_true.
6875 ENDIF.
6876 "EOC | 14-Aug-2025 | EJX9005197 |
MOD-038
6877
6878 "Begin of changes by S204711 MO
D-010
6879 "If amount is blank, skip the BAPI
call
6880
6881 IF l_v_famnt IS NOT INITIAL
6882 OR l_v_indic = abap_true. "++ M
OD-038
6883 "End of changes by S204711 MO
D-010
6884 IF rb_sale IS INITIAL.
6885 * Rounding Difference Adjustment logic
6886 CLEAR: l_v_cline.
6887 DESCRIBE TABLE l_i_cdata LINES
l_v_cline.
6888 READ TABLE l_i_cdata ASSIGNING
<l_fs_data>
6889 INDEX l_v
cline.

```

```

6890                                     IF sy-subrc IS INITIAL.
6891                                     <l_fs_data>-value = <l_fs_da
6892                                     ta>-value +                                l_v_adjs
6893                                     t.
6894                                     ENDIF.
6895                                     CLEAR: l_v_skip, l_v_cline, l_v
6896                                     _adjst.
6897                                     * Begin of changes by S204711                                MOD-004
6898                                     CLEAR: l_v_cpost.
6899                                     IF <l_fs_dhdr>-pay_type EQ c_o
6900                                     AND <l_fs_dhdr>-cal_type EQ c
6901                                     IF <l_fs_ditem>-bukrs EQ <l_
6902                                     l_v_cpost = abap_true.
6903                                     ENDIF.
6904                                     * End of changes by S204711                                MOD-004
6905                                     * Begin of changes by S204711                                MOD-007
6906                                     IF <l_fs_dhdr>-cross_ind IS NO
6907                                     CLEAR: l_i_crditem[], l_v_crl
6908                                     l_i_crditem[] = l_i_tditem[]
6909                                     IF <l_fs_ditem>-bukrs EQ <l_
6910                                     CLEAR: l_v_tlines.
6911                                     DELETE l_i_crditem WHERE b
6912                                     DESCRIBE TABLE l_i_crditem
6913                                     ELSE.
6914                                     DELETE l_i_crditem WHERE b
6915                                     DESCRIBE TABLE l_i_crditem
6916                                     ENDIF.
6917                                     IF l_v_pskip IS INITIAL. "++
6918                                     l_v_tlines = l_v_tlines +
6919                                     ENDIF. "++MOD-010
6920                                     * End of changes by S204711                                MOD-007
6921                                     IF l_v_tlines EQ l_v_pindex
6922                                     OR l_v_cpost IS NOT INITIAL. "
6923                                     ++MOD-004
6924                                     * Populate the header
6925                                     PERFORM f_fill_hdr USING <l_
6926                                     fs_kona>                                CHANGING l
6927                                     _wa_hdr.
6928                                     IF <l_fs_dhdr>-pay_type EQ c
6929                                     l_wa_hdr-doc_type = c_ppty
6930                                     ENDIF.
6931                                     IF <l_fs_ditem>-bukrs <> <l_

```

```

6930 fs_dhdr>-bukrs. "++MOD-004
        l_wa_hdr-comp_code = <l_fs
        _ditem>-bukrs.
6931 ENDIF. "++MOD-004
6932 IF l_v_lastd IS NOT INITIAL.
6933     l_wa_hdr-doc_date = l_v_la
        std.
6934 ENDIF.
6935 "Begin of changes by S204711
        For MOD-008
6936 IF rb_sale IS INITIAL
6937 AND <l_fs_dhdr>-pay_type EQ
        CLEAR: l_v_txadj, l_v_txlin
6938     DESCRIBE TABLE i_ftaxd LIN
        IF l_v_txline > c_one.
6939         l_v_txadj = abap_true.
6940     ENDIF.
6941 ENDIF.
6942 CLEAR: l_v_mamnt.
6943 "End of changes by S204711
6944 For MOD-008
6945 PERFORM f_fill_accgl USING <
        l_fs_kona>
6946     <
        l_fs_dhdr>
6947     <
        l_fs_ditem> "++MOD-004
6948     l
6949     _v_famnt
6950     _v_txadj "++MOD-007
6951     CHANGING l_i_ac
        countgl
6952     l_i_cu
        rr
6953     l_i_ac
        ctax "++MOD-007
6954     l_v_ac
        ctax "++MOD-007
6955     l_v_ma
        mnt. "++MOD-008
6956 CLEAR: l_v_blines.
6957 * DESCRIBE TABLE l_i_accountgl LI
        NES l_v_blines."—MOD-007
6958 DESCRIBE TABLE l_i_curr LINE
        S l_v_blines. "++MOD-007
6959 "Begin of changes by S204711
        For MOD-008
6960 IF rb_sale IS INITIAL
6961 AND <l_fs_dhdr>-pay_type EQ
        IF l_v_txadj IS NOT INITIA
        " Add Tax amount in case
6962     "
6963     of Tax Exclusive
6964     * IF <l_fs_dhdr>-tax_ind IS I
6965     * CLEAR: l_v_adjst.

```



```
6966 * IF l_v_stax <> l_v_acctax  
6967 *  
        l_v_adjst = l_v_acctax  
-   l_v_stax.  
6968 ** Tax Difference Adjustment logic  
6969 *  
        CLEAR: l_v_cline.  
6970 * DESCRIBE TABLE l_i_cdat  
  
    a LINES l_v_cline.  
6971 *  
        l_v_cline = l_v_cline -  
        1.  
6972 * READ TABLE l_i_pdata AS  
  
SIGNING <l_fs_data>  
6973 * IN  
  
DEX l_v_cline.  
6974 *  
IF sy-subrc IS INITIAL.  
6975 *     <l_fs_data>-value = <  
  
l_fs_data>-value +  
6976 * l  
  
_v_adjst.  
6977 *  
ENDIF.  
6978 * ENDIF.  
        l_v_famnt = l_v_mamnt +  
  
l_v_acctax.  
6980 * ENDIF. "—MOD-007  
6981 ENDIF.  
        CLEAR: l_v_mamnt.  
6982 ENDIF.  
6983  
6984 "End of changes by S204711  
  
For MOD-008  
6985 * Populate credit line item  
6986 PERFORM f_fill_crcgl USING <l_  
_fs_kona>                                l_  
6987 v_blines                               <l_  
6988 _fs_dhdr>                              l_  
6989 v_famnt                                 l_  
6990 v_lastd  "++MOD-001                     l_  
6991 v_ftax   "++MOD-001                     l_  
6992 v_txadj  "++MOD-007                     l_  
6993 v_crcgajst "++MOD-014                    l_  
6994 v_nvntax  "++MOD-026                     l_  
6995 v_baseamt "++MOD-027                     l_  
6996 v_tamnt   "++MOD-027                     l_  
6997 G l_i_accountgl                           CHANGIN  
        l_i_curr  
6999         l_i_acctax  
7000         l_v_acctax.  
7001 IF l_v_txadj IS INITIAL. "+
```

```

+MOD-007
7002 * In Few cases tax amount is zero, so this check needs to be commented
7003 * for COPA tax adjustment
7004 * IF l_v_acctax IS NOT INIT
IAL. "—MOD-017
7005 CLEAR: l_v_adjst.
7006 IF l_v_stax <> l_v_acctax.
7007     l_v_adjst = l_v_acctax -
l_v_stax.
7008 * Tax Difference Adjustment logic
7009 CLEAR: l_v_cline.
7010 DESCRIBE TABLE l_i_cdata
7011 LINES l_v_cline.
7012     l_v_cline = l_v_cline -
1.
7012 READ TABLE l_i_cdata ASS
IGNING <l_fs_data>
7013 IND
EX l_v_cline.
7014 IF sy-subrc IS INITIAL.
7015     <l_fs_data>-value = <l_
fs_data>-value +
7016     l_v_adjst.
7017 ENDIF.
7018 ENDIF.
7019 " Add Tax amount in case o
f Tax Exclusive
7020 IF <l_fs_dhdr>-pay_type EQ
c_one
7021 AND <l_fs_dhdr>-cal_type
EQ c_one. "++MOD-010
7022     l_v_acctax.
7023     "Begin of changes by S20
4711 MOD-014
7024     ype EQ c_two
ELSEIF ( <l_fs_dhdr>-cal_t
7025     ype EQ c_thr ).
OR <l_fs_dhdr>-cal_t
7026     l_v_acctax.
l_v_famnt = l_v_famnt +
7027     IF <l_fs_dhdr>-tax_ind I
S NOT INITIAL.
7028     l_wa_final-kbrue = l_v
_famnt.
7029 ENDIF.
7030     "End of changes by S2047
11 MOD-014
7031 ELSE.
7032     IF <l_fs_dhdr>-tax_ind I
S INITIAL.
7033     l_v_famnt = l_v_famnt
+ l_v_acctax.
7034 ENDIF.
7035 ENDIF. "++MOD-010
7036 * ENDIF. "—MOD-017
7037 ENDIF. "++MOD-007
7038 * Post Accounting document
7039
7040 PERFORM f_call_bapi USING l_

```

```

7041 wa_hdr
7042 i_accountgl
7043 i_accrec
7044 i_curr
7045 i_acctax
7046 _fs_dhdr> "++MOD-026
7047 l_v_message
7048 l_v_dinfo.
7049 .
7050 IF v_eflag IS INITIAL.
7051 IF l_i_fname[] IS NOT INIT
7052 IAL.
7053 SORT l_i_fname.
7054 DELETE ADJACENT DUPLICAT
7055 ES FROM l_i_fname.
7056 * Post COPA Items
7057 eln.
7058 o+0(10).
7059 _data TRANSPORTING value
7060 ldname EQ c_rbeln.
7061 l_i_cdata
7062 l_i_fname
7063 l_v_message.
7064 ge.
7065 me[],
7066 .
7067 ++MOD-022
7068 .
7069 al TRANSPORTING msg
7070 nat EQ l_wa_final-monat
7071 hr EQ l_wa_final-gjahr
7072 rs EQ <l_fs_ditem>-bukrs "++MOD-004
7073 ma EQ <l_fs_dhdr>-knuma.
7074 *

```

l_wa_final-msg = l_v_message

CHANGING

IF v_eflag IS INITIAL.
IF l_i_fname[] IS NOT INIT
SORT l_i_fname.
DELETE ADJACENT DUPLICAT
ENDIF.

CLEAR: l_wa_data.
l_wa_data-fieldname = c_rb
l_wa_data-value = l_v_dinf
MODIFY l_i_cdata FROM l_wa
WHERE fie
PERFORM f_post_copa USING

CHANGING

l_wa_final-msg = l_v_messa
CLEAR: l_i_cdata[], l_i_fna
l_i_selc[], l_v_cnt
l_v_post = abap_true. "

ENDIF.
MODIFY i_final FROM l_wa_fin
WHERE mo
AND gja
AND buk
AND knu

l_wa_final-kbrue = l_v_famnt.

```

7075
7076
7077
7078
MOD-022 ++
7079
7080
ne
7081
_one. "++MOD-005
7082
+MOD-005
7083
OD-005
7084
7085
7086
7087
7088
7089
ROM l_i_fname.
7090
* Begin of changes by S204711 for DME month end defect 9000004791 MOD
-002
7091
7092
ROM l_i_selc
7093
7094
* End of changes by S204711 for DME month end defect 9000004791 MOD-0
02
7095
7096
_i_cdata
7097
_i_selc
7098
_i_fname
7099
v_message.
7100
. "++MOD-020
7101
7102
7103
ge.
7104
"++MOD-020
7105
[], l_i_selc[],
7106
7107
7108
7109
7110
INITIAL.
7111
7112
7113
l_i_selc[],
7114
7115
7116

```

```

7117
7118             IF l_v_skip IS INITIAL.
7119                 IF rb_post IS NOT INITIAL.
7120                     IF v_eflag IS INITIAL.
7121 *             IF l_v_lstop IS INITIAL.
7122 * BAPI Commit if there is no error
7123             CALL FUNCTION 'BAPI_TRANSACT
              ION_COMMIT'
              EXPORTING
                wait = abap_true.
7124
7125             IF rb_sale IS INITIAL.
7126                 l_wa_final-fi_doc = l_v_di
7127 nfo(10).
7128             MODIFY i_final FROM l_wa_f
              inal TRANSPORTING fi_doc
              WHERE monat
7129 EQ l_wa_final-monat
              AND gjahr
7130 EQ l_wa_final-gjahr
              AND buhrs
7131 EQ <l_fs_ditem>-bukrs "++MOD-004
              AND knuma
7132 EQ <l_fs_dhdr>-knuma.
7133
7134             ENDIF.
7135 *             ENDIF.
7136 * Get items count
7137
7138             IF rb_sale IS INITIAL.
7139                 l_v_excl = abap_true.
7140             ELSE.
7141                 IF <l_fs_dhdr>-cross_ind I
              AND <l_fs_ditem>-bukrs EQ
7142                 CLEAR: l_v_blines.
7143                 DESCRIBE TABLE l_i_sdite
              m LINES l_v_blines.
7144                 IF l_v_blines EQ l_v_pin
              dex.
7145                     l_v_excl = abap_true.
7146                 ENDIF.
7147             ELSE.
7148                 IF l_v_tlines EQ l_v_pin
              dex.
7149                     l_v_excl = abap_true.
7150                 IF l_v_item IS NOT INIT
              IAL.
7151 *                     CLEAR: l_v_excl.
7152 *                     ENDIF.
7153                 ENDIF.
7154                 ENDIF. "++MOD-009
7155             ENDIF.
7156             IF l_v_excl IS NOT INITIAL.
7157 *             CLEAR: l_v_item.
7158                 IF l_v_item IS INITIAL.
7159                     l_v_item = l_v_lines + 1
              .
7160             ELSE.
7161                 l_v_item = l_v_item + 1.
7162             ENDIF.
7163

```

```

7164 item>-knuma. l_wa_ditem-knuma = <l_fs_d
7165 . l_wa_ditem-item = l_v_item
7166 item>-bukrs. l_wa_ditem-bukrs = <l_fs_d
7167 IF rb_sale IS INITIAL.
7168 * IF <l_fs_dhdr>-pay_period
EQ c_cter. "—MOD-010
7169 * l_wa_ditem-sched_dat =
<l_fs_ditem>-sched_dat.
7170 * ELSE.
7171 "Begin of changes by S20
4711 MOD-007
7172 * IF <l_fs_dhdr>-pay_type
EQ c_thr.
7173 * CLEAR: l_v_cutd.
7174 * l_v_lmon = <l_fs_dhdr
>-pay_period.
7175 * " Get the cutoff date
7176 * CALL FUNCTION 'BKK_AD
D_MONTH_TO_DATE'
7177 * EXPORTING
7178 * months = l_v_lmo
n
7179 * olddate = <l_fs_d
item>-sched_dat
7180 * IMPORTING
7181 * newdate = l_v_cut
d.
7182 * l_wa_ditem-sched_dat
7183 = l_v_cutd.
7184 * ELSE.
7185 "End of changes by S2047
11 MOD-007
7186 l_wa_ditem-sched_dat = l
_v_lastd.
7187 * ENDIF. "—MOD-007
7188 * ENDIF. "—MOD-010
7189 ENDIF.
7190 l_wa_ditem-tar_unit = <l_f
s_ditem>-tar_unit.
7191 l_wa_ditem-vkbur = <l_fs_d
item>-vkbur.
7192 l_wa_ditem-cross_typ = <l_
fs_ditem>-cross_typ.
7193 * Begin of changes by S204711 for DME month end defect 9000004787 MOD
-001
7194 * l_wa_ditem-compl = <l_fs_ditem>
-compl.
7195 * IF l_v_lstop IS NOT INITIAL.
7196 * l_wa_ditem-lsastop = abap_tru
e.
7197 * ENDIF.
7198 * End of changes by S204711 for DME month end defect 9000004787 MOD-0
01
7199 IF rb_sale IS INITIAL.
7200 l_wa_ditem-lsa_doc = l_v
_dinfo(10).
7201 l_wa_ditem-mwskz = v_mws

```

```

7202      kz.                                l_wa_ditem-act_amnt = l_
7203      v_famnt.                            IF <l_fs_dhdr>-cal_type
7204      EQ c_two                            OR <l_fs_dhdr>-cal_type
7205      EQ c_thr.                          l_wa_ditem-act_vol = l
7206      _v_dquan.                          ENDIF.
7207
7208      9005197 | MOD-038                  "BOC | 19-Aug-2025 | EJX
7209      true AND                            IF l_v_ppay_flag = abap_
7210      _val.                              l_v_dquan = l_c_dummy
7211      _c_dummy_zero.                    l_wa_ditem-act_vol = l
7212
7213      CLEAR: l_v_ppay_flag.              ENDIF.
7214      9005197 | MOD-038                  "EOC | 19-Aug-2025 | EJX
7215
7216      * Begin of changes by S204711 for DME month end defect 9000004787 MOD
7217      -001                                IF l_v_lstop IS NOT INIT
7218      IAL.                                l_wa_ditem-lsastop =
7219      abap_true.                          l_wa_ditem-compl = aba
7220      p_true."++MOD-010                  ENDIF.
7221      * End of changes by S204711 for DME month end defect 9000004787 MOD-0
7222      01                                ENDIF.
7223      INITIAL. "++MOD-011                IF l_wa_hdr-pstng_date IS
7224      astd.                                l_wa_ditem-budat = l_v_l
7225
7226      hdr-pstng_date.                    ELSE. "++MOD-011
7227
7228      * Update custom Table with status   l_wa_ditem-budat = l_wa_
7229
7230      _sales.'"91'Sales                  ENDIF. "++MOD-011
7231
7232      astd. "++MOD-008                    IF rb_sale IS NOT INITIAL.
7233      _v_lastd."++MOD-008                l_wa_ditem-tran_type = c
7234      TIAL. "++MOD-020                    l_wa_ditem-budat = l_v_l
7235      * Populate message if no sales found for dealer/Bottler account   l_wa_ditem-sched_dat = l
7236      text-045.                          IF l_v_nosale IS NOT INI
7237
7238      "++MOD-020                          l_wa_ditem-app_comm =
7239
7240      "BOC | MOD-032 | EJX9005

```

```

197 | 09-Dec-2024
7239 IF l_v_kcheck IS NOT INI
TIAL.
7240 l_wa_ditem-app_comm =
text-047.
7241 CLEAR l_v_kcheck.
7242 ENDIF.
7243 "E0C | MOD-032 | EJX9005
197 | 09-Dec-2024
7244 ELSE.
7245 IF <l_fs_dhdr>-pay_type
EQ c_one.
7246 * OR <l_fs_dhdr>-pay_type EQ
c_two.
7247 l_wa_ditem-tran_type =
c_amort.'"04'-Amort.
7248 ELSE.
7249 l_wa_ditem-tran_type =
c_accr.'"03'-Accrual
7250 ENDIF.
7251 l_wa_ditem-inv_reg_num =
7252 <l_fs_dhdr>-inv_reg_nu
m. "++MOD-026
7253 ENDIF.
7254 l_wa_ditem-zernam = sy-una
7255 l_wa_ditem-zersda = sy-dat
7256 l_wa_ditem-zerzzt = sy-tim
7257 * Begin of changes by S204711 for DME month end defect 9000004787 MOD
-001
7258 IF rb_sale IS INITIAL.
7259 IF l_v_lstop IS NOT INIT
IAL.
7260 * Update Header Table with LSA STOP indicator
7261 "Begin of changes by S
204711 MOD-010
7262 CLEAR: l_v_hstop.
7263 IF <l_fs_dhdr>-cross_i
nd IS NOT INITIAL
7264 AND <l_fs_dhdr>-pay_ty
pe EQ c_one.
7265 IF l_i_uditem IS NOT
INITIAL.
7266 READ TABLE l_i_udi
tem WITH KEY buhrs = <l_fs_dhdr>-bukrs
7267 compl = abap_true
7268 TRANSPORTING NO FIELDS.
7269 IF sy-subrc IS NOT
INITIAL.
7270 l_v_hstop = abap
_true.
7271 ENDIF.
7272 ELSE.
7273 READ TABLE l_i_dit
em WITH KEY buhrs = <l_fs_ditem>-bukrs
7274 compl = abap_true

```


7275	FIELDS.	TRANSPORTING NO
7276	INITIAL.	IF sy-subrc IS NOT
7277	_true.	l_v_hstop = abap
7278	s by S204711 MOD-014	"Begin of change
7279	ukrs EQ <l_fs_ditem>-bukrs.	IF <l_fs_dhdr>-b
7280	_ditem WITH KEY bukrs = <l_fs_dhdr>-sub_bukrs	READ TABLE l_i
7281	compl = abap_true	
7282	0 FIELDS.	TRANSPORTING N
7283	INITIAL.	IF sy-subrc IS
7284	stop.	CLEAR: l_v_h
7285		ENDIF.
7286		ELSE.
7287	_ditem WITH KEY bukrs = <l_fs_dhdr>-main_bukrs	READ TABLE l_i
7288	compl = abap_true	
7289	FIELDS.	TRANSPORTING NO
7290	INITIAL.	IF sy-subrc IS
7291	stop.	CLEAR: l_v_h
7292		ENDIF.
7293		ENDIF.
7294	by S204711 MOD-014	"End of changes
7295		ENDIF.
7296		ENDIF.
7297		ENDIF.
7298	L.	IF l_v_hstop IS INITIA
7299	204711 MOD-010	"End of changes by S
7300	_fs_dhdr>-knuma.	CLEAR: l_wa_thdr.
7301	= <l_fs_dhdr>-start_date. "++MOD-007	l_wa_thdr-knuma = <l
7302	ap_true.	l_wa_thdr-start_date
7303	t = l_wa_hdr-pstng_date.	l_wa_thdr-compl = ab
7304	S204711 MOD-007	l_wa_thdr-lsastop_da
7305		"Begin of changes by
7306		ENDIF.
7307		ELSE. "++MOD-008
7308	e EQ c_one.	IF <l_fs_dhdr>-pay_typ
7309	v_stdatt, l_wa_thdr.	CLEAR: l_v_scdatt, l_
7310		l_wa_thdr-knuma = <l

```

_fs_dhdr>-knuma.
7311      1.                                l_v_scdat = v_last +
7312      date                             " get the month end
7313      ST_DAY_OF_MONTHS'                CALL FUNCTION 'RP_LA
7314                                         EXPORTING
7315      = l_v_scdat                        day_in
7316                                         IMPORTING
7317      h = l_v_stdatt                     last_day_of_mont
7318                                         EXCEPTIONS
7319                                         ##FM_SUBRC_OK
7320                                         day_in_no_date
7321      = 1                                OTHERS
7322      = 2.
7323                                         l_wa_thdr-start_date
7324                                         ENDIF.
7325      ENDIF. "++MOD-008
7326      "Begin of changes by S20
7327      "Update Header start date
7328      " it can be considered for
7329      * IF <l_fs_dhdr>-cal_type
7330      IF <l_fs_dhdr>-pay_perio
7331      l_wa_thdr-knuma = <l_f
7332      l_wa_thdr-start_date =
7333      ENDIF.
7334      "End of changes by S2047
7335      IF l_wa_thdr IS NOT INIT
7336      "End of changes by S20
7337      PERFORM f_upd_h tab USING
7338      CLEAR: l_wa_thdr.
7339      ENDIF.
7340      IF <l_fs_dhdr>-cross_ind
7341      AND <l_fs_dhdr>-pay_type
7342      APPEND l_wa_ditem TO l
7343      _i_uditem. "++MOD-010
7344      ENDIF.
7345      * End of changes by S204711 for DME month end defect 9000004787 MOD-0
7346      01
7347      PERFORM f_upd_tab USING l_
7348      wa_ditem.

```

```

7347 CLEAR: l_wa_ditem.
7348 ENDIF.
7349 CLEAR: l_v_excl.
7350 ELSE.
7351 IF l_v_post IS NOT INITIAL.
    "++MOD-022
7352 CALL FUNCTION 'BAPI_TRANSA
CTION_ROLLBACK'.
7353 ENDIF.
    "++MOD-022
7354 ENDIF.
7355 ENDIF.
7356 * APPEND l_wa_final TO i_final.
7357 ENDIF.
7358 APPEND l_wa_final TO i_final.
7359 CLEAR: l_wa_final,v_eflag, l_v_mes
7360 sage,
7361 l_wa_hdr,l_i_accountgl[],l_
7362 i_accrec[],
7363 l_i_curr[], l_v_accper, l_w
7364 a_sfina1,
7365 l_v_amnt,l_v_csamnt,l_v_lsa
7366 mnt,
7367 l_v_gaamnt,l_wa_copa, l_v_t
7368 otval,
7369 l_v_dinfo,l_v_camnt, l_v_ex
7370 cl,
7371 l_r_brand[], l_r_pack[], l_
7372 r_flvo[],
7373 l_r_subc[], l_r_artnr[], l_
7374 _r_ipack[], l_r_iflvo[], l
7375 _r_isubc[],
7376 l_r_iartnr[], l_v_matd, l_v
7377 _skip,
7378 l_v_katr3, l_v_pindex, l_v_
7379 csval,
7380 l_v_lsval,l_v_gaval, l_v_it
7381 ax,
7382 l_v_etax, l_i_acctax[], l_v
7383 _mdays,
7384 l_v_blines, l_v_adat, l_v_a
7385 djst,
7386 l_v_tcopa,
7387 l_v_post, "++MOD-022
7388 l_v_lstop. "++ MOD-038
7389 ENDIF.
7390 ENDIF. "++MOD-004
7391 ELSE.
7392 IF <l_fs_dhdr>-cross_ind IS NOT INITIA
7393 L.
7394 l_v_pskip = abap_true.
7395 ENDIF.
7396 ENDIF. "++MOD-010
7397 ENDIF.
7398 CLEAR: l_v_tamnt, l_v_nvtax. "++ MOD-031
7399 ENDLOOP.
7400 CLEAR: l_v_tindex, l_v_famnt, l_v_exit,
7401 i_ftaxd[], l_v_pskip, "++MOD-008
7402 l_i_cdata[], l_i_fname[], l_i_selc[]

```

""MOD-022

```

7390             ENDIF.
7391             "Begin of changes by S204711    MOD-007
7392             ELSE.
7393                 l_v_tupd = abap_true. ""MOD-010
7394             ENDIF.
7395             IF l_v_tupd IS NOT INITIAL.
7396                 IF rb_post IS NOT INITIAL.
7397                     "Begin of changes by S204711    MOD-011
7398                     CLEAR: l_v_nodat.
7399                     READ TABLE i_final ASSIGNING <l_fs_final>
7400                         WITH KEY bukrs = <l_fs_dh
dr>-bukrs
7401                         sched_dat = l_v_
lastd
7402                         knuma = <l_fs_dh
dr>-knuma.
7403                 IF sy-subrc IS INITIAL.
7404                     IF l_v_nodeal IS INITIAL. ""MOD-020
7405                         IF <l_fs_final>-kbrue IS INITIAL.
7406                             <l_fs_final>-msg = text-042.
7407                         ENDIF.
7408                         l_v_nodat = abap_true.
7409                     ENDIF. ""MOD-020
7410                 ENDIF.
7411                 IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
7412                     READ TABLE i_final ASSIGNING <l_fs_final>
7413                         WITH KEY bukrs = <l_fs_
dhdr>-sub_bukrs
7414                         sched_dat = l_v_
lastd
7415                         knuma = <l_fs_dh
dr>-knuma.
7416                 IF sy-subrc IS INITIAL.
7417                     IF l_v_nodeal IS INITIAL. ""MOD-020
7418                         IF <l_fs_final>-kbrue IS INITIAL.
7419                             <l_fs_final>-msg = text-042.
7420                         ENDIF.
7421                         l_v_nodat = abap_true.
7422                     ENDIF. ""MOD-020
7423                 ENDIF.
7424             ENDIF.
7425             IF l_v_nodat IS INITIAL.
7426                 "End of changes by S204711    MOD-011
7427                 IF <l_fs_dhdr>-cal_type <> c_one
7428                     OR l_v_nodeal IS NOT INITIAL. ""MOD-02
0
7429                 IF l_v_item IS INITIAL.
7430                     l_v_item = l_v_lines + 1.
7431                 ELSE.
7432                     l_v_item = l_v_item + 1.
7433                 ENDIF.
7434                 l_wa_ditem-knuma = <l_fs_dhdr>-knuma.
7435                 l_wa_ditem-item = l_v_item.
7436                 l_wa_ditem-sched_dat = l_v_lastd.
7437                 l_wa_ditem-bukrs = <l_fs_dhdr>-bukrs.
7438                 l_wa_ditem-budat = l_v_lastd. ""MOD-008
7439                 IF rb_sale IS NOT INITIAL.
7440                     l_wa_ditem-tran_type = c_sales.'"91'Sa
les
7441             * Begin of changes by S204711    MOD-020

```

```

7442             IF l_v_nodeal IS NOT INITIAL.
7443 * Populate message if no dealer found for Bottler acc. code
7444             l_wa_ditem-app_comm = text-044.
7445             ENDIF.
7446 * End of changes by S204711             MOD-020
7447         ELSE.
7448             IF <l_fs_dhdr>-pay_type EQ c_one.
7449                 l_wa_ditem-tran_type = c_amort.'"04'
- Amort.
7450             ELSE.
7451                 l_wa_ditem-tran_type = c_accrui.'"03'
- Accrual
7452             ENDIF.
7453             l_wa_ditem-inv_reg_num =
7454                 <l_fs_dhdr>-inv_reg_num. "++MOD
-026
7455         ENDIF.
7456         l_wa_ditem-zernam = sy-uname.
7457         l_wa_ditem-zersda = sy-datlo.
7458         l_wa_ditem-zerzzt = sy-timlo.
7459         IF rb_sale IS INITIAL.
7460             IF <l_fs_dhdr>-pay_type EQ c_one.
7461                 CLEAR: l_v_scdat, l_v_stdatt, l_wa_thdr
r.
7462                 l_wa_thdr-knuma = <l_fs_dhdr>-knuma.
7463                 l_v_scdat = v_last + 1.
7464                 "get the month end date
7465                 CALL FUNCTION 'RP_LAST_DAY_OF_MONTHS
,
7466                 EXPORTING
7467                     day_in                = l_v_scdat
7468                 IMPORTING
7469                     last_day_of_month = l_v_stdatt
7470                 EXCEPTIONS
7471                     ##FM_SUBRC_OK
7472                     day_in_no_date      = 1
7473                     OTHERS              = 2.
7474
7475                 l_wa_thdr-start_date = l_v_stdatt.
7476             ENDIF.
7477             IF l_wa_thdr IS NOT INITIAL.
7478                 "End of changes by S204711             MOD
-007
7479                 PERFORM f_upd_htab USING l_wa_thdr.
7480                 CLEAR: l_wa_thdr.
7481             ENDIF.
7482         ENDIF.
7483         PERFORM f_upd_tab USING l_wa_ditem.
7484         "Begin of changes by S204711             MOD-010
7485         IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
7486             l_v_item = l_v_item + 1.
7487             l_wa_ditem-item = l_v_item.
7488             l_wa_ditem-bukrs = <l_fs_dhdr>-sub_buk
rs.
7489             PERFORM f_upd_tab USING l_wa_ditem.
7490         ENDIF.
7491         "End of changes by S204711             MOD-010
7492         CLEAR: l_wa_ditem.
7493         "BOC | 11-Mar-2025 | EJX9005197 | MOD-03
3
7494         ELSE.

```

```

7495 IF <l_fs_dhdr>-pay_type EQ c_one AND
7496 <l_fs_dhdr>-cal_type EQ c_one.
7497 IF <l_fs_kona>-datbi+0(6) EQ l_v_lastd
+0(6).
7498 IF l_v_item IS INITIAL.
7499 l_v_item = l_v_lines + 1.
7500 ELSE.
7501 l_v_item = l_v_item + 1.
7502 ENDIF.
7503 l_wa_ditem-knuma = <l_fs_dhdr>-knuma
.
7504 l_wa_ditem-item = l_v_item.
7505 l_wa_ditem-sched_dat = l_v_lastd.
7506 l_wa_ditem-bukrs = <l_fs_dhdr>-bukrs
.
7507 l_wa_ditem-budat = l_v_lastd.
7508 IF rb_sale IS INITIAL.
7509 l_wa_ditem-tran_type = c_amort.'"0
4'-Amort.
7510 l_wa_ditem-compl = abap_true.
7511 l_wa_ditem-zernam = sy-uname.
7512 l_wa_ditem-zersda = sy-datlo.
7513 l_wa_ditem-zerzst = sy-timlo.
7514 CLEAR: l_wa_thdr.
7515 l_wa_thdr-knuma = <l_fs_dhdr>-knum
a.
7516 l_wa_thdr-compl = abap_true.
7517 l_wa_thdr-start_date = v_last.
7518 PERFORM f_upd_htab USING l_wa_thdr
.
7519 PERFORM f_upd_tab USING l_wa_ditem
.
7520 CLEAR :l_wa_thdr, l_wa_ditem.
7521 ENDIF.
7522 ENDIF.
7523 ENDIF.
7524 "EOC | 11-Mar-2025 | EJX9005197 | MOD-03
3
7525 ENDIF.
7526 IF l_v_nodeal IS INITIAL. "++MOD-020
7527 CLEAR: l_wa_final, l_v_message.
7528 l_wa_final-monat = p_monat.
7529 l_wa_final-gjahr = p_gjahr.
7530 l_wa_final-sched_dat = l_v_lastd.
7531 "Begin of changes by S204711 MOD-011
7532 * l_wa_final-bukrs = <l_fs_dhdr>-bukrs.
7533 IF <l_fs_dhdr>-cross_ind IS INITIAL.
7534 l_wa_final-bukrs = <l_fs_dhdr>-bukrs.
7535 ELSE.
7536 READ TABLE i_final WITH KEY bukrs = <l
_fs_dhdr>-bukrs
7537 sched_dat
= l_v_lastd
7538 knuma = <l
_fs_dhdr>-knuma
7539 TRANSPORTING NO FIELD
S.
7540 IF sy-subrc IS INITIAL.
7541 l_wa_final-bukrs = <l_fs_dhdr>-sub_b
ukrs.
7542 ELSE.

```

```

7543             l_wa_final-bukrs = <l_fs_dhdr>-bukrs
7544
7545             ENDIF.
7546             ENDIF.
7547             "End of changes by S204711 MOD-011
7548             l_wa_final-knuma = <l_fs_dhdr>-knuma.
7549             l_wa_final-msg = text-042.
7550             APPEND l_wa_final TO i_final.
7551             CLEAR: l_wa_final.
7552             ENDIF. "++MOD-020
7553             ENDIF. "++MOD-011
7554             CLEAR: l_v_nodat. "++MOD-011
7555             ELSE.
7556             CLEAR: l_wa_final, l_v_message.
7557             l_wa_final-monat = p_monat.
7558             l_wa_final-gjahr = p_gjahr.
7559             l_wa_final-sched_dat = l_v_lastd.
7560             "Begin of changes by S204711 MOD-011
7561             * l_wa_final-bukrs = <l_fs_dhdr>-bukrs.
7562             CLEAR: l_v_nodat.
7563             READ TABLE i_final ASSIGNING <l_fs_final>
7564             WITH KEY bukrs = <l_fs_dh
dr>-bukrs
7565             sched_dat = l_v_
lastd
7566             knuma = <l_fs_dh
dr>-knuma.
7567             IF sy-subrc IS INITIAL.
7568             IF l_v_nodeal IS INITIAL. "++MOD-020
7569             IF <l_fs_final>-kbrue IS INITIAL.
7570             IF l_v_nosale IS NOT INITIAL. "++MOD-
020
7571             <l_fs_final>-msg = text-045.
7572             ELSE.
7573             <l_fs_final>-msg = text-041.
7574             ENDIF. "++MOD-02
0
7575             ENDIF.
7576             ENDIF. "++MOD-020
7577             l_v_nodat = abap_true.
7578             ELSE.
7579             l_wa_final-bukrs = <l_fs_dhdr>-bukrs.
7580             ENDIF.
7581             IF <l_fs_final> IS ASSIGNED.
7582             UNASSIGN: <l_fs_final>.
7583             ENDIF.
7584             IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
7585             READ TABLE i_final ASSIGNING <l_fs_final>
dr>-sub_bukrs
7586             WITH KEY bukrs = <l_fs_dh
lastd
7587             knuma = <l_fs_dh
dr>-knuma.
7588             IF sy-subrc IS INITIAL.
7589             IF l_v_nodeal IS INITIAL. "++MOD-020
7590             IF <l_fs_final>-kbrue IS INITIAL.
7591             IF l_v_nosale IS NOT INITIAL. "++MO
D-020
7592             <l_fs_final>-msg = text-045.
7593             ELSE.

```

```

7594      <l_fs_final>-msg = text-041.
7595      ENDIF.
020
7596      ENDIF.
7597      ENDIF.
7598      l_v_nodat = abap_true.
7599      ELSE.
7600      l_wa_final-bukrs = <l_fs_dhdr>-sub_bukrs
.
7601      ENDIF.
7602      ENDIF.
7603      IF l_v_nodat IS INITIAL.
7604      "End of changes by S204711 MOD-011
7605      l_wa_final-knuma = <l_fs_dhdr>-knuma.
7606      l_wa_final-msg = text-041.
7607      APPEND l_wa_final TO i_final.
7608      ENDIF.
7609      CLEAR: l_wa_final.
7610      ENDIF.
7611      ENDIF.
7612      "End of changes by S204711 MOD-007
7613      ENDIF.
7614      ENDIF.
7615      ENDIF.
7616      CLEAR: l_v_skip.
7617      IF <l_fs_dhdr>-pay_type EQ c_two.
7618      IF i_sfinal[] IS NOT INITIAL.
7619      EXIT.
7620      ENDIF.
7621      ENDIF.
7622      ENDDO.
7623      ENDIF.
7624      ENDIF.
7625      ENDIF.
7626      CLEAR: l_r_knuma, l_v_tlines, v_dbg1, "v_crg1, "MOD-003
7627      v_mwskz, l_v_item, l_v_lines, l_v_vfield,
7628      l_v_acctax, l_v_stax, l_v_aquan, l_v_dquan,
7629      "i_custd[], "MOD-004
7630      i_matd[], i_rated[], i_rval[],
7631      v_mwskz1, "MOD-004
7632      i_ftaxd[], l_v_tupd, "MOD-007
7633      l_v_nodeal, l_v_nosale. "MOD-020
7634      ELSE.
7635      CLEAR: l_wa_final, l_v_message.
7636      l_wa_final-monat = p_monat.
7637      l_wa_final-gjahr = p_gjahr.
7638      l_wa_final-knuma = <l_fs_dhdr>-knuma.
7639      MESSAGE s038 WITH <l_fs_dhdr>-knuma INTO
7640      l_wa_final-msg.
7641      APPEND l_wa_final TO i_final.
7642      CLEAR: l_wa_final.
7643      ENDIF.
7644      ELSE.
7645      CLEAR: l_wa_final, l_v_message.
7646      l_wa_final-monat = p_monat.
7647      l_wa_final-gjahr = p_gjahr.
7648      l_wa_final-knuma = <l_fs_dhdr>-knuma.
7649      CONCATENATE text-039 <l_fs_dhdr>-knuma
7650      INTO l_v_message SEPARATED BY space.
7651      l_wa_final-msg = l_v_message.
7652      APPEND l_wa_final TO i_final.

```



```
7653         CLEAR: l_wa_final.
7654     ENDIF.
7655     ENDLOOP.
7656
7657 ENDIF.
7658
7659
7660 ENDFORM.                " F_PROCESS_DATA
7661 *&-----*
7662 *&         Form   F_DISPLAY_ALV
7663 *&-----*
7664 *         Display ALV
7665 *-----*
7666 FORM f_display_alv .
7667     DATA: l_o_display    TYPE REF TO cl_salv_display_settings,
7668           l_o_functions   TYPE REF TO cl_salv_functions_list.
7669
7670     IF i_final[] IS NOT INITIAL OR i_sfinal[] IS NOT INITIAL.
7671         IF i_sfinal[] IS INITIAL.
7672             *Display the data fetched in ALV output form
7673             TRY .
7674                 CALL METHOD cl_salv_table=>factory
7675                     IMPORTING
7676                         r_salv_table = o_table
7677                     CHANGING
7678                         t_table      = i_final.
7679
7680                 CATCH cx_salv_msg.
7681                     MESSAGE i005 DISPLAY LIKE c_succ.
7682                     "Message display like success
7683                     LEAVE LIST-PROCESSING.
7684             ENDTRY.
7685             * Column settings
7686             PERFORM f_col_desc_file.
7687
7688         ELSE.
7689             *Display the data fetched in ALV output form
7690             TRY .
7691                 CALL METHOD cl_salv_table=>factory
7692                     IMPORTING
7693                         r_salv_table = o_table
7694                     CHANGING
7695                         t_table      = i_sfinal.
7696
7697                 CATCH cx_salv_msg.
7698                     MESSAGE i005 DISPLAY LIKE c_succ.
7699                     "Message display like success
7700                     LEAVE LIST-PROCESSING.
7701             ENDTRY.
7702             * Column settings
7703             PERFORM f_col_desc.
7704         ENDIF.
7705         * Get Object with Global Settings for Display
7706         l_o_display = o_table->get_display_settings( ).
7707
7708         * Set Zebra Pattern
7709         l_o_display->set_stripped_pattern( abap_true ).
7710
7711
7712         * Activate All ALV functions
7713         l_o_functions = o_table->get_functions( ).
```

```

7714     l_o_functions->set_all( abap_true ).
7715     IF rb_othr IS NOT INITIAL.
7716         IF rb_spot IS INITIAL.
7717             PERFORM f_event_link_clk USING o_table.
7718         ENDIF.
7719     ENDIF.
7720 * Method to display ALV
7721     CALL METHOD o_table->display .
7722     ELSE.
7723         MESSAGE s003 DISPLAY LIKE c_err.
7724         "No data found as per selection criteria
7725         LEAVE LIST-PROCESSING.
7726     ENDIF.
7727 ENDFORM.                                " F_DISPLAY_ALV
7728 *&-----*
7729 *&      Form   F_COL_DESC_FILE
7730 *&-----*
7731 * Columns description
7732 *-----*
7733 FORM f_col_desc_file .
7734     DATA: l_v_text TYPE scrtext_l,
7735            l_o_col_tab TYPE REF TO cl_salv_column_table.
7736
7737 *Get Colomns
7738     o_columns = o_table->get_columns( ).
7739     o_columns->set_optimize( ).
7740     o_colmn = o_table->get_columns( ).
7741
7742     TRY.
7743         o_column = o_columns->get_column( c_mon ).
7744         o_column->set_short_text( space ).
7745         CLEAR: l_v_text.
7746         l_v_text = text-003.           "Period
7747         o_column->set_long_text( l_v_text ).
7748         o_column->set_medium_text( space ).
7749
7750         o_column = o_columns->get_column( c_year ).
7751         o_column->set_short_text( space ).
7752         CLEAR: l_v_text.
7753         l_v_text = text-004.           "Fiscal Year
7754         o_column->set_long_text( l_v_text ).
7755         o_column->set_medium_text( space ).
7756
7757         o_column = o_columns->get_column( c_sdat ).
7758         o_column->set_short_text( space ).
7759         CLEAR: l_v_text.
7760         l_v_text = text-005.           "Schedule Date
7761         o_column->set_long_text( l_v_text ).
7762         o_column->set_medium_text( space ).
7763
7764         o_column = o_columns->get_column( c_agre ).
7765         o_column->set_short_text( space ).
7766         CLEAR: l_v_text.
7767         l_v_text = text-006.           "Agreement
7768         o_column->set_long_text( l_v_text ).
7769         o_column->set_medium_text( space ).
7770
7771         o_column = o_columns->get_column( c_litm ).
7772         o_column->set_short_text( space ).
7773         CLEAR: l_v_text.
7774         l_v_text = text-024.           "Condition Item

```

```
7775      o_column->set_long_text( l_v_text ).
7776      o_column->set_medium_text( space ).
7777
7778      o_column = o_columns->get_column( c_tunt ).
7779      o_column->set_short_text( space ).
7780      CLEAR: l_v_text.
7781      l_v_text = text-026.      "Target Unit Class
7782      o_column->set_long_text( l_v_text ).
7783      o_column->set_medium_text( space ).
7784
7785      o_column = o_columns->get_column( c_accrp ).
7786      o_column->set_short_text( space ).
7787      CLEAR: l_v_text.
7788      l_v_text = text-007.      "Accrual Percentage
7789      o_column->set_long_text( l_v_text ).
7790      o_column->set_medium_text( space ).
7791
7792      o_column = o_columns->get_column( c_acquan ).
7793      o_column->set_short_text( space ).
7794      CLEAR: l_v_text.
7795      l_v_text = text-008.      "Accrual Price
7796      o_column->set_long_text( l_v_text ).
7797      o_column->set_medium_text( space ).
7798
7799      o_column = o_columns->get_column( c_csquan ).
7800      o_column->set_short_text( space ).
7801      CLEAR: l_v_text.
7802      l_v_text = text-013.      "QTY-Volume(Case)
7803      o_column->set_long_text( l_v_text ).
7804      o_column->set_medium_text( space ).
7805
7806      o_column = o_columns->get_column( c_lsquan ).
7807      o_column->set_short_text( space ).
7808      CLEAR: l_v_text.
7809      l_v_text = text-014.      "QTY-Volume(Loose)
7810      o_column->set_long_text( l_v_text ).
7811      o_column->set_medium_text( space ).
7812
7813      o_column = o_columns->get_column( c_gaquan ).
7814      o_column->set_short_text( space ).
7815      CLEAR: l_v_text.
7816      l_v_text = text-015.      "QTY-Volume(Gallon)
7817      o_column->set_long_text( l_v_text ).
7818      o_column->set_medium_text( space ).
7819
7820      o_column = o_columns->get_column( c_ovv506 ).
7821      o_column->set_short_text( space ).
7822      CLEAR: l_v_text.
7823      l_v_text = text-030.      "Sales Tax Exclusive
7824      o_column->set_long_text( l_v_text ).
7825      o_column->set_medium_text( space ).
7826
7827      o_column = o_columns->get_column( c_ovv507 ).
7828      o_column->set_short_text( space ).
7829      CLEAR: l_v_text.
7830      l_v_text = text-031.      "Sales Tax Inclusive
7831      o_column->set_long_text( l_v_text ).
7832      o_column->set_medium_text( space ).
7833
7834      o_column = o_columns->get_column( c_val ).
7835      o_column->set_short_text( space ).
```

```

7836 CLEAR: l_v_text.
7837 l_v_text = text-010.      "Accural Amount
7838 o_column->set_long_text( l_v_text ).
7839 o_column->set_medium_text( space ).
7840
7841 IF rb_sale IS INITIAL.
7842   o_column = o_columns->get_column( c_fdoc ).
7843   o_column->set_short_text( space ).
7844   CLEAR: l_v_text.
7845   l_v_text = text-029.      "Accounting Doc
7846   o_column->set_long_text( l_v_text ).
7847   o_column->set_medium_text( space ).
7848   "Setting hotspot
7849   TRY.
7850     l_o_col_tab ?= o_colmn->get_column( c_fdoc ).
7851     CATCH cx_salv_not_found.      "#EC NO_HANDLER
7852   ENDTRY.
7853   IF l_o_col_tab IS NOT INITIAL.
7854     TRY.
7855       CALL METHOD l_o_col_tab->set_cell_type
7856         EXPORTING
7857           value = if_salv_c_cell_type=>hotspot.
7858     CATCH cx_salv_data_error .      "#EC NO_HANDLER
7859   ENDTRY.
7860   ENDIF.
7861   ENDIF.
7862   o_column = o_columns->get_column( c_msg ).
7863   o_column->set_short_text( space ).
7864   CLEAR: l_v_text.
7865   l_v_text = text-011.      "Message
7866   o_column->set_long_text( l_v_text ).
7867   o_column->set_medium_text( space ).
7868
7869 IF rb_sale IS NOT INITIAL.
7870   TRY.
7871     l_o_col_tab ?= o_colmn->get_column( c_fdoc ).
7872     l_o_col_tab->set_visible( value = if_salv_c_bool_sap=>false
7873   ).
7874   CATCH cx_salv_not_found.      "#EC NO_HANDLER
7875   ENDTRY.
7876   ENDIF.
7877 * Error in displaying ALV
7878   CATCH cx_salv_not_found.
7879     MESSAGE e005.
7880   ENDTRY.
7881 ENDFORM.      " F_COL_DESC_FILE
7882 *&-----*
7883 *&      Form F_FILL_HDR
7884 *&-----*
7885 * Fill Header
7886 *-----*
7887 FORM f_fill_hdr USING fp_kona TYPE ty_kona
7888   CHANGING fp_wa_hdr TYPE bapiache09."header data
7889
7890   fp_wa_hdr-username = sy-uname.
7891   fp_wa_hdr-comp_code = p_bukrs.
7892   fp_wa_hdr-doc_date = sy-datlo.
7893   IF p_budat IS INITIAL.
7894     fp_wa_hdr-pstng_date = v_last.
7895   ELSE.

```

```

7896     fp_wa_hdr-pstng_date = p_budat.
7897 ENDIF.
7898     fp_wa_hdr-doc_type = c_dtyp. "'GR'-DME Accrual
7899     fp_wa_hdr-ref_doc_no = fp_kona-knuma.
7900
7901 ENDFORM.                                " F_FILL_HDR
7902 *&-----*
7903 *&      Form   F_FILL_ACCGL
7904 *&-----*
7905 *      Account Debit Line
7906 *-----*
7907 FORM f_fill_accgl USING      fp_kona TYPE ty_kona
7908                             fp_dhdr TYPE ty_dhdr
7909                             fp_ditem TYPE ty_ditem "++MOD-004
7910                             fp_v_famnt TYPE /ccej/rtr_tot
7911                             fp_v_txadj TYPE char1 "++MOD-007
7912                             CHANGING fp_i_accountgl TYPE bapiacgl09_tab
7913                             fp_i_curr TYPE bapiaccr09_tab
7914                             fp_i_acctax TYPE bapiactx09_tab "++MOD-007
7915                             fp_v_acctax TYPE /ccej/rtr_tot "++MOD-007
7916                             fp_v_mamnt TYPE /ccej/rtr_tot. "++MOD-008
7917
7918 * Local data declarations
7919 DATA: l_wa_accgl TYPE bapiacgl09, "G/L account item WA
7920       l_wa_curr TYPE bapiaccr09, "Currency Items WA
7921       l_v_lines TYPE posnr_acc, "Item "++MOD-007
7922       l_wa_acctax TYPE bapiactx09. "Tax workarea
7923 "Begin of changes by S204711          MOD-007
7924 FIELD-SYMBOLS: <l_fs_taxd> TYPE ty_taxd.
7925
7926 IF fp_v_txadj IS INITIAL.
7927     "End of changes by S204711          MOD-007
7928 * GL line item
7929     l_wa_accgl-itemno_acc = 1.
7930     l_wa_accgl-gl_account = v_dbgl.
7931     l_wa_accgl-item_text = fp_kona-botext.
7932     l_wa_accgl-tax_code = v_mwskz. "++MOD-011
7933     IF fp_ditem-bukrs EQ fp_dhdr-bukrs. "++MOD-004
7934         l_wa_accgl-costcenter = fp_dhdr-main_kostl.
7935     ELSE. "++MOD-004
7936         l_wa_accgl-costcenter = fp_dhdr-sub_kostl.
7937     ENDIF. "++MOD-004
7938     l_wa_curr-itemno_acc = l_wa_accgl-itemno_acc.
7939     APPEND l_wa_accgl TO fp_i_accountgl.
7940     CLEAR: l_wa_accgl.
7941 * Currency line item
7942     l_wa_curr-currency_iso = fp_dhdr-waers.
7943     l_wa_curr-amt_doccur = fp_v_famnt.
7944     l_wa_curr-amt_base = fp_v_famnt.
7945     APPEND l_wa_curr TO fp_i_curr.
7946     CLEAR: l_wa_curr.
7947     "Begin of changes by S204711          MOD-007
7948 ELSE.
7949     CLEAR: l_wa_accgl, l_wa_curr, l_v_lines.
7950     DESCRIBE TABLE fp_i_curr LINES l_v_lines.
7951     LOOP AT i_ftaxd ASSIGNING <l_fs_taxd>.
7952 * GL line item
7953     l_wa_accgl-itemno_acc = l_v_lines + 1.
7954     l_wa_accgl-gl_account = v_dbgl.
7955     l_wa_accgl-item_text = fp_kona-botext.
7956     l_wa_accgl-tax_code = <l_fs_taxd>-vkaus+1(2). "++MOD-011

```

```

7957     IF fp_ditem-bukrs EQ fp_dhdr-bukrs. "++MOD-004
7958         l_wa_accgl-costcenter = fp_dhdr-main_kostl.
7959     ELSE. "++MOD-004
7960         l_wa_accgl-costcenter = fp_dhdr-sub_kostl.
7961     ENDIF. "++MOD-004
7962     l_wa_curr-itemno_acc = l_wa_accgl-itemno_acc.
7963     APPEND l_wa_accgl TO fp_i_accountgl.
7964 *     CLEAR: l_wa_accgl.
7965 * Currency line item
7966     l_wa_curr-currency_iso = fp_dhdr-waers.
7967     l_wa_curr-amt_doccur = <l_fs_taxd>-txamnt.
7968     l_wa_curr-amt_base = <l_fs_taxd>-txamnt.
7969     APPEND l_wa_curr TO fp_i_curr.
7970     CLEAR: l_wa_curr.
7971     l_wa_curr-itemno_acc = l_wa_accgl-itemno_acc + 1.
7972     l_wa_acctax-itemno_acc = l_wa_curr-itemno_acc.
7973     l_wa_curr-currency = c_curr.
7974     l_wa_curr-amt_doccur = <l_fs_taxd>-txtax.
7975     l_wa_curr-amt_base = <l_fs_taxd>-txamnt.
7976     APPEND l_wa_curr TO fp_i_curr.
7977     CLEAR: l_wa_curr.
7978     l_wa_acctax-tax_code = <l_fs_taxd>-vkaus+1(2).
7979     APPEND l_wa_acctax TO fp_i_acctax.
7980     CLEAR: l_wa_acctax.
7981     fp_v_acctax = fp_v_acctax + <l_fs_taxd>-txtax.
7982     fp_v_mamnt = fp_v_mamnt + <l_fs_taxd>-txamnt.
7983     l_v_lines = l_wa_accgl-itemno_acc + 1.
7984     CLEAR: l_wa_accgl.
7985     ENDLOOP.
7986     ENDIF.
7987     "End of changes by S204711          MOD-007
7988     CLEAR: l_wa_accgl.
7989
7990     ENDFORM.          " F_FILL_ACCGL
7991 *&-----*
7992 *&          Form  F_FILL_CRGL
7993 *&-----*
7994 *          Fill Credit line
7995 *-----*
7996     FORM f_fill_crgl USING      fp_kona TYPE ty_kona
7997                                fp_lines TYPE i
7998                                fp_dhdr TYPE ty_dhdr
7999                                fp_v_famnt TYPE /ccej/rtr_tot
8000                                fp_v_lastd TYPE sy-datum          "++MOD-001
8001                                fp_v_ftax TYPE /ccej/rtr_tot      "++MOD-001
8002                                fp_v_txadj TYPE char1           "++MOD-007
8003                                fp_v_crgadjst TYPE /ccej/rtr_tot  "++MOD-014
8004                                fp_v_nvtax TYPE char16          "++MOD-026
8005                                fp_v_baseamnt TYPE /ccej/rtr_tot  "++MOD-027
8006                                fp_v_tamnt TYPE char16          "++MOD-027
8007                                CHANGING fp_i_accountgl TYPE bapiacgl09_tab
8008                                fp_i_curr TYPE bapiaccr09_tab
8009                                fp_i_acctax TYPE bapiactx09_tab
8010                                fp_v_acctax TYPE /ccej/rtr_tot.
8011
8012 * Local data declarations
8013     DATA: l_wa_accgl TYPE bapiacgl09, "G/L account item WA
8014           l_wa_curr TYPE bapiaccr09, "Currency Items WA
8015           l_v_tax TYPE /ccej/rtr_tot, "tax amount in doc curr.
8016           l_v_adjst TYPE /ccej/rtr_tot, "MOD-014
8017           l_v_lines TYPE i,          "++MOD-027

```



```
8077             CHANGING fp_i_curr
8078                 fp_i_acctax
8079                 l_v_tax
8080                 fp_v_acctax.
8081     ENDIF."++ MOD-033
8082 *   ENDIF.           "++MOD-001  "—MOD-002
8083 ELSE.
8084
8085     IF fp_v_txadj IS INITIAL. "++MOD-007
8086 *   Begin of changes by S204711      MOD-020
8087         IF fp_dhdr-cal_type EQ c_fixr.
8088             l_v_tax = fp_v_famnt + fp_v_ftax.
8089             fp_v_acctax = fp_v_ftax.
8090 *   Fill tax line items
8091             PERFORM f_cal_itax USING fp_dhdr
8092                                     fp_v_baseamnt "++MOD-027
8093                                     fp_v_tamnt  "++MOD-027
8094             CHANGING fp_i_curr
8095                     fp_i_acctax
8096                     l_v_tax
8097                     fp_v_acctax.
8098 ELSE.
8099 *   End of changes by S204711      MOD-020
8100         IF fp_dhdr-tax_ind IS NOT INITIAL.
8101 *   Fill tax line items
8102             PERFORM f_cal_etax USING fp_dhdr
8103                                     CHANGING fp_i_curr
8104                                             fp_i_acctax
8105                                             l_v_tax
8106                                             fp_v_acctax.
8107 ELSE.
8108 *   Fill tax line items
8109             PERFORM f_cal_itax USING fp_dhdr
8110                                     fp_v_baseamnt "++MOD-027
8111                                     fp_v_tamnt  "++MOD-027
8112             CHANGING fp_i_curr
8113                     fp_i_acctax
8114                     l_v_tax
8115                     fp_v_acctax.
8116
8117         ENDIF.
8118     ENDIF. "++MOD-020
8119 ENDIF.    "++MOD-007
8120
8121 ENDIF.
8122 *   Begin of changes by S204711      MOD-014
8123 IF fp_dhdr-agre_typ EQ c_two
8124 AND fp_v_crgadjst IS NOT INITIAL.
8125     CLEAR: l_v_adjst.
8126     l_v_adjst = fp_v_crgadjst - fp_v_acctax.
8127     l_v_tax = l_v_tax + l_v_adjst.
8128     fp_v_acctax = fp_v_acctax + l_v_adjst.
8129     READ TABLE fp_i_acctax ASSIGNING <l_fs_itax> INDEX 1.
8130     IF sy-subrc IS INITIAL.
8131         READ TABLE fp_i_curr ASSIGNING <l_fs_icurr>
8132         WITH KEY itemno_acc = <l_fs_itax>-itemno_acc.
8133         IF sy-subrc IS INITIAL.
8134             <l_fs_icurr>-amt_doccur = <l_fs_icurr>-amt_doccur + l_v_adjst.
8135         ENDIF.
8136     ENDIF.
8137 ENDIF.
```



```

8138 * End of changes by S204711 MOD-014
8139 * GL line item
8140 IF fp_v_txadj IS INITIAL. "++MOD-007
8141     l_wa_accgl-itemno_acc = fp_lines + 2.
8142 ELSE.
8143     l_wa_accgl-itemno_acc = fp_lines + 1. "++MOD-007
8144 ENDIF. "++MOD-007
8145 * Begin of changes ++MOD-027
8146 READ TABLE fp_i_curr WITH KEY itemno_acc = l_wa_accgl-itemno_acc
8147 TRANSPORTING NO FIELDS.
8148 IF sy-subrc IS INITIAL.
8149     DESCRIBE TABLE fp_i_curr LINES l_v_lines.
8150     CLEAR: l_wa_accgl-itemno_acc.
8151     l_wa_accgl-itemno_acc = l_v_lines + 1.
8152 ENDIF.
8153 * End of changes ++MOD-027
8154 l_wa_accgl-gl_account = v_crgl.
8155 l_wa_accgl-item_text = fp_kona-botext.
8156 l_wa_curr-itemno_acc = l_wa_accgl-itemno_acc.
8157 APPEND l_wa_accgl TO fp_i_accountgl.
8158 CLEAR: l_wa_accgl.
8159 * Currency line item
8160 l_wa_curr-currency_iso = fp_dhdr-waers.
8161 IF l_v_tax IS INITIAL.
8162     l_wa_curr-amt_doccur = fp_v_famnt * -1.
8163     l_wa_curr-amt_base = fp_v_famnt * -1.
8164 ELSE.
8165     l_wa_curr-amt_doccur = l_v_tax * -1.
8166     l_wa_curr-amt_base = l_v_tax * -1.
8167 ENDIF.
8168 APPEND l_wa_curr TO fp_i_curr.
8169 CLEAR:l_wa_curr.
8170
8171 ENDFORM. " F_FILL_CRGL
8172 *&-----*
8173 *& Form F_CALL_BAPI *
8174 *&-----*
8175 * Call BAPI to post documents *
8176 *&-----*
8177 FORM f_call_bapi USING fp_wa_hdr TYPE bapiache09 "Header
8178 fp_i_accountgl TYPE bapiacgl09_tab "Gl lines
8179 fp_i_accrec TYPE bapiacar09_tab "Cust lines
8180 fp_i_curr TYPE bapiaccr09_tab "Curr lines
8181 fp_i_acctax TYPE bapiactx09_tab "Tax lines
8182 fp_dhdr TYPE ty_dhdr "DME Header "++MOD-026
8183 CHANGING fp_v_mess TYPE char255
8184 fp_v_dinfo TYPE symsgv.
8185
8186 *Local data declarations
8187 DATA: l_i_return TYPE STANDARD TABLE OF bapiret2,"Return parameter
8188 l_i_ret TYPE STANDARD TABLE OF bapiret2,"Return parameter
8189 l_wa_extension1 TYPE bapiacextc, "++MOD-026
8190 l_i_extension1 TYPE STANDARD TABLE OF bapiacextc."++MOD-026
8191
8192 * Local Field Symbols
8193 FIELD-SYMBOLS: <l_fs_return> TYPE bapiret2,"Return parameter
8194 <l_fs_ret> TYPE bapiret2."Return parameter
8195
8196 *Begin of changes by S204711 GAP 1000003082-DME Invoice(JCT) Changes
MOD-026
8197 *Pass Inv. Reg. no. to XREF1_HD for Post pay

```

```
8198 IF fp_dhdr-inv_reg_num IS NOT INITIAL.
8199     l_wa_extension1-field2 = c_xrefhd.
8200 * Pass Inv. Reg. no. to XREF1_HD
8201     l_wa_extension1-field3 = fp_dhdr-inv_reg_num.
8202     APPEND l_wa_extension1 TO l_i_extension1.
8203     CLEAR: l_wa_extension1.
8204 ENDIF.
8205 *End of changes by S204711 GAP 1000003082-DME Invoice(JCT) Changes MO
D-026
8206 CLEAR: l_i_return[], l_i_ret.
8207
8208 IF rb_test IS NOT INITIAL.
8209 * Checking the data before bapi posting
8210
8211 " *****Code Remediation changes S4 2025_S Conversion **begin of change b
y EJX9007360 2026.06.09 ATC
8212 * CALL FUNCTION 'BAPI_ACC_DOCUMENT_CHECK'
8213 CALL FUNCTION 'BAPI_ACC_DOCUMENT_CHECK' "#EC CI_USAGE_OK[2438131]
8214 " *****Code Remediation changes S4 2025_S Conversion **end of change by
EJX9007360 2026.06.09 ATC
8215 " *****Code Remediation changes S4 2025_S Conversion **begin of change b
y EJX9007360 2026.06.09 ATC
8216 * EXPORTING
8217 EXPORTING "#EC CI_USAGE_O
K[2628704]
8218 " *****Code Remediation changes S4 2025_S Conversion **end of change by
EJX9007360 2026.06.09 ATC
8219     documentheader = fp_wa_hdr
8220     TABLES
8221     accountgl = fp_i_accountgl
8222     accountreceivable = fp_i_accrec
8223     accounttax = fp_i_acctax
8224     currencyamount = fp_i_curr
8225     extension1 = l_i_extension1 "++MOD-026
8226     return = l_i_return.
8227
8228 ELSEIF rb_post IS NOT INITIAL.
8229 *Accounting: Posting using BAPI_ACC_DOCUMENT_POST
8230
8231 " *****Code Remediation changes S4 2025_S Conversion **begin of change b
y EJX9007360 2026.06.09 ATC
8232 * CALL FUNCTION 'BAPI_ACC_DOCUMENT_POST'
8233 CALL FUNCTION 'BAPI_ACC_DOCUMENT_POST' "#EC CI_USAGE_OK[2438131]
8234 " *****Code Remediation changes S4 2025_S Conversion **end of change by
EJX9007360 2026.06.09 ATC
8235 " *****Code Remediation changes S4 2025_S Conversion **begin of change b
y EJX9007360 2026.06.09 ATC
8236 * EXPORTING
8237 EXPORTING "#EC CI_USAGE_O
K[2628704]
8238 " *****Code Remediation changes S4 2025_S Conversion **end of change by
EJX9007360 2026.06.09 ATC
8239     documentheader = fp_wa_hdr
8240     TABLES
8241     accountgl = fp_i_accountgl
8242     accountreceivable = fp_i_accrec
8243     accounttax = fp_i_acctax
8244     currencyamount = fp_i_curr
8245     extension1 = l_i_extension1 "++MOD-026
8246     return = l_i_return.
8247 ENDIF.
```

```

8248 IF l_i_return IS NOT INITIAL.
8249 * Read return table for error.
8250 * Sort the return tab
8251 SORT l_i_return BY type.
8252 * Read the return table for success.
8253 READ TABLE l_i_return ASSIGNING <l_fs_return>
8254 WITH KEY type = c_succ
8255 BINARY SEARCH.
8256 IF sy-subrc IS INITIAL.
8257 * IF rb_post IS NOT INITIAL.
8258 fp_v_mess = <l_fs_return>-message.
8259 fp_v_dinfo = <l_fs_return>-message_v2.
8260 * ENDIF.
8261 ELSE.
8262 l_i_ret[] = l_i_return[].
8263 v_eflag = abap_true.
8264 SORT l_i_ret BY type id number.
8265 IF fp_v_mess IS INITIAL.
8266 DELETE ADJACENT DUPLICATES FROM l_i_ret
8267 COMPARING type id number.
8268 LOOP AT l_i_ret ASSIGNING <l_fs_ret>
8269 WHERE type = c_err.
8270 CONCATENATE <l_fs_ret>-message fp_v_mess
8271 INTO fp_v_mess SEPARATED BY c_sep. "Comma
8272 ENDLOOP.
8273 IF <l_fs_ret> IS ASSIGNED.
8274 UNASSIGN: <l_fs_ret>.
8275 ENDIF.
8276 ENDIF.
8277 ENDIF.
8278 ENDIF.
8279 ENDFORM. " F_CALL_BAPI
8280 *&-----*
8281 *& Form F_AUTHORIZATION_BUKRS *
8282 *&-----*
8283 * Check authorization for company code
8284 *-----*
8285 FORM f_authorization_bukrs .
8286
8287 * Authorization check for Company code
8288 AUTHORITY-CHECK OBJECT c_object
8289 ID c_bukv FIELD p_bukrs
8290 ID c_activity FIELD c_post.
8291 IF sy-subrc NE 0.
8292 MESSAGE e001 WITH p_bukrs.
8293 ENDIF.
8294 ENDFORM. " F_AUTHORIZATION_BUKRS
8295 *&-----*
8296 *& Form F_POST_COPA *
8297 *&-----*
8298 * Post COPA Items
8299 *-----*
8300 FORM f_post_copa USING fp_i_cdata TYPE tb_cdata
8301 fp_i_fname TYPE tb_fname
8302 CHANGING fp_v_mess TYPE char255.
8303
8304 DATA: l_i_return TYPE STANDARD TABLE OF bapiret2,"Return parameter
8305 l_i_ret TYPE STANDARD TABLE OF bapiret2."Return parameter
8306
8307 FIELD-SYMBOLS: <l_fs_return> TYPE bapiret2,"Return parameter
8308 <l_fs_ret> TYPE bapiret2."Return parameter

```

```

8309
8310 CLEAR: l_i_return[], l_i_ret.
8311
8312 IF fp_i_cdata[] IS NOT INITIAL.
8313
8314     IF rb_test IS NOT INITIAL.
8315         CALL FUNCTION 'BAPI_COPAACTUALS_POSTCOSTDATA'
8316             EXPORTING
8317                 operatingconcern = c_erkrs
8318                 testrun          = abap_true
8319             TABLES
8320                 inputdata        = fp_i_cdata
8321                 fieldlist        = fp_i_fname
8322                 return           = l_i_return.
8323
8324     ELSE.
8325         CALL FUNCTION 'BAPI_COPAACTUALS_POSTCOSTDATA'
8326             EXPORTING
8327                 operatingconcern = c_erkrs
8328                 testrun          = space
8329             TABLES
8330                 inputdata        = fp_i_cdata
8331                 fieldlist        = fp_i_fname
8332                 return           = l_i_return.
8333
8334     ENDIF.
8335     IF l_i_return[] IS NOT INITIAL.
8336         SORT l_i_return BY type.
8337 * Read the return table for success.
8338         READ TABLE l_i_return ASSIGNING <l_fs_return>
8339             WITH KEY type = c_succ
8340             BINARY SEARCH.
8341
8342         IF sy-subrc IS INITIAL.
8343             IF fp_v_mess IS INITIAL.
8344                 fp_v_mess = text-023.
8345             ENDIF.
8346         ELSE.
8347             l_i_ret[] = l_i_return[].
8348             IF <l_fs_return> IS ASSIGNED.
8349                 UNASSIGN: <l_fs_return>.
8350             ENDIF.
8351 * Read the return table for Error.
8352             READ TABLE l_i_return ASSIGNING <l_fs_return>
8353                 WITH KEY type = c_err
8354                 BINARY SEARCH.
8355
8356             IF sy-subrc IS INITIAL.
8357                 v_eflag = abap_true.
8358             ENDIF.
8359             SORT l_i_ret BY type id number.
8360             DELETE ADJACENT DUPLICATES FROM l_i_ret
8361                 COMPARING type id number.
8362 * IF fp_v_mess IS INITIAL. " MOD-022 —
8363     LOOP AT l_i_ret ASSIGNING <l_fs_ret>.
8364         CONCATENATE <l_fs_ret>-type <l_fs_ret>-message fp_v_mess
8365             INTO fp_v_mess SEPARATED BY c_sep. "Comma
8366     ENDLOOP.
8367     IF <l_fs_ret> IS ASSIGNED.
8368         UNASSIGN: <l_fs_ret>.
8369     ENDIF.
8370 * ENDIF. " MOD-022 —
8371 ENDIF.

```

```

8370         IF <l_fs_return> IS ASSIGNED.
8371             UNASSIGN: <l_fs_return>.
8372         ENDIF.
8373     ENDIF.
8374 ENDIF.
8375
8376 ENDFORM.                                " F_POST_COPA
8377 *&-----*
8378 *&         Form   F_SOFF_VALUE
8379 *&-----*
8380 *         F4 Help for sales office field
8381 *-----*
8382 FORM f_soff_value USING fp_rtflld TYPE slis_fieldname ##NEEDED.
8383
8384 DATA:l_i_tvkbzt TYPE STANDARD TABLE OF ty_salesoff,
8385        l_i_return TYPE STANDARD TABLE OF ddshretval,
8386        l_i_dynpread TYPE TABLE OF dynpread,
8387        l_wa_dynpread TYPE dynpread,
8388        l_v_bukrs TYPE bukrs.
8389
8390 FIELD-SYMBOLS:<l_fs_return> TYPE ddshretval,
8391               <l_fs_dynpread> TYPE dynpread.
8392
8393 l_wa_dynpread-fieldname = c_pbuk.'"P_BUKRS'
8394
8395 APPEND l_wa_dynpread TO l_i_dynpread.
8396 CLEAR l_wa_dynpread.
8397 * read Selection screen values
8398 CALL FUNCTION 'DYNP_VALUES_READ'
8399     EXPORTING
8400         dyname           = sy-repid
8401         dynumb           = sy-dynnr
8402     TABLES
8403         dynpfields       = l_i_dynpread
8404     EXCEPTIONS
8405         invalid_abapworkarea = 1
8406         invalid_dynprofield  = 2
8407         invalid_dynproname   = 3
8408         invalid_dynpronummer = 4
8409         invalid_request      = 5
8410         no_fielddescription  = 6
8411         invalid_parameter    = 7
8412         undefind_error       = 8
8413         double_conversion    = 9
8414         stepl_not_found      = 10
8415         OTHERS              = 11 ##number_ok.
8416
8417 IF sy-subrc IS INITIAL.
8418     SORT l_i_dynpread BY fieldname.
8419 *     Read the selection field value of company code
8420     READ TABLE l_i_dynpread ASSIGNING <l_fs_dynpread>
8421         WITH KEY fieldname = c_pbuk
8422         BINARY SEARCH.
8423     IF sy-subrc IS INITIAL.
8424         l_v_bukrs = <l_fs_dynpread>-fieldvalue.
8425     ENDIF.
8426     IF <l_fs_dynpread> IS ASSIGNED.
8427         UNASSIGN <l_fs_dynpread>.
8428     ENDIF.
8429 ENDIF.
8430 CLEAR:l_i_dynpread.

```

```

8431     IF l_v_bukrs IS NOT INITIAL.
8432         IF s_vkbur IS INITIAL.
8433             *Get value from of sales office table
8434             SELECT bukrs
8435                   zkzwerks
8436                   zkzpltname
8437             FROM /ccej/tzktfi0001
8438             INTO TABLE l_i_tvkbzt
8439             WHERE bukrs EQ l_v_bukrs.
8440             IF sy-subrc IS INITIAL.
8441                 SORT l_i_tvkbzt BY zkzwerks.
8442                 DELETE l_i_tvkbzt WHERE zkzwerks IS INITIAL.
8443             ENDIF.
8444
8445         ENDIF.
8446     ELSE.
8447         *Please enter the valid Company Code
8448         MESSAGE s002 DISPLAY LIKE c_err.
8449         LEAVE LIST-PROCESSING.
8450     ENDIF.
8451     IF l_i_tvkbzt[] IS NOT INITIAL.
8452         CALL FUNCTION 'F4IF_INT_TABLE_VALUE_REQUEST'
8453             EXPORTING
8454                 retfield      = c_sof "'ZKZWERKS'"
8455                 value_org     = c_valorg "'S'"
8456             TABLES
8457                 value_tab     = l_i_tvkbzt
8458                 return_tab    = l_i_return
8459             EXCEPTIONS
8460                 parameter_error = 1
8461                 no_values_found = 2
8462                 OTHERS         = 3.
8463
8464     IF sy-subrc EQ 0.
8465         *—Pass selected entry on the screen
8466         READ TABLE l_i_return[] ASSIGNING <l_fs_return> INDEX 1.
8467         IF sy-subrc EQ 0.
8468             *     IF fp_rtfld EQ c_rtlow.
8469             *     s_vkbur-low = <l_fs_return>-fieldval.
8470             *     ENDIF.
8471         ENDIF.
8472         IF <l_fs_return> IS ASSIGNED.
8473             UNASSIGN <l_fs_return>.
8474         ENDIF.
8475     ENDIF.
8476     CLEAR:l_i_return.
8477 ENDIF.
8478
8479 ENDFORM.                                " F_SOFF_VALUE
8480 *&-----*
8481 *&     Form   F_UPD_TAB
8482 *&-----*
8483 *     Update item table
8484 *-----*
8485 FORM f_upd_tab USING fp_wa_ditem TYPE /ccbj/t_dme_itm.
8486
8487 * Local data declarations
8488 DATA: l_v_varkey TYPE rstable-varkey,
8489       "Varkey to be used for locking table
8490       l_v_flag    TYPE char1,"Variable for flag
8491       l_wa_ditab  TYPE /ccbj/t_dme_itm.

```



```

8492
8493 * Local Constants:
8494 CONSTANTS: l_c_itab TYPE rstable-tabname VALUE '/CCBJI/T_DME_ITM'.
8495
8496 CLEAR: l_v_varkey, l_v_flag, l_wa_ditem.
8497 * Prepare key fields
8498 CONCATENATE sy-mandt fp_wa_ditem-knuma fp_wa_ditem-item
8499             INTO l_v_varkey.
8500
8501 * Lock the table entries while updating specified in varkey
8502 DO 3 TIMES.
8503     CALL FUNCTION 'ENQUEUE_E_TABLE'
8504         EXPORTING
8505             mode_rstable   = c_mode
8506             tabname        = l_c_itab
8507             varkey          = l_v_varkey
8508         EXCEPTIONS
8509             foreign_lock   = 1
8510             system_failure = 2
8511             OTHERS         = 3.
8512     IF sy-subrc IS NOT INITIAL.
8513         WAIT UP TO 1 SECONDS.
8514     ELSE.
8515         l_v_flag = abap_true.
8516         EXIT.
8517     ENDIF.
8518 ENDDO.
8519
8520 * If flag is set
8521 IF l_v_flag = abap_true.
8522 * Begin of changes by S204711 MOD-015
8523 * Check if Transaction type is 11/02 for regular pay compl. upd
8524     IF fp_wa_ditem-tran_type EQ c_treg.
8525 * Modify the completion flag in item table
8526     UPDATE /ccbj/t_dme_itm
8527         SET compl = abap_true
8528         WHERE knuma = fp_wa_ditem-knuma
8529         AND item = fp_wa_ditem-item
8530         AND bukrs = fp_wa_ditem-bukrs
8531         AND tran_type = fp_wa_ditem-tran_type
8532
8533         "BOC | 16-May-2025 | EJX9005197 | MOD-035
8534         AND sched_dat = fp_wa_ditem-sched_dat
8535         AND lsa_doc = fp_wa_ditem-lsa_doc
8536         AND zupdind <> sy-abcde+3(1).
8537         "EOC | 16-May-2025 | EJX9005197 | MOD-035
8538
8539 * Begin of changes by S204711 MOD-019
8540     ELSEIF fp_wa_ditem-tran_type EQ c_secon.
8541 * Modify the completion flag in item table
8542     UPDATE /ccbj/t_dme_itm
8543         SET compl = abap_true
8544         WHERE knuma = fp_wa_ditem-knuma
8545         AND item = fp_wa_ditem-item
8546         AND bukrs = fp_wa_ditem-bukrs
8547         AND tran_type = fp_wa_ditem-tran_type
8548         AND lsa_doc = fp_wa_ditem-lsa_doc.
8549 * End of changes by S204711 MOD-019
8550     ELSE.
8551 * End of changes by S204711 MOD-015
8552 * Modify the table with workarea

```

```

8553         MODIFY /ccbj/t_dme_itm FROM fp_wa_ditem.                "#EC CI_MODIFY
8554     ENDIF.  "++MOD-015
8555
8556     COMMIT WORK.  " MOD-022 ++
8557 *         Unlock the table when it is updated
8558     CALL FUNCTION 'DEQUEUE_E_TABLE'
8559         EXPORTING
8560             mode_rstable = c_mode
8561             tabname      = l_c_itab
8562             varkey       = l_v_varkey.
8563
8564     ENDIF.
8565     CLEAR: l_v_flag, l_v_varkey.
8566
8567 ENDFORM.                " F_UPD_TAB
8568 *&-----*
8569 *&         Form    F_CONVERSION
8570 *&-----*
8571 *         Convert values to internal format
8572 *-----*
8573 FORM f_conversion  CHANGING fp_value TYPE clike.
8574
8575     CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
8576         EXPORTING
8577             input  = fp_value
8578         IMPORTING
8579             output = fp_value.
8580 ENDFORM.                " F_CONVERSION
8581 *&-----*
8582 *&         Form    F_PROCESS_SPDATA
8583 *&-----*
8584 *         Process Spot scenarios
8585 *-----*
8586 FORM f_process_spdata .
8587     DATA: l_wa_sfina1 TYPE ty_sfina1,
8588           l_v_accper TYPE kbrue, "/ccej/rtr_tot,
8589           l_v_lastd TYPE sy-datum, "Last date
8590           l_v_days TYPE tfmatage,
8591           l_v_tdays TYPE tfmatage,
8592           l_v_mdays TYPE tfmatage,
8593           l_v_index TYPE sy-index,
8594           l_v_amnt TYPE /ccej/rtr_tot,
8595           l_v_camnt TYPE char16,
8596           l_v_round TYPE j_1itaxamt, "Rounding amount
8597           l_v_famnt TYPE char16,
8598           l_v_datum TYPE sy-datlo, "System Date
8599           l_v_bmon TYPE numc3,
8600           l_v_ndat TYPE sy-datlo, "New back date
8601           l_v_pdat TYPE sy-datum,
8602           l_v_monat TYPE monat, " New period
8603           l_v_year TYPE gjahr, "Year
8604           l_v_lines TYPE i, "lines of internal table
8605           l_wa_ditem TYPE /ccbj/t_dme_itm,
8606           l_wa_thdr TYPE /ccbj/t_dme_hdr,
8607           l_i_ditem TYPE STANDARD TABLE OF ty_ditem,
8608           l_i_copa TYPE STANDARD TABLE OF ty_copa,
8609           l_i_tcopa TYPE STANDARD TABLE OF ty_copa,
8610 *         l_i_tempc TYPE STANDARD TABLE OF ty_copa,
8611           l_i_ce1jp TYPE STANDARD TABLE OF ty_ce1jp00,
8612           l_wa_copa TYPE ty_copa,
8613           l_r_knuma TYPE RANGE OF knuma,

```



```

8614      l_wa_knuma LIKE LINE OF l_r_knuma,
8615      l_r_kndnr TYPE RANGE OF kunde_pa,
8616      l_wa_kndnr LIKE LINE OF l_r_kndnr,
8617      l_r_kndnr_cross TYPE RANGE OF kunde_pa, "++ MOD-032
8618      l_r_kndnr_total TYPE RANGE OF kunde_pa, "++ MOD-032
8619      l_r_ww214 TYPE RANGE OF /ccej/mdm_botacct,
8620      l_wa_ww214 LIKE LINE OF l_r_ww214,
8621      l_r_ww214_cross TYPE RANGE OF /ccej/mdm_botacct, "++ MOD-032
8622      l_r_ww214_total TYPE RANGE OF /ccej/mdm_botacct, "++ MOD-032
8623      l_i_cdata TYPE STANDARD TABLE OF bapi_copa_data,
8624      l_i_fname TYPE STANDARD TABLE OF bapi_copa_field,
8625      l_i_selc TYPE STANDARD TABLE OF bapi_copa_selection,
8626      l_v_message TYPE char255,
8627      l_v_adat TYPE sy-datlo, "Acc date
8628      l_v_tindex TYPE sy-tabix,
8629      l_v_pindex TYPE sy-tabix,
8630      l_v_totval TYPE rke2_vv980,
8631      l_v_absmg TYPE rke2_absmg,
8632      l_v_pertot TYPE rke2_vv506,
8633      l_v_check TYPE char1, "Check
8634 *      l_v_amntc TYPE /ccbj/dme_uprice, "—MOD-019
8635      l_v_comp TYPE /ccej/rtr_tot,
8636      l_v_adjst TYPE /ccej/rtr_tot,
8637      l_v_taxco TYPE /ccej/rtr_tot,
8638      l_v_stax TYPE /ccej/rtr_tot, "tax amount in doc curr.
8639      l_v_tax TYPE /ccej/rtr_tot, "tax amount
8640      l_r_stran TYPE RANGE OF /ccbj/otc_dme_tran,
8641      l_wa_stran LIKE LINE OF l_r_stran,
8642      l_i_tditem TYPE STANDARD TABLE OF ty_ditem,
8643      l_v_tlines TYPE i, "lines of Item table
8644      l_v_cline TYPE i,
8645      l_v_cnt TYPE i,
8646      l_v_skip TYPE char1, "Skip Indicator
8647      l_v_sdoc TYPE /ccbj/otc_lsa_doc,
8648      l_v_item TYPE /ccbj/otc_item,
8649      l_v_lstop TYPE char1,
8650      l_v_aamnt TYPE /ccej/rtr_tot, "Pre Amount
8651      l_v_vfield TYPE rke_wrtfld,
8652      l_v_per TYPE jahrper, "Period/month
8653      l_v_conn TYPE dbcon_name, "database conn name
8654      l_v_coamnt TYPE /ccej/rtr_tot,
8655      l_v_cotax TYPE /ccej/rtr_tot,
8656      l_wa_tdata TYPE bapi_copa_data,
8657      l_wa_selc TYPE bapi_copa_selection,
8658      l_wa_data TYPE bapi_copa_data,
8659 * Begin of changes by S204711 MOD-004
8660      l_r_bukrs TYPE RANGE OF buhrs,
8661      l_wa_bukrs LIKE LINE OF l_r_bukrs,
8662      l_i_subce1 TYPE STANDARD TABLE OF ty_ce1jp00,
8663      l_i_subce2 TYPE STANDARD TABLE OF ty_ce2jp00,
8664      l_i_ce2jp00 TYPE STANDARD TABLE OF ty_ce2jp00,
8665      l_i_dumce1 TYPE STANDARD TABLE OF ty_ce1jp00,
8666      l_i_custd TYPE STANDARD TABLE OF ty_custd,
8667      l_v_bcust TYPE kunnr,
8668      l_v_bcust_cross TYPE kunnr, "++ MOD-032
8669      l_v_perf TYPE char6, "++MOD-013
8670      l_v_preadc TYPE sy-datlo,
8671 * End of changes by S204711 MOD-004
8672      l_v_bindex TYPE sy-tabix, "++MOD-026
8673      l_v_bsamnt TYPE /ccej/rtr_tot, "++MOD-026
8674      l_v_bstax TYPE /ccej/rtr_tot, "++MOD-026

```

```

8675      l_v_total_amount TYPE rke2_vv506, "++ MOD-032
8676      l_wa_sales TYPE ty_sales, "++ MOD-032
8677      l_v_ppay_flag TYPE c, "++ MOD-038
8678      l_v_cross_dummy TYPE c. "++ MOD-038
8679
8680  FIELD-SYMBOLS: <l_fs_kona> TYPE ty_kona,
8681                 <l_fs_ce1jp> TYPE ty_ce1jp00,
8682                 <l_fs_copa> TYPE ty_copa,
8683                 <l_fs_dagt> TYPE ty_dagt,
8684                 <l_fs_fname> TYPE bapi_copa_field,
8685                 <l_fs_data> TYPE bapi_copa_data,
8686                 <l_fs_dhdr> TYPE ty_dhdr,
8687                 <l_fs_custd> TYPE ty_custd,
8688                 <l_fs_dmegl> TYPE ty_dmegl,
8689                 <l_fs_mexc> TYPE ty_mexc,
8690                 <l_fs_konp> TYPE ty_konp,
8691                 <l_fs_ce2jp> TYPE ty_ce2jp00,
8692                 <l_fs_dsku> TYPE rsdsselect, "++MOD-004
8693                 <l_fs_dreg> TYPE ty_dreg, "++MOD-013
8694                 <l_fs_itemp> TYPE ty_ditem, "++MOD-004
8695                 <l_fs_bseg> TYPE ty_bseg, "++MOD-026
8696                 <l_fs_znn0001> TYPE ty_znn0001, "++MOD-026
8697                 <l_fs_ditem> TYPE ty_ditem.
8698
8699  CLEAR: l_wa_sfinal, v_eflag, l_v_message, v_dbg1, v_crg1,
8700         l_v_accper, l_v_amnt, l_i_copa[], l_i_tcopa[], l_wa_copa,
8701         l_v_tindex, l_v_totval, v_mwskz, l_v_check.
8702
8703
8704  * Read TVARVC for Hana connection
8705  SELECT SINGLE low
8706    FROM tvarvc
8707    INTO l_v_conn
8708    WHERE name EQ c_name
8709          AND type EQ c_type
8710          AND numb EQ c_numb.
8711  IF sy-subrc IS NOT INITIAL.
8712    CLEAR: l_v_conn.
8713  ENDIF.
8714  * Read TVARVC for Credit GL
8715  SELECT SINGLE low
8716    FROM tvarvc
8717    INTO v_crg1
8718    WHERE name EQ c_gltv
8719          AND type EQ c_type
8720          AND numb EQ c_numb.
8721  IF sy-subrc IS INITIAL.
8722  *Conversion parameter
8723    PERFORM f_conversion CHANGING v_crg1.
8724  ENDIF.
8725  * Begin of changes by S204711 MOD-013
8726  CLEAR: l_v_perf.
8727  CONCATENATE p_gjahr p_monat INTO l_v_perf.
8728  * End of changes by S204711 MOD-013
8729  IF i_dhdr[] IS NOT INITIAL.
8730    IF i_ditem[] IS NOT INITIAL.
8731      SORT i_ditem BY knuma tran_type.
8732    ENDIF.
8733    LOOP AT i_dhdr ASSIGNING <l_fs_dhdr>.
8734      IF <l_fs_dhdr>-compl IS INITIAL.
8735        IF <l_fs_dhdr>-status IN r_stat.

```

```

8736 *          IF <l_fs_dhdr>-app_date+4(2) EQ p_monat.  "++MOD-004 "—MOD-0
13
8737          IF <l_fs_dhdr>-app_date+0(6) EQ l_v_perf.  "++MOD-013
8738          READ TABLE i_dagt ASSIGNING <l_fs_dagt>
8739              WITH KEY pay_type = <l_fs_dhdr>-pay_type
8740                  cal_type = <l_fs_dhdr>-cal_type
8741                  boart      = <l_fs_dhdr>-boart
8742              BINARY SEARCH.
8743          IF sy-subrc IS INITIAL.
8744 * Read KONA table for agreement
8745          IF i_kona[] IS NOT INITIAL.
8746          READ TABLE i_kona ASSIGNING <l_fs_kona>
8747 *              WITH KEY <l_fs_dhdr>-knuma "—MOD-003
8748              WITH KEY knuma = <l_fs_dhdr>-knuma "++MOD-0
03
8749              BINARY SEARCH.
8750          IF sy-subrc IS INITIAL.
8751          CLEAR: l_v_vfield.
8752          IF <l_fs_dhdr>-pay_type EQ c_two.  "++MOD-013
8753 * Get the GL account
8754          READ TABLE i_dmegl ASSIGNING <l_fs_dmegl>
8755              WITH KEY boart = <l_fs_kona>-boar
t
8756              kvsl1 = <l_fs_dhdr>-kvsl
1
8757              BINARY SEARCH.
8758          IF sy-subrc IS INITIAL.
8759              v_dbg1 = <l_fs_dmegl>-sakn1. "Debit GL
8760 *              v_mwskz = <l_fs_dmegl>-mwskz.  "—MOD-004
8761 *              v_mwskz1 = <l_fs_dmegl>-mwskz1.  "—MOD-004
8762 * Conversion parameter
8763              PERFORM f_conversion CHANGING v_dbg1.
8764              l_v_vfield = <l_fs_dmegl>-vfield.
8765          ENDIF.
8766          ENDIF.  "++MOD-013
8767 * Populate Agreement to range to filter Items
8768          CLEAR: l_wa_knuma, l_r_knuma.
8769          l_wa_knuma-sign = c_ex.
8770          l_wa_knuma-option = c_eq.
8771          l_wa_knuma-low = <l_fs_dhdr>-knuma.
8772          APPEND l_wa_knuma TO l_r_knuma.
8773          CLEAR: l_wa_knuma.
8774 * Filter Item table based on Agreement
8775          CLEAR: l_i_ditem[], l_v_lines.
8776          l_i_ditem[] = i_ditem[].
8777          DELETE l_i_ditem WHERE knuma IN l_r_knuma.
8778 * Begin of changes by S204711 MOD-013
8779 * Read the latest Item number to update DME item table
8780 *          DESCRIBE TABLE l_i_ditem LINES l_v_lines.
8781          l_i_tdititem[] = l_i_ditem[].
8782          SORT l_i_tdititem BY item DESCENDING.
8783          READ TABLE l_i_tdititem ASSIGNING <l_fs_ditem> INDEX 1.
8784          IF sy-subrc IS INITIAL.
8785              l_v_lines = <l_fs_ditem>-item.
8786
8787 *          Begin of change in MOD-024
8788          IF rb_sale EQ abap_true AND <l_fs_ditem>-tran_type E
Q c_sales
8789              AND s_botacc[] IS NOT INITIAL.
8790              l_v_lines = l_v_lines - 1.
8791          ENDIF.

```

```

8792 *                               End of change in MOD-024
8793                               ENDIF.
8794                               IF <l_fs_ditem> IS ASSIGNED.
8795                                   UNASSIGN: <l_fs_ditem>.
8796                               ENDIF.
8797                               FREE: l_i_tditem[].
8798 * Deleted status to filter item data
8799                               DELETE l_i_ditem WHERE zupdind EQ c_indel. "Delete(D)
8800 * End of changes by S204711          MOD-013
8801                               CLEAR: l_v_aamnt, l_v_coamnt, l_v_cotax,
8802                                   l_v_sdoc. "++MOD-001
8803 * Transaction type '04'
8804                               CLEAR: l_wa_stran, l_r_stran, l_i_tditem[],
8805                                   l_v_preadc.
8806                               l_wa_stran-sign = c_ex.
8807                               l_wa_stran-option = c_eq.
8808                               l_wa_stran-low = c_kfsv. "04 Ammortize
8809                               APPEND l_wa_stran TO l_r_stran.
8810                               CLEAR: l_wa_stran.
8811                               l_i_tditem[] = l_i_ditem[].
8812                               DELETE l_i_tditem WHERE tran_type IN l_r_stran.
8813                               IF l_i_tditem[] IS NOT INITIAL.
8814                                   SORT l_i_tditem BY budat DESCENDING.
8815                                   READ TABLE l_i_tditem ASSIGNING <l_fs_ditem> INDEX 1
8816
8817                               IF sy-subrc IS INITIAL.
8818                                   l_v_preadc = <l_fs_ditem>-budat.
8819                               ENDIF.
8820 * End of changes by S204711          For MOD-004
8821 * Transaction type '01'
8822                               CLEAR: l_wa_stran, l_r_stran, l_i_tditem[].
8823                               l_wa_stran-sign = c_ex.
8824                               l_wa_stran-option = c_eq.
8825                               l_wa_stran-low = c_post. "01
8826                               APPEND l_wa_stran TO l_r_stran.
8827                               CLEAR: l_wa_stran.
8828 * For processing
8829                               l_i_tditem[] = l_i_ditem[].
8830                               DELETE l_i_tditem WHERE tran_type IN l_r_stran.
8831                               SORT l_i_tditem BY knuma item."++MOD-010
8832                               DESCRIBE TABLE l_i_tditem LINES l_v_tlines.
8833                               IF <l_fs_dhdr>-pay_type EQ c_two. "++MOD-013
8834 * Begin of changes by S204711          MOD-004
8835                               CLEAR: l_i_custd[], l_r_kndnr[], l_r_ww214[],
8836                                   l_i_dumcel[].
8837                               l_i_custd[] = i_custd[].
8838                               SORT l_i_custd BY knuma.
8839                               DELETE l_i_custd WHERE knuma IN l_r_knuma.
8840                               IF l_i_custd[] IS NOT INITIAL.
8841                                   SORT l_i_custd BY kschl.
8842 * End of changes by S204711          MOD-004
8843                               CLEAR: l_wa_kndnr, l_r_kndnr, l_wa_ww214, l_r_ww2
8844                               14,
8845                                   l_r_kndnr_cross, l_r_ww214_cross. "++ MOD-
8846                               032
8847 *                               LOOP AT i_custd ASSIGNING <l_fs_custd>. "#EC CI_NESTE
D "—MOD-004
                               LOOP AT l_i_custd ASSIGNING <l_fs_custd>. "#EC CI_
NESTED
* Check the deletion indicator

```

```

8848             READ TABLE i_konp ASSIGNING <l_fs_konp>
8849             WITH KEY knumh = <l_fs_custd>-kn
      umh
8850             BINARY SEARCH.
8851             IF sy-subrc IS INITIAL.
8852             IF <l_fs_custd>-kschl EQ c_custe.
8853             IF <l_fs_custd>-kunnr IS NOT INITIAL.
8854             * Range for Excluded customer
8855             l_wa_kndnr-sign = c_ex.
8856             l_wa_kndnr-option = c_eq.
8857             l_wa_kndnr-low = <l_fs_custd>-kunnr.
8858             * APPEND l_wa_kndnr TO l_r_kndnr. —MOD-032
8859             "BOC | MOD-032 | EJX9006170 | 19-11-2024
8860             IF s_dealer IS NOT INITIAL.
8861             IF l_wa_kndnr-low IN s_dealer.
8862             IF <l_fs_custd>-vkorg = c_vkor2.
8863             APPEND l_wa_kndnr TO l_r_kndnr_cross
      .
8864             ELSE.
8865             APPEND l_wa_kndnr TO l_r_kndnr.
8866             ENDIF.
8867             ENDIF.
8868             ELSE.
8869             IF <l_fs_custd>-vkorg = c_vkor2.
8870             APPEND l_wa_kndnr TO l_r_kndnr_cross.
8871             ELSE.
8872             APPEND l_wa_kndnr TO l_r_kndnr.
8873             ENDIF.
8874             ENDIF.
8875             "EOC | MOD-032 | EJX9006170 | 19-11-2024
8876             CLEAR: l_wa_kndnr-low.
8877             ELSEIF <l_fs_custd>-rke_ww214 IS NOT INITIAL
      .
8878             * Range for Excluded bottler account
8879             l_wa_ww214-sign = c_ex.
8880             l_wa_ww214-option = c_eq.
8881             l_wa_ww214-low = <l_fs_custd>-rke_ww214.
8882             * APPEND l_wa_ww214 TO l_r_ww214. —MOD-032
8883             "BOC | MOD-032 | EJX9006170 | 19-11-2024
8884             IF <l_fs_custd>-vkorg = c_vkor2.
8885             APPEND l_wa_ww214 TO l_r_ww214_cross.
8886             ELSE.
8887             "EOC | MOD-032 | EJX9006170 | 19-11-2024
8888             APPEND l_wa_ww214 TO l_r_ww214.
8889             ENDIF. "++ MOD-032
8890             CLEAR: l_wa_ww214-low.
8891             ENDIF.
8892             ELSEIF <l_fs_custd>-kschl EQ c_custi.
8893             IF <l_fs_custd>-kunnr IS NOT INITIAL.
8894             * Range for Included customer
8895             l_wa_kndnr-sign = c_i.
8896             l_wa_kndnr-option = c_eq.
8897             l_wa_kndnr-low = <l_fs_custd>-kunnr.
8898             * APPEND l_wa_kndnr TO l_r_kndnr. —MOD-032
8899             "BOC | MOD-032 | EJX9006170 | 19-11-2024
8900             IF s_dealer IS NOT INITIAL.
8901             IF l_wa_kndnr-low IN s_dealer.
8902             IF <l_fs_custd>-vkorg = c_vkor2.
8903             APPEND l_wa_kndnr TO l_r_kndnr_cross
      .
8904             ELSE.

```

```

8905             APPEND l_wa_kndnr TO l_r_kndnr.
8906             ENDIF.
8907             ENDIF.
8908             ELSE.
8909             IF <l_fs_custd>-vkorg = c_vkor2.
8910             APPEND l_wa_kndnr TO l_r_kndnr_cross.
8911             ELSE.
8912             APPEND l_wa_kndnr TO l_r_kndnr.
8913             ENDIF.
8914             ENDIF.
8915             "EOC | MOD-032 | EJX9006170 | 19-11-2024
8916             CLEAR: l_wa_kndnr-low.
8917             ELSEIF <l_fs_custd>-rke_ww214 IS NOT INITIAL
.
8918 * Range for Included bottler account
8919             l_wa_ww214-sign = c_i.
8920             l_wa_ww214-option = c_eq.
8921             l_wa_ww214-low = <l_fs_custd>-rke_ww214.
8922 *             APPEND l_wa_ww214 TO l_r_ww214. " MOD-024
—
8923 *             Begin of change in MOD-024
8924             "BOC | MOD-032 | EJX9006170 | 19-11-2024
8925             IF s_botacc IS NOT INITIAL.
8926             IF l_wa_ww214-low IN s_botacc.
8927             IF <l_fs_custd>-vkorg = c_vkor2.
8928             APPEND l_wa_ww214 TO l_r_ww214_cross
.
8929             ELSE.
8930             APPEND l_wa_ww214 TO l_r_ww214.
8931             ENDIF.
8932             ENDIF.
8933             ELSE.
8934             IF <l_fs_custd>-vkorg = c_vkor2.
8935             APPEND l_wa_ww214 TO l_r_ww214_cross.
8936             ELSE.
8937             APPEND l_wa_ww214 TO l_r_ww214.
8938             ENDIF.
8939             ENDIF.
8940             "EOC | MOD-032 | EJX9006170 | 19-11-2024
8941 *             End of change in MOD-024
8942             CLEAR: l_wa_ww214-low.
8943             ENDIF.
8944             ENDIF.
8945             ENDIF.
8946             ENDLOOP.
8947             IF <l_fs_custd> IS ASSIGNED.
8948             UNASSIGN <l_fs_custd>.
8949             ENDIF.
8950             ENDIF.
8951 *             ENDIF. "—MOD-004
8952             ENDIF. "++MOD-013
8953             "BOC | MOD-032 | EJX9006170 | 19-11-2024
8954             IF s_botacc IS NOT INITIAL.
8955             CLEAR: l_r_kndnr, l_r_kndnr_cross.
8956             ENDIF.
8957             IF s_dealer IS NOT INITIAL.
8958             CLEAR: l_r_ww214, l_r_ww214_cross.
8959             ENDIF.
8960             "EOC | MOD-032 | EJX9006170 | 19-11-2024
8961 * Begin of changes by S204711 For MOD-004
8962             CLEAR: l_wa_bukrs, l_r_bukrs.

```



```

8963      l_wa_bukrs-sign = c_i.
8964      l_wa_bukrs-option = c_eq.
8965      l_wa_bukrs-low = <l_fs_dhdr>-bukrs.
8966      APPEND l_wa_bukrs TO l_r_bukrs.
8967      CLEAR: l_wa_bukrs.
8968      IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
8969          l_wa_bukrs-sign = c_i.
8970          l_wa_bukrs-option = c_eq.
8971          l_wa_bukrs-low = <l_fs_dhdr>-sub_bukrs.
8972          APPEND l_wa_bukrs TO l_r_bukrs.
8973          CLEAR: l_wa_bukrs.
8974      ENDIF.
8975      * End of changes by S204711                      For MOD-004
8976
8977      * Calculate total no. of days
8978      CLEAR: l_v_tdays.
8979      CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AND_YEARS'
8980          EXPORTING
8981              i_date_from = <l_fs_kona>-datab
8982              i_date_to   = <l_fs_kona>-datbi
8983          IMPORTING
8984              e_days      = l_v_tdays
8985          EXCEPTIONS
8986              OTHERS      = 1.      "++MOD-003
8987      IF sy-subrc IS INITIAL.
8988          l_v_tdays = l_v_tdays + 1.
8989      ENDIF.
8990
8991      READ TABLE i_ditem ASSIGNING <l_fs_ditem>
8992          WITH KEY knuma = <l_fs_dhdr>-knuma
8993          tran_type = c_amort.'"04'-Amor
8994      t.
8995      IF sy-subrc IS INITIAL.
8996          l_v_check = abap_true.
8997      ENDIF.
8998      IF l_v_check IS INITIAL.
8999          * Get the last six periods based on current
9000          CLEAR: l_v_datum, l_v_bmon, l_v_ndat.
9001          CONCATENATE p_gjahr p_monat c_post
9002          INTO l_v_datum.
9003          l_v_bmon = p_pmon.
9004          CALL FUNCTION 'CCM_GO_BACK_MONTHS'
9005              EXPORTING
9006                  currdate   = l_v_datum
9007                  backmonths = l_v_bmon
9008              IMPORTING
9009                  newdate    = l_v_ndat.
9010          * Calculate total no. of months
9011          CLEAR: l_v_days.
9012          CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AND_YEARS'
9013              EXPORTING
9014                  i_date_from = l_v_ndat
9015                  i_date_to   = l_v_datum
9016              IMPORTING
9017                  e_months    = l_v_days
9018          * Begin of changes by S204711 For defect 9000004223      MOD-003
9019          EXCEPTIONS
9020              OTHERS          = 1.
9021          IF sy-subrc IS INITIAL.
9022          * End of changes by S204711 For defect 9000004223      MOD-003
9023              l_v_days = l_v_days + 1.

```

```

9023      ENDIF.          "++MOD-003
9024      CLEAR: l_v_index, l_v_item.
9025
9026      DO l_v_days TIMES.          "#EC CI_NESTED
9027          IF l_v_index IS INITIAL.
9028              l_v_index = l_v_days - 1.
9029          ELSE.
9030              l_v_index = l_v_index - 1.
9031          ENDIF.
9032      * Get the cutoff date
9033          CALL FUNCTION 'BKK_ADD_MONTH_TO_DATE'
9034              EXPORTING
9035                  months = l_v_index
9036                  olddate = l_v_ndat
9037              IMPORTING
9038                  newdate = l_v_pdat.
9039      * Pass Sy-index to get next period
9040      *      l_v_index = sy-index.
9041
9042      CLEAR: l_v_monat, l_v_year.
9043      l_v_year = l_v_pdat+0(4).
9044      l_v_monat = l_v_pdat+4(2).
9045      * Get the month end date
9046      CALL FUNCTION 'RP_LAST_DAY_OF_MONTHS'
9047          EXPORTING
9048              day_in = l_v_pdat
9049          IMPORTING
9050              last_day_of_month = l_v_lastd
9051      EXCEPTIONS
9052          ##FM_SUBRC_OK
9053              day_in_no_date = 1
9054              OTHERS = 2.
9055      * Begin of changes by S204711          For MOD-004
9056      CLEAR: l_v_skip.
9057      IF p_pmon IS NOT INITIAL
9058          AND l_v_lastd LE l_v_preacd.
9059          l_v_skip = abap_true.
9060      ENDIF.
9061      IF l_v_skip IS INITIAL.
9062      *      IF l_v_lastd GT <l_fs_kona>-datab.
9063      * End of changes by S204711          For MOD-004
9064          IF l_v_conn IS NOT INITIAL.
9065              CLEAR: l_v_per.
9066              CONCATENATE p_gjahr c_zero p_monat
9067                  INTO l_v_per.
9068              CLEAR: i_ce1jp00[], i_ce2jp00[].
9069              "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
9070              CLEAR: l_r_ww214_total[], l_r_kndnr_total[].
9071              IF l_r_ww214[] IS NOT INITIAL.
9072                  APPEND LINES OF l_r_ww214 TO l_r_ww214_total
9073              .
9074              ENDIF.
9075              IF l_r_ww214_cross[] IS NOT INITIAL.
9076                  APPEND LINES OF l_r_ww214_cross TO l_r_ww214
9077                  _total.
9078              ENDIF.
9079              IF l_r_kndnr[] IS NOT INITIAL.
9080                  APPEND LINES OF l_r_kndnr TO l_r_kndnr_total
9081              .
9082              ENDIF.
9083              IF l_r_kndnr_cross[] IS NOT INITIAL.

```



```
9081          APPEND LINES OF l_r_kndnr_cross TO l_r_kndnr
          _total.
9082      ENDIF.
9083      *      IF l_r_kndnr[] IS NOT INITIAL
9084      *      AND l_r_ww214[] IS NOT INITIAL.
9085      IF l_r_kndnr_total[] IS NOT INITIAL
9086      AND l_r_ww214_total[] IS NOT INITIAL.
9087      "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
9088      IF rb_sale IS INITIAL.
9089          SELECT mandt          "#EC CI_SEL_NESTED
9090              paledger
9091              vrgar
9092              versi
9093              paobjnr
9094              pasubnr
9095              belnr
9096              perbl
9097              gjahr
9098              kndnr
9099              artnr
9100              fkart
9101              bukrs
9102              werks
9103              vkorg
9104              vtweg
9105              spart
9106              prctr
9107              kunwe
9108              kmvkbü
9109              ww207
9110              katr4
9111              ww214
9112              vkaus "++MOD-007
9113              ww224
9114              ww225
9115              ww226
9116              ww227
9117              ww228
9118              ww229
9119              absmg_me
9120              vv980_me
9121              vv981_me
9122              vv982_me
9123              vv983_me
9124              absmg001
9125              erlos001
9126              vv506001
9127              vv507001
9128              vv980001
9129              vv981001
9130              vv982001
9131              vv983001
9132      FROM ce2jpp00
9133      CONNECTION (l_v_conn)
9134      INTO TABLE i_ce2jpp00
9135      BYPASSING BUFFER
9136      WHERE paledger EQ c_opcon
9137      AND vrgar EQ c_exrec
9138      AND versi EQ c_eversti
9139      AND perbl EQ l_v_per
9140      *      AND bukrs EQ p_bukrs "—MOD-004
```

```
9141          AND bukr IN l_r_bukrs "++MOD-004
9142          AND kmvkb IN s_vkbur
9143      *          AND ( ww207 IN l_r_kndnr "—MOD-032
9144      *          OR ww214 IN l_r_ww214 ) "—MOD-032
9145          AND ( ww207 IN l_r_kndnr_total "++MOD-03
2
9146          OR ww214 IN l_r_ww214_total ) "++MOD-0
32
9147          AND ww228 EQ <l_fs_dhdr>-knuma.
9148          IF sy-subrc IS NOT INITIAL.
9149              CLEAR: i_ce2jp00[].
9150          ELSE.
9151              SORT i_ce2jp00 BY kndnr artnr.
9152          ENDIF.
9153      ELSE.
9154          SELECT mandt          "#EC CI_SEL_NESTED
9155          paledger
9156          vrgar
9157          versi
9158          perio
9159          paobjnr
9160          pasubnr
9161          belnr
9162          posnr
9163          gjahr
9164          perde
9165          fadat
9166          kndnr
9167          artnr
9168          fkart
9169          bukr
9170          werks
9171          vkorg
9172          vtweg
9173          spart
9174          prctr
9175          kunwe
9176          kmvkb
9177          ww207
9178          katr4
9179          ww214
9180          vkaus "++MOD-007
9181          ww224
9182          ww225
9183          ww226
9184          ww227
9185          ww228
9186          ww229
9187          absmg_me
9188          vv980_me
9189          vv981_me
9190          vv982_me
9191          vv983_me
9192          absmg
9193          erlos
9194          vv506
9195          vv507
9196          vv980
9197          vv981
9198          vv982
9199          vv983
```

```

9200      FROM ce1jp00
9201      CONNECTION (l_v_conn)
9202      INTO TABLE i_ce1jp00
9203      BYPASSING BUFFER
9204      WHERE paledger EQ c_opcon
9205             AND vrgar EQ c_record
9206             AND perio EQ l_v_per
9207 *             AND bukrs EQ p_bukrs "—MOD-004
9208             AND bukrs IN l_r_bukrs "++MOD-004
9209             AND kmvkbv IN s_vkbur
9210 *             AND ( ww207 IN l_r_kndnr "—MOD-032
9211 *             OR ww214 IN l_r_ww214 ) "—MOD-032
9212             AND ( ww207 IN l_r_kndnr_total "++MOD-03
2
9213             OR ww214 IN l_r_ww214_total ). "++MOD-
032
9214      IF sy-subrc IS NOT INITIAL.
9215      CLEAR: i_ce1jp00[].
9216      ELSE.
9217      SORT i_ce1jp00 BY kndnr artnr.
9218      ENDIF.
9219      ENDIF.
9220 *      ELSEIF l_r_kndnr[] IS INITIAL
9221 *      AND l_r_ww214[] IS NOT INITIAL. "—MOD-032
9222      ELSEIF l_r_kndnr_total[] IS INITIAL
9223      AND l_r_ww214_total[] IS NOT INITIAL. "++MOD-
032
9224      IF rb_sale IS INITIAL.
9225      SELECT mandt              "#EC CI_SEL_NESTED
9226             paledger
9227             vrgar
9228             versi
9229             paobjnr
9230             pasubnr
9231             belnr
9232             perbl
9233             gjahr
9234             kndnr
9235             artnr
9236             fkart
9237             bukrs
9238             werks
9239             vkorg
9240             vtweg
9241             spart
9242             prctr
9243             kunwe
9244             kmvkbv
9245             ww207
9246             katr4
9247             ww214
9248             vkaus "++MOD-007
9249             ww224
9250             ww225
9251             ww226
9252             ww227
9253             ww228
9254             ww229
9255             absmg_me
9256             vv980_me
9257             vv981_me

```

```
9258          vv982_me
9259          vv983_me
9260          absmg001
9261          erlos001
9262          vv506001
9263          vv507001
9264          vv980001
9265          vv981001
9266          vv982001
9267          vv983001
9268      FROM ce2jp00
9269      CONNECTION (l_v_conn)
9270      INTO TABLE i_ce2jp00
9271      BYPASSING BUFFER
9272      WHERE paledger EQ c_opcon
9273          AND vrgar EQ c_exrec
9274          AND versi EQ c_eversi
9275          AND perbl EQ l_v_per
9276      *      AND bukrs EQ p_bukrs "—MOD-004
9277          AND bukrs IN l_r_bukrs "++MOD-004
9278          AND kmvkbv IN s_vkbur
9279      *      AND ww214 IN l_r_ww214
9280          AND ww214 IN l_r_ww214_total "++MOD-032
9281          AND ww228 EQ <l_fs_dhdr>-knuma.
9282      IF sy-subrc IS NOT INITIAL.
9283          CLEAR: i_ce2jp00[].
9284      ELSE.
9285          SORT i_ce2jp00 BY kindnr artnr.
9286      ENDIF.
9287      ELSE.
9288          SELECT mandt          "#EC CI_SEL_NESTED
9289          paledger
9290          vrgar
9291          versi
9292          perio
9293          paobjnr
9294          pasubnr
9295          belnr
9296          posnr
9297          gjahr
9298          perde
9299          fadat
9300          kindnr
9301          artnr
9302          fkart
9303          bukrs
9304          werks
9305          vkorg
9306          vtweg
9307          spart
9308          prctr
9309          kunwe
9310          kmvkbv
9311          ww207
9312          katr4
9313          ww214
9314          vkaus "++MOD-007
9315          ww224
9316          ww225
9317          ww226
9318          ww227
```

```

9319          ww228
9320          ww229
9321          absmg_me
9322          vv980_me
9323          vv981_me
9324          vv982_me
9325          vv983_me
9326          absmg
9327          erlos
9328          vv506
9329          vv507
9330          vv980
9331          vv981
9332          vv982
9333          vv983
9334          FROM ce1jp00
9335          CONNECTION (l_v_conn)
9336          INTO TABLE i_ce1jp00
9337          BYPASSING BUFFER
9338          WHERE paledger EQ c_opcon
9339          AND vrgar EQ c_record
9340          AND perio EQ l_v_per
9341      *      AND bukrs EQ p_bukrs "—MOD-004
9342          AND bukrs IN l_r_bukrs "++MOD-004
9343          AND kmvkbü IN s_vkbur
9344      *      AND ww214 IN l_r_ww214.
9345          AND ww214 IN l_r_ww214_total. "++MOD-0
32
9346          IF sy-subrc IS NOT INITIAL.
9347              CLEAR: i_ce1jp00[].
9348          ELSE.
9349              SORT i_ce1jp00 BY kindnr artnr.
9350          ENDIF.
9351      ENDIF.
9352
9353      *      ELSEIF l_r_kindnr[] IS NOT INITIAL
9354      *      AND l_r_ww214[] IS INITIAL. "—MOD-032
9355      ELSEIF l_r_kindnr_total[] IS NOT INITIAL
9356          AND l_r_ww214_total[] IS INITIAL. "++MOD
-032
9357          IF rb_sale IS INITIAL.
9358              SELECT mandt          "#EC CI_SEL_NESTED
9359                  paledger
9360                  vrgar
9361                  versi
9362                  paobjnr
9363                  pasubnr
9364                  belnr
9365                  perbl
9366                  gjahr
9367                  kindnr
9368                  artnr
9369                  fkart
9370                  bukrs
9371                  werks
9372                  vkorg
9373                  vtweg
9374                  spart
9375                  prctr
9376                  kunwe
9377                  kmvkbü

```

```
9378          ww207
9379          katr4
9380          ww214
9381          vkaus "++MOD-007
9382          ww224
9383          ww225
9384          ww226
9385          ww227
9386          ww228
9387          ww229
9388          absmg_me
9389          vv980_me
9390          vv981_me
9391          vv982_me
9392          vv983_me
9393          absmg001
9394          erlos001
9395          vv506001
9396          vv507001
9397          vv980001
9398          vv981001
9399          vv982001
9400          vv983001
9401      FROM ce2jp00
9402      CONNECTION (l_v_conn)
9403      INTO TABLE i_ce2jp00
9404      BYPASSING BUFFER
9405      WHERE paledger EQ c_opcon
9406          AND vrgar EQ c_exrec
9407          AND versi EQ c_eversti
9408          AND perbl EQ l_v_per
9409      *      AND bukrs EQ p_bukrs "—MOD-004
9410          AND bukrs IN l_r_bukrs "++MOD-004
9411      *      AND kmvkbui IN s_vkbur
9412          AND ww207 IN l_r_kndnr "—MOD-032
9413          AND ww207 IN l_r_kndnr_total "++MOD-032
9414          AND ww228 EQ <l_fs_dhdr>-knuma.
9415      IF sy-subrc IS NOT INITIAL.
9416          CLEAR: i_ce2jp00[].
9417      ELSE.
9418          SORT i_ce2jp00 BY kndnr artnr.
9419      ENDIF.
9420      ELSE.
9421          SELECT mandt          "#EC CI_SEL_NESTED
9422          paledger
9423          vrgar
9424          versi
9425          perio
9426          paobjnr
9427          pasubnr
9428          belnr
9429          posnr
9430          gjahr
9431          perde
9432          fadat
9433          kndnr
9434          artnr
9435          fkart
9436          bukrs
9437          werks
9438          vkorg
```

```

9439          vtweg
9440          spart
9441          prctr
9442          kunwe
9443          kmvkbv
9444          ww207
9445          katr4
9446          ww214
9447          vkaus "++MOD-007
9448          ww224
9449          ww225
9450          ww226
9451          ww227
9452          ww228
9453          ww229
9454          absmg_me
9455          vv980_me
9456          vv981_me
9457          vv982_me
9458          vv983_me
9459          absmg
9460          erlos
9461          vv506
9462          vv507
9463          vv980
9464          vv981
9465          vv982
9466          vv983
9467          FROM ce1jp00
9468          CONNECTION (l_v_conn)
9469          INTO TABLE i_ce1jp00
9470          BYPASSING BUFFER
9471          WHERE paledger EQ c_opcon
9472          AND vrgar EQ c_record
9473          AND perio EQ l_v_per
9474 *          AND bukrs EQ p_bukrs "—MOD-004
9475          AND bukrs IN l_r_bukrs "++MOD-004
9476          AND kmvkbv IN s_vkbur
9477 *          AND ww207 IN l_r_kndnr "—MOD-032
9478          AND ww207 IN l_r_kndnr_total. "++MOD-03
2
9479          IF sy-subrc IS NOT INITIAL.
9480          CLEAR: i_ce1jp00[].
9481          ELSE.
9482          SORT i_ce1jp00 BY kndnr artnr.
9483          ENDIF.
9484          ENDIF.
9485          ENDIF.
9486          ENDIF.
9487 * Begin of changes by S204711 For MOD-006
9488 *          IF i_ce1jp00[] IS NOT INITIAL
9489 *          OR i_ce2jp00[] IS NOT INITIAL.
9490          IF i_ce1jp00[] IS INITIAL.
9491          IF rb_sale IS NOT INITIAL.
9492 * Consider Dummy material
9493          CLEAR: l_v_bcust,
9494          "BOC | MOD-032 | EJX9005197 | 08-Jan-2025
9495          l_v_bcust_cross.
9496          IF <l_fs_dhdr>-sub_bukrs = c_7827 OR
9497          <l_fs_dhdr>-bukrs = c_7827.
9498          "EOC | MOD-032 | EJX9005197 | 08-Jan-2025

```

```

9499         IF l_r_kndnr IS INITIAL.
9500             IF l_r_ww214 IS NOT INITIAL. "++MOD-032
9501 " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
9502 *
9503             SELECT kunnr UP TO 1 ROWS
             SELECT kunnr UP TO 1 ROWS "#EC CI_N00R
DER
9504 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
9505             FROM kna1
9506             INTO l_v_bcust
9507             WHERE /ccc/gedatnr IN l_r_ww214.
9508             ENDSELECT.
9509             IF sy-subrc IS NOT INITIAL.
9510                 CLEAR: l_v_bcust.
9511             ENDIF.
9512             ENDIF. "++MOD-032
9513         ELSE.
9514             READ TABLE l_r_kndnr INTO l_wa_kndnr IND
EX 1.
9515             IF sy-subrc IS INITIAL.
9516                 l_v_bcust = l_wa_kndnr-low.
9517             ENDIF.
9518             ENDIF.
9519             "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
9520             ENDIF.
9521             IF <l_fs_dhdr>-sub_bukrs = c_7828 OR
9522                 <l_fs_dhdr>-bukrs = c_7828.
9523             IF l_r_kndnr_cross IS INITIAL.
9524                 IF l_r_ww214_cross IS NOT INITIAL.
9525 " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
9526 *
9527             SELECT kunnr UP TO 1 ROWS
             SELECT kunnr UP TO 1 ROWS "#EC CI_N00R
DER
9528 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
9529             FROM kna1
9530             INTO l_v_bcust_cross
9531             WHERE /ccc/gedatnr IN l_r_ww214_cros
S.
9532             ENDSELECT.
9533             IF sy-subrc IS NOT INITIAL.
9534                 CLEAR: l_v_bcust_cross.
9535             ENDIF.
9536             ENDIF.
9537             ELSE.
9538             READ TABLE l_r_kndnr_cross INTO l_wa_knd
nr INDEX 1.
9539             IF sy-subrc IS INITIAL.
9540                 l_v_bcust_cross = l_wa_kndnr-low.
9541             ENDIF.
9542             ENDIF.
9543             ENDIF.
9544             CLEAR : l_i_dumce1[].
9545             "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
9546             IF l_v_bcust IS NOT INITIAL
9547                 "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
9548                 OR l_v_bcust_cross IS NOT INITIAL.
9549                 "BOC | 23-May-2025 | EJX9005197 | MOD-035
"Commenting the code

```



```

9550 * IF i_sales[] IS NOT INITIAL.
9551 * IF <l_fs_dhdr>-cross_ind IS NOT INITIAL
.
9552 * READ TABLE i_sales INTO l_wa_sales
9553 * WITH KEY bukrs = <l_fs_dhdr>-sub_bu
krs
9554 * BINARY SEARCH.
9555 * IF sy-subrc IS INITIAL.
9556 * PERFORM f_dummy_check_sales
9557 * USING l_wa_sales
9558 * <l_fs_dhdr>
9559 * <l_fs_dhdr>-sub_bukrs
9560 * CHANGING v_dummy_flag.
9561 * ELSE.
9562 * v_dummy_flag = abap_true.
9563 * ENDIF.
9564 * CLEAR l_wa_sales.
9565 * ENDIF.
9566 * ENDIF.
9567 "EOC | 23-May-2025 | EJX9005197 | MOD-035
9568 IF v_dummy_flag IS INITIAL.
9569 READ TABLE l_i_ditem ASSIGNING <l_fs_dit
em>
9570 WITH KEY knuma = <l
_fs_dhdr>-knuma
9571 tran_type
= c_post.
9572 "EOC | MOD-032 | EJX9005197 | 03-Dec-202
4
9573 PERFORM f_dummy_sales USING <l_fs_dhdr>
9574 <l_fs_kona>
9575 <l_fs_ditem>
"++ MOD-032
9576 l_v_bcust
9577 l_v_bcust_
cross "++ MOD-032
9578 l_v_lastd
9579 l_v_ppay_flg
g "++ MOD-038
9580 l_v_cross_du
mmy "++ MOD-038
9581 CHANGING l_i_dumce1.
9582 "BOC | MOD-032 | EJX9005197 | 03-Dec-202
4
9583 IF <l_fs_ditem> IS ASSIGNED.
9584 UNASSIGN <l_fs_ditem>.
9585 ENDIF.
9586 "EOC | MOD-032 | EJX9005197 | 03-Dec-202
4
9587 ENDIF. "++ MOD-032
9588 i_ce1jp00[] = l_i_dumce1[].
9589 ELSE. "++MOD-007
9590 CLEAR: l_wa_sfinal, l_v_message.
9591 l_wa_sfinal-monat = p_monat.
9592 l_wa_sfinal-gjahr = p_gjahr.
9593 l_wa_sfinal-bukrs = p_bukrs.
9594 l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
9595 CONCATENATE text-040 <l_fs_dhdr>-knuma
9596 INTO l_v_message SEPARATED BY space.
9597 l_wa_sfinal-msg = l_v_message.
9598 APPEND l_wa_sfinal TO i_sfinal.

```

```

9599             CLEAR: l_wa_sfinal,l_v_message.
9600             ENDIF.
9601             ENDIF.
9602             ENDIF.
9603             IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
9604                 CLEAR: l_i_subce1[], l_i_subce2[].
9605                 IF i_ce1jp00[] IS NOT INITIAL.
9606                     l_i_subce1[] = i_ce1jp00[].
9607                     DELETE l_i_subce1 WHERE bukrs EQ <l_fs_dhdr>
-bukrs.
9608                 IF l_i_subce1[] IS NOT INITIAL.
9609                     SORT l_i_subce1 BY kindnr artnr.
9610                 ENDIF.
9611                 DELETE i_ce1jp00 WHERE bukrs EQ <l_fs_dhdr>-
sub_bukrs.
9612             ENDIF.
9613             IF i_ce2jp00[] IS NOT INITIAL.
9614                 l_i_subce2[] = i_ce2jp00[].
9615                 DELETE l_i_subce2 WHERE bukrs EQ <l_fs_dhdr>
-bukrs.
9616             IF l_i_subce2[] IS NOT INITIAL.
9617                 SORT l_i_subce2 BY kindnr artnr.
9618             ENDIF.
9619             DELETE i_ce2jp00 WHERE bukrs EQ <l_fs_dhdr>-
sub_bukrs.
9620             ENDIF.
9621             ENDIF.
9622             IF i_ce1jp00[] IS NOT INITIAL
9623                 OR i_ce2jp00[] IS NOT INITIAL
9624                 OR l_i_subce1[] IS NOT INITIAL
9625                 OR l_i_subce2[] IS NOT INITIAL.
9626             * End of changes by S204711 For MOD-006
9627             CLEAR: l_v_stax.
9628             * Get the total sales values/Quantity
9629             READ TABLE l_i_tditem WITH KEY knuma = <l_fs_k
ona>-knuma
9630             BINARY SEARCH
9631             TRANSPORTING NO FIELDS.
9632             IF sy-subrc IS INITIAL.
9633                 l_v_tindex = sy-tabix.
9634                 LOOP AT l_i_tditem ASSIGNING <l_fs_ditem>
9635                     FROM l_v_tindex. "#EC CI_
NESTED
9636                 IF <l_fs_kona>-knuma <> <l_fs_ditem>-knuma
.
9637                     EXIT. "#EC CI_EXITININC
9638                 ENDIF.
9639                 CLEAR: l_v_pindex.
9640                 l_v_pindex = sy-tabix.
9641                 IF <l_fs_ditem>-tran_type EQ c_post.
9642                     IF <l_fs_ditem>-act_amnt IS NOT INITIAL.
"++MOD-004
9643             * Begin of changes by S204711 For MOD-004
9644                 l_wa_sfinal-monat = p_monat.
9645                 l_wa_sfinal-gjahr = p_gjahr.
9646                 l_wa_sfinal-bukrs = <l_fs_ditem>-bukrs
.
9647                 l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
9648                 l_wa_sfinal-datab = <l_fs_kona>-datab.
9649                 l_wa_sfinal-datbi = <l_fs_kona>-datbi.
9650             *                 l_wa_sfinal-cont_amnt = <l_fs_dhdr>-c

```

```

ont_amnt.
9651      l_wa_sfinal-cont_amnt = <l_fs_ditem>-a
ct_amnt.
9652      READ TABLE l_i_ditem ASSIGNING <l_fs_i
temp>
9653      WITH KEY buhrs = <l
_fs_ditem>-bukrs
9654      tran_type
= c_appr.
9655      IF sy-subrc IS INITIAL.
9656      CLEAR: l_v_sdoc.
9657      l_v_sdoc = <l_fs_item>-lsa_doc.
9658      "Begin of changes by S204711      MOD
-026
9659      CLEAR: v_mwskz.
9660      READ TABLE i_t007a WITH KEY mwskz =
<l_fs_item>-mwskz
9661      BINARY SEARCH
9662      TRANSPORTING NO F
IELDS.
9663      IF sy-subrc IS INITIAL.
9664      v_mwskz = <l_fs_item>-mwskz.
9665      ELSE.
9666      v_mwskz = <l_fs_ditem>-mwskz.
9667      ENDIF.
9668      IF <l_fs_item>-new_doc IS NOT INITI
AL.
9669      l_v_sdoc = <l_fs_item>-new_doc.
9670      "If tax code is purchase and Reg.
9671      "Get the new tax code from ZNN0001
.
9672      IF <l_fs_dhdr>-inv_reg_num IS INIT
IAL.
9673      READ TABLE i_znn0001 ASSIGNING <
l_fs_znn0001> WITH KEY
9674      zzkey2 = v_mwskz
9675      BINARY SEARCH.
9676      IF sy-subrc IS INITIAL.
9677      v_mwskz = <l_fs_znn0001>-zzkey
3.
9678      ENDIF.
9679      ELSE.
9680      READ TABLE i_znn0001 ASSIGNING <
l_fs_znn0001> WITH KEY
9681      zzkey3 =
v_mwskz.
9682      IF sy-subrc IS INITIAL.
9683      v_mwskz = <l_fs_znn0001>-zzkey
2.
9684      ENDIF.
9685      ENDIF.
9686      CLEAR: l_v_bindex, l_v_bsamnt, l_v
_bstax.
9687      READ TABLE i_bseg WITH KEY buhrs =
<l_fs_item>-bukrs
9688      belnr =
<l_fs_item>-new_doc
9689      BINARY SEARCH
9690      TRANSPORTING NO
FIELDS.

```

```

9691                                     IF sy-subrc IS INITIAL.
9692                                     l_v_bindex = sy-tabix.
9693                                     LOOP AT i_bseg ASSIGNING <l_fs_b
seg>
9694                                     FROM l_v_bind
ex. "#EC CI_NESTED
9695                                     IF <l_fs_bseg>-bukrs <> <l_fs_
item>-bukrs
9696                                     OR <l_fs_bseg>-belnr <> <l_fs
_ item>-new_doc.
9697                                     EXIT.           "#EC CI_EXITININC
9698                                     ENDIF.
9699                                     IF <l_fs_bseg>-koart = sy-abcd
e+18(1).
9700                                     IF <l_fs_bseg>-buzid IS INIT
IAL.
9701                                     l_v_bsamnt = <l_fs_bseg>-w
rbtr * 100.
9702                                     ELSEIF <l_fs_bseg>-buzid EQ
sy-abcde+19(1).
9703                                     l_v_bstax = <l_fs_bseg>-wr
btr * 100.
9704                                     ENDIF.
9705                                     ENDIF.
9706                                     ENDLOOP.
9707                                     IF <l_fs_bseg> IS ASSIGNED.
9708                                     UNASSIGN: <l_fs_bseg>.
9709                                     ENDIF.
9710                                     ENDIF.
9711                                     ENDIF.
9712                                     "Endof changes by S204711      MOD-02
6
9713                                     ENDIF.
9714                                     CLEAR: l_v_aamnt.
9715                                     l_v_aamnt = <l_fs_ditem>-act_amnt.
9716                                     * CLEAR: v_mwskz.           "—MOD-026
9717                                     * v_mwskz = <l_fs_ditem>-mwskz. "—MOD-
026
9718
9719                                     IF l_v_aamnt IS NOT INITIAL.
9720                                     IF <l_fs_dhdr>-tax_ind IS INITIAL.
9721                                     PERFORM f_cal_ctax USING <l_fs_dhd
r>
9722                                     * l_v_aamnt "—MOD-026
9723                                     CHANGING l_v_cotax
9724                                     l_v_aamnt. "++MOD-026
9725                                     l_v_coamnt = l_v_aamnt.
9726                                     ELSE.
9727                                     PERFORM f_cal_stax USING <l_fs_dhd
r>
9728                                     * l_v_aamnt "—MOD-026
9729                                     CHANGING l_v_cotax
9730                                     l_v_aamnt. "++MOD-026
9731
9732                                     l_v_coamnt = l_v_aamnt - l_v_cotax
.
9733                                     ENDIF.
9734                                     * Get the contract amount
9735                                     * PERFORM f_cal_stax USING <l_fs_dhdr
>
9736                                     * l_v_aamnt

```

```

9737 *                                CHANGING l_v_cotax.
9738 *                                l_v_coamnt = l_v_aamnt - l_v_cotax.
9739 ENDIF.
9740 "Begin of changes by S204711      MOD-0
26
9741 IF l_v_bsamnt IS NOT INITIAL.
9742     l_v_coamnt = l_v_bsamnt.
9743 ENDIF.
9744 IF l_v_bstax IS NOT INITIAL.
9745     l_v_cotax = l_v_bstax.
9746 ENDIF.
9747 "End of changes by S204711      MOD-026
9748 l_wa_sfinal-amnt = l_v_coamnt.
9749 l_wa_sfinal-atax = l_v_cotax.
9750
9751 * End of changes by S204711      For MOD-004
9752 IF <l_fs_kona>-datab+0(6) EQ
9753     <l_fs_kona>-datbi+0(6).
9754     l_v_skip = abap_true.
9755 ENDIF.
9756 IF l_v_skip IS INITIAL.
9757 * Get the logic for Pre paid scenario
9758     CLEAR: l_v_mdays, l_v_adat.
9759     IF <l_fs_kona>-datab+0(6) EQ l_v_las
td+0(6).
9760
9761     l_v_adat = <l_fs_kona>-datab.
9762     IF <l_fs_dhdr>-cal_type EQ c_one.
9763         IF <l_fs_ditem>-bukrs EQ <l_fs_d
hdr>-bukrs. "++MOD-004
9764
9765         IF i_ce1jp00[] IS NOT INITIAL.
9766             DELETE i_ce1jp00 WHERE fadat
9767                 LT <l_fs_kona>-datab.
9768         ENDIF.
9769         For MOD-004
9770     ELSE.
9771         IF l_i_subce1[] IS NOT INITIAL
9772             DELETE l_i_subce1 WHERE fada
9773                 LT <l_fs_kona>-datab.
9774         ENDIF.
9775     End of changes by S204711      For MOD-004
9776     ENDIF.
9777     ELSEIF <l_fs_kona>-datbi+0(6) EQ l_v
_lastd+0(6).
9778     " Calculate total no. of days
9779     CALL FUNCTION 'FIMA_DAYS_AND_MONTH
S_AND_YEARS'
9780
9781     EXPORTING
9782         i_date_from = l_v_pdat
9783         i_date_to   = <l_fs_kona>-datb
i
9784     IMPORTING
9785         e_days      = l_v_mdays.
9786     CLEAR: l_v_adat.
9787     IF <l_fs_dhdr>-cal_type EQ c_one.
9788         IF <l_fs_ditem>-bukrs EQ <l_fs_d
hdr>-bukrs. "++MOD-004
9789
9790         IF i_ce1jp00[] IS NOT INITIAL.
9791             DELETE i_ce1jp00 WHERE fadat

```

[illegible]

9841	>-perde.	l_wa_copa-kndnr =	<l_fs_ce1jp
9842	>-kndnr.	l_wa_copa-artnr =	<l_fs_ce1jp
9843	>-artnr.	l_wa_copa-fkart =	<l_fs_ce1jp
9844	>-fkart.	l_wa_copa-bukrs =	<l_fs_ce1jp
9845	>-bukrs.	l_wa_copa-werks =	<l_fs_ce1jp
9846	>-werks.	l_wa_copa-vkorg =	<l_fs_ce1jp
9847	>-vkorg.	l_wa_copa-vtweg =	<l_fs_ce1jp
9848	>-vtweg.	l_wa_copa-spart =	<l_fs_ce1jp
9849	>-spart.	l_wa_copa-prctr =	<l_fs_ce1jp>
9850	-prctr.	l_wa_copa-kunwe =	<l_fs_ce1jp
9851	>-kunwe.	l_wa_copa-kmvkbu =	<l_fs_ce1j
9852	p>-kmvkbu.	l_wa_copa-ww224 =	<l_fs_ce1jp>
9853	-ww224.	l_wa_copa-ww225 =	<l_fs_ce1jp>
9854	-ww225.	l_wa_copa-ww226 =	<l_fs_ce1jp>
9855	-ww226.	l_wa_copa-ww227 =	<l_fs_ce1jp>
9856	-ww227.	l_wa_copa-ww228 =	<l_fs_ce1jp>
9857	-ww228.	l_wa_copa-ww229 =	<l_fs_ce1jp>
9858	-ww229.	l_wa_copa-absmg_me =	<l_fs_ce
9859	1jp>-absmg_me.	l_wa_copa-vv980_me =	<l_fs_ce
9860	1jp>-vv980_me.	l_wa_copa-vv981_me =	<l_fs_ce
9861	1jp>-vv981_me.	l_wa_copa-vv982_me =	<l_fs_ce
9862	1jp>-vv982_me.	l_wa_copa-vv983_me =	<l_fs_ce
9863	1jp>-vv983_me.	l_wa_copa-absmg =	<l_fs_ce1jp
9864	>-absmg.	l_wa_copa-erlos =	<l_fs_ce1jp
9865	>-erlos.	l_wa_copa-vv506 =	<l_fs_ce1jp>
9866	-vv506.	l_wa_copa-vv507 =	<l_fs_ce1jp>
9867	-vv507.	l_wa_copa-vv980 =	<l_fs_ce1jp
9868	>-vv980.	l_wa_copa-vv981 =	<l_fs_ce1jp
9869	>-vv981.	l_wa_copa-vv982 =	<l_fs_ce1jp
9870	>-vv982.	l_wa_copa-vv983 =	<l_fs_ce1jp
	>-vv983.		

```

9871      mount + l_wa_copa-vv506. "++ MOD-032      l_v_total_amount = l_v_total_a
9872      * Begin of changes by S204711                                MOD-006
9873      * "Performance related changes
9874      * APPEND l_wa_copa TO l_i_c
opa.
9875      COLLECT l_wa_copa INTO l_i_cop
a.
9876      * End of changes by S204711                                MOD-006
9877      CLEAR: l_wa_copa.
9878      ENDIF.
9879      ENDLOOP.
9880      IF <l_fs_ce1jp> IS ASSIGNED.
9881      UNASSIGN: <l_fs_ce1jp>.
9882      ENDIF.
9883
9884      "BOC | MOD-032 | EJX9005197 | 05-N
ov-2024
9885      IF l_v_total_amount IS INITIAL.
9886      CLEAR l_i_copa[].
9887      ENDIF.
9888      "EOC | MOD-032 | EJX9005197 | 05-N
ov-2024
9889      CLEAR l_v_total_amount. "++ MOD-03
7
9890
9891      * Begin of changes by S204711                                MOD-006
9892      IF l_i_copa[] IS INITIAL.
9893
9894      "BOC | MOD-032 | EJX9005197 | 17
-Dec-2024
9895      IF i_sales[] IS NOT INITIAL.
9896      IF <l_fs_ditem>-bukrs EQ <l_fs
_dhdr>-sub_bukrs.
9897      READ TABLE i_sales INTO l_wa
_sales
9898      WITH KEY bukrs = <l_fs_d
hdr>-sub_bukrs
9899      BINARY SEARCH.
9900      IF sy-subrc IS INITIAL.
9901      PERFORM f_dummy_check_sale
s
9902      USING l_wa_sales
9903      <l_fs_dhdr>
9904      <l_fs_dhdr>-sub_bu
krs
9905      CHANGING v_dummy_flag.
9906      ELSE.
9907      v_dummy_flag = abap_true.
9908      ENDIF.
9909      CLEAR l_wa_sales.
9910      ENDIF.
9911      ENDIF.
9912      "EOC | MOD-032 | EJX9005197 | 17
-Dec-2024
9913
9914      * Consider Dummy material
9915      CLEAR: l_v_bcust, l_i_dumce1[].
9916      IF v_dummy_flag IS INITIAL. "++
MOD-032
9917      IF <l_fs_ditem>-bukrs = c_782

```



```

7. "++ MOD-032
9918                                     IF l_r_kndnr IS INITIAL.
9919                                     IF l_r_ww214 IS NOT INITIA
L. "++MOD-032
9920 " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
9921                                     SELECT kunnr UP TO 1 ROW
S "#EC CI_NOORDER
9922 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
9923                                     FROM kna1
9924                                     INTO l_v_bcust
9925                                     WHERE /ccc/gedatnr IN
l_r_ww214.
9926                                     ENDSELECT.
9927                                     IF sy-subrc IS NOT INITI
AL.
9928                                     CLEAR: l_v_bcust.
9929                                     ENDIF.
9930                                     ENDIF. "++MOD-032
9931                                     ELSE.
9932                                     READ TABLE l_r_kndnr INTO
l_wa_kndnr INDEX 1.
9933                                     IF sy-subrc IS INITIAL.
9934                                     l_v_bcust = l_wa_kndnr-l
ow.
9935                                     ENDIF.
9936                                     ENDIF.
9937                                     "BOC | MOD-032 | EJX9005197
| 03-Dec-2024
9938                                     ELSE.
9939                                     IF l_r_kndnr_cross IS INITIA
L.
9940                                     IF l_r_ww214_cross IS NOT
INITIAL.
9941 " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
9942 *                                     SELECT kunnr UP TO 1 ROWS
9943                                     SELECT kunnr UP TO 1 ROWS "#EC CI_NOOR
DER
9944 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
9945                                     FROM kna1
9946                                     INTO l_v_bcust_cross
9947                                     WHERE /ccc/gedatnr IN
l_r_ww214_cross.
9948                                     ENDSELECT.
9949                                     IF sy-subrc IS NOT INITI
AL.
9950                                     CLEAR: l_v_bcust_cross
.
9951                                     ENDIF.
9952                                     ENDIF.
9953                                     ELSE.
9954                                     READ TABLE l_r_kndnr_cross
INTO l_wa_kndnr INDEX 1.
9955                                     IF sy-subrc IS INITIAL.
9956                                     l_v_bcust_cross = l_wa_k
ndnr-low.
9957                                     ENDIF.
9958                                     ENDIF.

```

```

9959                                     ENDIF.
9960                                     "EOC | MOD-032 | EJX9005197 |
03-Dec-2024
9961                                     IF l_v_bcust IS NOT INITIAL
9962                                     OR l_v_bcust_cross IS NOT I
INITIAL. "++ MOD-032
9963                                     PERFORM f_dummy_sales USING
<l_fs_dhdr>
9964                                     <l_fs_kona>
9965                                     <l_fs_ditem> "++ MOD-032
9966                                     l_v_bcust
9967                                     l_v_bcust_cross "++ MOD-032
9968                                     l_v_lastd
9969                                     l_v_ppay_flag "++ MOD-038
9970                                     l_v_cross_dummy "++ MOD-038
9971                                     CHANGING l_
i_dumce1.
9972                                     ENDIF. "++ MOD-032
9973                                     CLEAR: l_wa_copa.
9974                                     READ TABLE l_i_dumce1 ASSIGNIN
G <l_fs_ce1jp>
9975                                     WITH KEY
bukrs = <l_fs_ditem>-bukrs.
9976                                     IF sy-subrc IS INITIAL.
9977                                     MOVE-CORRESPONDING <l_fs_ce1
jp> TO l_wa_copa.
9978                                     APPEND l_wa_copa TO l_i_copa
.
9979                                     CLEAR: l_wa_copa.
9980                                     ENDIF.
9981                                     ENDIF.
9982                                     ENDIF.
9983                                     * End of changes by S204711 MOD-006
9984                                     ELSE. "++MOD-010
9985                                     * Begin of changes by S204711 MOD-006
9986                                     IF l_i_copa[] IS INITIAL.
9987                                     * Consider Dummy material
9988                                     CLEAR: l_v_bcust, l_i_dumce1[].
9989                                     IF <l_fs_ditem>-bukrs = c_7827.
"++ MOD-032
9990                                     IF l_r_kndnr IS INITIAL.
9991                                     IF l_r_ww214 IS NOT INITIAL.
"++MOD-032
9992                                     " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
9993                                     SELECT kunnr UP TO 1 ROWS
"#EC CI_NOORDER
9994                                     " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
9995                                     FROM kna1
9996                                     INTO l_v_bcust
9997                                     WHERE /ccc/gedatnr IN l_
r_ww214.
9998                                     ENDSELECT.

```

```

9999                                     IF sy-subrc IS NOT INITIAL
.
10000                                     CLEAR: l_v_bcust.
10001                                     ENDIF.
10002                                     ENDIF.      "++MOD-032
10003                                     ELSE.
10004                                     READ TABLE l_r_kndnr INTO l_
wa_kndnr INDEX 1.
10005                                     IF sy-subrc IS INITIAL.
10006                                     l_v_bcust = l_wa_kndnr-low
.
10007                                     ENDIF.
10008                                     ENDIF.
10009                                     "BOC | MOD-032 | EJX9005197 |
03-Dec-2024
10010                                     ELSE.
10011                                     IF l_r_kndnr_cross IS INITIAL.
10012                                     IF l_r_ww214_cross IS NOT IN
ITIAL.
10013                                     * *****
10014                                     * # *****Code Remediation changes S4 2025_S Conversion **begin of change
10015                                     by EJX9007360 2026.06.09 ATC
10016                                     * *****
10017                                     * Quick Fix Append ORDER BY PRIMARY KEY to the SELECT statement
10018                                     * 10.06.2026 08:22:06 EJX9007361
10019                                     * Transport Q4RK902230 ATC Correction S4 HANA
10020                                     * Replaced Code:
10021                                     *
10022                                     *                                     SELECT kunnr UP TO 1 RO
10023                                     *                                     FROM kna1
10024                                     *                                     INTO l_v_bcust_cross
10025                                     *                                     WHERE /ccc/gedatnr IN l
_r_ww214_cross.
10026                                     SELECT kunnr UP TO 1 ROW
S "#EC CI_SEL_NESTED "#EC CI_NOORDER
10027                                     * *****
10028                                     * # *****Code Remediation changes S4 2025_S Conversion **end of change b
10029                                     y EJX9007360 2026.06.09 ATC
10030                                     * *****
10031                                     FROM kna1
10032                                     INTO l_v_bcust_cross
10033                                     WHERE /ccc/gedatnr IN l_
r_ww214_cross ORDER BY PRIMARY KEY.
10034                                     * End of Quick Fix
10035                                     ENDSELECT.
10036                                     IF sy-subrc IS NOT INITIAL
.
10037                                     CLEAR: l_v_bcust_cross.
10038                                     ENDIF.
10039                                     ENDIF.
10040                                     ELSE.
10041                                     READ TABLE l_r_kndnr_cross I
NTO l_wa_kndnr INDEX 1.
10042                                     IF sy-subrc IS INITIAL.
10043                                     l_v_bcust_cross = l_wa_knd
nr-low.
10044                                     ENDIF.
10045                                     ENDIF.
ENDIF.

```

```

10046                                     "EOC | MOD-032 | EJX9005197 | 03
      -Dec-2024
10047                                     IF l_v_bcust IS NOT INITIAL
10048                                     OR l_v_bcust_cross IS NOT INI
      TIAL. "++ MOD-032
10049                                     IF v_dummy_flag IS INITIAL. "+
      + MOD-032
10050                                     PERFORM f_dummy_sales USING
      <l_fs_dhdr>
10051      <l_fs_kona>
10052      <l_fs_ditem> "++ MOD-032
10053      l_v_bcust
10054      l_v_bcust_cross "++ MOD-032
10055      l_v_lastd
10056      l_v_ppay_flag "++ MOD-038
10057      l_v_cross_dummy "++ MOD-038
10058                                     CHANGING l_
      i_dumce1.
10059                                     ENDIF. "++ MOD-032
10060                                     CLEAR: l_wa_copa.
10061                                     READ TABLE l_i_dumce1 ASSIGNIN
      G <l_fs_ce1jp>
10062                                     WITH KEY
      bukrs = <l_fs_ditem>-bukrs.
10063                                     IF sy-subrc IS INITIAL.
10064                                     MOVE-CORRESPONDING <l_fs_ce1
      jp> TO l_wa_copa.
10065                                     APPEND l_wa_copa TO l_i_copa
      .
10066                                     CLEAR: l_wa_copa.
10067                                     ENDIF.
10068                                     ENDIF.
10069                                     ENDIF.
10070      * End of changes by S204711                                     MOD-006
10071                                     ENDIF.
10072      ELSE.
10073      * Process the records
10074      * Begin of changes by S204711
10075                                     For MOD-004
10076                                     CLEAR: l_i_ce2jp00[].
      -bukrs.
10077                                     IF <l_fs_ditem>-bukrs EQ <l_fs_dhdr>
      l_i_ce2jp00[] = i_ce2jp00[].
10078                                     ELSE.
10079                                     l_i_ce2jp00[] = l_i_subce2[].
10080                                     ENDIF.
10081      * Populate the Internal table for subtotal values of COPA
10082      * Loop AT i_ce2jp00 ASSIGNING <l_fs_ce2
      jp>. "#EC CI_NESTED
10083      Loop AT l_i_ce2jp00 ASSIGNING <l_fs_
      ce2jp>. "#EC CI_NESTED
10084      * End of changes by S204711
10085                                     For MOD-004
      mexc>
10086                                     READ TABLE i_mexc ASSIGNING <l_fs_
      WITH KEY matnr = <l_

```

fs_ce2jp>-artnr

10087		BINARY SEARCH.
10088		IF sy-subrc IS NOT INITIAL.
10089		l_wa_copa-gjahr = <l_fs_ce2jp>-
10090	gjahr.	
10091		l_wa_copa-kndnr = <l_fs_ce2jp>-
10092	kndnr.	
10093		l_wa_copa-artnr = <l_fs_ce2jp>-
10094	artnr.	
10095		l_wa_copa-fkart = <l_fs_ce2jp>-
10096	fkart.	
10097		l_wa_copa-bukrs = <l_fs_ce2jp>-
10098	bukrs.	
10099		l_wa_copa-werks = <l_fs_ce2jp>-
10100	werks.	
10101		l_wa_copa-vkorg = <l_fs_ce2jp>-
10102	vkorg.	
10103		l_wa_copa-vtweg = <l_fs_ce2jp>-
10104	vtweg.	
10105		l_wa_copa-spart = <l_fs_ce2jp>-
10106	spart.	
10107		l_wa_copa-prctr = <l_fs_ce2jp>-p
10108	rctr.	
10109		l_wa_copa-kunwe = <l_fs_ce2jp>-k
10110	unwe.	
10111		l_wa_copa-kmvkbu = <l_fs_ce2jp>
10112	-kmvkbu.	
10113		l_wa_copa-ww224 = <l_fs_ce2jp>-w
10114	w224.	
10115		l_wa_copa-ww225 = <l_fs_ce2jp>-w
10116	w225.	
10117		l_wa_copa-ww226 = <l_fs_ce2jp>-w
	w225.	
		l_wa_copa-ww227 = <l_fs_ce2jp>-w
	w227.	
		l_wa_copa-absmsg_me = <l_fs_ce2j
	p>-absmsg_me.	
		l_wa_copa-vv980_me = <l_fs_ce2j
	p>-vv980_me.	
		l_wa_copa-vv981_me = <l_fs_ce2j
	p>-vv981_me.	
		l_wa_copa-vv982_me = <l_fs_ce2j
	p>-vv982_me.	
		l_wa_copa-vv983_me = <l_fs_ce2j
	p>-vv983_me.	
		l_wa_copa-absmsg = <l_fs_ce2jp>-
	absmsg.	
		l_wa_copa-erlos = <l_fs_ce2jp>-
	erlos.	
		l_wa_copa-vv506 = <l_fs_ce2jp>-v
	v506.	
		l_wa_copa-vv507 = <l_fs_ce2jp>-v
	v507.	
		l_wa_copa-vv980 = <l_fs_ce2jp>-
	vv980.	
		l_wa_copa-vv981 = <l_fs_ce2jp>-
	vv981.	
		l_wa_copa-vv982 = <l_fs_ce2jp>-
	vv982.	
		l_wa_copa-vv983 = <l_fs_ce2jp>-
	vv983.	

```
10118
10119 * Begin of changes by S204711 MOD-006
10120 "Performance related changes
10121 * APPEND l_wa_copa TO l_i_c
opa.
10122 COLLECT l_wa_copa INTO l_i_copa.
10123 * End of changes by S204711 MOD-006
10124 CLEAR: l_wa_copa.
10125 ENDIF.
10126 ENDLOOP.
10127 IF <l_fs_ce2jp> IS ASSIGNED.
10128 UNASSIGN: <l_fs_ce2jp>.
10129 ENDIF.
10130 ENDIF.
10131 CLEAR: l_v_absmg, l_v_pertot.
10132 * Subtotal logic
10133 IF l_i_copa IS NOT INITIAL.
10134 SORT l_i_copa BY ww228 ww229 kindnr a
rtnr.
10135 LOOP AT l_i_copa ASSIGNING <l_fs_cop
a>. "#EC CI_NESTED
10136 l_wa_copa-ww228 = <l_fs_copa>-ww22
8.
10137 l_wa_copa-ww229 = <l_fs_copa>-ww22
9.
10138 l_wa_copa-gjahr = <l_fs_copa>-gja
hr.
10139 l_wa_copa-perde = <l_fs_copa>-per
de.
10140 l_wa_copa-kindnr = <l_fs_copa>-knd
nr.
10141 l_wa_copa-artnr = <l_fs_copa>-art
nr.
10142 l_wa_copa-fkart = <l_fs_copa>-fka
rt.
10143 l_wa_copa-bukrs = <l_fs_copa>-buk
rs.
10144 l_wa_copa-werks = <l_fs_copa>-wer
ks.
10145 l_wa_copa-vkorg = <l_fs_copa>-vko
rg.
10146 l_wa_copa-vtweg = <l_fs_copa>-vtw
eg.
10147 l_wa_copa-spart = <l_fs_copa>-spa
rt.
10148 l_wa_copa-prctr = <l_fs_copa>-prc
tr.
10149 l_wa_copa-kunwe = <l_fs_copa>-kun
we.
10150 l_wa_copa-kmvkbu = <l_fs_copa>-km
vkbu.
10151 l_wa_copa-ww224 = <l_fs_copa>-ww22
4.
10152 l_wa_copa-ww225 = <l_fs_copa>-ww22
5.
10153 l_wa_copa-ww226 = <l_fs_copa>-ww22
5.
10154 l_wa_copa-ww227 = <l_fs_copa>-ww22
7.
10155 l_wa_copa-absmg_me = <l_fs_copa>-
absmg_me.
```

```

10156      vv980_me.      l_wa_copa-vv980_me = <l_fs_copa>-
10157      vv981_me.      l_wa_copa-vv981_me = <l_fs_copa>-
10158      vv982_me.      l_wa_copa-vv982_me = <l_fs_copa>-
10159      vv983_me.      l_wa_copa-vv983_me = <l_fs_copa>-
10160      + <l_fs_copa>-absmg.      l_wa_copa-absmg = l_wa_copa-absmg
10161      + <l_fs_copa>-erlos.      l_wa_copa-erlos = l_wa_copa-erlos
10162      + <l_fs_copa>-vv506.      l_wa_copa-vv506 = l_wa_copa-vv506
10163      + <l_fs_copa>-vv507.      l_wa_copa-vv507 = l_wa_copa-vv507
10164      + <l_fs_copa>-vv980.      l_wa_copa-vv980 = l_wa_copa-vv980
10165      + <l_fs_copa>-vv981.      l_wa_copa-vv981 = l_wa_copa-vv981
10166      + <l_fs_copa>-vv982.      l_wa_copa-vv982 = l_wa_copa-vv982
10167      + <l_fs_copa>-vv983.      l_wa_copa-vv983 = l_wa_copa-vv983
10168      >-vv980.      l_v_absmg = l_v_absmg + <l_fs_copa
10169      pa>-vv506.      l_v_pertot = l_v_pertot + <l_fs_co
10170      AT END OF artnr.
10171      APPEND l_wa_copa TO l_i_tcopa.
10172      CLEAR: l_wa_copa.
10173      ENDAT.
10174      ENDLOOP.
10175      IF <l_fs_copa> IS ASSIGNED.
10176      UNASSIGN: <l_fs_copa>.
10177      ENDIF.
10178      ENDIF.
10179      FREE: l_i_copa[]. "++MOD-006
10180
10181      IF l_i_tcopa[] IS NOT INITIAL.
10182      SORT l_i_tcopa BY ww228 ww229 kndnr
10183      LOOP AT l_i_tcopa ASSIGNING <l_fs_co
10184      "Begin of changes by S204711
10185      IF <l_fs_copa>-vv506 IS NOT INITIA
10186      CLEAR: l_v_skip.
10187      IF rb_sale IS INITIAL.
10188      CLEAR: l_v_camnt, l_v_round.
10189      IF l_v_pertot IS NOT INITIAL.
10190      l_v_camnt = ( <l_fs_copa>-vv
10191      l_v_pertot ) * l
10192      _v_coamnt.
10193      ENDIF.
10194      CONDENSE l_v_camnt.
10195      l_v_round = l_v_camnt.
10196      CALL FUNCTION 'J_1I6_ROUND_TO_
10197      NEAREST_AMT'

```

```

10196                                EXPORTING
10197                                i_amount = l_v_round
10198                                IMPORTING
10199                                e_amount = l_v_round.
10200                                IF l_v_round IS INITIAL.
10201                                    l_v_skip = abap_true.
10202                                ENDIF.
10203                                ENDIF.
10204                                IF l_v_skip IS INITIAL.
10205                                    "End of changes by S204711
10206                                MOD-006
10207                                l_v_cnt = l_v_cnt + 1.
10208                                l_wa_data-record_id = l_v_cnt.
10209                                IF rb_sale IS NOT INITIAL.
10210                                    *      Fill Currency Type
10211                                l_wa_data-fieldname = c_curt
10212                                y.
10213                                l_wa_data-value = c_curval.
10214                                READ TABLE l_i_selc
10215                                    WITH KEY fieldna
10216                                me = c_curty
10217                                TRANSPORTING NO
10218                                FIELDS.
10219                                IF sy-subrc NE 0.
10220                                    l_wa_selc-fieldname = c_cu
10221                                    l_wa_selc-sign = c_i.
10222                                    l_wa_selc-option = c_eq.
10223                                    l_wa_selc-low = c_curval.
10224                                    APPEND l_wa_selc TO l_i_se
10225                                lc.
10226                                CLEAR: l_wa_selc.
10227                                ENDIF.
10228                                l_wa_data-currency = <l_fs_d
10229                                hdr>-waers.
10230                                APPEND l_wa_data TO l_i_cdat
10231                                a.
10232                                READ TABLE l_i_fname ASSIGNI
10233                                NG <l_fs_fname>
10234                                WITH KEY fieldna
10235                                me = c_curty.
10236                                IF sy-subrc NE 0.
10237                                    APPEND l_wa_data-fieldname
10238                                TO l_i_fname.
10239                                ENDIF.
10240                                CLEAR: l_wa_data-fieldname,
10241                                l_wa_data-value.
10242                                *      Fill Record type
10243                                l_wa_data-fieldname = c_recty.
10244                                IF rb_sale IS INITIAL.
10245                                    l_wa_data-value = c_srecval.
10246                                ELSE.
10247                                    l_wa_data-value = c_salval.
10248                                    READ TABLE l_i_selc
10249                                        WITH KEY fieldna
10250                                    me = c_recty
10251                                    TRANSPORTING NO
10252                                    FIELDS.

```


10243		IF sy-subrc NE 0.
10244		l_wa_selc-fieldname = c_re
	cty.	
10245		l_wa_selc-sign = c_i.
10246		l_wa_selc-option = c_eq.
10247		l_wa_selc-low = c_salval.
10248		APPEND l_wa_selc TO l_i_se
	lc.	
10249		CLEAR: l_wa_selc.
10250		ENDIF.
10251		ENDIF.
10252		l_wa_data-currency = <l_fs_dhd
	r>-waers.	
10253		APPEND l_wa_data TO l_i_cdata.
10254		READ TABLE l_i_fname ASSIGNING
	<l_fs_fname>	
10255		WITH KEY fieldname
	= c_recty.	
10256		IF sy-subrc NE 0.
10257		APPEND l_wa_data-fieldname T
	0 l_i_fname.	
10258		ENDIF.
10259		CLEAR: l_wa_data-fieldname, l_
	wa_data-value.	
10260		IF rb_sale IS NOT INITIAL.
10261	* Fill Version	
10262		l_wa_data-fieldname = c_vers
	i.	
10263		l_wa_data-value = c_verval.
10264		l_wa_data-currency = <l_fs_d
	hdr>-waers.	
10265		APPEND l_wa_data TO l_i_cdat
	a.	
10266		READ TABLE l_i_selc
10267		WITH KEY fieldna
	me = c_versi	
10268		TRANSPORTING NO
	FIELDS.	
10269		IF sy-subrc NE 0.
10270		l_wa_selc-fieldname = c_ve
	rsi.	
10271		l_wa_selc-sign = c_i.
10272		l_wa_selc-option = c_eq.
10273		l_wa_selc-low = c_verval.
10274		APPEND l_wa_selc TO l_i_se
	lc.	
10275		CLEAR: l_wa_selc.
10276		ENDIF.
10277		READ TABLE l_i_fname ASSIGNI
	NG <l_fs_fname>	
10278		WITH KEY fieldna
	me = c_versi.	
10279		IF sy-subrc NE 0.
10280		APPEND l_wa_data-fieldname
	TO l_i_fname.	
10281		ENDIF.
10282		CLEAR: l_wa_data-fieldname,
	l_wa_data-value.	
10283	* Fill PERIO	
10284		l_wa_data-fieldname = c_peri
	0.	

```

10285 CLEAR: l_v_per.
10286 CONCATENATE p_gjahr c_zero p
      _monat
10287 INTO l_v_per.
10288 l_wa_data-value = l_v_per.
10289 l_wa_data-currency = <l_fs_d
      hdr>-waers.
10290 APPEND l_wa_data TO l_i_cdat
      a.
10291 READ TABLE l_i_selc
10292 WITH KEY fieldna
      me = c_perio
10293 TRANSPORTING NO
      FIELDS.
10294 IF sy-subrc NE 0.
10295 l_wa_selc-fieldname = c_pe
      rio.
10296 l_wa_selc-sign = c_i.
10297 l_wa_selc-option = c_eq.
10298 l_wa_selc-low = l_v_per.
10299 APPEND l_wa_selc TO l_i_se
      lc.
10300 CLEAR: l_wa_selc.
10301 ENDIF.
10302 READ TABLE l_i_fname ASSIGNI
      NG <l_fs_fname>
      WITH KEY fieldna
10303 me = c_perio.
10304 IF sy-subrc NE 0.
10305 APPEND l_wa_data-fieldname
      TO l_i_fname.
10306 ENDIF.
10307 CLEAR: l_wa_data-fieldname,
      l_wa_data-value.
10308 * Fill Posting date
10309 IF rb_sale IS INITIAL.
10310 l_wa_data-fieldname = c_buda
10311 t.
10312 IF p_budat IS INITIAL.
10313 l_wa_data-value = v_last.
10314 ELSE.
10315 l_wa_data-value = p_budat.
10316 ENDIF.
10317 l_wa_data-currency = <l_fs_d
      hdr>-waers.
10318 APPEND l_wa_data TO l_i_cdat
      a.
10319 READ TABLE l_i_fname ASSIGNI
      NG <l_fs_fname>
      WITH KEY fieldna
10320 me = c_budat.
10321 IF sy-subrc NE 0.
10322 APPEND l_wa_data-fieldname
      TO l_i_fname.
10323 ENDIF.
10324 CLEAR: l_wa_data-fieldname,
      l_wa_data-value.
10325 * Fill Customer
10326 IF rb_sale IS NOT INITIAL.

```

```

10328                                     l_wa_selc-fieldname = c_kndn
r.
10329                                     l_wa_selc-sign = c_i.
10330                                     l_wa_selc-option = c_eq.
10331                                     l_wa_selc-low = <l_fs_copa>-
kndnr.
10332                                     APPEND l_wa_selc TO l_i_selc
.
10333                                     CLEAR: l_wa_selc.
10334                                     ENDIF.
10335                                     l_wa_data-fieldname = c_kndnr.
10336                                     l_wa_data-value = <l_fs_copa>-
kndnr.
10337                                     l_wa_data-currency = <l_fs_dhd
r>-waers.
10338                                     APPEND l_wa_data TO l_i_cdata.
10339                                     READ TABLE l_i_fname ASSIGNING
<l_fs_fname>
10340                                     WITH KEY fieldname
= c_kndnr.
10341                                     IF sy-subrc NE 0.
10342                                     APPEND l_wa_data-fieldname T
0 l_i_fname.
10343                                     ENDIF.
10344                                     CLEAR: l_wa_data-fieldname, l_
wa_data-value.
10345                                     *      Fill Material
10346
10347                                     r.
10348                                     l_wa_selc-sign = c_i.
10349                                     l_wa_selc-option = c_eq.
10350                                     l_wa_selc-low = <l_fs_copa>-
artnr.
10351                                     APPEND l_wa_selc TO l_i_selc
.
10352                                     CLEAR: l_wa_selc.
10353                                     ENDIF.
10354                                     l_wa_data-fieldname = c_artnr.
10355                                     l_wa_data-value = <l_fs_copa>-
artnr.
10356                                     l_wa_data-currency = <l_fs_dhd
r>-waers.
10357                                     APPEND l_wa_data TO l_i_cdata.
10358                                     READ TABLE l_i_fname ASSIGNING
<l_fs_fname>
10359                                     WITH KEY fieldname
= c_artnr.
10360                                     IF sy-subrc NE 0.
10361                                     APPEND l_wa_data-fieldname T
0 l_i_fname.
10362                                     ENDIF.
10363                                     CLEAR: l_wa_data-fieldname, l_
wa_data-value.
10364                                     *      Fill Sender cost center
10365
10366                                     t.
10367                                     l_wa_data-fieldname = c_skos
10368                                     "Begin of changes for defect

```

10369	*		l_wa_data-value =
10370	*		<l_fs_dhdr>-main_k
10371	ostl. "		IF <l_fs_ditem>-bukrs EQ <l_
10372	fs_dhdr>-bukrs.		l_wa_data-value =
10373			<l_fs_dhdr>-main_
10374	kostl.		ELSE.
10375			l_wa_data-value =
10376			<l_fs_dhdr>-sub_ko
10377	stl.		ENDIF.
10378	000015750 MOD-023		"End of changes for defect 9
10379	hdr>-waers.		l_wa_data-currency = <l_fs_d
10380	a.		APPEND l_wa_data TO l_i_cdat
10381	NG <l_fs_fname>		READ TABLE l_i_fname ASSIGNI
10382	me = c_skost.		WITH KEY fieldna
10383			IF sy-subrc NE 0.
10384	TO l_i_fname.		APPEND l_wa_data-fieldname
10385			ENDIF.
10386	l_wa_data-value.		CLEAR: l_wa_data-fieldname,
10387			ENDIF.
10388			
10389	* Fill bukrs		
10390			IF rb_sale IS NOT INITIAL.
10391			READ TABLE l_i_selc
10392			WITH KEY field
10393	name = c_bukrs		TRANSPORTING N
10394	0 FIELDS.		
10395			IF sy-subrc NE 0.
10396	krs.		l_wa_selc-fieldname = c_bu
10397			l_wa_selc-sign = c_i.
10398	* l_wa_selc-option = c_eq.		
10399	-004		l_wa_selc-low = p_bukrs. "++MOD
10400	m>-bukrs. "++MOD-004		l_wa_selc-low = <l_fs_dite
10401	lc.		APPEND l_wa_selc TO l_i_se
10402			CLEAR: l_wa_selc.
10403			ENDIF.
10404			ENDIF.
10405	* l_wa_data-fieldname = c_bukrs.		
10406	04		l_wa_data-value = p_bukrs. "—MOD-0
10407	-bukrs. "++MOD-004		l_wa_data-value = <l_fs_ditem>
10408	r>-waers.		l_wa_data-currency = <l_fs_dhd
10409			APPEND l_wa_data TO l_i_cdata.
10410			READ TABLE l i fname ASSIGNING

```

10410      <l_fs_fname>
10411      = c_bukrs.
10412      0 l_i_fname.
10413      wa_data-value.
10414      *      Fill Plant
10415      s.
10416      werks.
10417      .
10418      .
10419      .
10420      .
10421      .
10422      .
10423      .
10424      .
10425      .
10426      .
10427      .
10428      .
10429      <l_fs_fname>
10430      = c_werks.
10431      0 l_i_fname.
10432      wa_data-value.
10433      *      Fill sales org
10434      korg. "—MOD-004
10435      >-vkorg. "++MOD-004
10436      lc.
10437      .
10438      .
10439      .
10440      .
10441      .
10442      .
10443      .
10444      .
10445      .
10446      .
10447      .
10448      .
10449      .
10450      .

```

WITH KEY fieldname
 IF sy-subrc NE 0.
 APPEND l_wa_data-fieldname T
 ENDIF.
 CLEAR: l_wa_data-fieldname, l_
 IF rb_sale IS NOT INITIAL.
 l_wa_selc-fieldname = c_werk
 l_wa_selc-sign = c_i.
 l_wa_selc-option = c_eq.
 l_wa_selc-low = <l_fs_copa>-
 APPEND l_wa_selc TO l_i_selc
 CLEAR: l_wa_selc.
 ENDIF.
 l_wa_data-fieldname = c_werks.
 l_wa_data-value = <l_fs_copa>-
 l_wa_data-currency = <l_fs_dhd
 APPEND l_wa_data TO l_i_cdata.
 READ TABLE l_i_fname ASSIGNING
 WITH KEY fieldname
 IF sy-subrc NE 0.
 APPEND l_wa_data-fieldname T
 ENDIF.
 CLEAR: l_wa_data-fieldname, l_
 IF rb_sale IS NOT INITIAL.
 READ TABLE l_i_selc
 WITH KEY field
 TRANSPORTING N
 IF sy-subrc NE 0.
 l_wa_selc-fieldname = c_vk
 l_wa_selc-sign = c_i.
 l_wa_selc-option = c_eq.
 l_wa_selc-low = <l_fs_kona>-v
 l_wa_selc-low = <l_fs_copa
 APPEND l_wa_selc TO l_i_se
 CLEAR: l_wa_selc.
 ENDIF.
 ENDIF.
 l_wa_data-fieldname = c_vkorg.
 l_wa_data-value = <l_fs_kona>-vko
 rg."—MOD-004

10451	vkorg. "++MOD-004	l_wa_data-value = <l_fs_copa>-
10452	r>-waers.	l_wa_data-currency = <l_fs_dhd
10453		APPEND l_wa_data TO l_i_cdata.
10454	<l_fs_fname>	READ TABLE l_i_fname ASSIGNING
10455		WITH KEY fieldname
10456	= c_vkorg.	
10457	0 l_i_fname.	IF sy-subrc NE 0.
10458		APPEND l_wa_data-fieldname T
10459	wa_data-value.	ENDIF.
10460	* Fill distribution	CLEAR: l_wa_data-fieldname, l_
10461		
10462		IF rb_sale IS NOT INITIAL.
10463	name = c_vtweg	READ TABLE l_i_selc
10464	0 FIELDS.	WITH KEY field
10465	weg.	TRANSPORTING N
10466		
10467		IF sy-subrc NE 0.
10468		l_wa_selc-fieldname = c_vt
10469	>-vtweg.	l_wa_selc-sign = c_i.
10470	lc.	l_wa_selc-option = c_eq.
10471		l_wa_selc-low = <l_fs_kona
10472		
10473		APPEND l_wa_selc TO l_i_se
10474	vtweg.	CLEAR: l_wa_selc.
10475	r>-waers.	ENDIF.
10476	<l_fs_fname>	ENDIF.
10477	= c_vtweg.	l_wa_data-fieldname = c_vtweg.
10478	0 l_i_fname.	l_wa_data-value = <l_fs_kona>-
10479	wa_data-value.	l_wa_data-currency = <l_fs_dhd
10480	* Fill division	APPEND l_wa_data TO l_i_cdata.
10481		READ TABLE l_i_fname ASSIGNING
10482		WITH KEY fieldname
10483	name = c_spart	
10484	0 FIELDS.	IF sy-subrc NE 0.
10485	art.	APPEND l_wa_data-fieldname T
10486		ENDIF.
10487		CLEAR: l_wa_data-fieldname, l_
10488		
10489		IF rb_sale IS NOT INITIAL.
10490		READ TABLE l_i_selc
10491		WITH KEY field
		TRANSPORTING N
		IF sy-subrc NE 0.
		l_wa_selc-fieldname = c_sp
		l_wa_selc-sign = c_i.

10492		l_wa_selc-option = c_eq.
10493		l_wa_selc-low = <l_fs_kona
10494	>-spart.	APPEND l_wa_selc TO l_i_se
10495	lc.	CLEAR: l_wa_selc.
10496		ENDIF.
10497		ENDIF.
10498		l_wa_data-fieldname = c_spart.
10499		l_wa_data-value = <l_fs_kona>-
10500	spart.	l_wa_data-currency = <l_fs_dhd
10501	r>-waers.	APPEND l_wa_data TO l_i_cdata.
10502		READ TABLE l_i_fname ASSIGNING
10503	<l_fs_fname>	WITH KEY fieldname
10504	= c_spart.	IF sy-subrc NE 0.
10505		APPEND l_wa_data-fieldname T
10506	0 l_i_fname.	ENDIF.
10507		CLEAR: l_wa_data-fieldname, l_
10508	wa_data-value.	
10509	* Fill cost element	
10510		IF rb_sale IS INITIAL.
10511		l_wa_data-fieldname = c_ksta
10512	r.	l_wa_data-value = v_dbg1.
10513		l_wa_data-currency = <l_fs_d
10514	hdr>-waers.	APPEND l_wa_data TO l_i_cdat
10515	a.	READ TABLE l_i_fname ASSIGNI
10516	NG <l_fs_fname>	WITH KEY fieldna
10517	me = c_kstar.	IF sy-subrc NE 0.
10518		APPEND l_wa_data-fieldname
10519	TO l_i_fname.	ENDIF.
10520		CLEAR: l_wa_data-fieldname,
10521	l_wa_data-value.	ENDIF.
10522		IF rb_sale IS INITIAL.
10523		l_wa_data-fieldname = c_rbel
10524	* Reference document number	l_wa_data-value = l_v_sdoc.
10525		l_wa_data-currency = <l_fs_d
10526	n.	APPEND l_wa_data TO l_i_cdat
10527	hdr>-waers.	READ TABLE l_i_fname ASSIGNI
10528	a.	WITH KEY fieldna
10529	NG <l_fs_fname>	IF sy-subrc NE 0.
10530	me = c_rbeln.	APPEND l_wa_data-fieldname
10531		
10532		

```

10533     TO l_i_fname.
10534     l_wa_data-value.
10535     * Item number from reference document
10536     n.
10537     m>-tposn.
10538     hdr>-waers.
10539     a.
10540     NG <l_fs_fname>
10541     me = c_rposn.
10542     TO l_i_fname.
10543     l_wa_data-value.
10544     * Fill Ship to
10545     e.
10546     kunwe.
10547     .
10548     kunwe.
10549     r>-waers.
10550     <l_fs_fname>
10551     = c_kunwe.
10552     0 l_i_fname.
10553     wa_data-value.
10554     * Fill Sales Office
10555     name = c_kmvkbu
10556     0 FIELDS.
10557
10558     ENDIF.
10559     CLEAR: l_wa_data-fieldname,
10560     l_wa_data-fieldname = c_rpos
10561     l_wa_data-value = <l_fs_dite
10562     l_wa_data-currency = <l_fs_d
10563     APPEND l_wa_data TO l_i_cdat
10564     READ TABLE l_i_fname ASSIGNI
10565     WITH KEY fieldna
10566     IF sy-subrc NE 0.
10567     APPEND l_wa_data-fieldname
10568     ENDIF.
10569     CLEAR: l_wa_data-fieldname,
10570     ENDIF.
10571     IF rb_sale IS NOT INITIAL.
10572     l_wa_selc-fieldname = c_kunw
10573     l_wa_selc-sign = c_i.
10574     l_wa_selc-option = c_eq.
10575     l_wa_selc-low = <l_fs_copa>-
10576     APPEND l_wa_selc TO l_i_selc
10577     CLEAR: l_wa_selc.
10578     ENDIF.
10579     l_wa_data-fieldname = c_kunwe.
10580     l_wa_data-value = <l_fs_copa>-
10581     l_wa_data-currency = <l_fs_dhd
10582     APPEND l_wa_data TO l_i_cdata.
10583     READ TABLE l_i_fname ASSIGNING
10584     WITH KEY fieldname
10585     IF sy-subrc NE 0.
10586     APPEND l_wa_data-fieldname T
10587     ENDIF.
10588     CLEAR: l_wa_data-fieldname, l_
10589     IF rb_sale IS NOT INITIAL.
10590     READ TABLE l_i_selc
10591     WITH KEY field
10592     TRANSPORTING N
10593     IF sy-subrc NE 0.
10594     l_wa_selc-fieldname = c_km

```



```

vkbu.
10573                                     l_wa_selc-sign = c_i.
10574                                     l_wa_selc-option = c_eq.
10575                                     l_wa_selc-low = <l_fs_kona
>-vkbur.
10576                                     APPEND l_wa_selc TO l_i_se
lc.
10577                                     CLEAR: l_wa_selc.
10578                                     ENDIF.
10579                                     ENDIF.
10580                                     l_wa_data-fieldname = c_kmvkbu
.
10581                                     l_wa_data-value = <l_fs_kona>-
vkbur.
10582                                     l_wa_data-currency = <l_fs_dhd
r>-waers.
10583                                     APPEND l_wa_data TO l_i_cdata.
10584                                     READ TABLE l_i_fname ASSIGNING
<l_fs_fname>
10585                                     WITH KEY fieldname
= c_kmvkbu.
10586                                     IF sy-subrc NE 0.
10587                                     APPEND l_wa_data-fieldname T
0 l_i_fname.
10588                                     ENDIF.
10589                                     CLEAR: l_wa_data-fieldname, l_
wa_data-value.
10590
10591 *      Fill Usage Code
10592                                     l_wa_data-fieldname = c_cusage
.
10593                                     CONCATENATE c_ptax v_mwskz
10594                                     INTO l_wa_data-value.
10595                                     l_wa_data-currency = <l_fs_dhd
r>-waers.
10596                                     APPEND l_wa_data TO l_i_cdata.
10597                                     IF rb_sale IS NOT INITIAL.
10598                                     READ TABLE l_i_selc
10599                                     WITH KEY fieldna
me = c_cusage
10600                                     TRANSPORTING NO
FIELDS.
10601                                     IF sy-subrc NE 0.
10602                                     l_wa_selc-fieldname = c_cu
sage.
10603                                     l_wa_selc-sign = c_i.
10604                                     l_wa_selc-option = c_eq.
10605                                     l_wa_selc-low = l_wa_data-
value.
10606                                     APPEND l_wa_selc TO l_i_se
lc.
10607                                     CLEAR: l_wa_selc.
10608                                     ENDIF.
10609                                     ENDIF.
10610                                     READ TABLE l_i_fname ASSIGNING
<l_fs_fname>
10611                                     WITH KEY fieldname
= c_cusage.
10612                                     IF sy-subrc NE 0.
10613                                     APPEND l_wa_data-fieldname T
0 l_i_fname.

```

```

10614                                     ENDIF.
10615                                     CLEAR: l_wa_data-fieldname, l_
wa_data-value.
10616
10617 *           Fill Agreement
10618                                     IF rb_sale IS NOT INITIAL.
10619                                     READ TABLE l_i_selc
10620                                     WITH KEY field
name = c_ww228
10621                                     TRANSPORTING N
0 FIELDS.
10622                                     IF sy-subrc NE 0.
10623                                     l_wa_selc-fieldname = c_ww
228.
10624                                     l_wa_selc-sign = c_i.
10625                                     l_wa_selc-option = c_eq.
10626                                     l_wa_selc-low = <l_fs_kona
>-knuma.
10627                                     APPEND l_wa_selc TO l_i_se
lc.
10628                                     CLEAR: l_wa_selc.
10629                                     ENDIF.
10630                                     ENDIF.
10631                                     l_wa_data-fieldname = c_ww228.
10632                                     l_wa_data-value = <l_fs_kona>-
knuma.
10633                                     l_wa_data-currency = <l_fs_dhd
r>-waers.
10634                                     APPEND l_wa_data TO l_i_cdata.
10635                                     READ TABLE l_i_fname ASSIGNING
<l_fs_fname>
10636                                     WITH KEY fieldname
= c_ww228.
10637                                     IF sy-subrc NE 0.
10638                                     APPEND l_wa_data-fieldname T
0 l_i_fname.
10639                                     ENDIF.
10640                                     CLEAR: l_wa_data-fieldname, l_
wa_data-value.
10641
10642 *           Fill Agreement Item
10643                                     l_wa_data-fieldname = c_ww229.
10644                                     l_wa_data-value = c_one.
10645                                     IF rb_sale IS NOT INITIAL.
10646                                     READ TABLE l_i_selc
10647                                     WITH KEY field
name = c_ww229
10648                                     TRANSPORTING N
0 FIELDS.
10649                                     IF sy-subrc NE 0.
10650                                     l_wa_selc-fieldname = c_ww
229.
10651                                     l_wa_selc-sign = c_i.
10652                                     l_wa_selc-option = c_eq.
10653                                     l_wa_selc-low = l_wa_data-
value.
10654                                     APPEND l_wa_selc TO l_i_se
lc.
10655                                     CLEAR: l_wa_selc.
10656                                     ENDIF.
10657                                     ENDIF.

```

<pre> 10658 10659 r>-waers. 10660 10661 <l_fs_fname> 10662 = c_ww229. 10663 10664 O l_i_fname. 10665 10666 wa_data-value. 10667 10668 * Controlling area 10669 10670 10671 name = c_kokrs 10672 10673 O FIELDS. 10674 10675 krs. 10676 10677 10678 lc. 10679 10680 10681 10682 10683 10684 10685 r>-waers. 10686 10687 <l_fs_fname> 10688 = c_kokrs. 10689 10690 O l_i_fname. 10691 10692 wa_data-value. 10693 * Value field 10694 10695 MOD-006 10696 * 10697 ,l_wa_tdata, 10698 * 10699 _v_taxco. 10700 10701 MOD-006 10702 10703 ield.</pre>	<pre> l_wa_data-currency = <l_fs_dhd APPEND l_wa_data TO l_i_cdata. READ TABLE l_i_fname ASSIGNING WITH KEY fieldname IF sy-subrc NE 0. APPEND l_wa_data-fieldname T ENDIF. CLEAR: l_wa_data-fieldname, l_ wa_data-value. IF rb_sale IS NOT INITIAL. READ TABLE l_i_selc WITH KEY field TRANSPORTING N IF sy-subrc NE 0. l_wa_selc-fieldname = c_ko l_wa_selc-sign = c_i. l_wa_selc-option = c_eq. l_wa_selc-low = c_erks. APPEND l_wa_selc TO l_i_se CLEAR: l_wa_selc. ENDIF. ENDIF. l_wa_data-fieldname = c_kokrs. l_wa_data-value = c_erks. l_wa_data-currency = <l_fs_dhd APPEND l_wa_data TO l_i_cdata. READ TABLE l_i_fname ASSIGNING WITH KEY fieldname IF sy-subrc NE 0. APPEND l_wa_data-fieldname T ENDIF. CLEAR: l_wa_data-fieldname, l_ IF rb_sale IS INITIAL. "Begin of changes by S204711 CLEAR: l_v_camnt, l_v_round l_v_tax, l_v_taxco. CLEAR: l_wa_tdata,l_v_tax, l_ "End of changes by S204711 l_wa_data-fieldname = l_v_vf</pre>
--	---

```

10700 data-record_id. l_wa_tdata-record_id = l_wa_
10701 05. l_wa_tdata-fieldname = c_vv6
10702 l_wa_data-value = l_v_round.
10703 CONDENSE l_wa_data-value.
10704 l_v_taxco = l_wa_data-value.
10705 l_v_comp = l_v_comp + l_v_ta
xco. "++MOD-026
10706 PERFORM f_cal_ctax USING <l_
fs_dhdr>
10707 * l_v
_taxco "—MOD-026
10708 CHANGING
l_v_tax
10709 l_v_taxco. "++MOD-026
10710 l_wa_tdata-value = l_v_tax.
10711 l_v_stax = l_v_stax + l_v_ta
x.
10712 * l_v_comp = l_v_comp + l_v_t
axco. "—MOD-026
10713
10714 l_wa_tdata-currency = <l_fs_
dhdr>-waers.
10715 APPEND l_wa_tdata TO l_i_cda
ta.
10716 READ TABLE l_i_fname ASSIGNI
NG <l_fs_fname>
10717 WITH KEY fieldna
me = c_vv605.
10718 IF sy-subrc NE 0.
10719 APPEND l_wa_tdata-fieldnam
e TO l_i_fname.
10720 ENDIF.
10721 CLEAR: l_wa_tdata.
10722 l_wa_data-currency = <l_fs_d
hdr>-waers.
10723 APPEND l_wa_data TO l_i_cdat
a.
10724 READ TABLE l_i_fname ASSIGNI
NG <l_fs_fname>
10725 WITH KEY fieldn
ame = l_v_vfield.
10726 IF sy-subrc NE 0.
10727 APPEND l_wa_data-fieldname
TO l_i_fname.
10728 ENDIF.
10729 CLEAR: l_wa_data-fieldname,
l_wa_data-value.
10730 ELSE.
10731 "Value field VV506
10732 l_wa_data-fieldname = c_vv50
6.
10733 l_wa_data-value = <l_fs_copa
>-vv506
* 100.
10734
10735 l_wa_data-currency = <l_fs_d
10736 hdr>-waers.
10737 APPEND l_wa_data TO l_i_cdat

```

```

a.
10738                                READ TABLE l_i_fname ASSIGNI
NG <l_fs_fname>                                WITH KEY fieldna
10739                                me = c_vv506.
10740                                IF sy-subrc NE 0.
10741                                APPEND l_wa_data-fieldname
TO l_i_fname.
10742                                ENDIF.
10743                                ENDIF.
10744                                ENDIF. "+MOD-006
10745                                ENDIF. "++MOD-006
10746                                ENDLLOOP.
10747                                FREE: l_i_tcopa[]. "++MOD-006
10748                                IF rb_sale IS INITIAL.
10749                                * IF l_wa_sfinal-amnt <> l_v_comp.
10750                                IF l_v_coamnt <> l_v_comp.
10751                                CLEAR: l_v_adjst.
10752                                l_v_adjst = l_v_coamnt - l_v_com
p.
10753                                READ TABLE l_i_cdata ASSIGNING <
l_fs_data>
10754                                WITH KEY fieldname =
l_v_vfield.
10755                                IF sy-subrc IS INITIAL.
10756                                <l_fs_data>-value = <l_fs_data
>-value + l_v_adjst.
10757                                ENDIF.
10758                                l_v_comp = l_v_comp + l_v_adjst.
10759                                * IF l_v_coamnt = l_v_comp.
10760                                * l_v_lstop = abap_true.
10761                                * ENDIF.
10762                                ENDIF.
10763                                * Begin of changes by S204711
10764                                IF l_v_coamnt = l_v_comp.
10765                                l_v_lstop = abap_true.
10766                                ENDIF.
10767                                * End of changes by S204711
10768                                IF <l_fs_data> IS ASSIGNED.
10769                                UNASSIGN: <l_fs_data>.
10770                                ENDIF.
10771                                CLEAR: l_v_comp, l_v_adjst.
10772                                * IF l_v_ftax <> l_v_stax.
10773                                IF l_v_cotax <> l_v_stax.
10774                                l_v_adjst = l_v_cotax - l_v_stax
.
10775                                * Tax Difference Adjustment logic
10776                                CLEAR: l_v_cline.
10777                                DESCRIBE TABLE l_i_cdata LINES l
_v_cline.
10778                                l_v_cline = l_v_cline - 1.
10779                                READ TABLE l_i_cdata ASSIGNING <
l_fs_data>
10780                                INDEX l_v_c
line.
10781                                IF sy-subrc IS INITIAL.
10782                                <l_fs_data>-value = <l_fs_data
>-value +
10783                                l_v_adjst.
10784                                ENDIF.
10785                                ENDIF.

```

```

10786             CLEAR: l_v_cline,l_v_adjst,
10787                     l_v_stax. "++MOD-004
10788             IF <l_fs_data> IS ASSIGNED.
10789                 UNASSIGN: <l_fs_data>.
10790             ENDIF.
10791         ENDIF.
10792     ENDIF.
10793     CLEAR: v_eflag.
10794     IF l_i_cdata[] IS NOT INITIAL.
10795         IF l_i_fname[] IS NOT INITIAL.
10796             SORT l_i_fname.
10797             DELETE ADJACENT DUPLICATES FROM l_
i_fname.
10798         ENDIF.
10799     ENDIF.
10800     IF rb_sale IS INITIAL.
10801         PERFORM f_post_copa USING l_i_cdata
10802                                     l_i_fname
10803                                     CHANGING l_v_message
e.
10804         IF l_v_message IS INITIAL.
10805             IF rb_test IS NOT INITIAL.
10806                 l_v_message = text-023.
10807             ELSE.
10808                 l_v_message = text-032.
10809             ENDIF.
10810         ENDIF.
10811         l_wa_sfina1-msg = l_v_message.
10812         CLEAR: l_i_cdata[],l_i_fname[],
10813                l_i_selc[], l_v_cnt.
10814     ELSE.
10815         * Begin of changes by S204711                                MOD
-004
10816         IF l_i_fname[] IS NOT INITIAL.
10817             SORT l_i_fname.
10818             DELETE ADJACENT DUPLICATES FROM l_
i_fname.
10819         SORT l_i_selc.
10820         DELETE ADJACENT DUPLICATES FROM l_
i_selc
10821         COMPARING ALL FIELDS.
10822         * End of changes by S204711                                MOD-0
04
10823         PERFORM f_post_sales USING l_i_cda
ta
10824                                     l_i_sel
c
10825                                     l_i_fna
me
10826                                     CHANGING l_v_mes
sage.
10827         l_wa_sfina1-msg = l_v_message.
10828     ENDIF. "++MOD-004
10829     CLEAR: l_i_cdata[],l_i_fname[], l_i_
selc[],
10830             l_v_cnt.
10831     ENDIF.
10832     IF rb_post IS NOT INITIAL.
10833         IF v_eflag IS INITIAL.

```

```

10836 * BAPI Commit if there is no error
10837 MMIT'                                CALL FUNCTION 'BAPI_TRANSACTION_CO
                                         EXPORTING
                                         wait = abap_true.
10838
10839 * Get items count
10840
10841 IF l_v_item IS INITIAL.
10842     l_v_item = l_v_lines + 1.
10843 ELSE.
10844     l_v_item = l_v_item + 1.
10845 ENDIF.
10846
10847 l_wa_ditem-knuma = <l_fs_ditem>-kn
10848 uma.
10849 l_wa_ditem-item = l_v_item.
10850 l_wa_ditem-bukrs = <l_fs_ditem>-bu
10851 krs.
10852 l_wa_ditem-sched_dat = l_v_lastd.
10853 l_wa_ditem-vkbur = <l_fs_ditem>-vk
10854 bur.
10855 l_wa_ditem-cross_typ = <l_fs_ditem
10856 >-cross_typ.
10857 IF l_v_lstop IS NOT INITIAL.
10858     l_wa_ditem-compl = abap_true.
10859 ENDIF.
10860 * l_wa_ditem-act_amnt = l_wa_sfina
10861 mnt."—MOD-004
10862 l_wa_ditem-act_amnt = <l_fs_ditem>
10863 -act_amnt. "++MOD-004
10864 l_wa_ditem-mwskz = v_mwskz.
10865 * Update custom Table with status
10866 l_wa_ditem-tran_type = c_amort.'"0
10867 4'-Amortization
10868 IF p_budat IS INITIAL.
10869     l_wa_ditem-budat = v_last.
10870 ELSE.
10871     l_wa_ditem-budat = p_budat.
10872 ENDIF.
10873 * Update custom Table with status
10874 IF rb_sale IS NOT INITIAL.
10875     l_wa_ditem-tran_type = c_sales."
10876 ELSE.
10877     l_wa_ditem-tran_type = c_amort."
10878 '91'Sales
10879 ELSE.
10880     l_wa_ditem-tran_type = c_amort."
10881 '04'-Amort.
10882 ENDIF.
10883 l_wa_ditem-zernam = sy-uname.
10884 l_wa_ditem-zersda = sy-datlo.
10885 l_wa_ditem-zerzst = sy-timlo.
10886 IF l_v_lstop IS NOT INITIAL.
10887 * Update Header Table with LSA STOP indicator
10888 CLEAR: l_wa_thdr.
10889 l_wa_thdr-knuma = <l_fs_dhdr>-kn
10890 uma.
10891 l_wa_thdr-start_date = <l_fs_dhd
10892 r>-start_date.
10893 l_wa_thdr-compl = abap_true.
10894 l_wa_thdr-lsastop_dat = l_wa_dit
10895 em-budat.
10896 PERFORM f_upd_h tab USING l_wa_th

```

```

dr.
10884          CLEAR: l_wa_thdr.
10885          ENDIF.
10886          PERFORM f_upd_tab USING l_wa_ditem
.
10887          CLEAR: l_wa_ditem.
10888          ELSE.
10889          CALL FUNCTION 'BAPI_TRANSACTION_RO
LLBACK'.
10890          ENDIF.
10891          ENDIF.
10892          IF l_wa_sfinal IS NOT INITIAL.  "++MOD
-004
10893          APPEND l_wa_sfinal TO i_sfinal.
10894          ENDIF.  "++MOD-
004
10895          CLEAR: l_wa_sfinal, v_eflag, l_v_messa
ge,
10896          l_i_copa[], l_i_tcopa[], l_wa_c
opa,
10897          l_wa_ditem, l_v_cnt." l_v_amntc
.  "—MOD-019
10898
10899          ENDIF.  "++MOD-004
10900          ENDIF.
10901          ENDLOOP.
10902          CLEAR: l_v_tindex, l_v_famnt.
10903          ENDIF.
10904          ENDIF.
10905          *  ENDIF.  "—MOD-004
10906          ENDIF.  "++MOD-004
10907          CLEAR: l_v_skip.  "++MOD-004
10908          ENDDO.
10909          ENDIF.
10910          ENDIF.
10911          ENDIF.
10912          ENDIF.
10913          ENDIF.  "++MOD-004
10914          * Begin of changes by S204711  MOD-004
10915          CLEAR: l_r_knuma, l_v_tlines, v_dbg1, l_v_item,
10916          v_mwskz, v_mwskz1, l_v_lines, l_v_vfield,
10917          l_v_tax, l_v_stax.  "i_custd[].
10918          * End of changes by S204711  MOD-004
10919          ELSE.
10920          CLEAR: l_wa_sfinal, l_v_message.
10921          l_wa_sfinal-monat = p_monat.
10922          l_wa_sfinal-gjahr = p_gjahr.
10923          l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
10924          MESSAGE s038 WITH <l_fs_dhdr>-knuma INTO
10925          l_wa_sfinal-msg.
10926          APPEND l_wa_sfinal TO i_sfinal.
10927          CLEAR: l_wa_sfinal.
10928          ENDIF.
10929          ELSE.
10930          CLEAR: l_wa_sfinal, l_v_message.
10931          l_wa_sfinal-monat = p_monat.
10932          l_wa_sfinal-gjahr = p_gjahr.
10933          l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
10934          CONCATENATE text-039 <l_fs_dhdr>-knuma
10935          INTO l_v_message SEPARATED BY space.
10936          l_wa_sfinal-msg = l_v_message.

```



```
10937         APPEND l_wa_sfinal TO i_sfinal.
10938         CLEAR: l_wa_sfinal.
10939     ENDIF.
10940 ENDLOOP.
10941 ENDIF.
10942
10943 ENDFORM.                                " F_PROCESS_SPDATA
10944 *&-----*
10945 *&      Form   F_COL_DESC
10946 *&-----*
10947 *   ALV output Columns
10948 *-----*
10949 FORM f_col_desc .
10950     DATA: l_v_text TYPE scrtext_l.
10951
10952 *Get Colomns
10953     o_columns = o_table->get_columns( ).
10954     o_columns->set_optimize( ).
10955     o_colmn = o_table->get_columns( ).
10956
10957     TRY.
10958         o_column = o_columns->get_column( c_mon ).
10959         o_column->set_short_text( space ).
10960         CLEAR: l_v_text.
10961         l_v_text = text-003.           "Period
10962         o_column->set_long_text( l_v_text ).
10963         o_column->set_medium_text( space ).
10964
10965         o_column = o_columns->get_column( c_year ).
10966         o_column->set_short_text( space ).
10967         CLEAR: l_v_text.
10968         l_v_text = text-004.           "Fiscal Year
10969         o_column->set_long_text( l_v_text ).
10970         o_column->set_medium_text( space ).
10971
10972         o_column = o_columns->get_column( c_agre ).
10973         o_column->set_short_text( space ).
10974         CLEAR: l_v_text.
10975         l_v_text = text-006.           "Agreement
10976         o_column->set_long_text( l_v_text ).
10977         o_column->set_medium_text( space ).
10978
10979         o_column = o_columns->get_column( c_datb ).
10980         o_column->set_short_text( space ).
10981         CLEAR: l_v_text.
10982         l_v_text = text-017.           "Contract Start Date
10983         o_column->set_long_text( l_v_text ).
10984         o_column->set_medium_text( space ).
10985
10986         o_column = o_columns->get_column( c_dati ).
10987         o_column->set_short_text( space ).
10988         CLEAR: l_v_text.
10989         l_v_text = text-018.           "Contract End Date
10990         o_column->set_long_text( l_v_text ).
10991         o_column->set_medium_text( space ).
10992
10993         o_column = o_columns->get_column( c_apam ).
10994         o_column->set_short_text( space ).
10995         CLEAR: l_v_text.
10996         l_v_text = text-022.           "Apportionment Amount
10997         o_column->set_long_text( l_v_text ).
```

```

10998      o_column->set_medium_text( space ).
10999
11000      o_column = o_columns->get_column( c_atax ).
11001      o_column->set_short_text( space ).
11002      CLEAR: l_v_text.
11003      l_v_text = text-038.      "Tax Amount
11004      o_column->set_long_text( l_v_text ).
11005      o_column->set_medium_text( space ).
11006
11007      o_column = o_columns->get_column( c_coam ).
11008      o_column->set_short_text( space ).
11009      CLEAR: l_v_text.
11010      l_v_text = text-019.      "Contract Amount
11011      o_column->set_long_text( l_v_text ).
11012      o_column->set_medium_text( space ).
11013
11014      o_column = o_columns->get_column( c_msg ).
11015      o_column->set_short_text( space ).
11016      CLEAR: l_v_text.
11017      l_v_text = text-011.      "Message
11018      o_column->set_long_text( l_v_text ).
11019      o_column->set_medium_text( space ).
11020
11021      * Error in displaying ALV
11022      CATCH cx_salv_not_found.
11023      MESSAGE e005.
11024      ENDTRY.
11025      ENDFORM.      " F_COL_DESC
11026      *&-----*
11027      *&      Form      F_POST_SALES
11028      *&-----*
11029      *      Post Sales data
11030      *-----*
11031      FORM f_post_sales USING      fp_i_cdata TYPE tb_cdata
11032                                fp_i_selc TYPE tb_selc
11033                                fp_i_fname TYPE tb_fname
11034                                CHANGING fp_v_mess TYPE char255.
11035
11036      DATA: l_i_return TYPE STANDARD TABLE OF bapiret2,"Return parameter
11037            l_i_ret TYPE STANDARD TABLE OF bapiret2."Return parameter
11038
11039      FIELD-SYMBOLS: <l_fs_return> TYPE bapiret2,"Return parameter
11040                   <l_fs_ret> TYPE bapiret2."Return parameter
11041
11042      CLEAR: l_i_return[], l_i_ret.
11043
11044      IF fp_i_cdata[] IS NOT INITIAL.
11045      IF rb_test IS NOT INITIAL.
11046      CALL FUNCTION 'BAPI_COPAPLANNING_POSTDATA'
11047      EXPORTING
11048          operatingconcern      = c_erkr
11049          typeofprofitanalysis   = c_one
11050          testrun                = abap_true
11051      TABLES
11052          selectedfields         = fp_i_fname
11053          selection              = fp_i_selc
11054          data                   = fp_i_cdata
11055          return                 = l_i_return.
11056
11057      ELSE.
11058      CALL FUNCTION 'BAPI_COPAPLANNING_POSTDATA'

```

```

11059      EXPORTING
11060      operatingconcern      = c_erkr
11061      typeofprofitanalysis = c_one
11062      testrun               = space
11063      TABLES
11064      selectedfields        = fp_i_fname
11065      selection              = fp_i_selc
11066      data                  = fp_i_cdata
11067      return                 = l_i_return.
11068
11069      ENDIF.
11070      IF l_i_return[] IS NOT INITIAL.
11071          SORT l_i_return BY type.
11072      * Read the return table for success.
11073          READ TABLE l_i_return ASSIGNING <l_fs_return>
11074              WITH KEY type = c_succ
11075                  BINARY SEARCH.
11076          IF sy-subrc IS INITIAL.
11077              IF fp_v_mess IS INITIAL.
11078                  IF rb_test IS INITIAL.
11079                      fp_v_mess = text-025.
11080                  ELSE.
11081                      fp_v_mess = text-023.
11082                  ENDIF.
11083              ENDIF.
11084          ELSE.
11085              l_i_ret[] = l_i_return[].
11086              IF <l_fs_return> IS ASSIGNED.
11087                  UNASSIGN: <l_fs_return>.
11088              ENDIF.
11089      * Read the return table for Error.
11090              READ TABLE l_i_return ASSIGNING <l_fs_return>
11091                  WITH KEY type = c_err
11092                      BINARY SEARCH.
11093              IF sy-subrc IS INITIAL.
11094                  v_eflag = abap_true.
11095              ENDIF.
11096              SORT l_i_ret BY type id number.
11097              IF fp_v_mess IS INITIAL.
11098                  DELETE ADJACENT DUPLICATES FROM l_i_ret
11099                      COMPARING type id number.
11100              LOOP AT l_i_ret ASSIGNING <l_fs_ret>.
11101                  CONCATENATE <l_fs_ret>-type <l_fs_ret>-message fp_v_mess
11102                      INTO fp_v_mess SEPARATED BY c_sep. "Comma
11103              ENDLOOP.
11104              IF <l_fs_ret> IS ASSIGNED.
11105                  UNASSIGN: <l_fs_ret>.
11106              ENDIF.
11107          ENDIF.
11108      ENDIF.
11109      IF <l_fs_return> IS ASSIGNED.
11110          UNASSIGN: <l_fs_return>.
11111      ENDIF.
11112      ELSE.
11113          IF rb_test IS INITIAL.
11114              fp_v_mess = text-025.
11115          ELSE.
11116              fp_v_mess = text-023.
11117          ENDIF.
11118      ENDIF.
11119      ENDIF.

```

```

11120 ENDFORM. " F_POST_SALES
11121 *&
11122 *& Form F_EVENT_LINK_CLK
11123 *&
11124 * Event Link Click
11125 *
11126 *
11127 FORM f_event_link_clk USING fp_table TYPE REF TO cl_salv_table.
11128 *Local Data declaration
11129 DATA: l_o_events TYPE REF TO cl_salv_events_table,
11130 l_o_handle TYPE REF TO lcl_handle_events.
11131 * get the event reference
11132 l_o_events = fp_table->get_event( ).
11133 CREATE OBJECT l_o_handle.
11134 * register to the event LINK_CLICK
11135 SET HANDLER l_o_handle->on_link_click FOR l_o_events.
11136
11137 ENDFORM. " F_EVENT_LINK_CLK
11138 *
11139 * CLASS lcl_handle_events IMPLEMENTATION
11140 *
11141 * Implement the events for handling the events of cl_salv_table
11142 *
11143 CLASS lcl_handle_events IMPLEMENTATION.
11144 METHOD on_link_click.
11145 PERFORM f_display_tran USING row column .
11146 ENDMETHOD. "on_link_click
11147 ENDCLASS. "lcl_handle_events IMPLEMENTATION
11148 *&
11149 *& Form F_DISPLAY_TRAN
11150 *&
11151 * Display Transaction on Click
11152 *
11153 FORM f_display_tran USING fp_row TYPE salv_de_row
11154 fp_column TYPE salv_de_column ##NEEDED.
11155 DATA: l_wa_final TYPE ty_final,
11156 l_v_gjahr TYPE gjahr. "++MOD-012
11157
11158 CLEAR: l_v_gjahr.
11159 READ TABLE i_final INTO l_wa_final INDEX fp_row.
11160 IF sy-subrc IS INITIAL.
11161 IF l_wa_final-fi_doc IS NOT INITIAL.
11162 " Begin of changes by S204711 MOD-012
11163 " Pass correct fiscal year for display
11164 IF p_budat IS INITIAL.
11165 l_v_gjahr = p_gjahr.
11166 ELSE.
11167 l_v_gjahr = p_budat+0(4).
11168 ENDIF.
11169 " End of changes by S204711 MOD-012
11170 SET PARAMETER ID: c_blnr FIELD l_wa_final-fi_doc,
11171 * c_bukr FIELD p_bukrs, "—MOD-004
11172 * c_bukr FIELD l_wa_final-bukrs, "++MOD-004
11173 * c_gjr FIELD p_gjahr. "—MOD-012
11174 * c_gjr FIELD l_v_gjahr. "++MOD-012
11175 CALL TRANSACTION c_tacc AND SKIP FIRST SCREEN. "FB03
11176
11177 ENDIF.
11178 ENDIF.
11179 ENDFORM. " F_DISPLAY_TRAN
11180 *&

```

```

11181 *&      Form   F_CAL_ETAX
11182 *&-----*
11183 *      Tax Inclusive Logic
11184 *-----*
11185 FORM f_cal_etax USING      fp_dhdr TYPE ty_dhdr
11186                        CHANGING fp_i_curr TYPE bapiaccr09_tab
11187                        fp_i_acctax TYPE bapiactx09_tab
11188                        fp_v_tax TYPE /ccej/rtr_tot      ##NEEDED
11189                        fp_v_acctax TYPE /ccej/rtr_tot.
11190
11191 * Local variable declaration
11192 DATA: l_i_mwdat TYPE STANDARD TABLE OF rtax1u15, "tax items
11193        l_v_taxrnd TYPE j_1itaxamt, "Total tax amount
11194        l_v_wrbtr TYPE wrbtr, "Amount field
11195        l_v_total TYPE wmwst, "tax amount in doc curr.
11196        l_v_ktosl TYPE ktosl, "Transaction Key
11197        l_v_kschl TYPE kschl, "Condition Type
11198        l_wa_curr TYPE bapiaccr09, "Currency Items WA
11199        l_wa_acctax TYPE bapiactx09, "Tax workarea
11200        l_v_lines TYPE posnr_acc. "Item no.
11201
11202 * Field Symbols:
11203 FIELD-SYMBOLS: <l_fs_mwdat> TYPE rtax1u15, "tax cal
11204                <l_fs_curr> TYPE bapiaccr09. "Currency item
11205
11206 CLEAR: l_i_mwdat[], l_v_taxrnd, l_v_wrbtr, l_v_total,
11207        l_v_ktosl, l_v_kschl, l_wa_curr, l_wa_acctax, l_v_lines.
11208
11209 IF fp_i_curr[] IS NOT INITIAL.
11210
11211 READ TABLE fp_i_curr ASSIGNING <l_fs_curr> INDEX 1.
11212 IF sy-subrc IS INITIAL.
11213     l_v_wrbtr = <l_fs_curr>-amt_doccur.
11214     CALL FUNCTION 'CALCULATE_TAX_FROM_GROSSAMOUNT'
11215     EXPORTING
11216         i_bukrs           = fp_dhdr-bukrs
11217         i_mwskz           = v_mwskz
11218         i_waers           = c_curr
11219         i_wrbtr           = l_v_wrbtr
11220     TABLES
11221         t_mwdat           = l_i_mwdat
11222     EXCEPTIONS
11223         bukrs_not_found   = 1
11224         country_not_found = 2
11225         mwskz_not_defined = 3
11226         mwskz_not_valid   = 4
11227         account_not_found = 5
11228         different_discount_base = 6
11229         different_tax_base = 7
11230         txjcd_not_valid   = 8
11231         not_found         = 9
11232         ktosl_not_found   = 10
11233         OTHERS            = 15 ##number_ok.
11234 IF sy-subrc <> 0.
11235     CLEAR: l_i_mwdat[].
11236 ELSE.
11237     IF l_i_mwdat[] IS NOT INITIAL.
11238         LOOP AT l_i_mwdat ASSIGNING <l_fs_mwdat>.
11239             IF <l_fs_mwdat>-wmwst IS NOT INITIAL.
11240                 l_v_taxrnd = <l_fs_mwdat>-wmwst.
11241                 CALL FUNCTION 'J_1I6_ROUND_TO_NEAREST_AMT'

```

```

11242      EXPORTING
11243          i_amount = l_v_taxrnd
11244      IMPORTING
11245          e_amount = l_v_taxrnd.
11246
11247      <l_fs_mwdat>-wmwst = l_v_taxrnd.
11248      CLEAR l_v_taxrnd.
11249      "Begin of changes by S204711 MOD-026
11250      IF <l_fs_mwdat>-ktosl EQ c_ktosl.
11251          l_v_wrbtr = l_v_wrbtr + <l_fs_mwdat>-wmwst.
11252      ELSE.
11253          "End of changes by S204711 MOD-026
11254      * get the summation of all the wmwsts
11255          l_v_total = l_v_total + <l_fs_mwdat>-wmwst.
11256          l_v_kschl = <l_fs_mwdat>-kschl.
11257          l_v_ktosl = <l_fs_mwdat>-ktosl.
11258      ENDIF. "++MOD-026
11259      ENDIF.
11260      ENDLOOP.
11261      ENDIF.
11262      ENDIF.
11263      fp_v_acctax = l_v_total.
11264      DESCRIBE TABLE fp_i_curr LINES l_v_lines.
11265      l_wa_curr-itemno_acc = l_v_lines + 1.
11266      l_wa_acctax-itemno_acc = l_wa_curr-itemno_acc.
11267      l_wa_curr-currency = c_curr.
11268      l_wa_curr-amt_doccur = l_v_total.
11269      l_wa_curr-amt_base = l_v_wrbtr.
11270      APPEND l_wa_curr TO fp_i_curr.
11271      CLEAR: l_wa_curr.
11272      l_wa_acctax-cond_key = l_v_kschl.
11273      l_wa_acctax-acct_key = l_v_ktosl.
11274      l_wa_acctax-tax_code = v_mwskz.
11275      APPEND l_wa_acctax TO fp_i_acctax.
11276      CLEAR: l_wa_acctax.
11277      * fp_v_tax = <l_fs_curr>-amt_doccur + l_v_total.
11278      l_v_total = l_v_total * -1.
11279      <l_fs_curr>-amt_doccur = <l_fs_curr>-amt_doccur + l_v_total.
11280      CLEAR: l_i_mwdat[], l_v_total, l_v_taxrnd, l_v_wrbtr.
11281      ENDIF.
11282      ENDIF.
11283
11284      ENDFORM. " F_CAL_ETAX
11285      *&-----*
11286      *& Form F_CAL_ITAX
11287      *&-----*
11288      * Tax Exclusive Logic
11289      *-----*
11290      FORM f_cal_itax USING fp_dhdr TYPE ty_dhdr
11291                          fp_v_baseamt TYPE /ccej/rtr_tot "++MOD-027
11292                          fp_v_tamnt TYPE char16 "++MOD-027
11293                          CHANGING fp_i_curr TYPE bapiaccr09_tab
11294                                  fp_i_acctax TYPE bapiactx09_tab
11295                                  fp_v_tax TYPE /ccej/rtr_tot
11296                                  fp_v_acctax TYPE /ccej/rtr_tot.
11297
11298      * Local variable declaration
11299      DATA: l_i_mwdat TYPE STANDARD TABLE OF rtax1u15, "tax items
11300            l_v_taxrnd TYPE j_1itaxamt, "Total tax amount
11301            l_v_wrbtr TYPE wrbtr, "Amount field
11302            l_v_total TYPE wmwst, "tax amount in doc curr.

```

```

11303      l_v_ktosl TYPE ktosl, "Transaction Key
11304      l_v_kschl TYPE kschl, "Condition Type
11305      l_wa_curr TYPE bapiaccr09, "Currency Items WA
11306      l_wa_acctax TYPE bapiactx09, "Tax workarea
11307      l_v_item TYPE posnr_acc, "++MOD-027
11308      l_v_lines TYPE posnr_acc. "Item no.
11309
11310 * Field Symbols:
11311 FIELD-SYMBOLS: <l_fs_mwdat> TYPE rtax1u15, "tax cal
11312                <l_fs_curr> TYPE bapiaccr09. "Currency item
11313
11314 CLEAR: l_i_mwdat[], l_v_taxrnd, l_v_wrbtr, l_v_total,
11315        l_v_ktosl, l_v_kschl, l_wa_curr, l_wa_acctax, l_v_lines.
11316
11317 IF fp_i_curr[] IS NOT INITIAL.
11318
11319     READ TABLE fp_i_curr ASSIGNING <l_fs_curr> INDEX 1.
11320     IF sy-subrc IS INITIAL.
11321         l_v_wrbtr = <l_fs_curr>-amt_doccur.
11322
11323     CALL FUNCTION 'CALCULATE_TAX_FROM_NET_AMOUNT'
11324     EXPORTING
11325         i_bukrs      = fp_dhdr-bukrs
11326         i_mwskz      = v_mwskz
11327         i_waers      = c_curr
11328         i_wrbtr      = l_v_wrbtr
11329     TABLES
11330         t_mwdat      = l_i_mwdat
11331     EXCEPTIONS
11332         bukrs_not_found = 1
11333         country_not_found = 2
11334         mwskz_not_defined = 3
11335         mwskz_not_valid = 4
11336         ktosl_not_found = 5
11337         kalsm_not_found = 6
11338         parameter_error = 7
11339         knumh_not_found = 8
11340         kschl_not_found = 9
11341         unknown_error = 10
11342         account_not_found = 11 ##NUMBER_OK
11343         txjcd_not_valid = 12 ##NUMBER_OK
11344         OTHERS = 13 ##NUMBER_OK.
11345     IF sy-subrc <> 0.
11346         CLEAR: l_i_mwdat[].
11347     ELSE.
11348         IF l_i_mwdat[] IS NOT INITIAL.
11349             LOOP AT l_i_mwdat ASSIGNING <l_fs_mwdat>.
11350                 IF <l_fs_mwdat>-wmwst IS NOT INITIAL.
11351                     l_v_taxrnd = <l_fs_mwdat>-wmwst.
11352                     CALL FUNCTION 'J_1I6_ROUND_TO_NEAREST_AMT'
11353                     EXPORTING
11354                         i_amount = l_v_taxrnd
11355                     IMPORTING
11356                         e_amount = l_v_taxrnd.
11357
11358                     <l_fs_mwdat>-wmwst = l_v_taxrnd.
11359                     CLEAR l_v_taxrnd.
11360                     "Begin of changes by S204711 MOD-026
11361                     IF <l_fs_mwdat>-ktosl EQ c_ktosl.
11362                         l_v_wrbtr = l_v_wrbtr + <l_fs_mwdat>-wmwst.
11363                     ELSE.

```



```

11364             "End of changes by S204711          MOD-026
11365 * get the summation of all the wmwsts
11366             l_v_total = l_v_total + <l_fs_mwdat>-wmwst.
11367             l_v_kschl = <l_fs_mwdat>-kschl.
11368             l_v_ktosl = <l_fs_mwdat>-ktosl.
11369             ENDIF.      "++MOD-026
11370             ENDIF.
11371             ENDLLOOP.
11372             ENDIF.
11373             ENDIF.
11374 * Begin of changes by S204711 for DME month end defect 9000004791    MOD
-002
11375 *         fp_v_acctax = l_v_total.
11376         IF fp_v_acctax IS INITIAL.
11377             fp_v_acctax = l_v_total.
11378         ELSE.
11379             l_v_total = fp_v_acctax.
11380         ENDIF.
11381 * End of changes by S204711 for DME month end defect 9000004791    MOD-0
02
11382         DESCRIBE TABLE fp_i_curr LINES l_v_lines.
11383 * Begin of changes          MOD-027
11384         READ TABLE l_i_mwdat WITH KEY ktosl = c_ktosl
11385         TRANSPORTING NO FIELDS.
11386         IF sy-subrc IS INITIAL.
11387             LOOP AT l_i_mwdat ASSIGNING <l_fs_mwdat>.
11388                 IF l_v_item IS INITIAL.
11389                     l_v_item = l_v_lines + 1.
11390                 ELSE.
11391                     l_v_item = l_v_item + 1.
11392                 ENDIF.
11393                 l_wa_acctax-tax_code = v_mwskz.
11394                 l_wa_acctax-itemno_acc = l_v_item.
11395                 l_wa_acctax-cond_key = <l_fs_mwdat>-kschl.
11396                 l_wa_acctax-acct_key = <l_fs_mwdat>-ktosl.
11397                 APPEND l_wa_acctax TO fp_i_acctax.
11398                 CLEAR: l_wa_acctax.
11399 * Currency line item 2
11400                 l_wa_curr-itemno_acc = l_v_item.
11401                 l_wa_curr-currency = c_curr.
11402                 l_wa_curr-currency_iso = c_curr.
11403                 IF <l_fs_mwdat>-ktosl = c_ktosl.
11404                     l_wa_curr-amt_doccur = fp_v_tamnt.
11405                 ELSE.
11406                     l_wa_curr-amt_doccur = l_v_total.
11407                 ENDIF.
11408                 l_wa_curr-amt_base = fp_v_baseamnt.
11409                 APPEND l_wa_curr TO fp_i_curr.
11410                 CLEAR: l_wa_curr.
11411             ENDLLOOP.
11412             CLEAR: l_v_item.
11413         ELSE.
11414 * End of changes          MOD-027
11415                 l_wa_curr-itemno_acc = l_v_lines + 1.
11416                 l_wa_acctax-itemno_acc = l_wa_curr-itemno_acc.
11417                 l_wa_curr-currency = c_curr.
11418                 l_wa_curr-amt_doccur = l_v_total.
11419                 l_wa_curr-amt_base = l_v_wrbtr.
11420                 APPEND l_wa_curr TO fp_i_curr.
11421                 CLEAR: l_wa_curr.
11422                 l_wa_acctax-cond_key = l_v_kschl.

```



```

11423         l_wa_acctax-acct_key = l_v_ktosl.
11424         l_wa_acctax-tax_code = v_mwskz.
11425         APPEND l_wa_acctax TO fp_i_acctax.
11426         CLEAR: l_wa_acctax.
11427         ENDIF.                                     "++MOD-027
11428         IF fp_v_tax IS INITIAL.                     "++MOD-002
11429             fp_v_tax = <l_fs_curr>-amt_doccur + l_v_total.
11430         ENDIF.                                     "++MOD-002
11431         CLEAR: l_i_mwdat[], l_v_total, l_v_taxrnd, l_v_wrbtr.
11432         ENDIF.
11433     ENDIF.
11434
11435 ENDFORM.                                           " F_CAL_ITAX
11436 *&-----*
11437 *&         Form   F_CAL_CTAX
11438 *&-----*
11439 *         Calculate Tax for COPA items
11440 *-----*
11441 FORM f_cal_ctax USING      fp_dhdr TYPE ty_dhdr
11442 *                          fp_v_value TYPE /ccej/rtr_tot "—MOD-026
11443                          CHANGING fp_v_tax TYPE /ccej/rtr_tot
11444                          fp_v_value TYPE /ccej/rtr_tot. "++MOD-026
11445
11446 * Local variable declaration
11447 DATA: l_i_mwdat TYPE STANDARD TABLE OF rtax1u15, "tax items
11448        l_v_taxrnd TYPE j_1itaxamt, "Total tax amount
11449        l_v_wrbtr TYPE wrbtr, "Amount field
11450        l_v_total  TYPE wmwst. "tax amount in doc curr.
11451
11452 * Field Symbols:
11453 FIELD-SYMBOLS: <l_fs_mwdat> TYPE rtax1u15. "tax cal
11454
11455 CLEAR: l_i_mwdat[], l_v_taxrnd, l_v_wrbtr, l_v_total.
11456
11457 l_v_wrbtr = fp_v_value.
11458
11459 CALL FUNCTION 'CALCULATE_TAX_FROM_NET_AMOUNT'
11460     EXPORTING
11461         i_bukrs      = fp_dhdr-bukrs
11462         i_mwskz      = v_mwskz
11463         i_waers      = c_curr
11464         i_wrbtr      = l_v_wrbtr
11465     TABLES
11466         t_mwdat      = l_i_mwdat
11467     EXCEPTIONS
11468         bukrs_not_found = 1
11469         country_not_found = 2
11470         mwskz_not_defined = 3
11471         mwskz_not_valid = 4
11472         ktosl_not_found = 5
11473         kalsm_not_found = 6
11474         parameter_error = 7
11475         knumh_not_found = 8
11476         kschl_not_found = 9
11477         unknown_error = 10
11478         account_not_found = 11 ##NUMBER_OK
11479         txjcd_not_valid = 12 ##NUMBER_OK
11480         OTHERS = 13 ##NUMBER_OK.
11481 IF sy-subrc <> 0.
11482     CLEAR: l_i_mwdat[].
11483 ELSE.

```

```

11484 IF l_i_mwdat[] IS NOT INITIAL.
11485   LOOP AT l_i_mwdat ASSIGNING <l_fs_mwdat>.
11486     IF <l_fs_mwdat>-wmwst IS NOT INITIAL.
11487       l_v_taxrnd = <l_fs_mwdat>-wmwst.
11488       CALL FUNCTION 'J_1I6_ROUND_TO_NEAREST_AMT'
11489         EXPORTING
11490           i_amount = l_v_taxrnd
11491         IMPORTING
11492           e_amount = l_v_taxrnd.
11493
11494       <l_fs_mwdat>-wmwst = l_v_taxrnd.
11495       CLEAR l_v_taxrnd.
11496       "Begin of changes by S204711 MOD-026
11497       IF <l_fs_mwdat>-ktosl EQ c_ktosl.
11498         l_v_wrbtr = l_v_wrbtr + <l_fs_mwdat>-wmwst.
11499       ELSE.
11500         "End of changes by S204711 MOD-026
11501 * get the summation of all the wmwsts
11502         l_v_total = l_v_total + <l_fs_mwdat>-wmwst.
11503       ENDIF. "++MOD-026
11504     ENDIF.
11505   ENDLOOP.
11506 ENDIF.
11507 ENDIF.
11508 fp_v_tax = l_v_total.
11509 fp_v_value = l_v_wrbtr. "++MOD-026
11510
11511 CLEAR: l_i_mwdat[], l_v_total, l_v_taxrnd, l_v_wrbtr.
11512
11513 ENDFORM. " F_CAL_CTAX
11514 *&-----*
11515 *& Form F_CAL_STAX
11516 *&-----*
11517 * Calculate Inclusive tax
11518 *-----*
11519 FORM f_cal_stax USING fp_dhdr TYPE ty_dhdr
11520 * fp_v_value TYPE /ccej/rtr_tot "—MOD-026
11521 CHANGING fp_v_tax TYPE /ccej/rtr_tot
11522 fp_v_value TYPE /ccej/rtr_tot. "++MOD-026
11523
11524 * Local variable declaration
11525 DATA: l_i_mwdat TYPE STANDARD TABLE OF rtax1u15, "tax items
11526       l_v_taxrnd TYPE j_1itaxamt, "Total tax amount
11527       l_v_wrbtr TYPE wrbtr, "Amount field
11528       l_v_total TYPE wmwst. "tax amount in doc curr.
11529
11530 * Field Symbols:
11531 FIELD-SYMBOLS: <l_fs_mwdat> TYPE rtax1u15. "tax cal
11532
11533 CLEAR: l_i_mwdat[], l_v_taxrnd, l_v_wrbtr, l_v_total,
11534       v_nv_v_wmwst. "++ MOD-031
11535
11536 l_v_wrbtr = fp_v_value.
11537
11538 CALL FUNCTION 'CALCULATE_TAX_FROM_GROSSAMOUNT'
11539   EXPORTING
11540     i_bukrs = fp_dhdr-bukrs
11541     i_mwskz = v_mwskz
11542     i_waers = c_curr
11543     i_wrbtr = l_v_wrbtr
11544   TABLES

```

```

11545         t_mwdat                = l_i_mwdat
11546     EXCEPTIONS
11547         bukrz_not_found           = 1
11548         country_not_found        = 2
11549         mwszk_not_defined        = 3
11550         mwszk_not_valid          = 4
11551         account_not_found        = 5
11552         different_discount_base  = 6
11553         different_tax_base       = 7
11554         txjcd_not_valid          = 8
11555         not_found                = 9
11556         ktosl_not_found          = 10
11557         kalsm_not_found          = 11
11558         parameter_error          = 12
11559         knumh_not_found          = 13
11560         kschl_not_found          = 14
11561         unknown_error            = 15
11562         OTHERS                   = 16 ##number_ok.
11563     IF sy-subrc <> 0.
11564         CLEAR: l_i_mwdat[].
11565     ELSE.
11566         IF l_i_mwdat[] IS NOT INITIAL.
11567             LOOP AT l_i_mwdat ASSIGNING <l_fs_mwdat>.
11568                 IF <l_fs_mwdat>-wmwst IS NOT INITIAL.
11569                     l_v_taxrnd = <l_fs_mwdat>-wmwst.
11570                     CALL FUNCTION 'J_1I6_ROUND_TO_NEAREST_AMT'
11571                         EXPORTING
11572                             i_amount = l_v_taxrnd
11573                         IMPORTING
11574                             e_amount = l_v_taxrnd.
11575
11576                     <l_fs_mwdat>-wmwst = l_v_taxrnd.
11577                     CLEAR l_v_taxrnd.
11578                     "Begin of changes by S204711          MOD-026
11579                     IF <l_fs_mwdat>-ktosl EQ c_ktosl.
11580                         IF v_nvz IS INITIAL.
11581                             v_nvz = <l_fs_mwdat>-wmwst.
11582                         ENDIF.
11583                         v_nvz_wmwst = <l_fs_mwdat>-wmwst. "++ MOD-030
11584                         CLEAR: <l_fs_mwdat>-wmwst.
11585                     ELSE.
11586                         "End of changes by S204711          MOD-026
11587                     * get the summation of all the wmwsts
11588                         l_v_total = l_v_total + <l_fs_mwdat>-wmwst.
11589                     ENDIF. "++MOD-026
11590                     ENDIF.
11591                 ENDLOOP.
11592             ENDIF.
11593         ENDIF.
11594         fp_v_tax = l_v_total.
11595         fp_v_value = l_v_wrbtr. "++MOD-026
11596
11597         CLEAR: l_i_mwdat[], l_v_total, l_v_taxrnd, l_v_wrbtr.
11598
11599     ENDFORM.          " F_CAL_STAX
11600 *-----*
11601 *      Form   F_UPD_HTAB
11602 *-----*
11603 *      Update Header table
11604 *-----*
11605 FORM f_upd_htab USING fp_wa_thdr TYPE /ccbj/t_dme_hdr.

```

```

11606
11607 * Local data declarations
11608 DATA: l_v_varkey TYPE rstable-varkey,
11609         "Varkey to be used for locking table
11610         l_v_flag   TYPE char1."Variable for flag
11611
11612 * Local Constants:
11613 CONSTANTS: l_c_tab TYPE rstable-tabname VALUE '/CCBJI/T_DME_HDR'.
11614
11615 CLEAR: l_v_varkey, l_v_flag.
11616
11617 * Prepare key fields
11618 CONCATENATE sy-mandt fp_wa_thdr-knuma INTO l_v_varkey.
11619
11620 * Lock the table entries while updating specified in varkey
11621 DO 3 TIMES.
11622     CALL FUNCTION 'ENQUEUE_E_TABLE'
11623     EXPORTING
11624         mode_rstable   = c_mode
11625         tabname        = l_c_tab
11626         varkey          = l_v_varkey
11627     EXCEPTIONS
11628         foreign_lock   = 1
11629         system_failure = 2
11630         OTHERS         = 3.
11631     IF sy-subrc IS NOT INITIAL.
11632         WAIT UP TO 1 SECONDS. "#EC CI_WAITUP
11633     ELSE.
11634         l_v_flag = abap_true.
11635         EXIT.
11636     ENDIF.
11637 ENDDO.
11638
11639 * If flag is set
11640 IF l_v_flag = abap_true.
11641 * Modify the table with workarea "#EC CI_UPDATE
11642 UPDATE /ccbj/t_dme_hdr
11643 SET start_date = fp_wa_thdr-start_date "++MOD-007
11644     compl = fp_wa_thdr-compl
11645     lsastop_dat = fp_wa_thdr-lsastop_dat
11646     WHERE knuma = fp_wa_thdr-knuma.
11647 * Unlock the table when it is updated
11648 CALL FUNCTION 'DEQUEUE_E_TABLE'
11649 EXPORTING
11650     mode_rstable = c_mode
11651     tabname      = l_c_tab
11652     varkey       = l_v_varkey.
11653
11654 ENDIF.
11655 CLEAR: l_v_flag, l_v_varkey.
11656
11657 ENDFORM. " F_UPD_HTAB
11658 *&-----*
11659 *& Form F_DUMMY_SALES *
11660 *&-----*
11661 * Create Dummy sales *
11662 *-----*
11663 FORM f_dummy_sales USING fp_dhdr TYPE ty_dhdr
11664                         fp_kona TYPE ty_kona
11665                         fp_ditem TYPE ty_ditem
11666                         fp_v_bcust TYPE kunnr

```

```
11667         fp_v_bcust_cross TYPE kunnr
11668         fp_v_lastd TYPE sy-datum
11669         fp_v_ppay_flag TYPE c      "++ MOD-038
11670         fp_v_cross_dummy TYPE c    "++ MOD-038
11671         CHANGING fp_i_dumce1 TYPE tb_ce1jp00.
11672
11673 DATA: l_wa_ce1jp TYPE ty_ce1jp00.
11674
11675 FIELD-SYMBOLS: <l_fs_dsku> TYPE rsdsselopt.
11676
11677 CLEAR: l_wa_ce1jp.
11678
11679 IF fp_dhdr-bukrs = c_7827. "++ MOD-032
11680     l_wa_ce1jp-kndnr = fp_v_bcust.
11681     "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
11682 ELSE.
11683     l_wa_ce1jp-kndnr = fp_v_bcust_cross.
11684 ENDIF.
11685 "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
11686 IF l_wa_ce1jp-kndnr IS NOT INITIAL.
11687     l_wa_ce1jp-bukrs = fp_dhdr-bukrs.
11688     l_wa_ce1jp-vkorg = fp_kona-vkorg.
11689     l_wa_ce1jp-vtweg = fp_kona-vtweg.
11690     l_wa_ce1jp-spart = fp_kona-spart.
11691     l_wa_ce1jp-fadat = fp_v_lastd.
11692     l_wa_ce1jp-katr4 = c_katr4.
11693
11694     "BOC | MOD-032 | EJX9005197 | 24-Oct-2024
11695 *     l_wa_ce1jp-vv506 = c_dumval.
11696     IF fp_dhdr-pay_type = c_two OR
11697        fp_dhdr-pay_type = c_unt4 OR
11698        fp_dhdr-cal_type EQ c_seco.
11699         l_wa_ce1jp-vv506 = c_dumval.
11700     ELSE.
11701         CASE fp_ditem-tar_unit.
11702             WHEN c_unt4.
11703                 l_wa_ce1jp-vv507 = c_dumval.
11704             WHEN c_unt5 OR c_six.
11705                 l_wa_ce1jp-vv506 = c_dumval.
11706             ENDCASE.
11707     ENDIF.
11708     "EOC | MOD-032 | EJX9005197 | 24-Oct-2024
11709
11710     "BOC | MOD-038 | EJX9005197 | 18-Aug-2025
11711     IF fp_v_ppay_flag = abap_true AND
11712        fp_v_cross_dummy = abap_true.
11713         CASE fp_ditem-tar_unit.
11714             WHEN c_one.
11715                 l_wa_ce1jp-vv980 = c_dumval.
11716             WHEN c_two.
11717                 l_wa_ce1jp-vv981 = c_dumval.
11718             WHEN c_thr.
11719                 l_wa_ce1jp-vv983 = c_dumval.
11720             ENDCASE.
11721     ENDIF.
11722     "EOC | MOD-038 | EJX9005197 | 18-Aug-2025
11723
11724     "Begin of changes by S204711 MOD-014
11725     IF fp_dhdr-pay_type EQ c_unt4.
11726 *         l_wa_ce1jp-ww207 = fp_v_bcust. "—MOD-032
11727         l_wa_ce1jp-ww207 = l_wa_ce1jp-kndnr. "++MOD-032
```

```

11728     ENDIF.
11729     "End of changes by S204711    MOD-014
11730     READ TABLE i_dsku ASSIGNING <l_fs_dsku>
11731             WITH KEY low+0(4) = fp_dhdr-bukrs
11732             BINARY SEARCH.
11733     IF sy-subrc IS INITIAL.
11734         l_wa_ce1jp-artnr = <l_fs_dsku>-high.
11735     IF l_wa_ce1jp-artnr IS NOT INITIAL.
11736 *Conversion parameter
11737         CALL FUNCTION
11738             'CONVERSION_EXIT_MATN1_INPUT'
11739             EXPORTING
11740                 input          = l_wa_ce1jp-artnr
11741             IMPORTING
11742                 output         = l_wa_ce1jp-artnr
11743             EXCEPTIONS
11744                 ##FM_SUBRC_OK
11745                 length_error   = 1
11746                 OTHERS         = 2.
11747     ENDIF.
11748     l_wa_ce1jp-werks = <l_fs_dsku>-low+8(4).
11749 ENDIF.
11750 APPEND l_wa_ce1jp TO fp_i_dumce1.
11751 IF <l_fs_dsku> IS ASSIGNED.
11752     UNASSIGN: <l_fs_dsku>.
11753 ENDIF.
11754 CLEAR: l_wa_ce1jp. "++MOD-032
11755 ENDIF. "++MOD-032
11756 IF fp_dhdr-cross_ind IS NOT INITIAL.
11757     l_wa_ce1jp-bukrs = fp_dhdr-sub_bukrs.
11758     "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
11759     IF fp_dhdr-sub_bukrs = c_7828.
11760         l_wa_ce1jp-kndnr = fp_v_bcust_cross.
11761     ELSE.
11762         l_wa_ce1jp-kndnr = fp_v_bcust.
11763     ENDIF.
11764     IF l_wa_ce1jp-kndnr IS NOT INITIAL.
11765         "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
11766         READ TABLE i_dsku ASSIGNING <l_fs_dsku>
11767             WITH KEY low+0(4) = fp_dhdr-sub_bukrs
11768             BINARY SEARCH.
11769         IF sy-subrc IS INITIAL.
11770             l_wa_ce1jp-artnr = <l_fs_dsku>-high.
11771         IF l_wa_ce1jp-artnr IS NOT INITIAL.
11772 *Conversion parameter
11773             CALL FUNCTION
11774                 'CONVERSION_EXIT_MATN1_INPUT'
11775             EXPORTING
11776                 input          = l_wa_ce1jp-artnr
11777             IMPORTING
11778                 output         = l_wa_ce1jp-artnr
11779             EXCEPTIONS
11780                 ##FM_SUBRC_OK
11781                 length_error   = 1
11782                 OTHERS         = 2.
11783         ENDIF.
11784         l_wa_ce1jp-werks = <l_fs_dsku>-low+8(4).
11785         l_wa_ce1jp-vkorg = <l_fs_dsku>-low+4(4).
11786         "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
11787         l_wa_ce1jp-vtweg = fp_kona-vtweg.
11788         l_wa_ce1jp-spart = fp_kona-spart.

```

```

11789      l_wa_ce1jp-fadat = fp_v_lastd.
11790      l_wa_ce1jp-katr4 = c_katr4.
11791      IF fp_dhdr-pay_type = c_two OR
11792         fp_dhdr-pay_type = c_unt4 OR
11793         fp_dhdr-cal_type EQ c_seco.
11794         l_wa_ce1jp-vv506 = c_dumval.
11795      ELSE.
11796         CASE fp_ditem-tar_unit.
11797             WHEN c_unt4.
11798                 l_wa_ce1jp-vv507 = c_dumval.
11799             WHEN c_unt5 OR c_six.
11800                 l_wa_ce1jp-vv506 = c_dumval.
11801         ENDCASE.
11802      ENDIF.
11803
11804      "BOC | MOD-038 | EJX9005197 | 18-Aug-2025
11805      IF fp_v_ppay_flag = abap_true AND
11806         fp_v_cross_dummy = abap_true.
11807         CASE fp_ditem-tar_unit.
11808             WHEN c_one.
11809                 l_wa_ce1jp-vv980 = c_dumval.
11810             WHEN c_two.
11811                 l_wa_ce1jp-vv981 = c_dumval.
11812             WHEN c_thr.
11813                 l_wa_ce1jp-vv983 = c_dumval.
11814         ENDCASE.
11815      ENDIF.
11816      "EOC | MOD-038 | EJX9005197 | 18-Aug-2025
11817
11818      IF fp_dhdr-pay_type EQ c_unt4.
11819         l_wa_ce1jp-ww207 = l_wa_ce1jp-kndnr.
11820      ENDIF.
11821      "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
11822      ENDIF.
11823      APPEND l_wa_ce1jp TO fp_i_dumce1.
11824      ENDIF.
11825      CLEAR: l_wa_ce1jp.
11826      ENDIF.
11827
11828      ENDFORM.                                " F_DUMMY_SALES
11829      *&-----*
11830      *&      Form  F_PROCESS_RGDATA
11831      *&-----*
11832      *   Process Regular Data
11833      *-----*
11834      FORM f_process_rgdata.
11835
11836      "BOC | MOD-031 | EJX9005197 | 26-Aug-2024
11837      TYPES: BEGIN OF l_ty_temp,
11838              knuma TYPE knuma,
11839              sched_dat TYPE /ccbj/otc_sched_date,
11840              bukrs TYPE bukrs,
11841              mwsksz TYPE mwsksz,
11842              amt_tax TYPE /ccbj/otc_amt_tax_code1,
11843              kunnr TYPE kunnr,
11844      END OF l_ty_temp.
11845      "EOC | MOD-031 | EJX9005197 | 26-Aug-2024
11846
11847      DATA: l_wa_sfina TYPE ty_sfina,
11848             l_v_accper TYPE kbrue, "/ccej/rtr_tot,
11849             l_v_lastd TYPE sy-datum, "Last date

```



```

11850      l_v_days TYPE tfmatage,
11851      l_v_tdays TYPE tfmatage,
11852      l_v_mdays TYPE tfmatage,
11853      l_v_index TYPE sy-index,
11854      l_v_amnt TYPE /ccej/rtr_tot,
11855      l_v_camnt TYPE char16,
11856      l_v_round TYPE j_1itaxamt, "Rounding amount
11857      l_v_famnt TYPE char16,
11858      l_v_datum TYPE sy-datlo, "System Date
11859      l_v_bmon TYPE numc3,
11860      l_v_ndat TYPE sy-datlo, "New back date
11861      l_v_pdat TYPE sy-datum,
11862      l_v_monat TYPE monat, " New period
11863      l_v_year TYPE gjahr, "Year
11864      l_v_lines TYPE i, "lines of internal table
11865      l_wa_ditem TYPE /ccbj/t_dme_itm,
11866      l_wa_thdr TYPE /ccbj/t_dme_hdr,
11867      l_i_ditem TYPE STANDARD TABLE OF ty_ditem,
11868      l_i_copa TYPE STANDARD TABLE OF ty_copa,
11869      l_i_tcopa TYPE STANDARD TABLE OF ty_copa,
11870      l_i_ce1jp TYPE STANDARD TABLE OF ty_ce1jp00,
11871      l_wa_copa TYPE ty_copa,
11872      l_r_knuma TYPE RANGE OF knuma,
11873      l_wa_knuma LIKE LINE OF l_r_knuma,
11874      l_r_kndnr TYPE RANGE OF kunde_pa,
11875      l_r_kndnr_cross TYPE RANGE OF kunde_pa, "++ MOD-032
11876      l_r_kndnr_total TYPE RANGE OF kunde_pa, "++ MOD-032
11877      l_wa_kndnr LIKE LINE OF l_r_kndnr,
11878      l_r_ww214 TYPE RANGE OF /ccej/mdm_botacct,
11879      l_i_cdata TYPE STANDARD TABLE OF bapi_copa_data,
11880      l_i_fname TYPE STANDARD TABLE OF bapi_copa_field,
11881      l_i_selc TYPE STANDARD TABLE OF bapi_copa_selection,
11882      l_v_message TYPE char255,
11883      l_v_adat TYPE sy-datlo, "Acc date
11884      l_v_tindex TYPE sy-tabix,
11885      l_v_pindex TYPE sy-tabix,
11886      l_v_totval TYPE rke2_vv980,
11887      l_v_absmsg TYPE rke2_absmsg,
11888      l_v_pertot TYPE rke2_vv506,
11889      l_v_check TYPE char1, "Check
11890      *      l_v_amntc TYPE /ccbj/dme_uprice, "—MOD-019
11891      l_v_comp TYPE /ccej/rtr_tot,
11892      l_v_adjst TYPE /ccej/rtr_tot,
11893      l_v_taxco TYPE /ccej/rtr_tot,
11894      l_v_stax TYPE /ccej/rtr_tot, "tax amount in doc curr.
11895      l_v_tax TYPE /ccej/rtr_tot, "tax amount
11896      l_r_stran TYPE RANGE OF /ccbj/otc_dme_tran,
11897      l_wa_stran LIKE LINE OF l_r_stran,
11898      l_i_tditem TYPE STANDARD TABLE OF ty_ditem,
11899      l_i_tditem_copy TYPE STANDARD TABLE OF ty_ditem, "++ MOD-031
11900      l_i_dreg TYPE STANDARD TABLE OF ty_dreg,
11901      l_v_tlines TYPE i, "lines of Item table
11902      l_v_cline TYPE i,
11903      l_v_cnt TYPE i,
11904      l_v_skip TYPE char1, "Skip Indicator
11905      l_v_sdoc TYPE /ccbj/otc_lsa_doc,
11906      l_v_item TYPE /ccbj/otc_item,
11907      l_v_lstop TYPE char1,
11908      l_v_aamnt TYPE /ccej/rtr_tot, "Pre Amount
11909      l_v_vfield TYPE rke_wrtfld,
11910      l_v_per TYPE jahrper, "Period/month

```



```

11911      l_v_conn TYPE dbcon_name, "database conn name
11912      l_v_coamnt TYPE /ccej/rtr_tot,
11913      l_v_cotax TYPE /ccej/rtr_tot,
11914      l_wa_tdata TYPE bapi_copa_data,
11915      l_wa_selc TYPE bapi_copa_selection,
11916      l_wa_data TYPE bapi_copa_data,
11917      l_r_bukrs TYPE RANGE OF bukrs,
11918      l_wa_bukrs LIKE LINE OF l_r_bukrs,
11919      l_i_subce1 TYPE STANDARD TABLE OF ty_ce1jp00,
11920      l_i_subce2 TYPE STANDARD TABLE OF ty_ce2jp00,
11921      l_i_ce2jp00 TYPE STANDARD TABLE OF ty_ce2jp00,
11922      l_i_dumce1 TYPE STANDARD TABLE OF ty_ce1jp00,
11923      l_v_bcust TYPE kunnr,
11924      l_v_bcust_cross TYPE kunnr, "++ MOD-032
11925      l_v_perf TYPE char6,
11926      l_i_tudata TYPE STANDARD TABLE OF /ccbj/t_dme_itm, "++MOD-014
11927      l_v_rindex TYPE sy-tabix, "++MOD-014
11928      l_v_lcutoff TYPE sy-datlo, "++MOD-014
11929      l_v_uindex TYPE sy-tabix, "++MOD-015
11930      l_v_rupd TYPE char1, "++MOD-015
11931      l_v_preadc TYPE sy-datlo,
11932      l_i_temp TYPE STANDARD TABLE OF l_ty_temp, "++ MOD-031
11933      l_wa_temp TYPE l_ty_temp, "++ MOD-031
11934      l_v_tflag TYPE c, "++ MOD-031
11935      l_v_total_amount TYPE rke2_vv506, "++ MOD-032
11936      l_wa_sales TYPE ty_sales, "++ MOD-032
11937      l_v_date TYPE begda, "++ MOD-036
11938      l_v_ppay_flag TYPE c, "++ MOD-038
11939      l_v_cross_dummy TYPE c. "++ MOD-038

```

```

11940
11941  CONSTANTS:  l_c_days_zero TYPE t5a4a-dlydy VALUE '00', "++ MOD-036
11942              l_c_year_zero TYPE t5a4a-dlyyr VALUE '00', "++ MOD-036
11943              l_c_add TYPE t5a4a-split VALUE '+'. "++ MOD-036

```

```

11944
11945  FIELD-SYMBOLS: <l_fs_kona> TYPE ty_kona,
11946                  <l_fs_ce1jp> TYPE ty_ce1jp00,
11947                  <l_fs_copa> TYPE ty_copa,
11948                  <l_fs_dagt> TYPE ty_dagt,
11949                  <l_fs_fname> TYPE bapi_copa_field,
11950                  <l_fs_data> TYPE bapi_copa_data,
11951                  <l_fs_dhdr> TYPE ty_dhdr,
11952                  <l_fs_custd> TYPE ty_custd,
11953                  <l_fs_dmegl> TYPE ty_dmegl,
11954                  <l_fs_t6b2f> TYPE t6b2f,
11955                  <l_fs_mexc> TYPE ty_mexc,
11956                  <l_fs_konp> TYPE ty_konp,
11957                  <l_fs_ce2jp> TYPE ty_ce2jp00,
11958                  <l_fs_dsku> TYPE rsdsselopt,
11959                  <l_fs_dreg> TYPE ty_dreg,
11960                  <l_fs_itemp> TYPE ty_ditem,
11961                  <l_fs_ditem> TYPE ty_ditem,
11962                  <l_fs_sfinal> TYPE ty_sfinal,
11963                  <l_fs_temp> TYPE l_ty_temp, "++ MOD-031
11964                  <l_fs_znn0001> TYPE ty_znn0001. "++ MOD-031

```

```

11965
11966  CLEAR: l_wa_sfinal, v_eflag, l_v_message, v_dbgl, v_crgl,
11967         l_v_accper, l_v_amnt, l_i_copa[], l_i_tcopa[], l_wa_copa,
11968         l_v_tindex, l_v_totval, v_mwskz, l_v_check.

```

* Read TVARVC for Hana connection

```

11972 SELECT SINGLE low
11973 FROM tvarvc
11974 INTO l_v_conn
11975 WHERE name EQ c_name
11976 AND type EQ c_type
11977 AND numb EQ c_numb.
11978 IF sy-subrc IS NOT INITIAL.
11979 CLEAR: l_v_conn.
11980 ENDIF.
11981 * Read TVARVC for Credit GL
11982 SELECT SINGLE low
11983 FROM tvarvc
11984 INTO v_crgl
11985 WHERE name EQ c_gltv
11986 AND type EQ c_type
11987 AND numb EQ c_numb.
11988 IF sy-subrc IS INITIAL.
11989 *Conversion parameter
11990 PERFORM f_conversion CHANGING v_crgl.
11991 ENDIF.
11992
11993 CLEAR: l_v_perf.
11994 CONCATENATE p_gjahr p_monat INTO l_v_perf.
11995
11996 IF i_dhdr[] IS NOT INITIAL.
11997 IF i_ditem[] IS NOT INITIAL.
11998 SORT i_ditem BY knuma tran_type.
11999 ENDIF.
12000 LOOP AT i_dhdr ASSIGNING <l_fs_dhdr>.
12001 IF <l_fs_dhdr>-compl IS INITIAL.
12002 IF <l_fs_dhdr>-status IN r_stat.
12003 * IF <l_fs_dhdr>-app_date+0(6) EQ l_v_perf.
12004 READ TABLE i_dagt ASSIGNING <l_fs_dagt>
12005 WITH KEY pay_type = <l_fs_dhdr>-pay_type
12006 cal_type = <l_fs_dhdr>-cal_type
12007 boart = <l_fs_dhdr>-boart
12008 BINARY SEARCH.
12009 IF sy-subrc IS INITIAL.
12010 * Read KONA table for agreement
12011 IF i_kona[] IS NOT INITIAL.
12012 READ TABLE i_kona ASSIGNING <l_fs_kona>
12013 WITH KEY knuma = <l_fs_dhdr>-knuma
12014 BINARY SEARCH.
12015 IF sy-subrc IS INITIAL.
12016 CLEAR: l_v_vfield.
12017 * Populate Agreement to range to filter Items
12018 CLEAR: l_wa_knuma, l_r_knuma.
12019 l_wa_knuma-sign = c_ex.
12020 l_wa_knuma-option = c_eq.
12021 l_wa_knuma-low = <l_fs_dhdr>-knuma.
12022 APPEND l_wa_knuma TO l_r_knuma.
12023 CLEAR: l_wa_knuma.
12024 * Filter Item table based on Agreement
12025 CLEAR: l_i_ditem[], l_v_lines.
12026 l_i_ditem[] = i_ditem[].
12027 DELETE l_i_ditem WHERE knuma IN l_r_knuma.
12028 l_i_tditem[] = l_i_ditem[].
12029 SORT l_i_tditem BY item DESCENDING.
12030 READ TABLE l_i_tditem ASSIGNING <l_fs_ditem> INDEX 1.
12031 IF sy-subrc IS INITIAL.
12032 l_v_lines = <l_fs_ditem>-item.

```

```

12033         ENDIF.
12034         IF <l_fs_ditem> IS ASSIGNED.
12035             UNASSIGN: <l_fs_ditem>.
12036         ENDIF.
12037         FREE: l_i_tdititem[], l_i_tudata[].
12038 * Deleted status to filter item data
12039         DELETE l_i_ditem WHERE zupdind EQ c_inde1. "Delete(D)
12040         CLEAR: l_v_aamnt, l_v_coamnt, l_v_cotax,
12041             l_v_sdoc.
12042 * Transaction type '04'
12043         CLEAR: l_wa_stran, l_r_stran, l_i_tdititem[],
12044             l_v_preadc.
12045         l_wa_stran-sign = c_ex.
12046         l_wa_stran-option = c_eq.
12047         l_wa_stran-low = c_kfsv. "04 Ammortize
12048         APPEND l_wa_stran TO l_r_stran.
12049         CLEAR: l_wa_stran.
12050         l_i_tdititem[] = l_i_ditem[].
12051         DELETE l_i_tdititem WHERE tran_type IN l_r_stran.
12052         IF l_i_tdititem[] IS NOT INITIAL.
12053             SORT l_i_tdititem BY budat DESCENDING.
12054             READ TABLE l_i_tdititem ASSIGNING <l_fs_ditem> INDEX 1.
12055             IF sy-subrc IS INITIAL.
12056                 l_v_preadc = <l_fs_ditem>-budat.
12057             ENDIF.
12058         ENDIF.
12059 * Transaction type '11' - Regular Pay
12060         CLEAR: l_wa_stran, l_r_stran, l_i_tdititem[].
12061         l_wa_stran-sign = c_ex.
12062         l_wa_stran-option = c_eq.
12063         l_wa_stran-low = c_treg. "11
12064         APPEND l_wa_stran TO l_r_stran.
12065         CLEAR: l_wa_stran.
12066 * For processing
12067         CLEAR l_i_temp[]. "++ MOD-031
12068         l_i_tdititem[] = l_i_ditem[].
12069         DELETE l_i_tdititem WHERE tran_type IN l_r_stran.
12070 *         DELETE l_i_tdititem WHERE item_status <> c_appr.
12071         DELETE l_i_tdititem WHERE budat+0(6) <> l_v_perf. "++MOD-0
12072 15
12073         DELETE l_i_tdititem WHERE compl IS NOT INITIAL. "++MOD-015
12074         IF l_i_tdititem[] IS NOT INITIAL. "++MOD-015
12075             CLEAR: l_i_dreg[], l_v_tindex, l_r_kndnr.
12076             l_i_dreg[] = i_dreg[].
12077             DELETE l_i_dreg WHERE knuma IN l_r_knuma.
12078             IF l_i_dreg[] IS NOT INITIAL.
12079                 SORT l_i_dreg BY knuma cut_off_date bukrs.
12080             ENDIF.
12081             SORT l_i_tdititem BY knuma item bukrs sched_dat.
12082             LOOP AT l_i_tdititem ASSIGNING <l_fs_ditem>.
12083                 READ TABLE l_i_dreg WITH KEY knuma = <l_fs_ditem>-kn
uma
12084                 cut_off_date = <l_fs_ditem>-sched_dat
12085                 bukrs = <l_fs_ditem>-bukrs
12086                 BINARY SEARCH
12087                 TRANSPORTING NO FIELDS.
12088             IF sy-subrc IS INITIAL.
12089                 l_v_tindex = sy-tabix.
12090 *                 CLEAR l_r_kndnr_cross. "++ MOD-032 "— MOD-039

```

```
12090          LOOP AT l_i_dreg ASSIGNING <l_fs_dreg>
12091                                FROM l_v_tindex. "#EC CI_N
ESTED
12092          IF <l_fs_dreg>-knuma <> <l_fs_ditem>-knuma
12093          OR <l_fs_dreg>-cut_off_date <> <l_fs_ditem>-sch
ed_dat
12094          OR <l_fs_dreg>-bukrs <> <l_fs_ditem>-bukrs. "++
MOD-032
12095          EXIT. "#EC CI_EXITININC
12096          ENDIF.
12097          READ TABLE l_r_kndnr WITH KEY low = <l_fs_dreg>-
kunnr
TRANSPORTING NO FIELDS.
12098          IF sy-subrc IS NOT INITIAL.
12099          " Range for Included Dealer
12100          l_wa_kndnr-sign = c_i.
12101          l_wa_kndnr-option = c_eq.
12102          l_wa_kndnr-low = <l_fs_dreg>-kunnr.
12103          "BOC | MOD-032 | EJX9005197 | 08-Jan-2025
12104          * APPEND l_wa_kndnr TO l_r_kndnr.
12105          IF <l_fs_dreg>-bukrs = c_7827.
12106          APPEND l_wa_kndnr TO l_r_kndnr.
12107          ELSEIF <l_fs_dreg>-bukrs = c_7828.
12108          APPEND l_wa_kndnr TO l_r_kndnr_cross.
12109          ENDIF.
12110          "EOC | MOD-032 | EJX9005197 | 08-Jan-2025
12111          CLEAR: l_wa_kndnr-low.
12112          ENDIF.
12113          "BOC | MOD-031 | EJX9005197 | 26-Aug-2024
12114          CLEAR l_v_tflag.
12115          IF <l_fs_dreg>-mwszk = <l_fs_ditem>-mwszk.
12116          l_v_tflag = abap_true.
12117          ELSE.
12118          READ TABLE i_znn0001
12119          ASSIGNING <l_fs_znn0001>
12120          WITH KEY zzkey2 = <l_fs_dreg>-mwszk
12121          BINARY SEARCH.
12122          IF sy-subrc IS INITIAL.
12123          IF <l_fs_znn0001>-zzkey3 = <l_fs_ditem>-mwsk
12124          z.
12125          l_v_tflag = abap_true.
12126          ENDIF.
12127          ENDIF.
12128          IF <l_fs_znn0001> IS ASSIGNED.
12129          UNASSIGN <l_fs_znn0001>.
12130          ENDIF.
12131          ENDIF.
12132          IF l_v_tflag = abap_true.
12133          READ TABLE l_i_temp ASSIGNING <l_fs_temp>
12134          WITH KEY knuma = <l_fs_dreg>-knuma
12135          sched_dat = <l_fs_dreg>-cut_off_da
te
12136          bukrs = <l_fs_dreg>-bukrs
12137          mwszk = <l_fs_dreg>-mwszk.
12138          IF sy-subrc IS INITIAL.
12139          <l_fs_temp>-amt_tax = <l_fs_temp>-amt_tax +
<l_fs_dreg>-amt_tax.
12140          ELSE.
12141          l_wa_temp-knuma = <l_fs_dreg>-knuma.
12142          l_wa_temp-bukrs = <l_fs_dreg>-bukrs.
12143          l_wa_temp-mwszk = <l_fs_dreg>-mwszk.
```

```

12144         l_wa_temp-sched_dat = <l_fs_dreg>-cut_off_da
te.
12145         l_wa_temp-amt_tax = <l_fs_dreg>-amt_tax.
12146         l_wa_temp-kunnr   = <l_fs_dreg>-kunnr.
12147         APPEND l_wa_temp TO l_i_temp.
12148         CLEAR l_wa_temp.
12149     ENDIF.
12150 ENDIF.
12151 "EOC | MOD-031 | EJX9005197 | 26-Aug-2024
12152 ENDLOOP.
12153 SORT l_i_temp BY knuma sched_dat bukrs mwszk. "++
MOD-031
12154     ENDIF.
12155 ENDLOOP.
12156 DELETE ADJACENT DUPLICATES FROM l_r_kndnr_cross COMPAR
ING low. "++ MOD-039
12157 IF <l_fs_ditem> IS ASSIGNED.
12158     UNASSIGN: <l_fs_ditem>.
12159 ENDIF.
12160 IF <l_fs_dreg> IS ASSIGNED.
12161     UNASSIGN: <l_fs_dreg>.
12162 ENDIF.
12163 CLEAR: l_v_tindex.
12164 SORT l_i_tditem BY knuma bukrs sched_dat.
12165 l_i_tditem_copy[] = l_i_tditem[]. "++ MOD-031
12166 DELETE ADJACENT DUPLICATES FROM l_i_tditem
12167 COMPARING knuma bukrs sched_dat.
12168 DESCRIBE TABLE l_i_tditem LINES l_v_tlines.
12169
12170 CLEAR: l_wa_bukrs, l_r_bukrs.
12171 l_wa_bukrs-sign = c_i.
12172 l_wa_bukrs-option = c_eq.
12173 l_wa_bukrs-low = <l_fs_dhdr>-bukrs.
12174 APPEND l_wa_bukrs TO l_r_bukrs.
12175 CLEAR: l_wa_bukrs.
12176 IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
12177     l_wa_bukrs-sign = c_i.
12178     l_wa_bukrs-option = c_eq.
12179     l_wa_bukrs-low = <l_fs_dhdr>-sub_bukrs.
12180     APPEND l_wa_bukrs TO l_r_bukrs.
12181     CLEAR: l_wa_bukrs.
12182 ENDIF.
12183
12184 * Calculate total no. of days
12185 CLEAR: l_v_tdays.
12186 CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AND_YEARS'
12187     EXPORTING
12188         i_date_from = <l_fs_kona>-datab
12189         i_date_to   = <l_fs_kona>-datbi
12190     IMPORTING
12191         e_days      = l_v_tdays
12192     EXCEPTIONS
12193         OTHERS      = 1. "++MOD-003
12194 IF sy-subrc IS INITIAL.
12195     l_v_tdays = l_v_tdays + 1.
12196 ENDIF.
12197 CLEAR: l_v_check. "++MOD-015
12198 READ TABLE i_ditem ASSIGNING <l_fs_ditem>
12199     WITH KEY knuma = <l_fs_dhdr>-knuma
12200             budat+0(6) = l_v_perf
12201             tran_type = c_amort. "'04'-Amor

```

t.

```

12202      IF sy-subrc IS INITIAL.
12203          l_v_check = abap_true.
12204      ENDIF.
12205      IF l_v_check IS INITIAL.
12206  * Get the last six periods based on current
12207          CLEAR: l_v_datum, l_v_bmon, l_v_ndat.
12208          CONCATENATE p_gjahr p_monat c_post
12209          INTO l_v_datum.
12210          l_v_bmon = p_pmon.
12211          CALL FUNCTION 'CCM_GO_BACK_MONTHS'
12212              EXPORTING
12213                  currdate   = l_v_datum
12214                  backmonths = l_v_bmon
12215              IMPORTING
12216                  newdate    = l_v_ndat.
12217  * Calculate total no. of months
12218          CLEAR: l_v_days.
12219          CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AND_YEARS'
12220              EXPORTING
12221                  i_date_from = l_v_ndat
12222                  i_date_to   = l_v_datum
12223              IMPORTING
12224                  e_months    = l_v_days
12225              EXCEPTIONS
12226                  OTHERS      = 1.
12227          IF sy-subrc IS INITIAL.
12228              l_v_days = l_v_days + 1.
12229          ENDIF.      "++MOD-003
12230          CLEAR: l_v_index, l_v_item.
12231
12232          DO l_v_days TIMES.      "#EC CI_NESTED
12233              IF l_v_index IS INITIAL.
12234                  l_v_index = l_v_days - 1.
12235              ELSE.
12236                  l_v_index = l_v_index - 1.
12237              ENDIF.
12238  * Get the cutoff date
12239              CALL FUNCTION 'BKK_ADD_MONTH_TO_DATE'
12240                  EXPORTING
12241                      months = l_v_index
12242                      olddate = l_v_ndat
12243                  IMPORTING
12244                      newdate = l_v_pdat.
12245
12246              CLEAR: l_v_monat, l_v_year.
12247              l_v_year = l_v_pdat+0(4).
12248              l_v_monat = l_v_pdat+4(2).
12249  * Get the month end date
12250              CALL FUNCTION 'RP_LAST_DAY_OF_MONTHS'
12251                  EXPORTING
12252                      day_in              = l_v_pdat
12253                  IMPORTING
12254                      last_day_of_month = l_v_lastd
12255                  EXCEPTIONS
12256                      ##FM_SUBRC_OK
12257                      day_in_no_date      = 1
12258                      OTHERS              = 2.
12259              CLEAR: l_v_skip.
12260              IF p_pmon IS NOT INITIAL
12261                  AND l_v_lastd LE l_v_preadc.

```



```

12262         l_v_skip = abap_true.
12263     ENDIF.
12264
12265     "BOC | MOD-032 | EJX9005197 | 08-Jan-2025
12266     CLEAR: l_r_kndnr_total[].
12267     IF l_r_kndnr[] IS NOT INITIAL.
12268         APPEND LINES OF l_r_kndnr TO l_r_kndnr_total.
12269     ENDIF.
12270     IF l_r_kndnr_cross[] IS NOT INITIAL.
12271         APPEND LINES OF l_r_kndnr_cross TO l_r_kndnr_tot
al.
12272     ENDIF.
12273     "EOC | MOD-032 | EJX9005197 | 08-Jan-2025
12274
12275     IF l_v_skip IS INITIAL.
12276         IF l_v_conn IS NOT INITIAL.
12277             CLEAR: l_v_per.
12278             CONCATENATE p_gjahr c_zero p_monat
12279                 INTO l_v_per.
12280             CLEAR: i_ce1jp00[], i_ce2jp00[].
12281             * IF l_r_kndnr[] IS NOT INITIAL "— MOD-032
12282             IF l_r_kndnr_total[] IS NOT INITIAL "++ MOD-03
2
12283                 AND l_r_ww214[] IS NOT INITIAL.
12284                 IF rb_sale IS INITIAL.
12285                     SELECT mandt             "#EC CI_SEL_NESTED
12286                         paledger
12287                         vrgar
12288                         versi
12289                         paobjnr
12290                         pasubnr
12291                         belnr
12292                         perbl
12293                         gjahr
12294                         kndnr
12295                         artnr
12296                         fkart
12297                         bukrs
12298                         werks
12299                         vkorg
12300                         vtweg
12301                         spart
12302                         prctr
12303                         kunwe
12304                         kmvkbü
12305                         ww207
12306                         katr4
12307                         ww214
12308                         vkaus "++MOD-007
12309                         ww224
12310                         ww225
12311                         ww226
12312                         ww227
12313                         ww228
12314                         ww229
12315                         absmg_me
12316                         vv980_me
12317                         vv981_me
12318                         vv982_me
12319                         vv983_me
12320                         absmg001

```

```

12321          erlos001
12322          vv506001
12323          vv507001
12324          vv980001
12325          vv981001
12326          vv982001
12327          vv983001
12328      FROM ce2jp00
12329      CONNECTION (l_v_conn)
12330      INTO TABLE i_ce2jp00
12331      BYPASSING BUFFER
12332      WHERE paledger EQ c_opcon
12333          AND vrgar EQ c_exrec
12334          AND versi EQ c_everesi
12335          AND perbl EQ l_v_per
12336          AND bukr IN l_r_bukrs
12337          AND kmvkb IN s_vkbur
12338      *      AND ( ww207 IN l_r_kndnr "—MOD-032
12339      AND ( ww207 IN l_r_kndnr_total "++MOD-03
2
12340          OR ww214 IN l_r_ww214 )
12341          AND ww228 EQ <l_fs_dhdr>-knuma.
12342      IF sy-subrc IS NOT INITIAL.
12343          CLEAR: i_ce2jp00[].
12344      ELSE.
12345          SORT i_ce2jp00 BY kndnr artnr.
12346      ENDIF.
12347      ELSE.
12348          SELECT mandt          "#EC CI_SEL_NESTED
12349          paledger
12350          vrgar
12351          versi
12352          perio
12353          paobjnr
12354          pasubnr
12355          belnr
12356          posnr
12357          gjahr
12358          perde
12359          fadat
12360          kndnr
12361          artnr
12362          fkart
12363          bukr
12364          werks
12365          vkorg
12366          vtweg
12367          spart
12368          prctr
12369          kunwe
12370          kmvkb
12371          ww207
12372          ktr4
12373          ww214
12374          vkaus
12375          ww224
12376          ww225
12377          ww226
12378          ww227
12379          ww228
12380          ww229

```



```

12381          absmg_me
12382          vv980_me
12383          vv981_me
12384          vv982_me
12385          vv983_me
12386          absmg
12387          erlos
12388          vv506
12389          vv507
12390          vv980
12391          vv981
12392          vv982
12393          vv983
12394          FROM ce1jp00
12395          CONNECTION (l_v_conn)
12396          INTO TABLE i_ce1jp00
12397          BYPASSING BUFFER
12398          WHERE paledger EQ c_opcon
12399             AND vrgar EQ c_record
12400             AND perio EQ l_v_per
12401             AND bukrs IN l_r_bukrs
12402             AND kmvkbü IN s_vkbur
12403             * AND ( ww207 IN l_r_kndnr "—MOD-032
12404             AND ( ww207 IN l_r_kndnr_total "++MOD-03
2
12405             OR ww214 IN l_r_ww214 ) .
12406          IF sy-subrc IS NOT INITIAL.
12407             CLEAR: i_ce1jp00[].
12408          ELSE.
12409             SORT i_ce1jp00 BY kndnr artnr.
12410          ENDIF.
12411          ENDIF.
12412             * ELSEIF l_r_kndnr[] IS INITIAL "— MOD-032
12413             ELSEIF l_r_kndnr_total[] IS INITIAL "++ MOD-0
32
12414             AND l_r_ww214[] IS NOT INITIAL.
12415             IF rb_sale IS INITIAL.
12416                 SELECT mandt             "#EC CI_SEL_NESTED
12417                     paledger
12418                     vrgar
12419                     versi
12420                     paobjnr
12421                     pasubnr
12422                     belnr
12423                     perbl
12424                     gjahr
12425                     kndnr
12426                     artnr
12427                     fkart
12428                     bukrs
12429                     werks
12430                     vkorg
12431                     vtweg
12432                     spart
12433                     prctr
12434                     kunwe
12435                     kmvkbü
12436                     ww207
12437                     katr4
12438                     ww214
12439                     vkaus

```

```
12440          ww224
12441          ww225
12442          ww226
12443          ww227
12444          ww228
12445          ww229
12446          absmg_me
12447          vv980_me
12448          vv981_me
12449          vv982_me
12450          vv983_me
12451          absmg001
12452          erlos001
12453          vv506001
12454          vv507001
12455          vv980001
12456          vv981001
12457          vv982001
12458          vv983001
12459          FROM ce2jp00
12460          CONNECTION (l_v_conn)
12461          INTO TABLE i_ce2jp00
12462          BYPASSING BUFFER
12463          WHERE paledger EQ c_opcon
12464             AND vrgar EQ c_exrec
12465             AND versi EQ c_eversi
12466             AND perbl EQ l_v_per
12467             AND bukrs IN l_r_bukrs
12468             AND kmvkb IN s_vkbur
12469             AND ww214 IN l_r_ww214
12470             AND ww228 EQ <l_fs_dhdr>-knuma.
12471          IF sy-subrc IS NOT INITIAL.
12472             CLEAR: i_ce2jp00[].
12473          ELSE.
12474             SORT i_ce2jp00 BY kindnr artnr.
12475          ENDIF.
12476          ELSE.
12477             SELECT mandt          "#EC CI_SEL_NESTED
12478                paledger
12479                vrgar
12480                versi
12481                perio
12482                paobjnr
12483                pasubnr
12484                belnr
12485                posnr
12486                gjahr
12487                perde
12488                fadat
12489                kindnr
12490                artnr
12491                fkart
12492                bukrs
12493                werks
12494                vkorg
12495                vtweg
12496                spart
12497                prctr
12498                kunwe
12499                kmvkb
12500                ww207
```

```

12501      katr4
12502      ww214
12503      vkaus
12504      ww224
12505      ww225
12506      ww226
12507      ww227
12508      ww228
12509      ww229
12510      absmg_me
12511      vv980_me
12512      vv981_me
12513      vv982_me
12514      vv983_me
12515      absmg
12516      erlos
12517      vv506
12518      vv507
12519      vv980
12520      vv981
12521      vv982
12522      vv983
12523      FROM ce1jp00
12524      CONNECTION (l_v_conn)
12525      INTO TABLE i_ce1jp00
12526      BYPASSING BUFFER
12527      WHERE paledger EQ c_opcon
12528      AND vrgar EQ c_record
12529      AND perio EQ l_v_per
12530      AND bukrs IN l_r_bukrs
12531      AND kmvkb IN s_vkbur
12532      AND ww214 IN l_r_ww214.
12533      IF sy-subrc IS NOT INITIAL.
12534      CLEAR: i_ce1jp00[].
12535      ELSE.
12536      SORT i_ce1jp00 BY kndnr artnr.
12537      ENDIF.
12538      ENDIF.
12539
12540      *
12541      D-032      ELSEIF l_r_kndnr[] IS NOT INITIAL "— MOD-032
12542                  ELSEIF l_r_kndnr_total[] IS NOT INITIAL "++ MO
12543                  AND l_r_ww214[] IS INITIAL.
12544                  IF rb_sale IS INITIAL.
12545                      SELECT mandt          "#EC CI_SEL_NESTED
12546                      paledger
12547                      vrgar
12548                      versi
12549                      paobjnr
12550                      pasubnr
12551                      belnr
12552                      perbl
12553                      gjahr
12554                      kndnr
12555                      artnr
12556                      fkart
12557                      bukrs
12558                      werks
12559                      vkorg
12560                      vtweg
12561                      spart

```

```
12561      prctr
12562      kunwe
12563      kmvkbk
12564      ww207
12565      katr4
12566      ww214
12567      vkaus
12568      ww224
12569      ww225
12570      ww226
12571      ww227
12572      ww228
12573      ww229
12574      absmg_me
12575      vv980_me
12576      vv981_me
12577      vv982_me
12578      vv983_me
12579      absmg001
12580      erlos001
12581      vv506001
12582      vv507001
12583      vv980001
12584      vv981001
12585      vv982001
12586      vv983001
12587      FROM ce2jp00
12588      CONNECTION (l_v_conn)
12589      INTO TABLE i_ce2jp00
12590      BYPASSING BUFFER
12591      WHERE paledger EQ c_opcon
12592      AND vrgar EQ c_exrec
12593      AND versi EQ c_eversi
12594      AND perbl EQ l_v_per
12595      AND bukr IN l_r_bukrs
12596      AND kmvkbk IN s_vkbur
12597      * AND ww207 IN l_r_kndnr "—MOD-032
12598      AND ww207 IN l_r_kndnr_total "++MOD-032
12599      AND ww228 EQ <l_fs_dhdr>-knuma.
12600      IF sy-subrc IS NOT INITIAL.
12601      CLEAR: i_ce2jp00[].
12602      ELSE.
12603      SORT i_ce2jp00 BY kndnr artnr.
12604      ENDIF.
12605      ELSE.
12606      SELECT mandt "#EC CI_SEL_NESTED
12607      paledger
12608      vrgar
12609      versi
12610      perio
12611      paobjnr
12612      pasubnr
12613      belnr
12614      posnr
12615      gjahr
12616      perde
12617      fadat
12618      kndnr
12619      artnr
12620      fkart
12621      bukr
```

```

12622 werks
12623 vkorg
12624 vtweg
12625 spart
12626 prctr
12627 kunwe
12628 kmvkbv
12629 ww207
12630 katr4
12631 ww214
12632 vkaus
12633 ww224
12634 ww225
12635 ww226
12636 ww227
12637 ww228
12638 ww229
12639 absmg_me
12640 vv980_me
12641 vv981_me
12642 vv982_me
12643 vv983_me
12644 absmg
12645 erlos
12646 vv506
12647 vv507
12648 vv980
12649 vv981
12650 vv982
12651 vv983
12652 FROM ce1jp00
12653 CONNECTION (l_v_conn)
12654 INTO TABLE i_ce1jp00
12655 BYPASSING BUFFER
12656 WHERE paledger EQ c_opcon
12657 AND vrgar EQ c_record
12658 AND perio EQ l_v_per
12659 AND bukrs IN l_r_bukrs
12660 AND kmvkbv IN s_vkbur
12661 * AND ww207 IN l_r_kndnr "—MOD-032
12662 AND ww207 IN l_r_kndnr_total. "++MOD-032
12663 IF sy-subrc IS NOT INITIAL.
12664 CLEAR: i_ce1jp00[].
12665 ELSE.
12666 SORT i_ce1jp00 BY kndnr artnr.
12667 ENDIF.
12668 ENDIF.
12669 ENDIF.
12670 ENDIF.
12671
12672 IF i_ce1jp00[] IS INITIAL.
12673 IF rb_sale IS NOT INITIAL.
12674 * Consider Dummy material
12675 CLEAR: l_v_bcust,
12676 "BOC | MOD-032 | EJX9005197 | 08-Jan-2025
12677 l_v_bcust_cross.
12678 IF <l_fs_dhdr>-sub_bukrs = c_7827 OR
12679 <l_fs_dhdr>-bukrs = c_7827.
12680 "EOC | MOD-032 | EJX9005197 | 08-Jan-2025
12681 IF l_r_kndnr IS NOT INITIAL.
12682 READ TABLE l_r_kndnr INTO l_wa_kndnr IND

```

EX 1.

```

12683         IF sy-subrc IS INITIAL.
12684             l_v_bcust = l_wa_kndnr-low.
12685         ENDIF.
12686     ENDIF.
12687     "BOC | MOD-032 | EJX9005197 | 08-Jan-2025
12688 ENDIF.
12689 IF <l_fs_dhdr>-sub_bukrs = c_7828 OR
12690    <l_fs_dhdr>-bukrs      = c_7828.
12691     IF l_r_kndnr_cross IS NOT INITIAL.
12692         READ TABLE l_r_kndnr_cross INTO l_wa_knd
12693 nr INDEX 1.
12694         IF sy-subrc IS INITIAL.
12695             l_v_bcust_cross = l_wa_kndnr-low.
12696         ENDIF.
12697     ENDIF.
12698     "EOC | MOD-032 | EJX9005197 | 08-Jan-2025
12699     CLEAR : l_i_dumce1[]."++ MOD-032
12700     IF l_v_bcust IS NOT INITIAL
12701         "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
12702         OR l_v_bcust_cross IS NOT INITIAL.
12703         "BOC | 23-May-2025 | EJX9005197 | MOD-035
12704     * "Commenting the code
12705     *         IF i_sales[] IS NOT INITIAL.
12706     *             IF <l_fs_dhdr>-cross_ind IS NOT INITIAL
12707     *                 .
12708     *                 READ TABLE i_sales INTO l_wa_sales
12709     *                 WITH KEY bukrs = <l_fs_dhdr>-sub_bu
12710 krs
12711     *                 BINARY SEARCH.
12712     *                 IF sy-subrc IS INITIAL.
12713     *                     PERFORM f_dummy_check_sales
12714     *                     USING l_wa_sales
12715     *                         <l_fs_dhdr>
12716     *                         <l_fs_dhdr>-sub_bukrs
12717     *                     CHANGING v_dummy_flag.
12718     *                 ELSE.
12719     *                     v_dummy_flag = abap_true.
12720     *                 ENDIF.
12721     *                 CLEAR l_wa_sales.
12722     *             ENDIF.
12723     *         ENDIF.
12724     *         "EOC | 23-May-2025 | EJX9005197 | MOD-035
12725     *         IF v_dummy_flag IS INITIAL.
12726     *             READ TABLE l_i_ditem ASSIGNING <l_fs_dit
12727 em>
12728     *             WITH KEY knuma = <l
12729     *             _fs_dhdr>-knuma
12730     *             tran_type
12731     *             = c_post.
12732     *             "EOC | MOD-032 | EJX9005197 | 03-Dec-202
12733     *             4
12734     *             PERFORM f_dummy_sales USING <l_fs_dhdr>
12735     *             <l_fs_kona>
12736     *             <l_fs_ditem>
12737     *             "++ MOD-032
12738     *             l_v_bcust
12739     *             l_v_bcust_cr
12740 oss "++ MOD-032
12741     *             l_v_lastd

```

```

12733                                     l_v_ppay_flg
12734 g      "++ MOD-038                                     l_v_cross_du
12735 mmy "++ MOD-038
12736                                     CHANGING l_i_dumce1.
12737                                     "BOC | MOD-032 | EJX9005197 | 03-Dec-202
12738 4
12739                                     IF <l_fs_ditem> IS ASSIGNED.
12740                                     UNASSIGN <l_fs_ditem>.
12741                                     ENDIF.
12742                                     "EOC | MOD-032 | EJX9005197 | 03-Dec-202
12743 4
12744                                     ENDIF. "++ MOD-032
12745                                     i_ce1jp00[] = l_i_dumce1[].
12746                                     ELSE.
12747                                     CLEAR: l_wa_sfinal, l_v_message.
12748                                     l_wa_sfinal-monat = p_monat.
12749                                     l_wa_sfinal-gjahr = p_gjahr.
12750                                     l_wa_sfinal-bukrs = p_bukrs.
12751                                     l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
12752                                     CONCATENATE text-040 <l_fs_dhdr>-knuma
12753                                     INTO l_v_message SEPARATED BY space.
12754                                     l_wa_sfinal-msg = l_v_message.
12755                                     APPEND l_wa_sfinal TO i_sfinal.
12756                                     CLEAR: l_wa_sfinal, l_v_message.
12757                                     ENDIF.
12758                                     ENDIF.
12759                                     IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
12760                                     CLEAR: l_i_subce1[], l_i_subce2[].
12761                                     IF i_ce1jp00[] IS NOT INITIAL.
12762                                     l_i_subce1[] = i_ce1jp00[].
12763                                     DELETE l_i_subce1 WHERE bukrs EQ <l_fs_dhdr>
12764                                     -bukrs.
12765                                     IF l_i_subce1[] IS NOT INITIAL.
12766                                     SORT l_i_subce1 BY kindnr artnr.
12767                                     ENDIF.
12768                                     DELETE i_ce1jp00 WHERE bukrs EQ <l_fs_dhdr>-
12769                                     sub_bukrs.
12770                                     ENDIF.
12771                                     IF i_ce2jp00[] IS NOT INITIAL.
12772                                     l_i_subce2[] = i_ce2jp00[].
12773                                     DELETE l_i_subce2 WHERE bukrs EQ <l_fs_dhdr>
12774                                     -bukrs.
12775                                     IF l_i_subce2[] IS NOT INITIAL.
12776                                     SORT l_i_subce2 BY kindnr artnr.
12777                                     ENDIF.
12778                                     DELETE i_ce2jp00 WHERE bukrs EQ <l_fs_dhdr>-
12779                                     sub_bukrs.
12780                                     ENDIF.
12781                                     ENDIF.
12782                                     IF i_ce1jp00[] IS NOT INITIAL
12783                                     OR i_ce2jp00[] IS NOT INITIAL
12784                                     OR l_i_subce1[] IS NOT INITIAL
12785                                     OR l_i_subce2[] IS NOT INITIAL.
12786                                     CLEAR: l_v_stax,
12787                                     l_v_rindex, l_i_tudata[]. "++MOD-014
12788 * Get the total sales values/Quantity
12789 READ TABLE l_i_tditem WITH KEY knuma = <l_fs_k
12790 ona>-knuma
12791 BINARY SEARCH TRANSPORTING NO FIELDS.

```



```

12824                                     mwsksz = <l_fs_dr
eg>-mwsksz
12825                                     BINARY SEARCH.
12826 IF sy-subrc IS INITIAL.
12827     "EOC | MOD-031 | EJX9005197 | 26
12828     -Aug-2024
*                                     READ TABLE l_i_tditem ASSIGNING <
l_fs_itemp> "— MOD-031
12829                                     READ TABLE l_i_tditem_copy ASSIG
NING <l_fs_itemp> "++ MOD-031
12830                                     WITH KEY buhrs
= <l_fs_ditem>-buhrs
12831                                     sched
_dat = <l_fs_dreg>-cut_off_date "++MOD-015
12832                                     act_
amnt = <l_fs_temp>-amt_tax "++ MOD-031
12833                                     budat
+0(6) = l_v_perf
12834                                     item_
status = c_appr.
12835                                     IF sy-subrc IS INITIAL.
12836                                     CLEAR: l_v_sdoc.
12837                                     l_v_sdoc = <l_fs_itemp>-lsa_do
C.
12838                                     "Begin of changes by S204711
MOD-026
12839 *                                     ENDIF. "—MOD-026
12840 *                                     CLEAR: l_v_aamnt.
12841 *                                     l_v_aamnt = <l_fs_dreg>-amt_tax.
12842 *                                     CLEAR: v_mwsksz.
12843 *                                     v_mwsksz = <l_fs_dreg>-mwsksz. "—M
OD-026
12844                                     v_mwsksz = <l_fs_itemp>-mwsksz.
12845                                     ENDIF.
12846 *                                     "End of changes by S204711 MO
D-026
12847     "BOC | MOD-031 | EJX9005197 | 26
12848     -Aug-2024
12849     IF <l_fs_itemp> IS ASSIGNED.
12850     UNASSIGN <l_fs_itemp>.
12851     ENDIF.
12852     "EOC | MOD-031 | EJX9005197 | 26-A
ug-2024
12853     CLEAR: l_v_aamnt.
12854     l_v_aamnt = <l_fs_dreg>-amt_tax.
12855     IF l_v_aamnt IS NOT INITIAL.
12856     IF <l_fs_dhdr>-tax_ind IS INITIA
L.
12857     PERFORM f_cal_ctax USING <l_fs
_dhdr>
12858 *                                     l_v_aamnt "—MO
D-026
12859                                     CHANGING l_v_co
tax
12860                                     l_v_aamnt. "++M
OD-026
12861     l_v_coamnt = l_v_aamnt.
12862     ELSE.
12863     PERFORM f_cal_stax USING <l_fs
_dhdr>

```

```

12864 *                                l_v_aamnt "—M
12865 OD-026                                CHANGING l_v_c
12866 otax                                l_v_aamnt. "+
12867 +MOD-026
12868                                l_v_coamnt = l_v_aamnt - l_v_c
12869 otax.
12870 ENDIF.
12871 ENDIF.
12872 READ TABLE i_sfinal ASSIGNING <l_f
s_sfinal>
12873 WITH KEY knuma = <l_fs_dhdr>-knuma
.
12874 IF sy-subrc IS INITIAL.
<l_fs_sfinal>-amnt = <l_fs_sfina
12875                                l_v_coamnt.
12876 <l_fs_sfinal>-atax = <l_fs_sfina
l>-amnt +                                l_v_cotax.
12877 <l_fs_sfinal>-cont_amnt = <l_fs_
12878 sfinal>-cont_amnt +                                l_v_c
12879 oamnt + l_v_cotax.
12880 ELSE.
12881 l_wa_sfinal-amnt = l_wa_sfinal-a
12882                                l_v_coamnt.
12883 l_wa_sfinal-atax = l_wa_sfinal-a
12884                                l_v_cotax.
12885 l_wa_sfinal-cont_amnt = l_wa_sfi
12886                                + l_wa_s
12887 final-atax.
12888 ENDIF.
12889 IF <l_fs_kona>-datab+0(6) EQ
12890 <l_fs_kona>-datbi+0(6).
12891 l_v_skip = abap_true.
12892 ENDIF.
12893 IF l_v_skip IS INITIAL.
12894 * Get the logic for Pre paid scenario
12895 CLEAR: l_v_mdays, l_v_adat.
12896 IF <l_fs_kona>-datab+0(6) EQ l_v
12897 _lastd+0(6).
12898 l_v_adat = <l_fs_kona>-datab.
12899 ELSEIF <l_fs_kona>-datbi+0(6) EQ
12900 " Calculate total no. of days
12901 CALL FUNCTION 'FIMA_DAYS_AND_M
12902 ONTHS_AND_YEARS'
12903 EXPORTING
12904 i_date_from = l_v_pdat
12905 i_date_to   = <l_fs_kona>-
12906 datbi
12907 IMPORTING
12908 e_days      = l_v_mdays.
12909 CLEAR: l_v_adat.
12910 ELSE.

```

```

12907             l_v_adat = l_v_pdat.
12908         ENDIF.
12909         IF l_v_adat IS NOT INITIAL.
12910             " Calculate total no. of days
12911             CALL FUNCTION 'FIMA_DAYS_AND_M
ONTHS_AND_YEARS'
12912                 EXPORTING
12913                     i_date_from = l_v_adat
12914                     i_date_to   = l_v_lastd
12915                 IMPORTING
12916                     e_days      = l_v_mdays.
12917             ENDIF.
12918             l_v_mdays = l_v_mdays + 1.
12919         ELSE.
12920             l_v_mdays = l_v_tdays.
12921         ENDIF.
12922         CLEAR: l_v_skip.
12923
12924         CLEAR: l_v_mdays, l_v_amnt, l_v_ro
und,
12925             l_v_famnt, l_v_camnt, l_v_
adat.
12926
12927         CLEAR: l_i_copa[], l_i_tcopa[].
12928         IF rb_sale IS NOT INITIAL.
12929             CLEAR: l_i_ce1jp[].
12930             IF <l_fs_ditem>-bukrs EQ <l_fs_d
hdr>-bukrs.
12931                 l_i_ce1jp[] = i_ce1jp00[].
12932             ELSE.
12933                 l_i_ce1jp[] = l_i_subce1[].
12934             ENDIF.
12935             DELETE l_i_ce1jp WHERE ww207 <>
<l_fs_dreg>-kunnr. "— MOD-031 "++ MOD-039
12936             IF l_i_ce1jp[] IS NOT INITIAL.
12937                 SORT l_i_ce1jp BY kindnr artnr.
12938             * Populate the Internal table for subtotal values of COPA
12939             LOOP AT l_i_ce1jp ASSIGNING <l
_fs_ce1jp>. "#EC CI_NESTED
12940                 READ TABLE i_mexc ASSIGNING
<l_fs_mexc>
12941                     WITH KEY m
12942                     BINARY SEA
RCH.
12943             IF sy-subrc IS NOT INITIAL.
12944                 l_wa_copa-gjahr = <l_fs_c
e1jp>-gjahr.
12945                 l_wa_copa-perde = <l_fs_c
e1jp>-perde.
12946                 l_wa_copa-kindnr = <l_fs_c
e1jp>-kindnr.
12947                 l_wa_copa-artnr = <l_fs_c
e1jp>-artnr.
12948                 l_wa_copa-fkart = <l_fs_c
e1jp>-fkart.
12949                 l_wa_copa-bukrs = <l_fs_c
e1jp>-bukrs.
12950                 l_wa_copa-werks = <l_fs_c
e1jp>-werks.
12951                 l_wa_copa-vkorg = <l_fs_c

```

```

12952 e1jp>-vkorg. l_wa_copa-vtweg = <l_fs_c
12953 e1jp>-vtweg. l_wa_copa-spart = <l_fs_c
12954 e1jp>-spart. l_wa_copa-prctr = <l_fs_ce
12955 1jp>-prctr. l_wa_copa-kunwe = <l_fs_c
12956 e1jp>-kunwe. l_wa_copa-kmvkbu = <l_fs_
12957 ce1jp>-kmvkbu. l_wa_copa-ww207 = <l_fs_ce
12958 1jp>-ww207. l_wa_copa-ww224 = <l_fs_ce
12959 1jp>-ww224. l_wa_copa-ww225 = <l_fs_ce
12960 1jp>-ww225. l_wa_copa-ww226 = <l_fs_ce
12961 1jp>-ww226. l_wa_copa-ww227 = <l_fs_ce
12962 1jp>-ww227. l_wa_copa-ww228 = <l_fs_ce
12963 1jp>-ww228. l_wa_copa-ww229 = <l_fs_ce
12964 1jp>-ww229. l_wa_copa-absmg_me = <l_f
12965 s_ce1jp>-absmg_me. l_wa_copa-vv980_me = <l_f
12966 s_ce1jp>-vv980_me. l_wa_copa-vv981_me = <l_f
12967 s_ce1jp>-vv981_me. l_wa_copa-vv982_me = <l_f
12968 s_ce1jp>-vv982_me. l_wa_copa-vv983_me = <l_f
12969 s_ce1jp>-vv983_me. l_wa_copa-absmg = <l_fs_c
12970 e1jp>-absmg. l_wa_copa-erlos = <l_fs_c
12971 e1jp>-erlos. l_wa_copa-vv506 = <l_fs_ce
12972 1jp>-vv506. l_wa_copa-vv507 = <l_fs_ce
12973 1jp>-vv507. l_wa_copa-vv980 = <l_fs_c
12974 e1jp>-vv980. l_wa_copa-vv981 = <l_fs_c
12975 e1jp>-vv981. l_wa_copa-vv982 = <l_fs_c
12976 e1jp>-vv982. l_wa_copa-vv983 = <l_fs_c
12977 e1jp>-vv983. l_v_total_amount = l_v_tot
12978 al_amount + l_wa_copa-vv506. "++ MOD-032 COLLECT l_wa_copa INTO l_i
12979 _copa. CLEAR: l_wa_copa.
12980 ENDIF.
12981 ENDLOOP.
12982 IF <l_fs_ce1jp> IS ASSIGNED.
12983 UNASSIGN: <l_fs_ce1jp>.
12984 ENDIF.

```

```

12985      "BOC | MOD-032 | EJX9005197 |
12986      IF l_v_total_amount IS INITIAL
12987      .
12988          CLEAR l_i_copa[].
12989      ENDIF.
12990      "EOC | MOD-032 | EJX9005197 |
12991      06-Dec-2024
12992      D-037
12993      CLEAR l_v_total_amount. "++ MO
12994      READ TABLE l_i_copa WITH KEY w
12995      w207 = <l_fs_dreg>-kunnr
12996      TRANSPORTI
12997      NG NO FIELDS.
12998      IF sy-subrc IS NOT INITIAL.
12999      * Consider Dummy material
13000      CLEAR: l_v_bcust, l_i_dumce1
13001      IF <l_fs_dreg>-bukrs EQ c_78
13002          l_v_bcust = <l_fs_dreg>-ku
13003          nnr.
13004          "BOC | MOD-032 | EJX900519
13005          7 | 08-Jan-2025
13006      ELSE.
13007          l_v_bcust_cross = <l_fs_dr
13008      ENDIF.
13009      "EOC | MOD-032 | EJX9005197
13010      IF l_v_bcust IS NOT INITIAL
13011      OR l_v_bcust_cross IS NOT I
13012      IF v_dummy_flag IS INITIAL
13013      PERFORM f_dummy_sales US
13014      ING <l_fs_dhdr>
13015      <l_fs_kona>
13016      <l_fs_ditem> "++ MOD-032
13017      l_v_bcust
13018      l_v_bcust_cross "++ MOD-032
13019      l_v_lastd
13020      l_v_ppay_flag "++ MOD-038
13021      l_v_cross_dummy "++ MOD-038
13022      CHANGIN
13023      G l_i_dumce1.
13024      ENDIF. "++ MOD-032
13025      CLEAR: l_wa_copa.
13026      READ TABLE l_i_dumce1 ASSI
13027      WITH
13028      KEY bukrs = <l_fs_ditem>-bukrs.
13029      IF sy-subrc IS INITIAL.

```

```

13021                                     MOVE-CORRESPONDING <l_fs
    _ce1jp> TO l_wa_copa.
13022                                     APPEND l_wa_copa TO l_i_
    copa.
13023                                     CLEAR: l_wa_copa.
13024                                     ENDIF.
13025                                     ENDIF.
13026                                     ENDIF.
13027 ELSE.
13028     IF l_i_copa[] IS INITIAL.
13029 * Consider Dummy material
13030     CLEAR: l_v_bcust, l_i_dumce1
    [].
13031     IF <l_fs_dreg>-bukrs EQ c_78
13032         l_v_bcust = <l_fs_dreg>-ku
13033         "BOC | MOD-032 | EJX900519
    7 | 08-Jan-2025
13034     ELSE.
13035         l_v_bcust_cross = <l_fs_dr
    eg>-kunnr.
13036     ENDIF.
13037     "EOC | MOD-032 | EJX900519
    | 08-Jan-2025
13038     IF l_v_bcust IS NOT INITIAL
13039     OR l_v_bcust_cross IS NOT IN
    ITIAL. "++MOD-032
13040     . "++ MOD-032
13041     ING <l_fs_dhdr>
13042         <l_fs_kona>
13043         <l_fs_ditem> "++ MOD-032
13044         l_v_bcust
13045         l_v_bcust_cross "++ MOD-032
13046         l_v_lastd
13047         l_v_ppay_flag "++ MOD-038
13048         l_v_cross_dummy "++ MOD-038
13049                                     CHANGIN
    G l_i_dumce1.
13050     ENDIF. "++ MOD-032
13051     CLEAR: l_wa_copa.
13052     READ TABLE l_i_dumce1 ASSI
13053                                     WITH
    KEY bukrs = <l_fs_ditem>-bukrs.
13054     IF sy-subrc IS INITIAL.
13055         MOVE-CORRESPONDING <l_fs
    _ce1jp> TO l_wa_copa.
13056         APPEND l_wa_copa TO l_i_
    copa.
13057         CLEAR: l_wa_copa.
13058     ENDIF.

```



```

13096 ce2jp>-vv982_me. l_wa_copa-vv982_me = <l_fs_
13097 ce2jp>-vv983_me. l_wa_copa-vv983_me = <l_fs_
13098 jp>-absmg. l_wa_copa-absmg = <l_fs_ce2
13099 jp>-erlos. l_wa_copa-erlos = <l_fs_ce2
13100 p>-vv506. l_wa_copa-vv506 = <l_fs_ce2j
13101 p>-vv507. l_wa_copa-vv507 = <l_fs_ce2j
13102 jp>-vv980. l_wa_copa-vv980 = <l_fs_ce2
13103 jp>-vv981. l_wa_copa-vv981 = <l_fs_ce2
13104 jp>-vv982. l_wa_copa-vv982 = <l_fs_ce2
13105 jp>-vv983. l_wa_copa-vv983 = <l_fs_ce2
13106 opa. COLLECT l_wa_copa INTO l_i_c
13107 CLEAR: l_wa_copa.
13108 ENDIF.
13109 ENDLOOP.
13110 IF <l_fs_ce2jp> IS ASSIGNED.
13111 UNASSIGN: <l_fs_ce2jp>.
13112 ENDIF.
13113 ENDIF.
13114 CLEAR: l_v_absmg, l_v_pertot.
13115 * Subtotal logic
13116 IF l_i_copa IS NOT INITIAL.
13117 SORT l_i_copa BY ww228 ww229 kno
nr artnr. LOOP AT l_i_copa ASSIGNING <l_fs_
_copa>. "#EC CI_NESTED
ww228. l_wa_copa-ww228 = <l_fs_copa>-
ww229. l_wa_copa-ww229 = <l_fs_copa>-
-gjahr. l_wa_copa-gjahr = <l_fs_copa>
-perde. l_wa_copa-perde = <l_fs_copa>
-kndnr. l_wa_copa-kndnr = <l_fs_copa>
-artnr. l_wa_copa-artnr = <l_fs_copa>
-fkart. l_wa_copa-fkart = <l_fs_copa>
-bukrs. l_wa_copa-bukrs = <l_fs_copa>
-werks. l_wa_copa-werks = <l_fs_copa>
-vkorg. l_wa_copa-vkorg = <l_fs_copa>
-vtweg. l_wa_copa-vtweg = <l_fs_copa>
-spart. l_wa_copa-spart = <l_fs_copa>
l_wa_copa-prctr = <l_fs_copa>

```



```

-prctr.
-kunwe.
>-kmvkbkbu.
ww207. "++MOD-014
ww224.
ww225.
ww225.
ww227.
pa>-absmg_me.
pa>-vv980_me.
pa>-vv981_me.
pa>-vv982_me.
pa>-vv983_me.
smg + <l_fs_copa>-absmg.
rlos + <l_fs_copa>-erlos.
506 + <l_fs_copa>-vv506.
507 + <l_fs_copa>-vv507.
980 + <l_fs_copa>-vv980.
981 + <l_fs_copa>-vv981.
982 + <l_fs_copa>-vv982.
983 + <l_fs_copa>-vv983.
copa>-vv980.
s_copa>-vv506.
a.
l_wa_copa-kunwe = <l_fs_copa>
l_wa_copa-kmvkbkbu = <l_fs_copa>
l_wa_copa-ww207 = <l_fs_copa>-
l_wa_copa-ww224 = <l_fs_copa>-
l_wa_copa-ww225 = <l_fs_copa>-
l_wa_copa-ww226 = <l_fs_copa>-
l_wa_copa-ww227 = <l_fs_copa>-
l_wa_copa-absmg_me = <l_fs_co
l_wa_copa-vv980_me = <l_fs_co
l_wa_copa-vv981_me = <l_fs_co
l_wa_copa-vv982_me = <l_fs_co
l_wa_copa-vv983_me = <l_fs_co
l_wa_copa-absmg = l_wa_copa-ab
l_wa_copa-erlos = l_wa_copa-e
l_wa_copa-vv506 = l_wa_copa-vv
l_wa_copa-vv507 = l_wa_copa-vv
l_wa_copa-vv980 = l_wa_copa-vv
l_wa_copa-vv981 = l_wa_copa-vv
l_wa_copa-vv982 = l_wa_copa-vv
l_wa_copa-vv983 = l_wa_copa-vv
l_v_absmg = l_v_absmg + <l_fs_
l_v_pertot = l_v_pertot + <l_f
AT END OF artnr.
APPEND l_wa_copa TO l_i_tcop
CLEAR: l_wa_copa.
ENDAT.
ENDLOOP.
IF <l_fs_copa> IS ASSIGNED.
UNASSIGN: <l_fs_copa>.
ENDIF.
ENDIF.
FREE: l_i_copa[].
IF l_i_tcopa[] IS NOT INITIAL.
SORT l_i_tcopa BY ww228 ww229 kn
LOOP AT l_i_tcopa ASSIGNING <l_f

```

```

13168 s_copa>. "#EC CI_NESTED
INITIAL.
13169 CLEAR: l_v_skip.
13170 IF rb_sale IS INITIAL.
13171 CLEAR: l_v_camnt, l_v_roun
d.
13172 IF l_v_pertot IS NOT INITI
AL.
13173 l_v_camnt = ( <l_fs_copa
>-vv506 /
13174 l_v_pertot )
* l_v_coamnt.
13175 ENDIF.
13176 CONDENSE l_v_camnt.
13177 l_v_round = l_v_camnt.
13178 CALL FUNCTION 'J_1I6_ROUND
_TO_NEAREST_AMT'
EXPORTING
13179 i_amount = l_v_round
IMPORTING
13180 e_amount = l_v_round.
13181 IF l_v_round IS INITIAL.
13182 l_v_skip = abap_true.
13183 ENDIF.
13184 ENDIF.
13185 IF l_v_skip IS INITIAL.
13186 l_v_cnt = l_v_cnt + 1.
13187 l_wa_data-record_id = l_v_
cnt.
13188
13189
13190
13191 * Fill Currency Type
13192 curty.
13193 al.
13194
13195
13196 READ TABLE l_i_selc
13197 WITH KEY fie
ldname = c_curty
TRANSPORTING
13198 NO FIELDS.
13199
13200 IF sy-subrc NE 0.
13201 l_wa_selc-fieldname =
c_curty.
13202 l_wa_selc-sign = c_i.
13203 l_wa_selc-option = c_e
q.
13204 l_wa_selc-low = c_curv
al.
13205 APPEND l_wa_selc TO l_
i_selc.
13206 CLEAR: l_wa_selc.
13207 ENDIF.
13208 l_wa_data-currency = <l_
fs_dhdr>-waers.
13209 APPEND l_wa_data TO l_i_
cdata.
13209 READ TABLE l_i_fname ASS
IGNING <l_fs_fname>

```

```

13210                                WITH KEY fie
ldname = c_curty.
13211                                IF sy-subrc NE 0.
13212                                APPEND l_wa_data-field
name TO l_i_fname.
13213                                ENDIF.
13214                                CLEAR: l_wa_data-fieldna
me, l_wa_data-value.
13215                                ENDIF.
13216                                *      Fill Record type
13217                                l_wa_data-fieldname = c_re
cty.
13218                                IF rb_sale IS INITIAL.
13219                                l_wa_data-value = c_srec
val.
13220                                ELSE.
13221                                l_wa_data-value = c_salv
al.
13222                                READ TABLE l_i_selc
13223                                WITH KEY fie
ldname = c_recty
13224                                TRANSPORTING
NO FIELDS.
13225                                IF sy-subrc NE 0.
13226                                l_wa_selc-fieldname =
l_wa_selc-sign = c_i.
13227                                l_wa_selc-option = c_e
q.
13228                                l_wa_selc-low = c_salv
al.
13229                                APPEND l_wa_selc TO l_
i_selc.
13230                                CLEAR: l_wa_selc.
13231                                ENDIF.
13232                                ENDIF.
13233                                l_wa_data-currency = <l_fs
13234                                _dhdr>-waers.
13235                                APPEND l_wa_data TO l_i_cd
ata.
13236                                READ TABLE l_i_fname ASSIG
NING <l_fs_fname>
13237                                WITH KEY field
name = c_recty.
13238                                IF sy-subrc NE 0.
13239                                APPEND l_wa_data-fieldna
me TO l_i_fname.
13240                                ENDIF.
13241                                CLEAR: l_wa_data-fieldname
, l_wa_data-value.
13242                                *      Fill Version
13243                                l_wa_data-fieldname = c_
13244                                versi.
13245                                l_wa_data-value = c_verv
al.
13246                                l_wa_data-currency = <l_
fs_dhdr>-waers.
13247                                APPEND l_wa_data TO l_i_
cdata.
13248                                READ TABLE l_i_selc

```

```

13249                                     WITH KEY fie
13250                                     TRANSPORTING
13251         ldname = c_versi
13252         NO FIELDS.
13251         IF sy-subrc NE 0.
13252         l_wa_selc-fieldname =
13253         l_wa_selc-sign = c_i.
13254         l_wa_selc-option = c_e
13255         q.
13255         l_wa_selc-low = c_verv
13256         al.
13256         APPEND l_wa_selc TO l_
13257         i_selc.
13257         CLEAR: l_wa_selc.
13258         ENDIF.
13259         READ TABLE l_i_fname ASS
13260         IGNING <l_fs_fname>
13260         WITH KEY fie
13261         ldname = c_versi.
13261         IF sy-subrc NE 0.
13262         APPEND l_wa_data-field
13263         name TO l_i_fname.
13263         ENDIF.
13264         CLEAR: l_wa_data-fieldna
13265         me, l_wa_data-value.
13265         *      Fill PERIO
13266         l_wa_data-fieldname = c_
13266         perio.
13267         CLEAR: l_v_per.
13268         CONCATENATE p_gjahr c_ze
13269         INTO l_v_per.
13270         l_wa_data-value = l_v_pe
13271         r.
13271         l_wa_data-currency = <l_
13272         fs_dhdr>-waers.
13272         APPEND l_wa_data TO l_i_
13273         cdata.
13273         READ TABLE l_i_selc
13274         WITH KEY fie
13275         ldname = c_perio
13275         TRANSPORTING
13276         NO FIELDS.
13276         IF sy-subrc NE 0.
13277         l_wa_selc-fieldname =
13278         l_wa_selc-sign = c_i.
13279         l_wa_selc-option = c_e
13280         q.
13280         l_wa_selc-low = l_v_pe
13281         r.
13281         APPEND l_wa_selc TO l_
13282         i_selc.
13282         CLEAR: l_wa_selc.
13283         ENDIF.
13284         READ TABLE l_i_fname ASS
13285         IGNING <l_fs_fname>
13285         WITH KEY fie
13286         ldname = c_perio.
13286         IF sy-subrc NE 0.

```

```

13287 name TO l_i_fname. APPEND l_wa_data-field
13288 ENDIF.
13289 me, l_wa_data-value. CLEAR: l_wa_data-fieldna
13290 ENDIF.
13291 * Fill Posting date
13292 IF rb_sale IS INITIAL.
13293 l_wa_data-fieldname = c_
13294 budat.
13295 IF p_budat IS INITIAL.
13296 l_wa_data-value = v_la
13297 ELSE.
13298 l_wa_data-value = p_bu
13299 ENDIF.
13300 l_wa_data-currency = <l_
13301 APPEND l_wa_data TO l_i_
13302 READ TABLE l_i_fname ASS
13303 WITH KEY fie
13304 ldname = c_budat.
13305 IF sy-subrc NE 0.
13306 APPEND l_wa_data-field
13307 ENDIF.
13308 CLEAR: l_wa_data-fieldna
13309 me, l_wa_data-value.
13310 ENDIF.
13311 * Fill Customer
13312 IF rb_sale IS NOT INITIAL.
13313 l_wa_selc-fieldname = c_
13314 l_wa_selc-sign = c_i.
13315 l_wa_selc-option = c_eq.
13316 l_wa_selc-low = <l_fs_co
13317 APPEND l_wa_selc TO l_i_
13318 CLEAR: l_wa_selc.
13319 ENDIF.
13320 l_wa_data-fieldname = c_kn
13321 l_wa_data-value = <l_fs_co
13322 l_wa_data-currency = <l_fs
13323 APPEND l_wa_data TO l_i_cd
13324 READ TABLE l_i_fname ASSIG
13325 WITH KEY field
13326 name = c_kndnr.
13327 IF sy-subrc NE 0.
13328 APPEND l_wa_data-fieldna
13329 ENDIF.
13330 CLEAR: l_wa_data-fieldname

```

```

13327 , l_wa_data-value.
13328 *      Fill Material
13329 artnr.
13330
13331 l_wa_selc-sign = c_i.
13332 l_wa_selc-option = c_eq.
13333 l_wa_selc-low = <l_fs_co
13334
13335 APPEND l_wa_selc TO l_i_
13336
13337 CLEAR: l_wa_selc.
13338 ENDIF.
13339 l_wa_data-fieldname = c_ar
13340
13341 l_wa_data-value = <l_fs_co
13342
13343 l_wa_data-currency = <l_fs
13344
13345 APPEND l_wa_data TO l_i_cd
13346
13347 READ TABLE l_i_fname ASSIG
13348
13349 WITH KEY field
13350
13351 IF sy-subrc NE 0.
13352 APPEND l_wa_data-fieldna
13353
13354 ENDIF.
13355 CLEAR: l_wa_data-fieldname
13356
13357 , l_wa_data-value.
13358 *      Fill Sender cost center
13359
13360 skost.
13361
13362 <l_fs_dhdr>-bukrs. "++MOD-015
13363
13364 l_wa_data-value =
13365 <l_fs_dhdr>-m
13366
13367 ELSE. "++MOD-015
13368 l_wa_data-value =
13369 <l_fs_dhdr>-su
13370
13371 ENDIF. "++MOD-015
13372 l_wa_data-currency = <l_
13373
13374 APPEND l_wa_data TO l_i_
13375
13376 READ TABLE l_i_fname ASS
13377
13378 WITH KEY fie
13379
13380 ldname = c_skost.
13381
13382 IF sy-subrc NE 0.
13383 APPEND l_wa_data-field
13384
13385 ENDIF.
13386 CLEAR: l_wa_data-fieldna
13387
13388 me, l_wa_data-value.
13389
13390 ENDIF.

```

```

13366 *           Fill buksr
13367
13368 IF rb_sale IS NOT INITIAL.
13369     READ TABLE l_i_selc
13370         WITH KEY f
13371             TRANSPORTI
13372             NG NO FIELDS.
13373
13374 c_bukrs.
13375
13376 q.
13377 *           l_wa_selc-low = p_bukrs. "++MOD
13378 -004
13379             l_wa_selc-low = <l_fs_
13380 ditem>-bukrs. "++MOD-004
13381             APPEND l_wa_selc TO l_
13382 i_selc.
13383             CLEAR: l_wa_selc.
13384             ENDIF.
13385             ENDIF.
13386             l_wa_data-fieldname = c_bu
13387 krs.
13388 *           l_wa_data-value = p_bukrs. "—MOD-0
13389 04
13390             l_wa_data-value = <l_fs_di
13391 tem>-bukrs. "++MOD-004
13392             l_wa_data-currency = <l_fs
13393 _dhdr>-waers.
13394             APPEND l_wa_data TO l_i_cd
13395 ata.
13396             READ TABLE l_i_fname ASSIG
13397             NING <l_fs_fname>
13398             WITH KEY field
13399             name = c_bukrs.
13400             IF sy-subrc NE 0.
13401                 APPEND l_wa_data-fieldna
13402             ENDIF.
13403             CLEAR: l_wa_data-fieldname
13404             , l_wa_data-value.
13405 *           Fill Plant
13406
13407 IF rb_sale IS NOT INITIAL.
13408     l_wa_selc-fieldname = c_
13409
13410     l_wa_selc-sign = c_i.
13411     l_wa_selc-option = c_eq.
13412     l_wa_selc-low = <l_fs_co
13413
13414     APPEND l_wa_selc TO l_i_
13415 selc.
13416     CLEAR: l_wa_selc.
13417     ENDIF.
13418     l_wa_data-fieldname = c_we
13419
13420     l_wa_data-value = <l_fs_co
13421
13422     l_wa_data-currency = <l_fs
13423
13424     l_wa_data-currency = <l_fs
13425
13426     l_wa_data-currency = <l_fs
13427
13428     l_wa_data-currency = <l_fs
13429
13430     l_wa_data-currency = <l_fs
13431
13432     l_wa_data-currency = <l_fs
13433
13434     l_wa_data-currency = <l_fs
13435
13436     l_wa_data-currency = <l_fs
13437
13438     l_wa_data-currency = <l_fs
13439
13440     l_wa_data-currency = <l_fs
13441
13442     l_wa_data-currency = <l_fs
13443
13444     l_wa_data-currency = <l_fs
13445
13446     l_wa_data-currency = <l_fs
13447
13448     l_wa_data-currency = <l_fs
13449
13450     l_wa_data-currency = <l_fs
13451
13452     l_wa_data-currency = <l_fs
13453
13454     l_wa_data-currency = <l_fs
13455
13456     l_wa_data-currency = <l_fs
13457
13458     l_wa_data-currency = <l_fs
13459
13460     l_wa_data-currency = <l_fs
13461
13462     l_wa_data-currency = <l_fs
13463
13464     l_wa_data-currency = <l_fs
13465
13466     l_wa_data-currency = <l_fs
13467
13468     l_wa_data-currency = <l_fs
13469
13470     l_wa_data-currency = <l_fs
13471
13472     l_wa_data-currency = <l_fs
13473
13474     l_wa_data-currency = <l_fs
13475
13476     l_wa_data-currency = <l_fs
13477
13478     l_wa_data-currency = <l_fs
13479
13480     l_wa_data-currency = <l_fs
13481
13482     l_wa_data-currency = <l_fs
13483
13484     l_wa_data-currency = <l_fs
13485
13486     l_wa_data-currency = <l_fs
13487
13488     l_wa_data-currency = <l_fs
13489
13490     l_wa_data-currency = <l_fs
13491
13492     l_wa_data-currency = <l_fs
13493
13494     l_wa_data-currency = <l_fs
13495
13496     l_wa_data-currency = <l_fs
13497
13498     l_wa_data-currency = <l_fs
13499
13500     l_wa_data-currency = <l_fs
13501
13502     l_wa_data-currency = <l_fs
13503
13504     l_wa_data-currency = <l_fs
13505
13506     l_wa_data-currency = <l_fs
13507
13508     l_wa_data-currency = <l_fs
13509
13510     l_wa_data-currency = <l_fs
13511
13512     l_wa_data-currency = <l_fs
13513
13514     l_wa_data-currency = <l_fs
13515
13516     l_wa_data-currency = <l_fs
13517
13518     l_wa_data-currency = <l_fs
13519
13520     l_wa_data-currency = <l_fs
13521
13522     l_wa_data-currency = <l_fs
13523
13524     l_wa_data-currency = <l_fs
13525
13526     l_wa_data-currency = <l_fs
13527
13528     l_wa_data-currency = <l_fs
13529
13530     l_wa_data-currency = <l_fs
13531
13532     l_wa_data-currency = <l_fs
13533
13534     l_wa_data-currency = <l_fs
13535
13536     l_wa_data-currency = <l_fs
13537
13538     l_wa_data-currency = <l_fs
13539
13540     l_wa_data-currency = <l_fs
13541
13542     l_wa_data-currency = <l_fs
13543
13544     l_wa_data-currency = <l_fs
13545
13546     l_wa_data-currency = <l_fs
13547
13548     l_wa_data-currency = <l_fs
13549
13550     l_wa_data-currency = <l_fs
13551
13552     l_wa_data-currency = <l_fs
13553
13554     l_wa_data-currency = <l_fs
13555
13556     l_wa_data-currency = <l_fs
13557
13558     l_wa_data-currency = <l_fs
13559
13560     l_wa_data-currency = <l_fs
13561
13562     l_wa_data-currency = <l_fs
13563
13564     l_wa_data-currency = <l_fs
13565
13566     l_wa_data-currency = <l_fs
13567
13568     l_wa_data-currency = <l_fs
13569
13570     l_wa_data-currency = <l_fs
13571
13572     l_wa_data-currency = <l_fs
13573
13574     l_wa_data-currency = <l_fs
13575
13576     l_wa_data-currency = <l_fs
13577
13578     l_wa_data-currency = <l_fs
13579
13580     l_wa_data-currency = <l_fs
13581
13582     l_wa_data-currency = <l_fs
13583
13584     l_wa_data-currency = <l_fs
13585
13586     l_wa_data-currency = <l_fs
13587
13588     l_wa_data-currency = <l_fs
13589
13590     l_wa_data-currency = <l_fs
13591
13592     l_wa_data-currency = <l_fs
13593
13594     l_wa_data-currency = <l_fs
13595
13596     l_wa_data-currency = <l_fs
13597
13598     l_wa_data-currency = <l_fs
13599
13600     l_wa_data-currency = <l_fs
13601
13602     l_wa_data-currency = <l_fs
13603
13604     l_wa_data-currency = <l_fs
13605
13606     l_wa_data-currency = <l_fs
13607
13608     l_wa_data-currency = <l_fs
13609
13610     l_wa_data-currency = <l_fs
13611
13612     l_wa_data-currency = <l_fs
13613
13614     l_wa_data-currency = <l_fs
13615
13616     l_wa_data-currency = <l_fs
13617
13618     l_wa_data-currency = <l_fs
13619
13620     l_wa_data-currency = <l_fs
13621
13622     l_wa_data-currency = <l_fs
13623
13624     l_wa_data-currency = <l_fs
13625
13626     l_wa_data-currency = <l_fs
13627
13628     l_wa_data-currency = <l_fs
13629
13630     l_wa_data-currency = <l_fs
13631
13632     l_wa_data-currency = <l_fs
13633
13634     l_wa_data-currency = <l_fs
13635
13636     l_wa_data-currency = <l_fs
13637
13638     l_wa_data-currency = <l_fs
13639
13640     l_wa_data-currency = <l_fs
13641
13642     l_wa_data-currency = <l_fs
13643
13644     l_wa_data-currency = <l_fs
13645
13646     l_wa_data-currency = <l_fs
13647
13648     l_wa_data-currency = <l_fs
13649
13650     l_wa_data-currency = <l_fs
13651
13652     l_wa_data-currency = <l_fs
13653
13654     l_wa_data-currency = <l_fs
13655
13656     l_wa_data-currency = <l_fs
13657
13658     l_wa_data-currency = <l_fs
13659
13660     l_wa_data-currency = <l_fs
13661
13662     l_wa_data-currency = <l_fs
13663
13664     l_wa_data-currency = <l_fs
13665
13666     l_wa_data-currency = <l_fs
13667
13668     l_wa_data-currency = <l_fs
13669
13670     l_wa_data-currency = <l_fs
13671
13672     l_wa_data-currency = <l_fs
13673
13674     l_wa_data-currency = <l_fs
13675
13676     l_wa_data-currency = <l_fs
13677
13678     l_wa_data-currency = <l_fs
13679
13680     l_wa_data-currency = <l_fs
13681
13682     l_wa_data-currency = <l_fs
13683
13684     l_wa_data-currency = <l_fs
13685
13686     l_wa_data-currency = <l_fs
13687
13688     l_wa_data-currency = <l_fs
13689
13690     l_wa_data-currency = <l_fs
13691
13692     l_wa_data-currency = <l_fs
13693
13694     l_wa_data-currency = <l_fs
13695
13696     l_wa_data-currency = <l_fs
13697
13698     l_wa_data-currency = <l_fs
13699
13700     l_wa_data-currency = <l_fs
13701
13702     l_w
```

```

13405                                APPEND l_wa_data TO l_i_cd
13406    ata.                                READ TABLE l_i_fname ASSIG
13407                                WITH KEY field
13408    name = c_werks.
13409                                IF sy-subrc NE 0.
13410                                APPEND l_wa_data-fieldna
13411                                ENDIF.
13412                                CLEAR: l_wa_data-fieldname
13413                                , l_wa_data-value.
13414                                *      Fill sales org
13415                                IF rb_sale IS NOT INITIAL.
13416                                READ TABLE l_i_selc
13417                                WITH KEY f
13418                                ieldname = c_vkorg
13419                                TRANSPORTI
13420                                NG NO FIELDS.
13421                                IF sy-subrc NE 0.
13422                                l_wa_selc-fieldname =
13423                                l_wa_selc-sign = c_i.
13424                                l_wa_selc-option = c_e
13425                                q.
13426                                *      l_wa_selc-low = <l_fs_kona>-v
13427                                korg. "—MOD-004
13428                                l_wa_selc-low = <l_fs_
13429                                copa>-vkorg. "++MOD-004
13430                                APPEND l_wa_selc TO l_
13431                                i_selc.
13432                                CLEAR: l_wa_selc.
13433                                ENDIF.
13434                                ENDIF.
13435                                l_wa_data-fieldname = c_vk
13436                                org.
13437                                *      l_wa_data-value = <l_fs_kona>-vko
13438                                rg."—MOD-004
13439                                l_wa_data-value = <l_fs_co
13440                                pa>-vkorg. "++MOD-004
13441                                l_wa_data-currency = <l_fs
13442                                _dhdr>-waers.
13443                                APPEND l_wa_data TO l_i_cd
13444                                ata.
13445                                READ TABLE l_i_fname ASSIG
13446                                WITH KEY field
13447                                name = c_vkorg.
13448                                IF sy-subrc NE 0.
13449                                APPEND l_wa_data-fieldna
13450                                ENDIF.
13451                                CLEAR: l_wa_data-fieldname
13452                                , l_wa_data-value.
13453                                *      Fill distribution
13454                                IF rb_sale IS NOT INITIAL.
13455                                READ TABLE l_i_selc
13456                                WITH KEY f
13457                                ieldname = c_vtweg
13458                                TRANSPORTI
13459                                NG NO FIELDS.

```


13443		IF sy-subrc NE 0.
13444	c_vtweg.	l_wa_selc-fieldname =
13445		l_wa_selc-sign = c_i.
13446		l_wa_selc-option = c_e
13447	q.	l_wa_selc-low = <l_fs_
13448	kona>-vtweg.	APPEND l_wa_selc TO l_
13449	i_selc.	CLEAR: l_wa_selc.
13450		ENDIF.
13451		ENDIF.
13452		l_wa_data-fieldname = c_vt
13453	weg.	l_wa_data-value = <l_fs_ko
13454	na>-vtweg.	l_wa_data-currency = <l_fs
13455	_dhdr>-waers.	APPEND l_wa_data TO l_i_cd
13456	ata.	READ TABLE l_i_fname ASSIG
13457	NING <l_fs_fname>	WITH KEY field
13458	name = c_vtweg.	
13459		IF sy-subrc NE 0.
13460	me TO l_i_fname.	APPEND l_wa_data-fieldna
13461		ENDIF.
13462	, l_wa_data-value.	CLEAR: l_wa_data-fieldname
13463	* Fill division	
13464		IF rb_sale IS NOT INITIAL.
13465		READ TABLE l_i_selc
13466	ieldname = c_spart	WITH KEY f
13467		TRANSPORTI
13468	NG NO FIELDS.	
13469		IF sy-subrc NE 0.
13470	c_spart.	l_wa_selc-fieldname =
13471		l_wa_selc-sign = c_i.
13472	q.	l_wa_selc-option = c_e
13473	kona>-spart.	l_wa_selc-low = <l_fs_
13474		APPEND l_wa_selc TO l_
13475	i_selc.	CLEAR: l_wa_selc.
13476		ENDIF.
13477	art.	ENDIF.
13478	na>-spart.	l_wa_data-fieldname = c_sp
13479	_dhdr>-waers.	l_wa_data-value = <l_fs_ko
13480	ata.	l_wa_data-currency = <l_fs
		APPEND l_wa_data TO l_i_cd
		READ TABLE l_i_fname ASSIG
	NING <l_fs_fname>	

```

13481                                     WITH KEY field
13482 name = c_spart.
13483                                     IF sy-subrc NE 0.
13484                                     APPEND l_wa_data-fieldna
13485                                     ENDIF.
13486                                     CLEAR: l_wa_data-fieldname
13487                                     , l_wa_data-value.
13488 *           Fill cost element
13489 kstar.
13490                                     IF rb_sale IS INITIAL.
13491                                     l_wa_data-fieldname = c_
13492                                     PERFORM f_conversion CHA
13493                                     l_wa_data-value = <l_fs_
13494                                     " Get the GL account
13495                                     READ TABLE i_dmegl ASSIG
13496                                     WITH
13497                                     KEY boart = <l_fs_kona>-boart
13498                                     kvsl1 = <l_fs_dreg>-kvsl1
13499                                     BINAR
13500                                     Y SEARCH.
13501                                     IF sy-subrc IS INITIAL.
13502                                     l_v_vfield = <l_fs_dme
13503                                     ENDIF.
13504                                     IF <l_fs_dmegl> IS ASSIG
13505                                     UNASSIGN: <l_fs_dmegl>
13506                                     ENDIF.
13507                                     l_wa_data-currency = <l_
13508                                     APPEND l_wa_data TO l_i_
13509                                     READ TABLE l_i_fname ASS
13510                                     WITH KEY fie
13511                                     ldname = c_kstar.
13512                                     IF sy-subrc NE 0.
13513                                     APPEND l_wa_data-field
13514                                     ENDIF.
13515                                     CLEAR: l_wa_data-fieldna
13516                                     me, l_wa_data-value.
13517                                     ENDIF.
13518 *           Reference document number
13519 rbeln.
13520                                     IF rb_sale IS INITIAL.
13521                                     l_wa_data-fieldname = c_
13522                                     l_wa_data-value = l_v_sd
13523                                     l_wa_data-currency = <l_
13524                                     APPEND l_wa_data TO l_i_
13525                                     cdata.

```

```

13519                                READ TABLE l_i_fname ASS
13520                                WITH KEY fie
13521                                IF sy-subrc NE 0.
13522                                APPEND l_wa_data-field
13523                                ENDF.
13524                                CLEAR: l_wa_data-fieldna
13525                                * Item number from reference document
13526                                l_wa_data-fieldname = c_
13527                                rposn.
13528                                l_wa_data-value = <l_fs_
13529                                ditem>-tposn.
13530                                l_wa_data-currency = <l_
13531                                fs_dhdr>-waers.
13532                                APPEND l_wa_data TO l_i_
13533                                READ TABLE l_i_fname ASS
13534                                WITH KEY fie
13535                                IF sy-subrc NE 0.
13536                                APPEND l_wa_data-field
13537                                ENDF.
13538                                CLEAR: l_wa_data-fieldna
13539                                ENDF.
13540                                * Fill Ship to
13541                                IF rb_sale IS NOT INITIAL.
13542                                l_wa_selc-fieldname = c_
13543                                l_wa_selc-sign = c_i.
13544                                l_wa_selc-option = c_eq.
13545                                l_wa_selc-low = <l_fs_co
13546                                APPEND l_wa_selc TO l_i_
13547                                CLEAR: l_wa_selc.
13548                                ENDF.
13549                                l_wa_data-fieldname = c_ku
13550                                l_wa_data-value = <l_fs_co
13551                                l_wa_data-currency = <l_fs
13552                                _dhdr>-waers.
13553                                APPEND l_wa_data TO l_i_cd
13554                                READ TABLE l_i_fname ASSIG
13555                                WITH KEY field
13556                                IF sy-subrc NE 0.
13557                                APPEND l_wa_data-fieldna
13558                                ENDF.
13559                                CLEAR: l_wa_data-fieldname
13560                                , l_wa_data-value.
13561                                * Fill Sales Office

```

```

13557                                     IF rb_sale IS NOT INITIAL.
13558                                     READ TABLE l_i_selc
13559                                     WITH KEY f
13560                                     TRANSPORTI
13561                                     NG NO FIELDS.
13561                                     IF sy-subrc NE 0.
13562                                     l_wa_selc-fieldname =
13563                                     l_wa_selc-sign = c_i.
13564                                     l_wa_selc-option = c_e
13565                                     l_wa_selc-low = <l_fs_
13566                                     APPEND l_wa_selc TO l_
13567                                     CLEAR: l_wa_selc.
13568                                     ENDIF.
13569                                     ENDIF.
13570                                     l_wa_data-fieldname = c_km
13571                                     l_wa_data-value = <l_fs_ko
13572                                     l_wa_data-currency = <l_fs
13573                                     APPEND l_wa_data TO l_i_cd
13574                                     READ TABLE l_i_fname ASSIG
13575                                     WITH KEY field
13576                                     IF sy-subrc NE 0.
13577                                     APPEND l_wa_data-fieldna
13578                                     ENDIF.
13579                                     CLEAR: l_wa_data-fieldname
13580                                     , l_wa_data-value.
13581                                     *      Fill Usage Code
13582                                     l_wa_data-fieldname = c_cu
13583                                     CONCATENATE c_ptax v_mwskz
13584                                     INTO l_wa_data-value.
13585                                     l_wa_data-currency = <l_fs
13586                                     APPEND l_wa_data TO l_i_cd
13587                                     IF rb_sale IS NOT INITIAL.
13588                                     READ TABLE l_i_selc
13589                                     WITH KEY fie
13590                                     TRANSPORTING
13591                                     NO FIELDS.
13592                                     IF sy-subrc NE 0.
13593                                     l_wa_selc-fieldname =
13594                                     l_wa_selc-sign = c_i.
13595                                     l_wa_selc-option = c_e
13596                                     l_wa_selc-low = l_wa_d
13597                                     ata-value.

```

```

13596                                APPEND l_wa_selc TO l_
i_selc.
13597                                CLEAR: l_wa_selc.
13598                                ENDIF.
13599                                ENDIF.
13600                                READ TABLE l_i_fname ASSIG
13601                                NING <l_fs_fname>
                                WITH KEY field
13602                                name = c_cusage.
13603                                IF sy-subrc NE 0.
13604                                APPEND l_wa_data-fieldna
13605                                me TO l_i_fname.
13606                                ENDIF.
13607                                CLEAR: l_wa_data-fieldname
13608                                , l_wa_data-value.
13609                                *      Fill Agreement
13610                                IF rb_sale IS NOT INITIAL.
13611                                READ TABLE l_i_selc
                                WITH KEY f
13612                                TRANSPORTI
13613                                IF sy-subrc NE 0.
13614                                l_wa_selc-fieldname =
13615                                l_wa_selc-sign = c_i.
13616                                l_wa_selc-option = c_e
13617                                q.
13618                                l_wa_selc-low = <l_fs_
13619                                kona>-knuma.
13620                                APPEND l_wa_selc TO l_
13621                                i_selc.
13622                                CLEAR: l_wa_selc.
13623                                ENDIF.
13624                                ENDIF.
13625                                l_wa_data-fieldname = c_ww
13626                                228.
13627                                l_wa_data-value = <l_fs_ko
13628                                na>-knuma.
13629                                l_wa_data-currency = <l_fs
13630                                _dhdr>-waers.
13631                                APPEND l_wa_data TO l_i_cd
13632                                READ TABLE l_i_fname ASSIG
13633                                WITH KEY field
13634                                name = c_ww228.
13635                                IF sy-subrc NE 0.
13636                                APPEND l_wa_data-fieldna
13637                                me TO l_i_fname.
13638                                ENDIF.
13639                                CLEAR: l_wa_data-fieldname
13640                                , l_wa_data-value.
13641                                *      Fill Agreement Item
13642                                l_wa_data-fieldname = c_ww
13643                                229.
13644                                l_wa_data-value = c_one.
13645                                IF rb_sale IS NOT INITIAL.
13646                                READ TABLE l_i_selc

```

```

13637      ieldname = c_ww229
13638      NG NO FIELDS.
13639      IF sy-subrc NE 0.
13640      l_wa_selc-fieldname =
13641      c_ww229.
13642      l_wa_selc-sign = c_i.
13643      l_wa_selc-option = c_e
13644      q.
13645      l_wa_selc-low = l_wa_d
13646      ata-value.
13647      APPEND l_wa_selc TO l_
13648      i_selc.
13649      CLEAR: l_wa_selc.
13650      ENDIF.
13651      ENDIF.
13652      l_wa_data-currency = <l_fs
13653      APPEND l_wa_data TO l_i_cd
13654      READ TABLE l_i_fname ASSIG
13655      WITH KEY field
13656      IF sy-subrc NE 0.
13657      APPEND l_wa_data-fieldna
13658      ENDIF.
13659      CLEAR: l_wa_data-fieldname
13660      , l_wa_data-value.
13661      *      Controlling area
13662      IF rb_sale IS NOT INITIAL.
13663      READ TABLE l_i_selc
13664      WITH KEY f
13665      ieldname = c_kokrs
13666      TRANSPORTI
13667      NG NO FIELDS.
13668      IF sy-subrc NE 0.
13669      l_wa_selc-fieldname =
13670      c_kokrs.
13671      l_wa_selc-sign = c_i.
13672      l_wa_selc-option = c_e
13673      q.
13674      l_wa_selc-low = c_erkr
13675      s.
13676      APPEND l_wa_selc TO l_
13677      i_selc.
13678      CLEAR: l_wa_selc.
13679      ENDIF.
13680      ENDIF.
13681      l_wa_data-fieldname = c_ko
13682      krs.
13683      l_wa_data-value = c_erkr.
13684      l_wa_data-currency = <l_fs
13685      APPEND l_wa_data TO l_i_cd
13686      READ TABLE l_i_fname ASSIG

```

```

13677 NING <l_fs_fname>
13678 name = c_kokrs.
13679 me TO l_i_fname.
13680
13681 , l_wa_data-value.
13682 * Value field
13683
13684 4711 MOD-006
13685 *
13686 , l_wa_tdata,
13687 x, l_v_taxco.
13688 11 MOD-006
13689 v_vfield.
13690 _wa_data-record_id.
13691 _vv605.
13692 und.
13693 .
13694 lue.
13695 v_taxco. "++MOD-026
13696 <l_fs_dhdr>
13697 * l_v_taxco "—MOD-026
13698 NG l_v_tax
13699 l_v_taxco. "++MOD-026
13700 ax.
13701 v_tax.
13702 * _v_taxco. "—MOD-026
13703
13704 _fs_dhdr>-waers.
13705 _cdata.
13706 IGNING <l_fs_fname>
13707 ldname = c_vv605.
13708
13709 dname TO l_i_fname.
13710

```

WITH KEY field

IF sy-subrc NE 0.
APPEND l_wa_data-fieldna

ENDIF.
CLEAR: l_wa_data-fieldname

IF rb_sale IS INITIAL.
"Begin of changes by S20

CLEAR: l_v_camnt, l_v_round
l_v_tax, l_v_taxco.
CLEAR: l_wa_tdata, l_v_ta

"End of changes by S2047

l_wa_data-fieldname = l_
l_wa_tdata-record_id = l_
l_wa_tdata-fieldname = c_
l_wa_data-value = l_v_ro
CONDENSE l_wa_data-value
l_v_taxco = l_wa_data-va
l_v_comp = l_v_comp + l_
PERFORM f_cal_ctax USING

CHANGI

l_wa_tdata-value = l_v_t
l_v_stax = l_v_stax + l_
l_v_comp = l_v_comp + l

l_wa_tdata-currency = <l_
APPEND l_wa_tdata TO l_i
READ TABLE l_i_fname ASS
WITH KEY fie

IF sy-subrc NE 0.
APPEND l_wa_tdata-fiel

ENDIF.

```

13711 CLEAR: l_wa_tdata.
13712 l_wa_data-currency = <l_
13713 fs_dhdr>-waers. APPEND l_wa_data TO l_i_
13714 cdata. READ TABLE l_i_fname ASS
13715 IGNING <l_fs_fname> WITH KEY fi
13716 eldname = l_v_vfield.
13717 IF sy-subrc NE 0.
13718 APPEND l_wa_data-field
13719 name TO l_i_fname.
13720 ENDIF.
13721 CLEAR: l_wa_data-fieldna
13722 me, l_wa_data-value.
13723 ELSE.
13724 "Value field VV506
13725 l_wa_data-fieldname = c_
13726 l_wa_data-value = <l_fs_
13727 copa>-vv506 * 100.
13728 l_wa_data-currency = <l_
13729 fs_dhdr>-waers. APPEND l_wa_data TO l_i_
13730 cdata. READ TABLE l_i_fname ASS
13731 IGNING <l_fs_fname> WITH KEY fie
13732 ldname = c_vv506.
13733 IF sy-subrc NE 0.
13734 APPEND l_wa_data-field
13735 name TO l_i_fname.
13736 ENDIF.
13737 ENDIF.
13738 ENDIF. "+MOD-006
13739 ENDIF. "++MOD-006
13740 ENDLLOOP.
13741 FREE: l_i_tcopa[]. "++MOD-006
13742 IF rb_sale IS INITIAL.
13743 IF l_v_coamnt <> l_v_comp.
13744 CLEAR: l_v_adjst.
13745 l_v_adjst = l_v_coamnt - l_v
13746 _comp.
13747 READ TABLE l_i_cdata ASSIGNI
13748 NG <l_fs_data> WITH KEY fieldnam
13749 e = l_v_vfield.
13750 IF sy-subrc IS INITIAL.
13751 <l_fs_data>-value = <l_fs_
13752 data>-value + l_v_adjst.
13753 ENDIF.
13754 l_v_comp = l_v_comp + l_v_ad
13755 jst.
13756 ENDIF.
13757 CLEAR: l_v_lstop. "++MOD-016
13758 PERFORM f_last_cutoff USING <l_
13759 _fs_dhdr>
13760

```



```

13753   l_fs_kona>
13754   _fs_ditem>-sched_dat
13755   v_lcutoff.
13756   sched_dat.
13757   l_v_lstop = abap_true.
13758   ENDIF.
13759   IF <l_fs_data> IS ASSIGNED.
13760   UNASSIGN: <l_fs_data>.
13761   ENDIF.
13762   CLEAR: l_v_comp,l_v_adjst.
13763   * IF l_v_ftax <> l_v_stax.
13764   IF l_v_cotax <> l_v_stax.
13765   l_v_adjst = l_v_cotax - l_v_
13766   stax.
13767   * Tax Difference Adjustment logic
13768   CLEAR: l_v_cline.
13769   DESCRIBE TABLE l_i_cdata LIN
13770   ES l_v_cline.
13771   l_v_cline = l_v_cline - 1.
13772   READ TABLE l_i_cdata ASSIGNI
13773   NG <l_fs_data>
13774   INDEX l
13775   _v_cline.
13776   IF sy-subrc IS INITIAL.
13777   <l_fs_data>-value = <l_fs_
13778   data>-value +
13779   l_v_ad
13780   jst.
13781   ENDIF.
13782   ENDIF.
13783   CLEAR: l_v_cline,l_v_adjst,
13784   l_v_stax. "++MOD-004
13785   IF <l_fs_data> IS ASSIGNED.
13786   UNASSIGN: <l_fs_data>.
13787   ENDIF.
13788   ENDIF.
13789   CLEAR: v_eflag.
13790   IF l_i_cdata[] IS NOT INITIAL.
13791   IF l_i_fname[] IS NOT INITIAL.
13792   SORT l_i_fname.
13793   DELETE ADJACENT DUPLICATES FRO
13794   M l_i_fname.
13795   ENDIF.
13796   ENDIF.
13797   IF rb_sale IS INITIAL.
13798   PERFORM f_post_copa USING l_i_cd
13799   ata
13800   l_i_fn
13801   ame
13802   CHANGING l_v_me
13803   ssage.
13804   IF l_v_message IS INITIAL.
13805   IF rb_test IS NOT INITIAL.
13806   l_v_message = text-023.
13807   ELSE.
13808   l_v_message = text-032.

```

```

13800                                ENDIF.
13801                                ENDIF.
13802                                l_wa_sfinal-msg = l_v_message.
13803                                CLEAR: l_i_cdata[], l_i_fname[],
13804                                        l_i_selc[], l_v_cnt.
13805                                ELSE.
13806                                * Begin of changes by S204711                                MOD
13807                                -004
13808                                IF l_i_fname[] IS NOT INITIAL.
13809                                SORT l_i_fname.
13810                                DELETE ADJACENT DUPLICATES FRO
13811                                M l_i_fname.
13812                                SORT l_i_selc.
13813                                DELETE ADJACENT DUPLICATES FRO
13814                                M l_i_selc
13815                                COMPARING ALL FIELDS.                                MOD-0
13816                                * End of changes by S204711
13817                                04
13818                                PERFORM f_post_sales USING l_i
13819                                _cdata
13820                                _selc
13821                                _fname
13822                                _message.
13823                                CHANGING l_v
13824                                l_wa_sfinal-msg = l_v_message.
13825                                ENDIF.                                "++MOD-004
13826                                CLEAR: l_i_cdata[], l_i_fname[],
13827                                l_i_selc[],
13828                                l_v_cnt.
13829                                ENDIF.
13830                                IF rb_post IS NOT INITIAL.
13831                                IF v_eflag IS INITIAL.
13832                                CALL FUNCTION 'BAPI_TRANSACTION
13833                                N_COMMIT'
13834                                EXPORTING
13835                                wait = abap_true.
13836                                CLEAR: l_v_rupd.                                "++MOD-015
13837                                * Get items count
13838                                IF l_v_tlines EQ l_v_pindex.
13839                                "Begin of changes by S204711
13840                                l_v_rupd = abap_true.
13841                                ELSE.
13842                                CLEAR: l_v_uindex.
13843                                l_v_uindex = <l_fs_ditem>-it
13844                                em + 1.
13845                                READ TABLE l_i_tditem WITH K
13846                                EY knuma = <l_fs_ditem>-knuma
13847                                item = l_v_uindex
13848                                bukrs = <l_fs_ditem>-bukrs
13849                                sched_dat = <l_fs_ditem>-sched_dat
13850                                TRANSPORTING

```

NO FIELDS.

```

13845                                     IF sy-subrc IS NOT INITIAL.
13846                                     l_v_rupd = abap_true.
13847                                     ENDIF.
13848                                     ENDIF.
13849                                     IF l_v_rupd IS NOT INITIAL.
13850                                     "End of changes by S204711
13851                                     MOD-015
13852                                     IF l_v_item IS INITIAL.
13853                                     l_v_item = l_v_lines + 1.
13854                                     ELSE.
13855                                     l_v_item = l_v_item + 1.
13856                                     ENDIF.
13857                                     l_wa_ditem-knuma = <l_fs_dit
13858                                     em>-knuma.
13859                                     l_wa_ditem-item = l_v_item.
13860                                     l_wa_ditem-bukrs = <l_fs_dit
13861                                     em>-bukrs.
13862                                     l_wa_ditem-sched_dat = l_v_
13863                                     lastd. "—MOD-015
13864                                     l_wa_ditem-sched_dat = <l_fs
13865                                     _ditem>-sched_dat."++MOD-015
13866                                     l_wa_ditem-vkbur = <l_fs_dit
13867                                     em>-vkbur.
13868                                     l_wa_ditem-cross_typ = <l_fs
13869                                     _ditem>-cross_typ.
13870                                     IF l_v_lstop IS NOT INITIAL.
13871                                     l_wa_ditem-compl = abap_tr
13872                                     ue.
13873                                     ENDIF.
13874                                     *
13875                                     l_wa_ditem-act_amnt = l_wa_sfinal-a
13876                                     *
13877                                     l_wa_ditem-act_amnt = <l_fs
13878                                     _ditem>-act_amnt. "++MOD-004
13879                                     *
13880                                     l_wa_ditem-mwskz = v_mwskz.
13881                                     IF p_budat IS INITIAL.
13882                                     l_wa_ditem-budat = v_last.
13883                                     ELSE.
13884                                     l_wa_ditem-budat = p_budat
13885                                     .
13886                                     ENDIF.
13887                                     IF rb_sale IS NOT INITIAL.
13888                                     l_wa_ditem-tran_type = c_s
13889                                     ELSE.
13890                                     l_wa_ditem-tran_type = c_a
13891                                     ENDIF.
13892                                     l_wa_ditem-zernam = sy-uname
13893                                     .
13894                                     l_wa_ditem-zersda = sy-datlo
13895                                     .
13896                                     l_wa_ditem-zerzzt = sy-timlo
13897                                     .
13898                                     IF l_v_lstop IS NOT INITIAL.
13899                                     " BOC | 16-Jun-2025 | EJX9
13900                                     " When the contract period
13901                                     " mark the contract as com

```

005197 | MOD-036.

is more than 3 months,

" mark the contract as com

```

pleted
13887 E_IN_INTERVAL' CALL FUNCTION 'RP_CALC_DAT
13888 EXPORTING
13889 date = <l_fs_kona
13890 >-datbi days = l_c_days_z
13891 ero months = 03
13892 Add days signum = l_c_add "
13893 ero years = l_c_year_z
13894 IMPORTING
13895 calc_date = l_v_date.
13896 IF sy-subrc IS INITIAL.
13897 IF l_v_date IS NOT INITI
13898 AND <l_fs_kona>-datbi+6(
13899 l_v_date = l_v_date -
13900 1.
13901 ENDIF.
13902 IF l_v_perf GE l_v_date+
13903 " EOC | 16-Jun-2025 |
13904 EJX9005197 | MOD-036
13905 * Update Header Table with LSA STOP indicator
13906 CLEAR: l_wa_thdr.
13907 l_wa_thdr-knuma = <l_f
13908 l_wa_thdr-start_date =
13909 l_wa_thdr-compl = abap
13910 l_wa_thdr-lsastop_dat
13911 PERFORM f_upd_h tab USI
13912 CLEAR: l_wa_thdr.
13913 ENDIF. "++ MOD-036
13914 CLEAR l_v_date. "++ MOD-
13915 036
13916 ENDIF. "++ MOD-036
13917 ENDIF.
13918 "Begin of addition by s20471
13919 READ TABLE l_i_tudata WITH K
13920 EY knuma = l_wa_ditem-knuma
13921 bukrs = l_wa_ditem-bukrs
13922 tran_type = l_wa_ditem-tran_type
13923 sched_dat = l_wa_ditem-sched_dat
13924 TRANSF
13925 ORTING NO FIELDS.
13926 IF sy-subrc IS NOT INITIAL.
13927 APPEND l_wa_ditem TO l_i_t
13928 udata.
13929 "End of addition by s20471

```

```

13924 1 MOD-014                                PERFORM f_upd_tab USING l_
wa_ditem.                                "Begin of changes by S2047
13925 11 MOD-015                                IF l_wa_ditem-tran_type =
13926 c_amort.'"04'-Amort.                                CLEAR: l_wa_ditem.
13927                                l_wa_ditem-knuma = <l_fs
13928 _ditem>-knuma.                                l_wa_ditem-item = <l_fs_
13929 ditem>-item.                                l_wa_ditem-bukrs = <l_fs
13930 _ditem>-bukrs.                                l_wa_ditem-tran_type = <
13931 l_fs_ditem>-tran_type.                                l_wa_ditem-lsa_doc =
13932 l_v_sdoc.                                "++ MOD-035                                l_wa_ditem-sched_dat =
13933 <l_fs_ditem>-sched_dat.                                "++ MOD-035                                PERFORM f_upd_tab USING
13934 l_wa_ditem.                                CLEAR: l_wa_ditem.
13935                                ENDIF.
13936                                "End of changes by S204711
13937 MOD-015                                ENDIF. "++MOD-014
13938                                CLEAR: l_wa_ditem.
13939                                ENDIF.
13940 ELSE.
13941 CALL FUNCTION 'BAPI_TRANSACTION
13942 N_ROLLBACK'.
13943                                ENDIF.
13944                                ENDIF.
13945 IF l_wa_sfinal IS NOT INITIAL. "++
13946 READ TABLE i_sfinal WITH KEY knu
13947 ma = <l_fs_dhdr>-knuma                                TRANSPORTING NO FIELDS.
13948                                IF sy-subrc IS NOT INITIAL. "++
13949 MOD-014                                APPEND l_wa_sfinal TO i_sfinal
13950 .                                ENDIF. "++
13951 MOD-014                                ENDIF. "++
13952 MOD-004                                CLEAR: l_wa_sfinal, v_eflag, l_v_m
13953 essage,                                l_i_copa[], l_i_tcopa[], l_
13954 wa_copa,                                l_wa_ditem, l_v_cnt. "l_v_a
13955 mntc. "—MOD-019
13956                                ENDIF. "++MOD-004
13957                                ENDLOOP.
13958                                ENDIF.
13959                                ENDIF.
13960                                ENDLOOP.
13961                                CLEAR: l_v_tindex, l_v_famnt.
13962                                ENDIF.

```

```

13963             ENDIF.
13964 *             ENDIF. "—MOD-004
13965             ENDIF. "++MOD-004
13966             CLEAR: l_v_skip. "++MOD-004
13967             ENDDO.
13968             ENDIF.
13969         ELSE.
13970             CLEAR: l_wa_sfinal, l_v_message.
13971             l_wa_sfinal-monat = p_monat.
13972             l_wa_sfinal-gjahr = p_gjahr.
13973             l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
13974             l_wa_sfinal-msg = text-043.
13975             APPEND l_wa_sfinal TO i_sfinal.
13976             CLEAR: l_wa_sfinal.
13977
13978             "BOC | 19-Jun-2025 | EJX9005197 | MOD-036
13979             IF rb_post IS NOT INITIAL.
13980                 CALL FUNCTION 'RP_CALC_DATE_IN_INTERVAL'
13981                     EXPORTING
13982                         date      = <l_fs_kona>-datbi
13983                         days      = l_c_days_zero
13984                         months    = 03
13985                         signum    = l_c_add " Add days
13986                         years     = l_c_year_zero
13987                     IMPORTING
13988                         calc_date = l_v_date.
13989             IF sy-subrc IS INITIAL.
13990                 IF l_v_date IS NOT INITIAL
13991                     AND <l_fs_kona>-datbi+6(2) <> c_opcon.
13992                     l_v_date = l_v_date - 1.
13993                 ENDIF.
13994                 IF l_v_perf GE l_v_date+0(6).
13995                     l_wa_thdr-knuma = <l_fs_dhdr>-knuma.
13996                     l_wa_thdr-compl = abap_true.
13997                     PERFORM f_upd_hdr_tab USING l_wa_thdr.
13998                     CLEAR l_wa_thdr.
13999                 ENDIF.
14000             ENDIF.
14001             ENDIF.
14002             "EOC | 19-Jun-2025 | EJX9005197 | MOD-036
14003             ENDIF. "++MOD-015
14004             ENDIF.
14005             ENDIF.
14006             ENDIF.
14007 *             ENDIF. "++MOD-004
14008 * Begin of changes by S204711 MOD-004
14009             CLEAR: l_r_knuma, l_v_tlines, v_dbg1, l_v_item,
14010                   v_mwskz, v_mwskz1, l_v_lines, l_v_vfield,
14011                   l_v_tax, l_v_stax. "i_custd[ ].
14012 * End of changes by S204711 MOD-004
14013             ELSE.
14014                 CLEAR: l_wa_sfinal, l_v_message.
14015                 l_wa_sfinal-monat = p_monat.
14016                 l_wa_sfinal-gjahr = p_gjahr.
14017                 l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
14018                 MESSAGE s038 WITH <l_fs_dhdr>-knuma INTO
14019                     l_wa_sfinal-msg.
14020                 APPEND l_wa_sfinal TO i_sfinal.
14021                 CLEAR: l_wa_sfinal.
14022             ENDIF.
14023         ELSE.

```

```

14024      CLEAR: l_wa_sfinal, l_v_message.
14025      l_wa_sfinal-monat = p_monat.
14026      l_wa_sfinal-gjahr = p_gjahr.
14027      l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
14028      CONCATENATE text-039 <l_fs_dhdr>-knuma
14029      INTO l_v_message SEPARATED BY space.
14030      l_wa_sfinal-msg = l_v_message.
14031      APPEND l_wa_sfinal TO i_sfinal.
14032      CLEAR: l_wa_sfinal.
14033      ENDIF.
14034      ENDLOOP.
14035      ENDIF.
14036      ENDFORM.                                " F_PROCESS_RGDATA
14037      *&-----*
14038      *&      Form   F_LAST_CUTOFF
14039      *&-----*
14040      *      Get the last cut off date
14041      *-----*
14042      FORM f_last_cutoff USING      fp_dhdr TYPE ty_dhdr
14043                                   fp_kona TYPE ty_kona
14044                                   fp_date TYPE sy-datlo
14045                                   CHANGING fp_v_lcutoff TYPE sy-datlo.
14046      TYPES: BEGIN OF l_ty_cdate,
14047              cdate TYPE datum,
14048              END OF l_ty_cdate.
14049
14050      DATA: l_v_dat TYPE sy-datum,
14051              l_v_last TYPE sy-datum,
14052              l_v_lmon TYPE i,
14053              l_v_cdat TYPE sy-datum,
14054              l_wa_cdate TYPE l_ty_cdate,
14055              l_v_pdat TYPE sy-datum,
14056              l_v_lines TYPE i,"lines of table
14057              l_i_cdate TYPE STANDARD TABLE OF l_ty_cdate.
14058
14059      FIELD-SYMBOLS: <l_fs_cdate> TYPE l_ty_cdate.
14060
14061      CONSTANTS: l_c_create TYPE char2 VALUE '01',
14062                  l_c_ter TYPE char2 VALUE '09'.
14063
14064      l_v_dat = fp_date.
14065      l_v_dat+6(2) = l_c_create.
14066
14067      DO.
14068          CLEAR: l_v_last.
14069      *  Get the month end date
14070          CALL FUNCTION 'RP_LAST_DAY_OF_MONTHS'
14071              EXPORTING
14072                  day_in          = l_v_dat
14073              IMPORTING
14074                  last_day_of_month = l_v_last
14075              EXCEPTIONS
14076                  day_in_no_date   = 1
14077                  OTHERS           = 2.
14078          IF sy-subrc IS INITIAL.
14079              IF l_v_last LE fp_kona-datbi.
14080                  CLEAR: l_v_cdat, l_v_pdat.
14081                  "Contract Termination case
14082                  IF fp_dhdr-pay_period EQ l_c_ter
14083                      OR fp_dhdr-pay_period EQ c_ctere. "++MOD-019
14084                      l_v_cdat = fp_kona-datbi.

```

```

14085     ELSE.
14086         l_v_pdat = l_v_last.
14087         l_v_pdat+6(2) = fp_dhdr-pay_cutoff.
14088         l_v_lmon = fp_dhdr-pay_period.
14089         IF fp_dhdr-pay_period EQ l_c_create.
14090             IF l_v_last GT l_v_dat.
14091                 IF l_i_cdate[] IS INITIAL.
14092                     l_v_lmon = l_v_lmon - 1.
14093                 ENDIF.
14094             ENDIF.
14095         ELSE.
14096             IF l_i_cdate[] IS INITIAL.
14097                 l_v_lmon = l_v_lmon - 1.
14098             ENDIF.
14099         ENDIF.
14100     * Get the cutoff date
14101     CALL FUNCTION 'BKK_ADD_MONTH_TO_DATE'
14102     EXPORTING
14103         months = l_v_lmon
14104         olddate = l_v_pdat
14105     IMPORTING
14106         newdate = l_v_cdat.
14107     ENDIF.
14108     IF l_v_cdat LE fp_kona-datbi. "++MOD-016
14109         l_wa_cdate-cdate = l_v_cdat.
14110         APPEND l_wa_cdate TO l_i_cdate.
14111         CLEAR: l_wa_cdate.
14112     ENDIF. "++MOD-016
14113     IF l_v_cdat GT fp_kona-datbi.
14114         EXIT.
14115     ELSEIF l_i_cdate[] IS NOT INITIAL.
14116         CLEAR: l_v_lines.
14117         DESCRIBE TABLE l_i_cdate LINES l_v_lines.
14118         IF l_v_lines GT 1.
14119             EXIT.
14120         ENDIF.
14121     ENDIF.
14122     CLEAR: l_v_lmon, l_v_pdat.
14123     l_v_dat = l_v_cdat.
14124     l_v_dat+6(2) = l_c_create.
14125     IF l_v_last EQ fp_kona-datbi.
14126         EXIT.
14127     ENDIF.
14128     ELSE.
14129         EXIT.
14130     ENDIF.
14131     ENDIF.
14132     ENDDO.
14133     IF l_i_cdate[] IS NOT INITIAL.
14134         SORT l_i_cdate BY cdate DESCENDING.
14135         READ TABLE l_i_cdate ASSIGNING <l_fs_cdate> INDEX 1.
14136         IF sy-subrc IS INITIAL.
14137             fp_v_l cutoff = <l_fs_cdate>-cdate.
14138         ENDIF.
14139     * Begin of changes by S204711 MOD-016
14140     ELSE.
14141         IF l_v_cdat GT fp_kona-datbi.
14142             fp_v_l cutoff = fp_date.
14143         ENDIF.
14144     * End of changes by S204711 MOD-016
14145     ENDIF.

```



```

14146 ENDFORM.                                " F_LAST_CUTOFF
14147 *&-----*
14148 *&      Form  F_PROCESS_SECON
14149 *&-----*
14150 *  To do the allocation for secondary customer scenarios
14151 *-----*
14152 FORM f_process_secon .
14153   DATA: l_wa_sfina1 TYPE ty_sfina1,
14154          l_v_accper TYPE kbrue, "/ccej/rtr_tot,
14155          l_v_lastd TYPE sy-datum, "Last date
14156          l_v_days TYPE tfmatage,
14157          l_v_tdays TYPE tfmatage,
14158          l_v_mdays TYPE tfmatage,
14159          l_v_index TYPE sy-index,
14160          l_v_amnt TYPE /ccej/rtr_tot,
14161          l_v_camnt TYPE char16,
14162          l_v_round TYPE j_1itaxamt, "Rounding amount
14163          l_v_famnt TYPE char16,
14164          l_v_datum TYPE sy-datlo, "System Date
14165          l_v_bmon  TYPE numc3,
14166          l_v_ndat  TYPE sy-datlo, "New back date
14167          l_v_pdat TYPE sy-datum,
14168          l_v_monat TYPE monat,  " New period
14169          l_v_year  TYPE gjahr,  "Year
14170          l_v_lines TYPE i, "lines of internal table
14171          l_wa_ditem TYPE /ccbj/t_dme_itm,
14172          l_wa_thdr TYPE /ccbj/t_dme_hdr,
14173          l_i_ditem TYPE STANDARD TABLE OF ty_ditem,
14174          l_i_copa TYPE STANDARD TABLE OF ty_copa,
14175          l_i_tcopa TYPE STANDARD TABLE OF ty_copa,
14176          l_i_ce1jp TYPE STANDARD TABLE OF ty_ce1jp00,
14177          l_wa_copa TYPE ty_copa,
14178          l_r_knuma TYPE RANGE OF knuma,
14179          l_wa_knuma LIKE LINE OF l_r_knuma,
14180          l_r_kndnr TYPE RANGE OF kunde_pa,
14181          l_r_kndnr_cross TYPE RANGE OF kunde_pa, "++ MOD-032
14182          l_wa_kndnr LIKE LINE OF l_r_kndnr,
14183          l_r_ww214 TYPE RANGE OF /ccej/mdm_botacct,
14184          l_r_ww214_cross TYPE RANGE OF /ccej/mdm_botacct, "++ MOD-032
14185          l_r_ww214_total TYPE RANGE OF /ccej/mdm_botacct, "++ MOD-032
14186          l_wa_ww214 LIKE LINE OF l_r_ww214,
14187          l_r_kndnr_total TYPE RANGE OF kunde_pa, "++ MOD-032
14188          l_i_cdata TYPE STANDARD TABLE OF bapi_copa_data,
14189          l_i_fname TYPE STANDARD TABLE OF bapi_copa_field,
14190          l_i_selc  TYPE STANDARD TABLE OF bapi_copa_selection,
14191          l_v_message TYPE char255,
14192          l_v_adat  TYPE sy-datlo, "Acc date
14193          l_v_tindex TYPE sy-tabix,
14194          l_v_pindex TYPE sy-tabix,
14195          l_v_bindex TYPE sy-tabix, "++MOD-026
14196          l_v_totval TYPE rke2_vv980,
14197          l_v_absmg TYPE rke2_absmg,
14198          l_v_pertot TYPE rke2_vv506,
14199          l_v_check TYPE char1, "Check
14200 *      l_v_amntc TYPE /ccbj/dme_uprice, "—MOD-019
14201          l_v_comp  TYPE /ccej/rtr_tot,
14202          l_v_adjst TYPE /ccej/rtr_tot,
14203          l_v_taxco TYPE /ccej/rtr_tot,
14204          l_v_stax  TYPE /ccej/rtr_tot, "tax amount in doc curr.
14205          l_v_tax  TYPE /ccej/rtr_tot, "tax amount
14206          l_r_stran TYPE RANGE OF /ccbj/otc_dme_tran,

```

```

14207      l_wa_stran LIKE LINE OF l_r_stran,
14208      l_i_tditem TYPE STANDARD TABLE OF ty_ditem,
14209      l_v_tlines TYPE i, "lines of Item table
14210      l_v_cline TYPE i,
14211      l_v_cnt TYPE i,
14212      l_v_skip TYPE char1, "Skip Indicator
14213      l_v_sdoc TYPE /ccbjj/otc_lsa_doc,
14214      l_v_item TYPE /ccbjj/otc_item,
14215      l_v_lstop TYPE char1,
14216      l_v_aamnt TYPE /ccej/rtr_tot, "Pre Amount
14217      l_v_vfield TYPE rke_wrtfld,
14218      l_v_per TYPE jahrper, "Period/month
14219      l_v_conn TYPE dbcon_name, "database conn name
14220      l_v_coamnt TYPE /ccej/rtr_tot,
14221      l_v_cotax TYPE /ccej/rtr_tot,
14222      l_wa_tdata TYPE bapi_copa_data,
14223      l_wa_selc TYPE bapi_copa_selection,
14224      l_wa_data TYPE bapi_copa_data,
14225      l_r_bukrs TYPE RANGE OF bukrs,
14226      l_wa_bukrs LIKE LINE OF l_r_bukrs,
14227      l_i_subce1 TYPE STANDARD TABLE OF ty_ce1jp00,
14228      l_i_subce2 TYPE STANDARD TABLE OF ty_ce2jp00,
14229      l_i_ce2jp00 TYPE STANDARD TABLE OF ty_ce2jp00,
14230      l_i_dumce1 TYPE STANDARD TABLE OF ty_ce1jp00,
14231      l_i_custd TYPE STANDARD TABLE OF ty_custd,
14232      l_i_sditem TYPE STANDARD TABLE OF ty_ditem,
14233      l_wa_sitem TYPE ty_ditem,
14234      l_v_bcust TYPE kunnr,
14235      l_v_bcust_cross TYPE kunnr, "++ MOD-032
14236      l_v_nodeal TYPE char1, "++MOD-032
14237      l_v_perf TYPE char6,
14238      l_v_rupd TYPE char1,
14239      l_v_damnt TYPE /ccej/rtr_tot, "Amount Limit
14240      l_v_stamnt TYPE /ccbjj/otc_lsaactamt, "Actual Amount
14241      l_v_preadc TYPE sy-datlo,
14242      l_v_bsamnt TYPE /ccej/rtr_tot, "++MOD-026
14243      l_v_bstax TYPE /ccej/rtr_tot, "++MOD-026
14244      l_v_total_amount TYPE rke2_vv506, "++ MOD-032
14245      l_wa_sales TYPE ty_sales, "++ MOD-032
14246      l_v_date TYPE begda, "++ MOD-033
14247      l_v_comp_flag TYPE char1, "++ MOD-033
14248      l_v_ppay_flag TYPE c, "++ MOD-038
14249      l_v_cross_dummy TYPE c. "++ MOD-038

```

```

14250
14251 FIELD-SYMBOLS: <l_fs_kona> TYPE ty_kona,
14252                <l_fs_ce1jp> TYPE ty_ce1jp00,
14253                <l_fs_copa> TYPE ty_copa,
14254                <l_fs_dagt> TYPE ty_dagt,
14255                <l_fs_fname> TYPE bapi_copa_field,
14256                <l_fs_data> TYPE bapi_copa_data,
14257                <l_fs_dhdr> TYPE ty_dhdr,
14258                <l_fs_custd> TYPE ty_custd,
14259                <l_fs_dmegl> TYPE ty_dmegl,
14260                <l_fs_mexc> TYPE ty_mexc,
14261                <l_fs_konp> TYPE ty_konp,
14262                <l_fs_ce2jp> TYPE ty_ce2jp00,
14263                <l_fs_dsku> TYPE rsdsselect,
14264                <l_fs_dreg> TYPE ty_dreg,
14265                <l_fs_itemp> TYPE ty_ditem,
14266                <l_fs_ditem> TYPE ty_ditem,
14267                <l_fs_bseg> TYPE ty_bseg, "++MOD-026

```

```
14268          <l_fs_znn0001> TYPE ty_znn0001. "++MOD-026
14269
14270  CONSTANTS:  l_c_days_zero TYPE t5a4a-dlydy VALUE '00',    "++ MOD-033
14271              l_c_year_zero TYPE t5a4a-dlyyr VALUE '00',    "++ MOD-033
14272              l_c_add TYPE t5a4a-split VALUE '+'.           "++ MOD-033
14273
14274  CLEAR: l_wa_sfinal, v_eflag, l_v_message, v_dbg1, v_crg1,
14275         l_v_accper, l_v_amnt, l_i_copa[], l_i_tcopa[], l_wa_copa,
14276         l_v_tindex, l_v_totval, v_mwskz, l_v_check.
14277
14278
14279  * Read TVARVC for Hana connection
14280  SELECT SINGLE low
14281    FROM tvarvc
14282    INTO l_v_conn
14283    WHERE name EQ c_name
14284          AND type EQ c_type
14285          AND numb EQ c_numb.
14286  IF sy-subrc IS NOT INITIAL.
14287    CLEAR: l_v_conn.
14288  ENDIF.
14289
14290  CLEAR: l_v_perf.
14291  CONCATENATE p_gjahr p_monat INTO l_v_perf.
14292
14293  IF i_dhdr[] IS NOT INITIAL.
14294    IF i_ditem[] IS NOT INITIAL.
14295      SORT i_ditem BY knuma tran_type.
14296    ENDIF.
14297    LOOP AT i_dhdr ASSIGNING <l_fs_dhdr>.
14298      IF <l_fs_dhdr>-compl IS INITIAL.
14299        IF <l_fs_dhdr>-status IN r_stat.
14300          READ TABLE i_dagt ASSIGNING <l_fs_dagt>
14301            WITH KEY pay_type = <l_fs_dhdr>-pay_type
14302                  cal_type = <l_fs_dhdr>-cal_type
14303                  boart = <l_fs_dhdr>-boart
14304            BINARY SEARCH.
14305          IF sy-subrc IS INITIAL.
14306            * Read KONA table for agreement
14307            IF i_kona[] IS NOT INITIAL.
14308              READ TABLE i_kona ASSIGNING <l_fs_kona>
14309                WITH KEY knuma = <l_fs_dhdr>-knuma
14310                BINARY SEARCH.
14311              IF sy-subrc IS INITIAL.
14312
14313                "BOC | 10-Mar-2025 | EJX9005197 | MOD-033
14314                CALL FUNCTION 'RP_CALC_DATE_IN_INTERVAL'
14315                  EXPORTING
14316                    date = <l_fs_kona>-datbi
14317                    days = l_c_days_zero
14318                    months = 03
14319                    signum = l_c_add " Add days
14320                    years = l_c_year_zero
14321                  IMPORTING
14322                    calc_date = l_v_date.
14323                IF l_v_date IS NOT INITIAL.
14324                  l_v_date = l_v_date - 1.
14325                ENDIF.
14326                IF l_v_perf GE l_v_date+0(6).
14327                  l_v_comp_flag = abap_true.
14328                ENDIF.
```

```

14329          CLEAR l_v_date.
14330          "EOC | 10-Mar-2025 | EJX9005197 | MOD-033
14331
14332          CLEAR: l_v_vfield.
14333 * Get the GL account
14334          READ TABLE i_dmegl ASSIGNING <l_fs_dmegl>
14335                      WITH KEY boart = <l_fs_kona>-boart
14336                      kvs11 = <l_fs_dhdr>-kvs11
14337                      BINARY SEARCH.
14338          IF sy-subrc IS INITIAL.
14339              v_dbg1 = <l_fs_dmegl>-sakn1. "Debit GL
14340 *Conversion parameter
14341              PERFORM f_conversion CHANGING v_dbg1.
14342              l_v_vfield = <l_fs_dmegl>-vfield.
14343          ENDIF.
14344 * Populate Agreement to range to filter Items
14345          CLEAR: l_wa_knuma, l_r_knuma.
14346          l_wa_knuma-sign = c_ex.
14347          l_wa_knuma-option = c_eq.
14348          l_wa_knuma-low = <l_fs_dhdr>-knuma.
14349          APPEND l_wa_knuma TO l_r_knuma.
14350          CLEAR: l_wa_knuma.
14351 * Filter Item table based on Agreement
14352          CLEAR: l_i_ditem[], l_v_lines.
14353          l_i_ditem[] = i_ditem[].
14354          DELETE l_i_ditem WHERE knuma IN l_r_knuma.
14355 * Read the latest Item number to update DME item table
14356          l_i_tdititem[] = l_i_ditem[].
14357          SORT l_i_tdititem BY item DESCENDING.
14358          READ TABLE l_i_tdititem ASSIGNING <l_fs_ditem> INDEX 1.
14359          IF sy-subrc IS INITIAL.
14360              l_v_lines = <l_fs_ditem>-item.
14361          ENDIF.
14362          IF <l_fs_ditem> IS ASSIGNED.
14363              UNASSIGN: <l_fs_ditem>.
14364          ENDIF.
14365          FREE: l_i_tdititem[].
14366 * Deleted status to filter item data
14367          DELETE l_i_ditem WHERE zupdind EQ c_inde1. "Delete(D)
14368          CLEAR: l_v_aamnt, l_v_coamnt, l_v_cotax,
14369                  l_v_sdoc, l_v_stamnt.
14370 * Transaction type '04'
14371          CLEAR: l_wa_stran, l_r_stran, l_i_tdititem[],
14372                  l_v_preadc.
14373          l_wa_stran-sign = c_ex.
14374          l_wa_stran-option = c_eq.
14375          l_wa_stran-low = c_kfsv. "04 Ammortize
14376          APPEND l_wa_stran TO l_r_stran.
14377          CLEAR: l_wa_stran.
14378          l_i_tdititem[] = l_i_ditem[].
14379          DELETE l_i_tdititem WHERE tran_type IN l_r_stran.
14380          IF l_i_tdititem[] IS NOT INITIAL.
14381              SORT l_i_tdititem BY budat DESCENDING.
14382              READ TABLE l_i_tdititem ASSIGNING <l_fs_ditem> INDEX 1.
14383              IF sy-subrc IS INITIAL.
14384                  l_v_preadc = <l_fs_ditem>-budat.
14385              ENDIF.
14386          ENDIF.
14387 * Transaction type '01'
14388          CLEAR: l_wa_stran, l_r_stran, l_i_tdititem[].
14389          l_wa_stran-sign = c_ex.

```

```

14390      l_wa_stran-option = c_eq.
14391      l_wa_stran-low = c_secon. "02 *"c_post. "01
14392      APPEND l_wa_stran TO l_r_stran.
14393      CLEAR: l_wa_stran.
14394      * For processing
14395      l_i_tdititem[] = l_i_ditem[].
14396      DELETE l_i_tdititem WHERE tran_type IN l_r_stran.
14397      DELETE l_i_tdititem WHERE sched_dat+0(6) <> l_v_perf.
14398      SORT l_i_tdititem BY knuma item.
14399      CLEAR: l_v_damnt, l_i_sditem[], l_v_sdoc.
14400      IF rb_sale IS NOT INITIAL.
14401          LOOP AT l_i_tdititem ASSIGNING <l_fs_ditem>.
14402              l_v_damnt = l_v_damnt + <l_fs_ditem>-act_amnt.
14403          ENDLOOP.
14404      ELSE.
14405          l_i_sditem[] = l_i_tdititem[].
14406          CLEAR: l_i_tdititem[].
14407          SORT l_i_sditem BY lsa_doc.
14408          LOOP AT l_i_sditem ASSIGNING <l_fs_ditem>.
14409              l_wa_sitem = <l_fs_ditem>.
14410              READ TABLE l_i_tdititem ASSIGNING <l_fs_ityp>
14411                  WITH KEY lsa_doc = <l_fs_ditem
14412      >-lsa_doc.
14413          IF sy-subrc IS INITIAL.
14414              <l_fs_ityp>-act_amnt = <l_fs_ityp>-act_amnt +
14415                  <l_fs_ditem>-act_amnt.
14416          ELSE.
14417              APPEND l_wa_sitem TO l_i_tdititem.
14418          ENDIF.
14419          CLEAR: l_wa_sitem.
14420          l_v_damnt = l_v_damnt + <l_fs_ditem>-act_amnt.
14421      ENDLOOP.
14422      ENDF.
14423      IF <l_fs_ditem> IS ASSIGNED.
14424          UNASSIGN: <l_fs_ditem>.
14425      ENDF.
14426      FREE: l_i_sditem[].
14427      *      DESCRIBE TABLE l_i_tdititem LINES l_v_tlines.
14428      CLEAR: l_i_custd[], l_r_kndnr[], l_r_ww214[],
14429          l_i_dumcel[].
14430      l_i_custd[] = i_custd[].
14431      SORT l_i_custd BY knuma.
14432      DELETE l_i_custd WHERE knuma IN l_r_knuma.
14433      IF l_i_custd[] IS NOT INITIAL.
14434          SORT l_i_custd BY kschl.
14435          CLEAR: l_wa_kndnr, l_r_kndnr, l_wa_ww214, l_r_ww214,
14436              l_r_kndnr_cross, l_r_ww214_cross. "++ MOD-032
14437      LOOP AT l_i_custd ASSIGNING <l_fs_custd>. "#EC CI_NEST
14438      ED
14439      * Check the deletion indicator
14440      READ TABLE i_konp ASSIGNING <l_fs_konp>
14441          WITH KEY knumh = <l_fs_custd>-knumh
14442          BINARY SEARCH.
14443      IF sy-subrc IS INITIAL.
14444          IF <l_fs_custd>-kschl EQ c_custe.
14445              IF <l_fs_custd>-kunnr IS NOT INITIAL.
14446      * Range for Excluded customer
14447          l_wa_kndnr-sign = c_ex.
14448          l_wa_kndnr-option = c_eq.
14449          l_wa_kndnr-low = <l_fs_custd>-kunnr.
14450          "BOC | MOD-032 | EJX9006170 | 19-11-2024

```

```
14449 * APPEND l_wa_kndnr TO l_r_kndnr.
14450 IF s_dealer IS NOT INITIAL.
14451   IF l_wa_kndnr-low IN s_dealer.
14452     IF <l_fs_custd>-vkorg = c_vkor2.
14453       APPEND l_wa_kndnr TO l_r_kndnr_cross.
14454     ELSE.
14455       APPEND l_wa_kndnr TO l_r_kndnr.
14456     ENDIF.
14457   ENDIF.
14458 ELSE.
14459   IF <l_fs_custd>-vkorg = c_vkor2.
14460     APPEND l_wa_kndnr TO l_r_kndnr_cross.
14461   ELSE.
14462     APPEND l_wa_kndnr TO l_r_kndnr.
14463   ENDIF.
14464 ENDIF.
14465 "EOC | MOD-032 | EJX9006170 | 19-11-2024
14466 CLEAR: l_wa_kndnr-low.
14467 ELSEIF <l_fs_custd>-rke_ww214 IS NOT INITIAL.
14468 * Range for Excluded bottler account
14469   l_wa_ww214-sign = c_ex.
14470   l_wa_ww214-option = c_eq.
14471   l_wa_ww214-low = <l_fs_custd>-rke_ww214.
14472   "BOC | MOD-032 | EJX9006170 | 19-11-2024
14473   IF <l_fs_custd>-vkorg = c_vkor2.
14474     APPEND l_wa_ww214 TO l_r_ww214_cross.
14475   ELSE.
14476     "EOC | MOD-032 | EJX9006170 | 19-11-2024
14477     APPEND l_wa_ww214 TO l_r_ww214.
14478   ENDIF. "++ MOD-032
14479   CLEAR: l_wa_ww214-low.
14480 ENDIF.
14481 ELSEIF <l_fs_custd>-kschl EQ c_custi.
14482   IF <l_fs_custd>-kunnr IS NOT INITIAL.
14483 * Range for Included customer
14484     l_wa_kndnr-sign = c_i.
14485     l_wa_kndnr-option = c_eq.
14486     l_wa_kndnr-low = <l_fs_custd>-kunnr.
14487     "BOC | MOD-032 | EJX9006170 | 19-11-2024
14488 * APPEND l_wa_kndnr TO l_r_kndnr.
14489     IF s_dealer IS NOT INITIAL.
14490       IF l_wa_kndnr-low IN s_dealer.
14491         IF <l_fs_custd>-vkorg = c_vkor2.
14492           APPEND l_wa_kndnr TO l_r_kndnr_cross.
14493         ELSE.
14494           APPEND l_wa_kndnr TO l_r_kndnr.
14495         ENDIF.
14496       ENDIF.
14497     ELSE.
14498       IF <l_fs_custd>-vkorg = c_vkor2.
14499         APPEND l_wa_kndnr TO l_r_kndnr_cross.
14500       ELSE.
14501         APPEND l_wa_kndnr TO l_r_kndnr.
14502       ENDIF.
14503     ENDIF.
14504     "EOC | MOD-032 | EJX9006170 | 19-11-2024
14505     CLEAR: l_wa_kndnr-low.
14506     ELSEIF <l_fs_custd>-rke_ww214 IS NOT INITIAL.
14507 * Range for Included bottler account
14508     l_wa_ww214-sign = c_i.
14509     l_wa_ww214-option = c_eq.
```



```
14510      l_wa_ww214-low = <l_fs_custd>-rke_ww214.
14511      "BOC | MOD-032 | EJX9006170 | 19-11-2024
14512      IF <l_fs_custd>-vkorg = c_vkor2.
14513          APPEND l_wa_ww214 TO l_r_ww214_cross.
14514      ELSE.
14515          "EOC | MOD-032 | EJX9006170 | 19-11-2024
14516          APPEND l_wa_ww214 TO l_r_ww214.
14517      ENDIF. "++ MOD-032
14518      CLEAR: l_wa_ww214-low.
14519      ENDIF.
14520      ENDIF.
14521      ENDIF.
14522      ENDLOOP.
14523      IF <l_fs_custd> IS ASSIGNED.
14524          UNASSIGN <l_fs_custd>.
14525      ENDIF.
14526      ENDIF.
14527
14528      CLEAR: l_wa_bukrs, l_r_bukrs.
14529      l_wa_bukrs-sign = c_i.
14530      l_wa_bukrs-option = c_eq.
14531      l_wa_bukrs-low = <l_fs_dhdr>-bukrs.
14532      APPEND l_wa_bukrs TO l_r_bukrs.
14533      CLEAR: l_wa_bukrs.
14534      IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
14535          l_wa_bukrs-sign = c_i.
14536          l_wa_bukrs-option = c_eq.
14537          l_wa_bukrs-low = <l_fs_dhdr>-sub_bukrs.
14538          APPEND l_wa_bukrs TO l_r_bukrs.
14539          CLEAR: l_wa_bukrs.
14540      ENDIF.
14541
14542      * Calculate total no. of days
14543      CLEAR: l_v_tdays.
14544      CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AND_YEARS'
14545          EXPORTING
14546              i_date_from = <l_fs_kona>-datab
14547              i_date_to   = <l_fs_kona>-datbi
14548          IMPORTING
14549              e_days      = l_v_tdays
14550          EXCEPTIONS
14551              OTHERS      = 1.
14552      IF sy-subrc IS INITIAL.
14553          l_v_tdays = l_v_tdays + 1.
14554      ENDIF.
14555      * Get the last six periods based on current
14556      CLEAR: l_v_datum, l_v_bmon, l_v_ndat.
14557      CONCATENATE p_gjahr p_monat c_post
14558      INTO l_v_datum.
14559      l_v_bmon = p_pmon.
14560      CALL FUNCTION 'CCM_GO_BACK_MONTHS'
14561          EXPORTING
14562              currdte     = l_v_datum
14563              backmonths  = l_v_bmon
14564          IMPORTING
14565              newdate     = l_v_ndat.
14566      * Calculate total no. of months
14567      CLEAR: l_v_days.
14568      CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AND_YEARS'
14569          EXPORTING
14570              i_date_from = l_v_ndat
```

```

14571         i_date_to      = l_v_datum
14572     IMPORTING
14573         e_months        = l_v_days
14574     EXCEPTIONS
14575         OTHERS          = 1.
14576     IF sy-subrc IS INITIAL.
14577         l_v_days = l_v_days + 1.
14578     ENDIF.
14579     CLEAR: l_v_index, l_v_item.
14580
14581     DO l_v_days TIMES.                                     "#EC CI_NESTED
14582         IF l_v_index IS INITIAL.
14583             l_v_index = l_v_days - 1.
14584         ELSE.
14585             l_v_index = l_v_index - 1.
14586         ENDIF.
14587     * Get the cutoff date
14588         CALL FUNCTION 'BKK_ADD_MONTH_TO_DATE'
14589             EXPORTING
14590                 months      = l_v_index
14591                 olddate     = l_v_ndat
14592             IMPORTING
14593                 newdate     = l_v_pdat.
14594
14595         CLEAR: l_v_monat, l_v_year.
14596         l_v_year = l_v_pdat+0(4).
14597         l_v_monat = l_v_pdat+4(2).
14598     * Get the month end date
14599         CALL FUNCTION 'RP_LAST_DAY_OF_MONTHS'
14600             EXPORTING
14601                 day_in              = l_v_pdat
14602             IMPORTING
14603                 last_day_of_month = l_v_lastd
14604         EXCEPTIONS
14605             ##FM_SUBRC_OK
14606             day_in_no_date      = 1
14607             OTHERS              = 2.
14608         CLEAR: l_v_skip.
14609         IF p_pmon IS NOT INITIAL
14610             AND l_v_lastd LE l_v_preacd.
14611             l_v_skip = abap_true.
14612         ENDIF.
14613
14614         IF l_v_skip IS INITIAL.
14615             READ TABLE i_ditem ASSIGNING <l_fs_ditem>
14616                 WITH KEY knuma = <l_fs_dhdr>-knuma
14617                     sched_dat = l_v_lastd
14618                     tran_type = c_amort.'"04'-Amort.
14619             IF sy-subrc IS INITIAL.
14620                 l_v_check = abap_true.
14621             ENDIF.
14622             IF l_v_check IS INITIAL.
14623                 IF l_v_conn IS NOT INITIAL.
14624                     CLEAR: l_v_per.
14625                     CONCATENATE p_gjahr c_zero p_monat
14626                         INTO l_v_per.
14627                     CLEAR: i_ce1jp00[], i_ce2jp00[].
14628                     "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
14629                     CLEAR: l_r_ww214_total[], l_r_kndnr_total[].
14630                     IF l_r_ww214[] IS NOT INITIAL.
14631                         APPEND LINES OF l_r_ww214 TO l_r_ww214_total.

```



```
14632             ENDIF.
14633             IF l_r_ww214_cross[] IS NOT INITIAL.
14634                 APPEND LINES OF l_r_ww214_cross TO l_r_ww214_t
otal.
14635             ENDIF.
14636             IF l_r_kndnr[] IS NOT INITIAL.
14637                 APPEND LINES OF l_r_kndnr TO l_r_kndnr_total.
14638             ENDIF.
14639             IF l_r_kndnr_cross[] IS NOT INITIAL.
14640                 APPEND LINES OF l_r_kndnr_cross TO l_r_kndnr_t
otal.
14641             ENDIF.
14642             *             IF l_r_kndnr[] IS NOT INITIAL
14643             *             AND l_r_ww214[] IS NOT INITIAL.
14644             IF l_r_kndnr_total[] IS NOT INITIAL
14645                 AND l_r_ww214_total[] IS NOT INITIAL.
14646                 "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
14647             IF rb_sale IS INITIAL.
14648                 SELECT mandt             "#EC CI_SEL_NESTED
14649                     paledger
14650                     vrgar
14651                     versi
14652                     paobjnr
14653                     pasubnr
14654                     belnr
14655                     perbl
14656                     gjahr
14657                     kndnr
14658                     artnr
14659                     fkart
14660                     buksr
14661                     werks
14662                     vkorg
14663                     vtweg
14664                     spart
14665                     prctr
14666                     kunwe
14667                     kmvkbv
14668                     ww207
14669                     katr4
14670                     ww214
14671                     vkaus
14672                     ww224
14673                     ww225
14674                     ww226
14675                     ww227
14676                     ww228
14677                     ww229
14678                     absmg_me
14679                     vv980_me
14680                     vv981_me
14681                     vv982_me
14682                     vv983_me
14683                     absmg001
14684                     erlos001
14685                     vv506001
14686                     vv507001
14687                     vv980001
14688                     vv981001
14689                     vv982001
14690                     vv983001
```

```
14691 FROM ce2jp00
14692 CONNECTION (l_v_conn)
14693 INTO TABLE i_ce2jp00
14694 BYPASSING BUFFER
14695 WHERE paledger EQ c_opcon
14696 AND vrgar EQ c_exrec
14697 AND versi EQ c_everesi
14698 AND perbl EQ l_v_per
14699 AND bukrs IN l_r_bukrs
14700 AND kmvkbv IN s_vkbur
14701 * AND ( ww207 IN l_r_kndnr "—MOD-032
14702 * OR ww214 IN l_r_ww214 ) "—MOD-032
14703 AND ( ww207 IN l_r_kndnr_total "++MOD-03
2
14704 OR ww214 IN l_r_ww214_total ) "++MOD-0
32
14705 AND ww228 EQ <l_fs_dhdr>-knuma.
14706 IF sy-subrc IS NOT INITIAL.
14707 CLEAR: i_ce2jp00[].
14708 ELSE.
14709 SORT i_ce2jp00 BY kndnr artnr.
14710 ENDIF.
14711 ELSE.
14712 IF l_v_damnt GT 1.
14713 SELECT mandt "#EC CI_SEL_NESTED
14714 paledger
14715 vrgar
14716 versi
14717 perio
14718 paobjnr
14719 pasubnr
14720 belnr
14721 posnr
14722 gjahr
14723 perde
14724 fadat
14725 kndnr
14726 artnr
14727 fkart
14728 bukrs
14729 werks
14730 vkorg
14731 vtweg
14732 spart
14733 prctr
14734 kunwe
14735 kmvkbv
14736 ww207
14737 katr4
14738 ww214
14739 vkaus
14740 ww224
14741 ww225
14742 ww226
14743 ww227
14744 ww228
14745 ww229
14746 absmg_me
14747 vv980_me
14748 vv981_me
14749 vv982_me
```

```
14750          vv983_me
14751          absmg
14752          erlos
14753          vv506
14754          vv507
14755          vv980
14756          vv981
14757          vv982
14758          vv983
14759          FROM ce1jp00
14760          CONNECTION (l_v_conn)
14761          INTO TABLE i_ce1jp00
14762          BYPASSING BUFFER
14763          WHERE paledger EQ c_opcon
14764             AND vrgar EQ c_record
14765             AND perio EQ l_v_per
14766             AND bukrs IN l_r_bukrs
14767             AND kmvkbv IN s_vkbur
14768             * AND ( ww207 IN l_r_kndnr "—MOD-032
14769             * OR ww214 IN l_r_ww214 ) "—MOD-032
14770             AND ( ww207 IN l_r_kndnr_total "++MOD-03
2
14771             OR ww214 IN l_r_ww214_total ). "++MOD-
032
14772          IF sy-subrc IS NOT INITIAL.
14773             CLEAR: i_ce1jp00[].
14774          ELSE.
14775             SORT i_ce1jp00 BY kndnr artnr.
14776          ENDIF.
14777          ENDIF.
14778          ENDIF.
14779          ELSEIF l_r_kndnr[] IS INITIAL
14780             AND l_r_ww214[] IS NOT INITIAL.
14781             IF rb_sale IS INITIAL.
14782                SELECT mandt          "#EC CI_SEL_NESTED
14783                   paledger
14784                   vrgar
14785                   versi
14786                   paobjnr
14787                   pasubnr
14788                   belnr
14789                   perbl
14790                   gjahr
14791                   kndnr
14792                   artnr
14793                   fkart
14794                   bukrs
14795                   werks
14796                   vkorg
14797                   vtweg
14798                   spart
14799                   prctr
14800                   kunwe
14801                   kmvkbv
14802                   ww207
14803                   katr4
14804                   ww214
14805                   vkaus
14806                   ww224
14807                   ww225
14808                   ww226
```

```
14809          ww227
14810          ww228
14811          ww229
14812          absmg_me
14813          vv980_me
14814          vv981_me
14815          vv982_me
14816          vv983_me
14817          absmg001
14818          erlos001
14819          vv506001
14820          vv507001
14821          vv980001
14822          vv981001
14823          vv982001
14824          vv983001
14825          FROM ce2jp00
14826          CONNECTION (l_v_conn)
14827          INTO TABLE i_ce2jp00
14828          BYPASSING BUFFER
14829          WHERE paledger EQ c_opcon
14830             AND vrgar EQ c_exrec
14831             AND versi EQ c_eversi
14832             AND perbl EQ l_v_per
14833             AND bukrs IN l_r_bukrs
14834             AND kmvkbk IN s_vkbur
14835             * AND ww214 IN l_r_ww214 "—MOD-032
14836             AND ww214 IN l_r_ww214_total "++MOD-032
14837             AND ww228 EQ <l_fs_dhdr>-knuma.
14838          IF sy-subrc IS NOT INITIAL.
14839             CLEAR: i_ce2jp00[].
14840          ELSE.
14841             SORT i_ce2jp00 BY kindnr artnr.
14842          ENDIF.
14843          ELSE.
14844             IF l_v_damnt GT 1.
14845                SELECT mandt          "#EC CI_SEL_NESTED
14846                   paledger
14847                   vrgar
14848                   versi
14849                   perio
14850                   paobjnr
14851                   pasubnr
14852                   belnr
14853                   posnr
14854                   gjahr
14855                   perde
14856                   fadat
14857                   kindnr
14858                   artnr
14859                   fkart
14860                   bukrs
14861                   werks
14862                   vkorg
14863                   vtweg
14864                   spart
14865                   prctr
14866                   kunwe
14867                   kmvkbk
14868                   ww207
14869                   katr4
```

```

14870          ww214
14871          vkaus
14872          ww224
14873          ww225
14874          ww226
14875          ww227
14876          ww228
14877          ww229
14878          absmg_me
14879          vv980_me
14880          vv981_me
14881          vv982_me
14882          vv983_me
14883          absmg
14884          erlos
14885          vv506
14886          vv507
14887          vv980
14888          vv981
14889          vv982
14890          vv983
14891          FROM ce1jp00
14892          CONNECTION (l_v_conn)
14893          INTO TABLE i_ce1jp00
14894          BYPASSING BUFFER
14895          WHERE paledger EQ c_opcon
14896             AND vrgar EQ c_record
14897             AND perio EQ l_v_per
14898             AND bukrs IN l_r_bukrs
14899             AND kmvkb IN s_vkbur
14900 *          AND ww214 IN l_r_ww214 "—MOD-032
14901          AND ww214 IN l_r_ww214_total. "++MOD-03
2
14902          IF sy-subrc IS NOT INITIAL.
14903          CLEAR: i_ce1jp00[].
14904          ELSE.
14905          SORT i_ce1jp00 BY kindnr artnr.
14906          ENDIF.
14907          ENDIF.
14908          ENDIF.
14909          ELSEIF l_r_kindnr[] IS NOT INITIAL
14910          AND l_r_ww214[] IS INITIAL.
14911          IF rb_sale IS INITIAL.
14912          SELECT mandt          "#EC CI_SEL_NESTED
14913          paledger
14914          vrgar
14915          versi
14916          paobjnr
14917          pasubnr
14918          belnr
14919          perbl
14920          gjahr
14921          kindnr
14922          artnr
14923          fkart
14924          bukrs
14925          werks
14926          vkorg
14927          vtweg
14928          spart
14929          prctr

```

```

14930 kunwe
14931 kmvkbv
14932 ww207
14933 katr4
14934 ww214
14935 vkaus
14936 ww224
14937 ww225
14938 ww226
14939 ww227
14940 ww228
14941 ww229
14942 absmg_me
14943 vv980_me
14944 vv981_me
14945 vv982_me
14946 vv983_me
14947 absmg001
14948 erlos001
14949 vv506001
14950 vv507001
14951 vv980001
14952 vv981001
14953 vv982001
14954 vv983001
14955 FROM ce2jp00
14956 CONNECTION (l_v_conn)
14957 INTO TABLE i_ce2jp00
14958 BYPASSING BUFFER
14959 WHERE paledger EQ c_opcon
14960 AND vrgar EQ c_exrec
14961 AND versi EQ c_eversi
14962 AND perbl EQ l_v_per
14963 AND bukr IN l_r_bukrs
14964 AND kmvkbv IN s_vkbur
14965 * AND ww207 IN l_r_kndnr "—MOD-032
14966 AND ww207 IN l_r_kndnr_total "++MOD-032
14967 AND ww228 EQ <l_fs_dhdr>-knuma.
14968 IF sy-subrc IS NOT INITIAL.
14969 CLEAR: i_ce2jp00[].
14970 ELSE.
14971 SORT i_ce2jp00 BY kndnr artnr.
14972 ENDIF.
14973 ELSE.
14974 IF l_v_damnt GT 1.
14975 SELECT mandt "#EC CI_SEL_NESTED
14976 paledger
14977 vrgar
14978 versi
14979 perio
14980 paobjnr
14981 pasubnr
14982 belnr
14983 posnr
14984 gjahr
14985 perde
14986 fadat
14987 kndnr
14988 artnr
14989 fkart
14990 bukr

```

```

14991      werks
14992      vkorg
14993      vtweg
14994      spart
14995      prctr
14996      kunwe
14997      kmvkbv
14998      ww207
14999      katr4
15000      ww214
15001      vkaus
15002      ww224
15003      ww225
15004      ww226
15005      ww227
15006      ww228
15007      ww229
15008      absmg_me
15009      vv980_me
15010      vv981_me
15011      vv982_me
15012      vv983_me
15013      absmg
15014      erlos
15015      vv506
15016      vv507
15017      vv980
15018      vv981
15019      vv982
15020      vv983
15021      FROM ce1jp00
15022      CONNECTION (l_v_conn)
15023      INTO TABLE i_ce1jp00
15024      BYPASSING BUFFER
15025      WHERE paledger EQ c_opcon
15026      AND vrgar EQ c_record
15027      AND perio EQ l_v_per
15028      AND bukrs IN l_r_bukrs
15029      AND kmvkbv IN s_vkbur
15030      * AND ww207 IN l_r_kndnr "—MOD-032
15031      AND ww207 IN l_r_kndnr_total. "++MOD-03

2
15032      IF sy-subrc IS NOT INITIAL.
15033      CLEAR: i_ce1jp00[].
15034      ELSE.
15035      SORT i_ce1jp00 BY kndnr artnr.
15036      ENDIF.
15037      ENDIF.
15038      ENDIF.
15039      ENDIF.
15040      ENDIF.
15041
15042      IF i_ce1jp00[] IS INITIAL.
15043      IF rb_sale IS NOT INITIAL.
15044      * Consider Dummy material
15045      CLEAR: l_v_bcust,
15046      "BOC | MOD-032 | EJX9005197 | 08-Jan-2025
15047      l_v_bcust_cross.
15048      IF <l_fs_dhdr>-sub_bukrs = c_7827 OR
15049      <l_fs_dhdr>-bukrs = c_7827.
15050      "EOC | MOD-032 | EJX9005197 | 08-Jan-2025

```

```

15051             IF l_r_kndnr IS INITIAL.
15052                 IF l_r_ww214 IS NOT INITIAL. "++MOD-032
15053 " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
15054 *
15055                 SELECT kunnr UP TO 1 ROWS
SELECT kunnr UP TO 1 ROWS "#EC CI_NOORDE
R
15056 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
15057                 FROM kna1
15058                 INTO l_v_bcust
15059                 WHERE /ccc/gedatnr IN l_r_ww214.
15060             ENDSELECT.
15061             IF sy-subrc IS NOT INITIAL.
15062                 CLEAR: l_v_bcust.
15063             ENDIF.
15064             ENDIF. "++MOD-032
15065         ELSE.
15066             READ TABLE l_r_kndnr INTO l_wa_kndnr INDEX
1.
15067             IF sy-subrc IS INITIAL.
15068                 l_v_bcust = l_wa_kndnr-low.
15069             ENDIF.
15070             ENDIF.
15071             "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
15072             ENDIF.
15073             IF <l_fs_dhdr>-sub_bukrs = c_7828 OR
15074                 <l_fs_dhdr>-bukrs = c_7828.
15075                 IF l_r_kndnr_cross IS INITIAL.
15076                     IF l_r_ww214_cross IS NOT INITIAL.
15077 " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
15078 *
15079                     SELECT kunnr UP TO 1 ROWS
SELECT kunnr UP TO 1 ROWS "#EC CI_NOORDE
R
15080 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
15081                     FROM kna1
15082                     CONNECTION (l_v_conn)
15083                     INTO l_v_bcust_cross
15084                     BYPASSING BUFFER
15085                     WHERE /ccc/gedatnr IN l_r_ww214_cross.
15086                 ENDSELECT.
15087                 IF sy-subrc IS NOT INITIAL.
15088                     CLEAR: l_v_bcust_cross.
15089 * Populate message if no dealer found for Bottler acc. code
15090                     l_v_nodeal = abap_true.
15091                 ENDIF.
15092             ENDIF.
15093         ELSE.
15094             READ TABLE l_r_kndnr_cross INTO l_wa_kndnr
INDEX 1.
15095             IF sy-subrc IS INITIAL.
15096                 l_v_bcust_cross = l_wa_kndnr-low.
15097             ENDIF.
15098             ENDIF.
15099             ENDIF.
15100             CLEAR : l_i_dumce1[].
15101             "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
15102             CLEAR : l_i_dumce1[]. "++ MOD-032
15103             IF l_v_bcust IS NOT INITIAL

```



```

15104 "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
15105 OR l_v_bcust_cross IS NOT INITIAL.
15106 "BOC | 23-May-2025 | EJX9005197 | MOD-035
      "Commenting the code
15107 *
15108 * IF i_sales[] IS NOT INITIAL.
15109 * IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
15110 * READ TABLE i_sales INTO l_wa_sales
      WITH KEY bukrs = <l_fs_dhdr>-sub_bukr
15111 S
15112 * BINARY SEARCH.
15113 * IF sy-subrc IS INITIAL.
15114 * PERFORM f_dummy_check_sales
      USING l_wa_sales
15115 * <l_fs_dhdr>
15116 * <l_fs_dhdr>-sub_bukrs
15117 * CHANGING v_dummy_flag.
15118 * ELSE.
15119 * v_dummy_flag = abap_true.
15120 * ENDIF.
15121 * CLEAR l_wa_sales.
15122 * ENDIF.
15123 * ENDIF.
15124 "EOC | 23-May-2025 | EJX9005197 | MOD-035
15125 IF v_dummy_flag IS INITIAL.
15126 READ TABLE l_i_ditem ASSIGNING <l_fs_ditem
      >
15127 WITH KEY knuma = <l_f
      s_dhdr>-knuma
15128 tran_type =
15129 c_post.
15130 "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
15131 PERFORM f_dummy_sales USING <l_fs_dhdr>
15132 <l_fs_kona>
      <l_fs_ditem> "
15133 ++ MOD-032
15134 l_v_bcust
15135 l_v_bcust_cros
15136 s "++ MOD-032
15137 l_v_lastd
15138 l_v_ppay_flag
15139 "++ MOD-038
15140 l_v_cross_dumm
15141 y "++ MOD-038
15142 CHANGING l_i_dumce1.
15143 "BOC | MOD-032 | EJX9005197 | 03-Dec-2024
15144 IF <l_fs_ditem> IS ASSIGNED.
15145 UNASSIGN <l_fs_ditem>.
15146 ENDIF.
15147 "EOC | MOD-032 | EJX9005197 | 03-Dec-2024
15148 ENDIF. "++ MOD-032
15149 i_ce1jp00[] = l_i_dumce1[].
15150 ELSE.
15151 CLEAR: l_wa_sfinal, l_v_message.
15152 l_wa_sfinal-monat = p_monat.
15153 l_wa_sfinal-gjahr = p_gjahr.
15154 l_wa_sfinal-bukrs = p_bukrs.
15155 l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
15156 CONCATENATE text-040 <l_fs_dhdr>-knuma
      INTO l_v_message SEPARATED BY space.
15157 l_wa_sfinal-msg = l_v_message.
15158 APPEND l_wa_sfinal TO i_sfinal.

```

```

15156             CLEAR: l_wa_sfimal,l_v_message.
15157             ENDIF.
15158             ENDIF.
15159             ENDIF.
15160             IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
15161                 CLEAR: l_i_subce1[], l_i_subce2[].
15162                 IF i_ce1jp00[] IS NOT INITIAL.
15163                     l_i_subce1[] = i_ce1jp00[].
15164                     DELETE l_i_subce1 WHERE bukrs EQ <l_fs_dhdr>-b
ukrs.
15165                     IF l_i_subce1[] IS NOT INITIAL.
15166                         SORT l_i_subce1 BY kindnr artnr.
15167                     ENDIF.
15168                     DELETE i_ce1jp00 WHERE bukrs EQ <l_fs_dhdr>-su
b_bukrs.
15169                     ENDIF.
15170                     IF i_ce2jp00[] IS NOT INITIAL.
15171                         l_i_subce2[] = i_ce2jp00[].
15172                         DELETE l_i_subce2 WHERE bukrs EQ <l_fs_dhdr>-b
ukrs.
15173                         IF l_i_subce2[] IS NOT INITIAL.
15174                             SORT l_i_subce2 BY kindnr artnr.
15175                         ENDIF.
15176                         DELETE i_ce2jp00 WHERE bukrs EQ <l_fs_dhdr>-su
b_bukrs.
15177                     ENDIF.
15178                     ENDIF.
15179                     IF i_ce1jp00[] IS NOT INITIAL
15180                         OR i_ce2jp00[] IS NOT INITIAL
15181                         OR l_i_subce1[] IS NOT INITIAL
15182                         OR l_i_subce2[] IS NOT INITIAL.
15183                     CLEAR: l_v_stax,l_v_stamnt.
15184 * Get the total sales values/Quantity
15185                     READ TABLE l_i_tditem WITH KEY knuma = <l_fs_kon
a>-knuma
15186                     BINARY SEARCH
15187                     TRANSPORTING NO FIELDS.
15188                     IF sy-subrc IS INITIAL.
15189                         l_v_tindex = sy-tabix.
15190                         LOOP AT l_i_tditem ASSIGNING <l_fs_ditem>
15191                             FROM l_v_tindex. "#EC CI_NE
STED
15192                         IF <l_fs_kona>-knuma <> <l_fs_ditem>-knuma.
15193                             EXIT. "#EC CI_EXITININC
15194                         ENDIF.
15195                         CLEAR: l_v_pindex.
15196                         l_v_pindex = sy-tabix.
15197                         IF <l_fs_ditem>-act_amnt IS NOT INITIAL.
15198                             l_wa_sfimal-monat = p_monat.
15199                             l_wa_sfimal-gjahr = p_gjahr.
15200                             l_wa_sfimal-bukrs = <l_fs_ditem>-bukrs.
15201                             l_wa_sfimal-knuma = <l_fs_dhdr>-knuma.
15202                             l_wa_sfimal-datab = <l_fs_kona>-datab.
15203                             l_wa_sfimal-datbi = <l_fs_kona>-datbi.
15204                             l_wa_sfimal-cont_amnt = <l_fs_ditem>-act_a
mnt.
15205                             l_v_stamnt = l_v_stamnt + <l_fs_ditem>-act
_amnt.
15206                         CLEAR: l_v_sdoc.
15207                         l_v_sdoc = <l_fs_ditem>-lsa_doc.
15208                         CLEAR: l_v_aamnt.

```

```

15209      l_v_aamnt = <l_fs_ditem>-act_amnt.
15210      CLEAR: v_mwskz.
15211      v_mwskz = <l_fs_ditem>-mwskz.
15212      "Begin of changes by S204711      MOD-026
15213      IF <l_fs_ditem>-new_doc IS NOT INITIAL.
15214          l_v_sdoc = <l_fs_ditem>-new_doc.
15215          "If tax code is purchase and Reg. no. bl
ank
15216          "Get the new tax code from ZNN0001.
15217          IF <l_fs_dhdr>-inv_reg_num IS INITIAL.
15218              READ TABLE i_znn0001 ASSIGNING <l_fs_z
nn0001> WITH KEY
15219                  zzkey2 = v_mwskz
15220                  BINARY SEARCH.
15221              IF sy-subrc IS INITIAL.
15222                  v_mwskz = <l_fs_znn0001>-zzkey3.
15223              ENDIF.
15224          ELSE.
15225              READ TABLE i_znn0001 ASSIGNING <l_fs_z
nn0001> WITH KEY
15226                  zzkey3 = v_mwsk
z.
15227              IF sy-subrc IS INITIAL.
15228                  v_mwskz = <l_fs_znn0001>-zzkey2.
15229              ENDIF.
15230          ENDIF.
15231          CLEAR: l_v_bindex, l_v_bsamnt, l_v_bstax
.
15232          READ TABLE i_bseg WITH KEY buhrs = <l_fs
_ditem>-bukrs
15233                  belnr = <l_fs
_ditem>-new_doc
15234                  BINARY SEARCH
15235                  TRANSPORTING NO FIELDS
.
15236          IF sy-subrc IS INITIAL.
15237              l_v_bindex = sy-tabix.
15238              LOOP AT i_bseg ASSIGNING <l_fs_bseg>
15239                  FROM l_v_bindex. "#
EC CI_NESTED
15240              IF <l_fs_bseg>-bukrs <> <l_fs_ditem>
-bukrs
15241              OR <l_fs_bseg>-belnr <> <l_fs_ditem
>-new_doc.
15242                  EXIT.      "#EC CI_EXITININC
15243              ENDIF.
15244              IF <l_fs_bseg>-koart = sy-abcde+18(1
).
15245                  IF <l_fs_bseg>-buzid IS INITIAL.
15246                      l_v_bsamnt = <l_fs_bseg>-wrbrtr *
100.
15247                  ELSEIF <l_fs_bseg>-buzid EQ sy-abc
de+19(1).
15248                      l_v_bstax = <l_fs_bseg>-wrbrtr *
100.
15249                  ENDIF.
15250              ENDIF.
15251          ENDLOOP.
15252          IF <l_fs_bseg> IS ASSIGNED.
15253              UNASSIGN: <l_fs_bseg>.
15254          ENDIF.

```

```

15255         ENDIF.
15256     ENDIF.
15257     "End of changes by S204711      MOD-026
15258     IF l_v_aamnt IS NOT INITIAL.
15259         *         IF <l_fs_dhdr>-tax_ind IS INITIAL.
15260         *             PERFORM f_cal_ctax USING <l_fs_dhdr>
15261         *                 l_v_aamnt
15262         *                 CHANGING l_v_cotax.
15263         *             l_v_coamnt = l_v_aamnt.
15264         *         ELSE.
15265         "Amount has been updated tax inclusive a
15266         lways in Item table
15267         PERFORM f_cal_stax USING <l_fs_dhdr>
15268         *                 l_v_aamnt "—M
15269         CHANGING l_v_cotax
15270         l_v_aamnt. "
15271         ++MOD-026
15272         l_v_coamnt = l_v_aamnt - l_v_cotax.
15273         *         ENDIF.
15274     ENDIF.
15275     "Begin of changes by S204711      MOD-026
15276     IF l_v_bsamnt IS NOT INITIAL.
15277         l_v_coamnt = l_v_bsamnt.
15278     ENDIF.
15279     IF l_v_bstax IS NOT INITIAL.
15280         l_v_cotax = l_v_bstax.
15281     ENDIF.
15282     "End of changes by S204711      MOD-026
15283     l_wa_sfina-amnt = l_v_coamnt.
15284     l_wa_sfina-atax = l_v_cotax.
15285     IF <l_fs_kona>-datab+0(6) EQ
15286         <l_fs_kona>-datbi+0(6).
15287         l_v_skip = abap_true.
15288     ENDIF.
15289     IF l_v_skip IS INITIAL.
15290         * Get the logic for Pre paid scenario
15291         CLEAR: l_v_mdays, l_v_adat.
15292         IF <l_fs_kona>-datab+0(6) EQ l_v_lastd+0
15293         (6).
15294         l_v_adat = <l_fs_kona>-datab.
15295         ELSEIF <l_fs_kona>-datbi+0(6) EQ l_v_las
15296         td+0(6).
15297         " Calculate total no. of days
15298         CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AN
15299         D_YEARS'
15300         EXPORTING
15301             i_date_from = l_v_pdat
15302             i_date_to   = <l_fs_kona>-datbi
15303         IMPORTING
15304             e_days      = l_v_mdays.
15305         CLEAR: l_v_adat.
15306     ELSE.
15307         l_v_adat = l_v_pdat.
15308     ENDIF.
15309     IF l_v_adat IS NOT INITIAL.
15310         " Calculate total no. of days
15311         CALL FUNCTION 'FIMA_DAYS_AND_MONTHS_AN
15312         D_YEARS'

```

```

15309             EXPORTING
15310                 i_date_from = l_v_adat
15311                 i_date_to   = l_v_lastd
15312             IMPORTING
15313                 e_days      = l_v_mdays.
15314             ENDIF.
15315             l_v_mdays = l_v_mdays + 1.
15316         ELSE.
15317             l_v_mdays = l_v_tdays.
15318         ENDIF.
15319         CLEAR: l_v_skip.
15320
15321         CLEAR: l_v_mdays, l_v_amnt, l_v_round,
15322                l_v_famnt, l_v_camnt, l_v_adat.
15323
15324         CLEAR: l_i_copa[], l_i_tcopa[].
15325         IF rb_sale IS NOT INITIAL.
15326             CLEAR: l_i_ce1jp[].
15327             IF <l_fs_ditem>-bukrs EQ <l_fs_dhdr>-buk
rs.
15328                 l_i_ce1jp[] = i_ce1jp00[].
15329             ELSE.
15330                 l_i_ce1jp[] = l_i_subce1[].
15331             ENDIF.
15332             IF l_i_ce1jp[] IS NOT INITIAL.
15333                 SORT l_i_ce1jp BY knrndr artnr.
15334             * Populate the Internal table for subtotal values of COPA
15335             LOOP AT l_i_ce1jp ASSIGNING <l_fs_ce1j
p>. "#EC CI_NESTED
15336                 READ TABLE i_mexc ASSIGNING <l_fs_me
xc>
15337                                     WITH KEY matnr = <
l_fs_ce1jp>-artnr
15338                                     BINARY SEARCH.
15339             IF sy-subrc IS NOT INITIAL.
15340                 l_wa_copa-gjahr = <l_fs_ce1jp>-gj
ahr.
15341                 l_wa_copa-perde = <l_fs_ce1jp>-pe
rde.
15342                 l_wa_copa-kndnr = <l_fs_ce1jp>-kn
dnr.
15343                 l_wa_copa-artnr = <l_fs_ce1jp>-ar
tnr.
15344                 l_wa_copa-fkart = <l_fs_ce1jp>-fk
art.
15345                 l_wa_copa-bukrs = <l_fs_ce1jp>-bu
krs.
15346                 l_wa_copa-werks = <l_fs_ce1jp>-we
rks.
15347                 l_wa_copa-vkorg = <l_fs_ce1jp>-vk
org.
15348                 l_wa_copa-vtweg = <l_fs_ce1jp>-vt
weg.
15349                 l_wa_copa-spart = <l_fs_ce1jp>-sp
art.
15350                 l_wa_copa-prctr = <l_fs_ce1jp>-prc
tr.
15351                 l_wa_copa-kunwe = <l_fs_ce1jp>-ku
nwe.
15352                 l_wa_copa-kmvkbu = <l_fs_ce1jp>-k
mvkbu.

```

```

15353          l_wa_copa-ww224 = <l_fs_ce1jp>-ww2
15354 24.          l_wa_copa-ww225 = <l_fs_ce1jp>-ww2
15355 25.          l_wa_copa-ww226 = <l_fs_ce1jp>-ww2
15356 26.          l_wa_copa-ww227 = <l_fs_ce1jp>-ww2
15357 27.          l_wa_copa-ww228 = <l_fs_ce1jp>-ww2
15358 28.          l_wa_copa-ww229 = <l_fs_ce1jp>-ww2
15359 29.          l_wa_copa-absmsg_me = <l_fs_ce1jp>
15360 -absmsg_me.
15361          l_wa_copa-vv980_me = <l_fs_ce1jp>
15362 -vv980_me.
15363          l_wa_copa-vv981_me = <l_fs_ce1jp>
15364 -vv981_me.
15365          l_wa_copa-vv982_me = <l_fs_ce1jp>
15366 -vv982_me.
15367          l_wa_copa-vv983_me = <l_fs_ce1jp>
15368 -vv983_me.
15369          l_wa_copa-absmsg = <l_fs_ce1jp>-ab
15370 smg.
15371          l_wa_copa-erlos = <l_fs_ce1jp>-er
15372 los.
15373          l_wa_copa-vv506 = <l_fs_ce1jp>-vv5
15374 06.
15375          l_wa_copa-vv507 = <l_fs_ce1jp>-vv5
15376 07.
15377          l_wa_copa-vv980 = <l_fs_ce1jp>-vv
15378 980.
15379          l_wa_copa-vv981 = <l_fs_ce1jp>-vv
15380 981.
15381          l_wa_copa-vv982 = <l_fs_ce1jp>-vv
15382 982.
15383          l_wa_copa-vv983 = <l_fs_ce1jp>-vv
15384 983.
15385          l_v_total_amount = l_v_total_amount
15386 t + l_wa_copa-vv506. "++ MOD-032
15387          COLLECT l_wa_copa INTO l_i_copa.
15388          CLEAR: l_wa_copa.
15389          ENDIF.
15390          ENDLOOP.
15391          IF <l_fs_ce1jp> IS ASSIGNED.
15392              UNASSIGN: <l_fs_ce1jp>.
15393          ENDIF.
15394          "BOC | MOD-032 | EJX9005197 | 06-Dec-2
15395          024
15396          IF l_v_total_amount IS INITIAL.
15397              CLEAR l_i_copa[].
15398          ENDIF.
15399          "EOC | MOD-032 | EJX9005197 | 06-Dec-2
15400          024
15401          CLEAR l_v_total_amount. "++ MOD-037
15402          IF l_i_copa[] IS INITIAL.
15403              * Consider Dummy material
15404              CLEAR: l_v_bcust, l_i_dumce1[].
15405              IF <l_fs_ditem>-bukrs = c_7827. "

```

```
++ MOD-032
15392                                     IF l_r_kndnr IS INITIAL.
15393                                     IF l_r_ww214 IS NOT INITIAL. "++
MOD-032
15394 " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
15395 *                                     SELECT kunnr UP TO 1 ROWS
15396                                     SELECT kunnr UP TO 1 ROWS "#EC
CI_NOORDER
15397 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
15398                                     FROM kna1
15399                                     INTO l_v_bcust
15400                                     WHERE /ccc/gedatnr IN l_r_ww
214.
15401                                     ENDSELECT.
15402                                     IF sy-subrc IS NOT INITIAL.
15403                                     CLEAR: l_v_bcust.
15404                                     ENDIF.
15405                                     ENDIF. "++MOD-032
15406 ELSE.
15407 READ TABLE l_r_kndnr INTO l_wa_k
ndnr INDEX 1.
15408                                     IF sy-subrc IS INITIAL.
15409                                     l_v_bcust = l_wa_kndnr-low.
15410                                     ENDIF.
15411                                     ENDIF.
15412 "BOC | MOD-032 | EJX9005197 | 03-D
ec-2024
15413 ELSE.
15414 IF l_r_kndnr_cross IS INITIAL.
15415 IF l_r_ww214_cross IS NOT INITIA
L.
15416 " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
15417 *                                     SELECT kunnr UP TO 1 ROWS
15418                                     SELECT kunnr UP TO 1 ROWS "#EC
CI_NOORDER
15419 " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
15420                                     FROM kna1
15421                                     CONNECTION (l_v_conn)
15422                                     INTO l_v_bcust_cross
15423                                     BYPASSING BUFFER
15424                                     WHERE /ccc/gedatnr IN l_r_ww
214_cross.
15425                                     ENDSELECT.
15426                                     IF sy-subrc IS NOT INITIAL.
15427                                     CLEAR: l_v_bcust_cross.
15428 * Populate message if no dealer found for Bottler acc. code
15429                                     l_v_nodeal = abap_true.
15430                                     ENDIF.
15431                                     ENDIF.
15432 ELSE.
15433 READ TABLE l_r_kndnr_cross INTO
l_wa_kndnr INDEX 1.
15434                                     IF sy-subrc IS INITIAL.
15435                                     l_v_bcust_cross = l_wa_kndnr-l
ow.
15436                                     ENDIF.
15437                                     ENDIF.
```



```

15438                               ENDIF.
15439                               "EOC | MOD-032 | EJX9005197 | 03-Dec
-2024
15440                               IF l_v_bcust IS NOT INITIAL
15441                               OR l_v_bcust_cross IS NOT INITIAL
. "++ MOD-032
15442                               IF v_dummy_flag IS INITIAL. "++ MO
D-032
15443                               PERFORM f_dummy_sales USING <l_f
s_dhdr>
15444                               <l_f
s_kona>
15445                               <l_f
s_ditem> "++ MOD-032
15446                               l_v
_bcust
15447                               l_v
_bcust_cross "++ MOD-032
15448                               l_v
_lastd
15449                               l_v
_ppay_flag "++ MOD-038
15450                               l_v
_cross_dummy "++ MOD-038
15451                               CHANGING l_i_du
mce1.
15452                               ENDIF. "++ MOD-032
15453                               CLEAR: l_wa_copa.
15454                               READ TABLE l_i_dumce1 ASSIGNING <l
_fs_ce1jp>
15455                               WITH KEY buk
rs = <l_fs_ditem>-bukrs.
15456                               IF sy-subrc IS INITIAL.
15457                               MOVE-CORRESPONDING <l_fs_ce1jp>
APPEND l_wa_copa TO l_i_copa.
15458                               CLEAR: l_wa_copa.
15459                               ENDIF.
15460                               ENDIF.
15461                               ENDIF.
15462                               ELSE.
15463                               IF l_i_copa[] IS INITIAL.
15464                               * Consider Dummy material
15465                               CLEAR: l_v_bcust, l_i_dumce1[].
15466                               IF <l_fs_ditem>-bukrs = c_7827. "++
MOD-032
15467                               IF l_r_kndnr IS INITIAL.
15468                               IF l_r_ww214 IS NOT INITIAL. "++
MOD-032
15470                               " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
JX9007359 04.06.2026 FOR ATC
15471                               *
15472                               SELECT kunnr UP TO 1 ROWS
SELECT kunnr UP TO 1 ROWS "#EC
CI_NOORDER
15473                               " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
X9007359 04.06.2026 FOR ATC
15474                               FROM kna1
15475                               INTO l_v_bcust
15476                               WHERE /ccc/gedatnr IN l_r_ww
214.
15477                               ENDSELECT.

```



```

15478             IF sy-subrc IS NOT INITIAL.
15479                 CLEAR: l_v_bcust.
15480             ENDIF.
15481             ENDIF. "++MOD-032
15482         ELSE.
15483             READ TABLE l_r_kndnr INTO l_wa_k
ndnr INDEX 1.
15484             IF sy-subrc IS INITIAL.
15485                 l_v_bcust = l_wa_kndnr-low.
15486             ENDIF.
15487             ENDIF.
15488             "BOC | MOD-032 | EJX9005197 | 03-D
ec-2024
15489         ELSE.
15490             IF l_r_kndnr_cross IS INITIAL.
15491                 IF l_r_ww214_cross IS NOT INITIA
L.
15492             * *****
15493             * # *****Code Remediation changes S4 2025_S Conversion **begin of change
15494             by EJX9007360 2026.06.09 ATC
15495             * *****
15496             * Quick Fix Append ORDER BY PRIMARY KEY to the SELECT statement
15497             * 10.06.2026 08:22:06 EJX9007361
15498             * Transport Q4RK902230 ATC Correction S4 HANA
15499             * Replaced Code:
15500             *
15501             IF l_r_ww214_cross IS NOT INITI
AL.
15502             *
15503             SELECT kunnr UP TO 1 ROWS
15504             * FROM kna1
15505             * CONNECTION (l_v_conn)
15506             * INTO l_v_bcust_cross
15507             * BYPASSING BUFFER
15508             * WHERE /ccc/gedatnr IN l_r_w
w214_cross.
15509             SELECT kunnr UP TO 1 ROWS "#EC
CI_SEL_NESTED "#EC CI_NOORDER
15510             * *****
15511             * # *****Code Remediation changes S4 2025_S Conversion **end of change b
y EJX9007360 2026.06.09 ATC
15512             * *****
15513             FROM kna1
15514             CONNECTION (l_v_conn)
15515             INTO l_v_bcust_cross
15516             BYPASSING BUFFER
15517             WHERE /ccc/gedatnr IN l_r_ww
214_cross ORDER BY PRIMARY KEY.
15518             * End of Quick Fix
15519
15520             ENDSELECT.
15521             IF sy-subrc IS NOT INITIAL.
15522                 CLEAR: l_v_bcust_cross.
15523             * Populate message if no dealer found for Bottler acc. code
15524             l_v_nodeal = abap_true.
15525             ENDIF.
15526             ENDIF.
15527             ELSE.
15528                 READ TABLE l_r_kndnr_cross INTO
l_wa_kndnr INDEX 1.

```

[illegible]

e2jp>-artnr

15571		BINARY SEARCH.
15572		IF sy-subrc IS NOT INITIAL.
15573		l_wa_copa-gjahr = <l_fs_ce2jp>-gjah
15574	r.	l_wa_copa-kndnr = <l_fs_ce2jp>-kndn
15575	r.	l_wa_copa-artnr = <l_fs_ce2jp>-artn
15576	r.	l_wa_copa-fkart = <l_fs_ce2jp>-fkar
15577	t.	l_wa_copa-bukrs = <l_fs_ce2jp>-bukr
15578	s.	l_wa_copa-werks = <l_fs_ce2jp>-werk
15579	s.	l_wa_copa-vkorg = <l_fs_ce2jp>-vkor
15580	g.	l_wa_copa-vtweg = <l_fs_ce2jp>-vtwe
15581	g.	l_wa_copa-spart = <l_fs_ce2jp>-spar
15582	t.	l_wa_copa-prctr = <l_fs_ce2jp>-prctr
15583	.	l_wa_copa-kunwe = <l_fs_ce2jp>-kunwe
15584	.	l_wa_copa-kmvkbu = <l_fs_ce2jp>-kmv
15585	kbu.	l_wa_copa-ww224 = <l_fs_ce2jp>-ww224
15586	.	l_wa_copa-ww225 = <l_fs_ce2jp>-ww225
15587	.	l_wa_copa-ww226 = <l_fs_ce2jp>-ww225
15588	.	l_wa_copa-ww227 = <l_fs_ce2jp>-ww227
15589	.	l_wa_copa-absmg_me = <l_fs_ce2jp>-a
15590	bsmg_me.	l_wa_copa-vv980_me = <l_fs_ce2jp>-v
15591	v980_me.	l_wa_copa-vv981_me = <l_fs_ce2jp>-v
15592	v981_me.	l_wa_copa-vv982_me = <l_fs_ce2jp>-v
15593	v982_me.	l_wa_copa-vv983_me = <l_fs_ce2jp>-v
15594	v983_me.	l_wa_copa-absmg = <l_fs_ce2jp>-absm
15595	g.	l_wa_copa-erlos = <l_fs_ce2jp>-erlo
15596	s.	l_wa_copa-vv506 = <l_fs_ce2jp>-vv506
15597	.	l_wa_copa-vv507 = <l_fs_ce2jp>-vv507
15598	.	l_wa_copa-vv980 = <l_fs_ce2jp>-vv98
15599	0.	l_wa_copa-vv981 = <l_fs_ce2jp>-vv98
15600	1.	l_wa_copa-vv982 = <l_fs_ce2jp>-vv98
15601	2.	l_wa_copa-vv983 = <l_fs_ce2jp>-vv98
	3.	

```

15602             COLLECT l_wa_copa INTO l_i_copa.
15603             CLEAR: l_wa_copa.
15604             ENDIF.
15605             ENDLLOOP.
15606             IF <l_fs_ce2jp> IS ASSIGNED.
15607                 UNASSIGN: <l_fs_ce2jp>.
15608             ENDIF.
15609             ENDLIF.
15610             CLEAR: l_v_absmg, l_v_pertot.
15611 * Subtotal logic
15612             IF l_i_copa IS NOT INITIAL.
15613                 SORT l_i_copa BY ww228 ww229 kindnr artnr
15614                 .
15615                 LOOP AT l_i_copa ASSIGNING <l_fs_copa>.
15616                     "#EC CI_NESTED
15617                     l_wa_copa-ww228 = <l_fs_copa>-ww228.
15618                     l_wa_copa-ww229 = <l_fs_copa>-ww229.
15619                     l_wa_copa-gjahr = <l_fs_copa>-gjahr.
15620                     l_wa_copa-perde = <l_fs_copa>-perde.
15621                     l_wa_copa-kindnr = <l_fs_copa>-kindnr.
15622                     l_wa_copa-artnr = <l_fs_copa>-artnr.
15623                     l_wa_copa-fkart = <l_fs_copa>-fkart.
15624                     l_wa_copa-bukrs = <l_fs_copa>-bukrs.
15625                     l_wa_copa-werks = <l_fs_copa>-werks.
15626                     l_wa_copa-vkorg = <l_fs_copa>-vkorg.
15627                     l_wa_copa-vtweg = <l_fs_copa>-vtweg.
15628                     l_wa_copa-spart = <l_fs_copa>-spart.
15629                     l_wa_copa-prctr = <l_fs_copa>-prctr.
15630                     l_wa_copa-kunwe = <l_fs_copa>-kunwe.
15631                     l_wa_copa-kmvkbu = <l_fs_copa>-kmvkbu
15632                     .
15633                     l_wa_copa-ww224 = <l_fs_copa>-ww224.
15634                     l_wa_copa-ww225 = <l_fs_copa>-ww225.
15635                     l_wa_copa-ww226 = <l_fs_copa>-ww226.
15636                     l_wa_copa-ww227 = <l_fs_copa>-ww227.
15637                     l_wa_copa-absmg_me = <l_fs_copa>-absm
15638                     g_me.
15639                     l_wa_copa-vv980_me = <l_fs_copa>-vv98
15640                     0_me.
15641                     l_wa_copa-vv981_me = <l_fs_copa>-vv98
15642                     1_me.
15643                     l_wa_copa-vv982_me = <l_fs_copa>-vv98
15644                     2_me.
15645                     l_wa_copa-vv983_me = <l_fs_copa>-vv98
15646                     3_me.
15647                     l_wa_copa-absmg = l_wa_copa-absmg + <l
15648                     _fs_copa>-absmg.
15649                     l_wa_copa-erlos = l_wa_copa-erlos + <
15650                     l_fs_copa>-erlos.
15651                     l_wa_copa-vv506 = l_wa_copa-vv506 + <l
15652                     _fs_copa>-vv506.
15653                     l_wa_copa-vv507 = l_wa_copa-vv507 + <l
15654                     _fs_copa>-vv507.
15655                     l_wa_copa-vv980 = l_wa_copa-vv980 + <l
15656                     _fs_copa>-vv980.
15657                     l_wa_copa-vv981 = l_wa_copa-vv981 + <l
15658                     _fs_copa>-vv981.
15659                     l_wa_copa-vv982 = l_wa_copa-vv982 + <l
15660                     _fs_copa>-vv982.
15661                     l_wa_copa-vv983 = l_wa_copa-vv983 + <l
15662                     _fs_copa>-vv983.

```

```

15647          l_v_absmsg = l_v_absmsg + <l_fs_copa>-vv
15648          980.
15649          l_v_pertot = l_v_pertot + <l_fs_copa>-
15650          vv506.
15651          AT END OF artnr.
15652          APPEND l_wa_copa TO l_i_tcopa.
15653          CLEAR: l_wa_copa.
15654          ENDAT.
15655          ENDLOOP.
15656          IF <l_fs_copa> IS ASSIGNED.
15657          UNASSIGN: <l_fs_copa>.
15658          ENDIF.
15659          FREE: l_i_copa[].
15660          IF l_i_tcopa[] IS NOT INITIAL.
15661          SORT l_i_tcopa BY ww228 ww229 kindnr artn
15662          r.
15663          LOOP AT l_i_tcopa ASSIGNING <l_fs_copa>.
15664          IF <l_fs_copa>-vv506 IS NOT INITIAL.
15665          CLEAR: l_v_skip.
15666          IF rb_sale IS INITIAL.
15667          CLEAR: l_v_camnt, l_v_round.
15668          IF l_v_pertot IS NOT INITIAL.
15669          l_v_camnt = ( <l_fs_copa>-vv506
15670          /
15671          l_v_pertot ) * l_v_c
15672          oamnt.
15673          ENDIF.
15674          CONDENSE l_v_camnt.
15675          l_v_round = l_v_camnt.
15676          CALL FUNCTION 'J_1I6_ROUND_TO_NEAR
15677          EST_AMT'
15678          EXPORTING
15679          i_amount = l_v_round
15680          IMPORTING
15681          e_amount = l_v_round.
15682          IF l_v_round IS INITIAL.
15683          l_v_skip = abap_true.
15684          ENDIF.
15685          ENDIF.
15686          IF l_v_skip IS INITIAL.
15687          l_v_cnt = l_v_cnt + 1.
15688          l_wa_data-record_id = l_v_cnt.
15689          IF rb_sale IS NOT INITIAL.
15690          l_wa_data-fieldname = c_curty.
15691          l_wa_data-value = c_curval.
15692          READ TABLE l_i_selc
15693          WITH KEY fieldname =
15694          c_curty
15695          TRANSPORTING NO FIEL
15696          DS.
15697          IF sy-subrc NE 0.
15698          l_wa_selc-fieldname = c_curty.
15699          l_wa_selc-sign = c_i.
15700          l_wa_selc-option = c_eq.
15701          l_wa_selc-low = c_curval.

```

```

15699             APPEND l_wa_selc TO l_i_selc.
15700             CLEAR: l_wa_selc.
15701         ENDIF.
15702         l_wa_data-currency = <l_fs_dhdr>
-waers.
15703             APPEND l_wa_data TO l_i_cdata.
15704             READ TABLE l_i_fname ASSIGNING <
l_fs_fname>
15705                 WITH KEY fieldname =
c_curty.
15706             IF sy-subrc NE 0.
15707                 APPEND l_wa_data-fieldname TO
l_i_fname.
15708             ENDIF.
15709             CLEAR: l_wa_data-fieldname, l_wa
_data-value.
15710         ENDIF.
15711         *          Fill Record type
15712             l_wa_data-fieldname = c_recty.
15713             IF rb_sale IS INITIAL.
15714                 l_wa_data-value = c_srecval.
15715             ELSE.
15716                 l_wa_data-value = c_salval.
15717                 READ TABLE l_i_selc
15718                     WITH KEY fieldname =
c_recty
15719                     TRANSPORTING NO FIEL
DS.
15720             IF sy-subrc NE 0.
15721                 l_wa_selc-fieldname = c_recty.
15722                 l_wa_selc-sign = c_i.
15723                 l_wa_selc-option = c_eq.
15724                 l_wa_selc-low = c_salval.
15725                 APPEND l_wa_selc TO l_i_selc.
15726                 CLEAR: l_wa_selc.
15727             ENDIF.
15728         ENDIF.
15729         l_wa_data-currency = <l_fs_dhdr>-w
aers.
15730             APPEND l_wa_data TO l_i_cdata.
15731             READ TABLE l_i_fname ASSIGNING <l_
fs_fname>
15732                 WITH KEY fieldname = c
_recty.
15733             IF sy-subrc NE 0.
15734                 APPEND l_wa_data-fieldname TO l_
i_fname.
15735             ENDIF.
15736             CLEAR: l_wa_data-fieldname, l_wa_d
ata-value.
15737         *          Fill Version
15738             l_wa_data-fieldname = c_versi.
15739             l_wa_data-value = c_verval.
15740             l_wa_data-currency = <l_fs_dhdr>
-waers.
15741             APPEND l_wa_data TO l_i_cdata.
15742             READ TABLE l_i_selc
15743                 WITH KEY fieldname =
c_versi
15744             TRANSPORTING NO FIEL

```

```

DS.
15746 IF sy-subrc NE 0.
15747     l_wa_selc-fieldname = c_versi.
15748     l_wa_selc-sign = c_i.
15749     l_wa_selc-option = c_eq.
15750     l_wa_selc-low = c_verval.
15751     APPEND l_wa_selc TO l_i_selc.
15752     CLEAR: l_wa_selc.
15753 ENDIF.
15754 READ TABLE l_i_fname ASSIGNING <
    l_fs_fname>
    WITH KEY fieldname =
        c_versi.
15756 IF sy-subrc NE 0.
15757     APPEND l_wa_data-fieldname TO
        l_i_fname.
15758 ENDIF.
15759 CLEAR: l_wa_data-fieldname, l_wa
    _data-value.
15760 *      Fill PERIO
15761
15762     l_wa_data-fieldname = c_perio.
15763     CLEAR: l_v_per.
15764     CONCATENATE p_gjahr c_zero p_mon
    at
        INTO l_v_per.
15765     l_wa_data-value = l_v_per.
15766     l_wa_data-currency = <l_fs_dhdr>
    -waers.
15767 APPEND l_wa_data TO l_i_cdata.
15768 READ TABLE l_i_selc
15769     WITH KEY fieldname =
        c_perio
        TRANSPORTING NO FIEL
DS.
15771 IF sy-subrc NE 0.
15772     l_wa_selc-fieldname = c_perio.
15773     l_wa_selc-sign = c_i.
15774     l_wa_selc-option = c_eq.
15775     l_wa_selc-low = l_v_per.
15776     APPEND l_wa_selc TO l_i_selc.
15777     CLEAR: l_wa_selc.
15778 ENDIF.
15779 READ TABLE l_i_fname ASSIGNING <
    l_fs_fname>
    WITH KEY fieldname =
        c_perio.
15781 IF sy-subrc NE 0.
15782     APPEND l_wa_data-fieldname TO
        l_i_fname.
15783 ENDIF.
15784 CLEAR: l_wa_data-fieldname, l_wa
    _data-value.
15785 *      Fill Posting date
15786
15787     IF rb_sale IS INITIAL.
15788         l_wa_data-fieldname = c_budat.
15789         IF p_budat IS INITIAL.
15790             l_wa_data-value = v_last.
15791         ELSE.
15792             l_wa_data-value = p_budat.
15793         ENDIF.

```

```
15794                                l_wa_data-currency = <l_fs_dhdr>
-waers.
15795                                APPEND l_wa_data TO l_i_cdata.
15796                                READ TABLE l_i_fname ASSIGNING <
l_fs_fname>
15797                                WITH KEY fieldname =
c_budat.
15798                                IF sy-subrc NE 0.
15799                                APPEND l_wa_data-fieldname TO
l_i_fname.
15800                                ENDIF.
15801                                CLEAR: l_wa_data-fieldname, l_wa
_data-value.
15802                                ENDIF.
15803                                *          Fill Customer
15804                                IF rb_sale IS NOT INITIAL.
15805                                l_wa_selc-fieldname = c_kndnr.
15806                                l_wa_selc-sign = c_i.
15807                                l_wa_selc-option = c_eq.
15808                                l_wa_selc-low = <l_fs_copa>-kndn
r.
15809                                APPEND l_wa_selc TO l_i_selc.
15810                                CLEAR: l_wa_selc.
15811                                ENDIF.
15812                                l_wa_data-fieldname = c_kndnr.
15813                                l_wa_data-value = <l_fs_copa>-kndn
r.
15814                                l_wa_data-currency = <l_fs_dhdr>-w
aers.
15815                                APPEND l_wa_data TO l_i_cdata.
15816                                READ TABLE l_i_fname ASSIGNING <l_
fs_fname>
15817                                WITH KEY fieldname = c
_kndnr.
15818                                IF sy-subrc NE 0.
15819                                APPEND l_wa_data-fieldname TO l_
i_fname.
15820                                ENDIF.
15821                                CLEAR: l_wa_data-fieldname, l_wa_d
ata-value.
15822                                *          Fill Material
15823                                IF rb_sale IS NOT INITIAL.
15824                                l_wa_selc-fieldname = c_artnr.
15825                                l_wa_selc-sign = c_i.
15826                                l_wa_selc-option = c_eq.
15827                                l_wa_selc-low = <l_fs_copa>-artn
r.
15828                                APPEND l_wa_selc TO l_i_selc.
15829                                CLEAR: l_wa_selc.
15830                                ENDIF.
15831                                l_wa_data-fieldname = c_artnr.
15832                                l_wa_data-value = <l_fs_copa>-artn
r.
15833                                l_wa_data-currency = <l_fs_dhdr>-w
aers.
15834                                APPEND l_wa_data TO l_i_cdata.
15835                                READ TABLE l_i_fname ASSIGNING <l_
fs_fname>
15836                                WITH KEY fieldname = c
_artnr.
15837                                IF sy-subrc NE 0.
```



```

15838                                APPEND l_wa_data-fieldname TO l_
15839                                i_fname.
15840                                ENDIF.
15841                                CLEAR: l_wa_data-fieldname, l_wa_d
15842                                ata-value.
15843                                *          Fill Sender cost center
15844                                IF rb_sale IS INITIAL.
15845                                l_wa_data-fieldname = c_skost.
15846                                "Begin of changes for defect 900
15847                                l_wa_data-value =
15848                                <l_fs_dhdr>-main_k
15849                                IF <l_fs_ditem>-bukrs EQ <l_fs_d
15850                                l_wa_data-value =
15851                                <l_fs_dhdr>-main_kost
15852                                ELSE.
15853                                l_wa_data-value =
15854                                <l_fs_dhdr>-sub_kostl.
15855                                ENDIF.
15856                                "End of changes for defect 90000
15857                                15750      MOD-023
15858                                l_wa_data-currency = <l_fs_dhdr>
15859                                -waers.
15860                                APPEND l_wa_data TO l_i_cdata.
15861                                READ TABLE l_i_fname ASSIGNING <
15862                                WITH KEY fieldname =
15863                                c_skost.
15864                                IF sy-subrc NE 0.
15865                                APPEND l_wa_data-fieldname TO
15866                                ENDIF.
15867                                CLEAR: l_wa_data-fieldname, l_wa
15868                                _data-value.
15869                                ENDIF.
15870                                *          Fill bukrs
15871                                IF rb_sale IS NOT INITIAL.
15872                                READ TABLE l_i_selc
15873                                WITH KEY fieldname
15874                                = c_bukrs
15875                                TRANSPORTING NO FI
15876                                ELDS.
15877                                IF sy-subrc NE 0.
15878                                l_wa_selc-fieldname = c_bukrs.
15879                                l_wa_selc-sign = c_i.
15880                                l_wa_selc-option = c_eq.
15881                                *          l_wa_selc-low = p_bukrs. "++MOD
15882                                -004
15883                                l_wa_selc-low = <l_fs_ditem>-b
15884                                APPEND l_wa_selc TO l_i_selc.
15885                                CLEAR: l_wa_selc.
15886                                ENDIF.
15887                                ENDIF.
15888                                l_wa_data-fieldname = c_bukrs.
15889                                *          l_wa_data-value = p_bukrs. "—MOD-0

```

```

04
15883      l_wa_data-value = <l_fs_ditem>-buk
rs. "++MOD-004
15884      l_wa_data-currency = <l_fs_dhdr>-w
aers.
15885      APPEND l_wa_data TO l_i_cdata.
15886      READ TABLE l_i_fname ASSIGNING <l_
fs_fname>
15887      WITH KEY fieldname = c
_bukrs.
15888      IF sy-subrc NE 0.
15889          APPEND l_wa_data-fieldname TO l_
i_fname.
15890      ENDIF.
15891      CLEAR: l_wa_data-fieldname, l_wa_d
ata-value.
15892      *      Fill Plant
15893
15894      IF rb_sale IS NOT INITIAL.
15895          l_wa_selc-fieldname = c_werks.
15896          l_wa_selc-sign = c_i.
15897          l_wa_selc-option = c_eq.
15898          l_wa_selc-low = <l_fs_copa>-werk
s.
15899          APPEND l_wa_selc TO l_i_selc.
15900          CLEAR: l_wa_selc.
15901      ENDIF.
15902      l_wa_data-fieldname = c_werks.
15903      l_wa_data-value = <l_fs_copa>-werk
s.
15904      l_wa_data-currency = <l_fs_dhdr>-w
aers.
15905      APPEND l_wa_data TO l_i_cdata.
15906      READ TABLE l_i_fname ASSIGNING <l_
fs_fname>
15907      WITH KEY fieldname = c
_werks.
15908      IF sy-subrc NE 0.
15909          APPEND l_wa_data-fieldname TO l_
i_fname.
15910      ENDIF.
15911      CLEAR: l_wa_data-fieldname, l_wa_d
ata-value.
15912      *      Fill sales org
15913
15914      IF rb_sale IS NOT INITIAL.
15915          READ TABLE l_i_selc
          WITH KEY fieldname
          = c_vkorg
          TRANSPORTING NO FI
ELDS.
15916      IF sy-subrc NE 0.
15917          l_wa_selc-fieldname = c_vkorg.
15918          l_wa_selc-sign = c_i.
15919          l_wa_selc-option = c_eq.
15920          *      l_wa_selc-low = <l_fs_kona>-v
korg. "—MOD-004
15921          l_wa_selc-low = <l_fs_copa>-vk
org. "++MOD-004
15922          APPEND l_wa_selc TO l_i_selc.
15923          CLEAR: l_wa_selc.
15924      ENDIF.
15925      ENDIF.

```

```

15926                                     l_wa_data-fieldname = c_vkorg.
15927 *                                     l_wa_data-value = <l_fs_kona>-vko
rg."—MOD-004
15928                                     l_wa_data-value = <l_fs_copa>-vkor
g. "++MOD-004
15929                                     l_wa_data-currency = <l_fs_dhdr>-w
aers.
15930 APPEND l_wa_data TO l_i_cdata.
15931 READ TABLE l_i_fname ASSIGNING <l_
fs_fname>
15932                                     WITH KEY fieldname = c
_vkorg.
15933 IF sy-subrc NE 0.
15934     APPEND l_wa_data-fieldname TO l_
i_fname.
15935 ENDIF.
15936 CLEAR: l_wa_data-fieldname, l_wa_d
ata-value.
15937 *      Fill distribution
15938
15939 IF rb_sale IS NOT INITIAL.
15940     READ TABLE l_i_selc
15941         WITH KEY fieldname
15942             TRANSPORTING NO FI
15943
15944     IF sy-subrc NE 0.
15945         l_wa_selc-fieldname = c_vtweg.
15946         l_wa_selc-sign = c_i.
15947         l_wa_selc-option = c_eq.
15948         l_wa_selc-low = <l_fs_kona>-vt
weg.
15949
15950         APPEND l_wa_selc TO l_i_selc.
15951         CLEAR: l_wa_selc.
15952     ENDIF.
15953 ENDIF.
15954 l_wa_data-fieldname = c_vtweg.
15955 l_wa_data-value = <l_fs_kona>-vtwe
g.
15956 l_wa_data-currency = <l_fs_dhdr>-w
aers.
15957 APPEND l_wa_data TO l_i_cdata.
15958 READ TABLE l_i_fname ASSIGNING <l_
fs_fname>
15959                                     WITH KEY fieldname = c
_vtweg.
15960 IF sy-subrc NE 0.
15961     APPEND l_wa_data-fieldname TO l_
i_fname.
15962 ENDIF.
15963 CLEAR: l_wa_data-fieldname, l_wa_d
ata-value.
15964 *      Fill division
15965
15966 IF rb_sale IS NOT INITIAL.
15967     READ TABLE l_i_selc
15968         WITH KEY fieldname
15969             TRANSPORTING NO FI
15970
15971     IF sy-subrc NE 0.
15972         l_wa_selc-fieldname = c_spart.
15973         l_wa_selc-sign = c_i.

```

```

15969                                     l_wa_selc-option = c_eq.
15970                                     l_wa_selc-low = <l_fs_kona>-sp
art.
15971                                     APPEND l_wa_selc TO l_i_selc.
15972                                     CLEAR: l_wa_selc.
15973                                     ENDIF.
15974                                     ENDIF.
15975                                     l_wa_data-fieldname = c_spart.
15976                                     l_wa_data-value = <l_fs_kona>-spar
t.
15977                                     l_wa_data-currency = <l_fs_dhdr>-w
aers.
15978                                     APPEND l_wa_data TO l_i_cdata.
15979                                     READ TABLE l_i_fname ASSIGNING <l_
fs_fname>
15980                                     WITH KEY fieldname = c
_spart.
15981                                     IF sy-subrc NE 0.
15982                                     APPEND l_wa_data-fieldname TO l_
i_fname.
15983                                     ENDIF.
15984                                     CLEAR: l_wa_data-fieldname, l_wa_d
ata-value.
15985                                     *      Fill cost element
15986                                     *
15987                                     IF rb_sale IS INITIAL.
15988                                     l_wa_data-fieldname = c_kstar.
15989                                     l_wa_data-value = v_dbgl.
15990                                     l_wa_data-currency = <l_fs_dhdr>
-waers.
15991                                     APPEND l_wa_data TO l_i_cdata.
15992                                     READ TABLE l_i_fname ASSIGNING <
l_fs_fname>
15993                                     WITH KEY fieldname =
c_kstar.
15994                                     IF sy-subrc NE 0.
15995                                     APPEND l_wa_data-fieldname TO
l_i_fname.
15996                                     ENDIF.
15997                                     CLEAR: l_wa_data-fieldname, l_wa
_data-value.
15998                                     ENDIF.
15999
16000                                     IF rb_sale IS INITIAL.
16001                                     *      Reference document number
16002                                     *
16003                                     l_wa_data-fieldname = c_rbeln.
16004                                     l_wa_data-value = l_v_sdoc.
16005                                     l_wa_data-currency = <l_fs_dhdr>
-waers.
16006                                     APPEND l_wa_data TO l_i_cdata.
16007                                     READ TABLE l_i_fname ASSIGNING <
l_fs_fname>
16008                                     WITH KEY fieldname =
c_rbeln.
16009                                     IF sy-subrc NE 0.
16010                                     APPEND l_wa_data-fieldname TO
l_i_fname.
16011                                     ENDIF.
16012                                     CLEAR: l_wa_data-fieldname, l_wa
_data-value.
*      Item number from reference document

```

```

16013                                     l_wa_data-fieldname = c_rposn.
16014                                     l_wa_data-value = <l_fs_ditem>-t
posn.
16015                                     l_wa_data-currency = <l_fs_dhdr>
-waers.
16016                                     APPEND l_wa_data TO l_i_cdata.
16017                                     READ TABLE l_i_fname ASSIGNING <
l_fs_fname>
16018                                     WITH KEY fieldname =
c_rposn.
16019                                     IF sy-subrc NE 0.
16020                                     APPEND l_wa_data-fieldname TO
l_i_fname.
16021                                     ENDIF.
16022                                     CLEAR: l_wa_data-fieldname, l_wa
_data-value.
16023                                     ENDIF.
16024 *          Fill Ship to
16025                                     IF rb_sale IS NOT INITIAL.
16026                                     l_wa_selc-fieldname = c_kunwe.
16027                                     l_wa_selc-sign = c_i.
16028                                     l_wa_selc-option = c_eq.
16029                                     l_wa_selc-low = <l_fs_copa>-kunw
e.
16030                                     APPEND l_wa_selc TO l_i_selc.
16031                                     CLEAR: l_wa_selc.
16032                                     ENDIF.
16033                                     l_wa_data-fieldname = c_kunwe.
16034                                     l_wa_data-value = <l_fs_copa>-kunw
e.
16035                                     l_wa_data-currency = <l_fs_dhdr>-w
aers.
16036                                     APPEND l_wa_data TO l_i_cdata.
16037                                     READ TABLE l_i_fname ASSIGNING <l_
fs_fname>
16038                                     WITH KEY fieldname = c
_kunwe.
16039                                     IF sy-subrc NE 0.
16040                                     APPEND l_wa_data-fieldname TO l_
i_fname.
16041                                     ENDIF.
16042                                     CLEAR: l_wa_data-fieldname, l_wa_d
ata-value.
16043 *          Fill Sales Office
16044                                     IF rb_sale IS NOT INITIAL.
16045                                     READ TABLE l_i_selc
16046                                     WITH KEY fieldname
= c_kmvkbu
16047                                     TRANSPORTING NO FI
ELDS.
16048                                     IF sy-subrc NE 0.
16049                                     l_wa_selc-fieldname = c_kmvkbu
.
16050                                     l_wa_selc-sign = c_i.
16051                                     l_wa_selc-option = c_eq.
16052                                     l_wa_selc-low = <l_fs_kona>-vk
bur.
16053                                     APPEND l_wa_selc TO l_i_selc.
16054                                     CLEAR: l_wa_selc.
16055                                     ENDIF.
16056                                     ENDIF.

```

```

16057                                     l_wa_data-fieldname = c_kmvkbu.
16058                                     l_wa_data-value = <l_fs_kona>-vkbu
16059 r.
16059                                     l_wa_data-currency = <l_fs_dhdr>-w
16060 aers.
16060 APPEND l_wa_data TO l_i_cdata.
16061 fs_fname> READ TABLE l_i_fname ASSIGNING <l_
16062                                     WITH KEY fieldname = c
16063                                     _kmvkbu.
16063 IF sy-subrc NE 0.
16064 APPEND l_wa_data-fieldname TO l_
16065 i_fname.
16065 ENDIF.
16066 CLEAR: l_wa_data-fieldname, l_wa_d
16067 ata-value.
16067 * Fill Usage Code
16067                                     l_wa_data-fieldname = c_cusage.
16069 CONCATENATE c_ptax v_mwskz
16070 INTO l_wa_data-value.
16071 l_wa_data-currency = <l_fs_dhdr>-w
16072 aers.
16073 APPEND l_wa_data TO l_i_cdata.
16074 IF rb_sale IS NOT INITIAL.
16075 READ TABLE l_i_selc
16076 WITH KEY fieldname =
16077                                     TRANSPORTING NO FIEL
16078 IF sy-subrc NE 0.
16079 l_wa_selc-fieldname = c_cusage
16080 .
16080 l_wa_selc-sign = c_i.
16081 l_wa_selc-option = c_eq.
16082 l_wa_selc-low = l_wa_data-valu
16083 e.
16083 APPEND l_wa_selc TO l_i_selc.
16084 CLEAR: l_wa_selc.
16085 ENDIF.
16086 ENDIF.
16087 READ TABLE l_i_fname ASSIGNING <l_
16088                                     WITH KEY fieldname = c
16089                                     _cusage.
16089 IF sy-subrc NE 0.
16090 APPEND l_wa_data-fieldname TO l_
16091 i_fname.
16091 ENDIF.
16092 CLEAR: l_wa_data-fieldname, l_wa_d
16093 ata-value.
16093 * Fill Agreement
16093 IF rb_sale IS NOT INITIAL.
16095 READ TABLE l_i_selc
16096 WITH KEY fieldname
16097 = c_ww228
16098                                     TRANSPORTING NO FI
16099 ELDS.
16099 IF sy-subrc NE 0.
16100 l_wa_selc-fieldname = c_ww228.

```



```

16147                                     READ TABLE l_i_selc
16148                                     WITH KEY fieldname
      = c_kokrs
16149                                     TRANSPORTING NO FI
      ELDS.
16150                                     IF sy-subrc NE 0.
16151                                         l_wa_selc-fieldname = c_kokrs.
16152                                         l_wa_selc-sign = c_i.
16153                                         l_wa_selc-option = c_eq.
16154                                         l_wa_selc-low = c_erkrs.
16155                                         APPEND l_wa_selc TO l_i_selc.
16156                                         CLEAR: l_wa_selc.
16157                                     ENDIF.
16158     ENDIF.
16159     l_wa_data-fieldname = c_kokrs.
16160     l_wa_data-value = c_erkrs.
16161     l_wa_data-currency = <l_fs_dhdr>-w
      aers.
16162     APPEND l_wa_data TO l_i_cdata.
16163     READ TABLE l_i_fname ASSIGNING <l_
      fs_fname>
16164                                     WITH KEY fieldname = c
      _kokrs.
16165     IF sy-subrc NE 0.
16166         APPEND l_wa_data-fieldname TO l_
      i_fname.
16167     ENDIF.
16168     CLEAR: l_wa_data-fieldname, l_wa_d
      ata-value.
16169     * Value field
16170
16171     MOD-006
16172     *                                     CLEAR: l_v_camnt, l_v_round
      , l_wa_tdata,
16173     *                                     l_v_tax, l_v_taxco.
16174     CLEAR: l_wa_tdata, l_v_tax, l_v_t
      axco.
16175     "End of changes by S204711
      MOD-006
16176     l_wa_data-fieldname = l_v_vfield
16177     l_wa_tdata-record_id = l_wa_data
      -record_id.
16178     l_wa_tdata-fieldname = c_vv605.
16179     l_wa_data-value = l_v_round.
16180     CONDENSE l_wa_data-value.
16181     l_v_taxco = l_wa_data-value.
16182     l_v_comp = l_v_comp + l_v_taxco.
      "++MOD-026
16183     PERFORM f_cal_ctax USING <l_fs_d
      hdr>
16184     *                                     l_v_ta
      xco "—MOD-026
16185                                     CHANGING l_v_
      tax
16186                                     l_v_t
      axco. "++MOD-026
16187     l_wa_tdata-value = l_v_tax.
16188     l_v_stax = l_v_stax + l_v_tax.
16189     *     l_v_comp = l_v_comp + l_v_taxco

```



```

. "—MOD-026
16190
16191 l_wa_tdata-currency = <l_fs_dhdr
>-waers.
16192 APPEND l_wa_tdata TO l_i_cdata.
16193 READ TABLE l_i_fname ASSIGNING <
l_fs_fname>
16194 WITH KEY fieldname =
c_vv605.
16195 IF sy-subrc NE 0.
16196 APPEND l_wa_tdata-fieldname TO
l_i_fname.
16197 ENDIF.
16198 CLEAR: l_wa_tdata.
16199 l_wa_data-currency = <l_fs_dhdr>
-waers.
16200 APPEND l_wa_data TO l_i_cdata.
16201 READ TABLE l_i_fname ASSIGNING <
l_fs_fname>
16202 WITH KEY fieldname
= l_v_vfield.
16203 IF sy-subrc NE 0.
16204 APPEND l_wa_data-fieldname TO
l_i_fname.
16205 ENDIF.
16206 CLEAR: l_wa_data-fieldname, l_wa
_data-value.
16207 ELSE.
16208 "Value field VV506
16209 l_wa_data-fieldname = c_vv506.
16210 l_wa_data-value = <l_fs_copa>-vv
506
* 100.
16211 l_wa_data-currency = <l_fs_dhdr>
-waers.
16212 APPEND l_wa_data TO l_i_cdata.
16213 READ TABLE l_i_fname ASSIGNING <
l_fs_fname>
16214 WITH KEY fieldname =
c_vv506.
16215 IF sy-subrc NE 0.
16216 APPEND l_wa_data-fieldname TO
l_i_fname.
16217 ENDIF.
16218 ENDIF.
16219 ENDIF. "+MOD-006
16220 ENDIF. "++MOD-006
16221 ENDLOOP.
16222 FREE: l_i_tcopa[]. "++MOD-006
16223 IF rb_sale IS INITIAL.
16224 * IF l_wa_sfimal-amnt <> l_v_comp.
16225 IF l_v_coamnt <> l_v_comp.
16226 CLEAR: l_v_adjst.
16227 l_v_adjst = l_v_coamnt - l_v_comp.
16228 READ TABLE l_i_cdata ASSIGNING <l_fs
_data>
16229 WITH KEY fieldname = l_v_
vfield.
16230 IF sy-subrc IS INITIAL.
16231 <l_fs_data>-value = <l_fs_data>-va

```

```

lue + l_v_adjst.
16234
16235
16236 *
16237 *
16238 *
16239
16240 * Begin of changes by S204711
16241
16242
16243
16244 * End of changes by S204711
16245
16246
16247
16248
16249 *
16250
16251
16252 * Tax Difference Adjustment logic
16253
16254
16255 line.
16256
16257 _data>
16258
16259 lue +
16260
16261
16262
16263
16264
16265
16266
16267
16268
16269
16270
16271
16272
16273
16274
16275 ame.
16276
16277
16278
16279
16280
16281
16282
16283
16284
16285
16286
16287
16288

ENDIF.
l_v_comp = l_v_comp + l_v_adjst.
    IF l_v_coamnt = l_v_comp.
        l_v_lstop = abap_true.
    ENDIF.
ENDIF.
MOD-004
IF l_v_coamnt = l_v_comp.
    l_v_lstop = abap_true.
ENDIF.
MOD-004
IF <l_fs_data> IS ASSIGNED.
    UNASSIGN: <l_fs_data>.
ENDIF.
CLEAR: l_v_comp, l_v_adjst.
    IF l_v_ftax <> l_v_stax.
IF l_v_cotax <> l_v_stax.
        l_v_adjst = l_v_cotax - l_v_stax.
    CLEAR: l_v_cline.
    DESCRIBE TABLE l_i_cdata LINES l_v_c
        l_v_cline = l_v_cline - 1.
    READ TABLE l_i_cdata ASSIGNING <l_fs
        INDEX l_v_cline
    IF sy-subrc IS INITIAL.
        <l_fs_data>-value = <l_fs_data>-va
            l_v_adjst.
    ENDIF.
ENDIF.
CLEAR: l_v_cline, l_v_adjst,
        l_v_stax. "++MOD-004
IF <l_fs_data> IS ASSIGNED.
    UNASSIGN: <l_fs_data>.
ENDIF.
ENDIF.
CLEAR: v_eflag.
IF l_i_cdata[] IS NOT INITIAL.
    IF l_i_fname[] IS NOT INITIAL.
        SORT l_i_fname.
        DELETE ADJACENT DUPLICATES FROM l_i_fn
    ENDIF.
ENDIF.
IF rb_sale IS INITIAL.
    PERFORM f_post_copa USING l_i_cdata
                            l_i_fname
                            CHANGING l_v_message.
IF l_v_message IS INITIAL.
    IF rb_test IS NOT INITIAL.
        l_v_message = text-023.
    ELSE.
        l_v_message = text-032.
    ENDIF.
ENDIF.
l_wa_sfinal-msg = l_v_message.

```

```

16289          CLEAR: l_i_cdata[], l_i_fname[],
16290                  l_i_selc[], l_v_cnt.
16291      ELSE.
16292  * Begin of changes by S204711                                MOD
16293  -004
16294          IF l_i_fname[] IS NOT INITIAL.
16295          SORT l_i_fname.
16296          DELETE ADJACENT DUPLICATES FROM l_i_fn
16297  ame.
16298          SORT l_i_selc.
16299          DELETE ADJACENT DUPLICATES FROM l_i_se
16300  lc
16301          COMPARING ALL FIELDS.
16302  * End of changes by S204711                                MOD-0
16303  04
16304          PERFORM f_post_sales USING l_i_cdata
16305                                      l_i_selc
16306                                      l_i_fname
16307                                      CHANGING l_v_message
16308  .
16309          l_wa_sfina-msg = l_v_message.
16310      ENDIF. "++MOD-004
16311      CLEAR: l_i_cdata[], l_i_fname[], l_i_selc
16312  [],
16313          l_v_cnt.
16314      ENDIF.
16315      IF rb_post IS NOT INITIAL.
16316      IF v_eflag IS INITIAL.
16317  * BAPI Commit if there is no error
16318      CALL FUNCTION 'BAPI_TRANSACTION_COMMIT
16319      ,
16320          EXPORTING
16321          wait = abap_true.
16322      CLEAR: l_v_rupd.
16323  * IF l_v_tlines EQ l_v_pindex.
16324      l_v_rupd = abap_true.
16325  * ENDIF.
16326      IF l_v_rupd IS NOT INITIAL.
16327          IF l_v_item IS INITIAL.
16328          l_v_item = l_v_lines + 1.
16329      ELSE.
16330          l_v_item = l_v_item + 1.
16331      ENDIF.
16332          l_wa_ditem-knuma = <l_fs_ditem>-knum
16333  a.
16334          l_wa_ditem-item = l_v_item.
16335          l_wa_ditem-bukrs = <l_fs_ditem>-bukr
16336  s.
16337          l_wa_ditem-sched_dat = l_v_lastd.
16338          l_wa_ditem-vkbur = <l_fs_ditem>-vkbu
16339  r.
16340          l_wa_ditem-cross_typ = <l_fs_ditem>-
16341  cross_typ.
16342          IF l_v_lstop IS NOT INITIAL.
16343          l_wa_ditem-compl = abap_true.
16344      ENDIF.

```

```

16339      l_wa_ditem-act_amnt = l_v_stamnt.
16340      CLEAR: l_v_stamnt.
16341      l_wa_ditem-mwskz = v_mwskz.
16342      IF p_budat IS INITIAL.
16343          l_wa_ditem-budat = v_last.
16344      ELSE.
16345          l_wa_ditem-budat = p_budat.
16346      ENDIF.
16347      * Update custom Table with status
16348      IF rb_sale IS NOT INITIAL.
16349          l_wa_ditem-tran_type = c_sales.'"9
16350      ELSE.
16351          l_wa_ditem-lsa_doc = l_v_sdoc.
16352          l_wa_ditem-tran_type = c_amort.'"0
16353      ENDIF.
16354      l_wa_ditem-zernam = sy-uname.
16355      l_wa_ditem-zersda = sy-datlo.
16356      l_wa_ditem-zerzzt = sy-timlo.
16357      IF l_v_lstop IS NOT INITIAL
16358          AND <l_fs_ditem>-sched_dat GE <l_fs_
16359      kona>-datbi.
16359      * Update Header Table with LSA STOP indicator
16360          "BOC | 10-Mar-2025 | EJX9005197 |
16361      MOD-033
16362          "When the contract period is beyon
16363          d 3 months, mark the contract as completed
16364          CALL FUNCTION 'RP_CALC_DATE_IN_INT
16365          ERVAL '
16366          EXPORTING
16367              date          = <l_fs_kona>-datbi
16368              days          = l_c_days_zero
16369              months        = 03
16370              signum        = l_c_add  " Add day
16371              years         = l_c_year_zero
16372          IMPORTING
16373              calc_date = l_v_date.
16374          IF l_v_date IS NOT INITIAL
16375              AND <l_fs_kona>-datbi+6(2) <> c_
16376              opcon. "++MOD-036
16377              l_v_date = l_v_date - 1.
16378          ENDIF.
16379          IF l_v_perf GE l_v_date+0(6).
16380              "EOC | 10-Mar-2025 | EJX9005197
16381              CLEAR: l_wa_thdr.
16382              l_wa_thdr-knuma = <l_fs_dhdr>-kn
16383              l_wa_thdr-start_date = <l_fs_dhd
16384              l_wa_thdr-compl = abap_true.
16385              l_wa_thdr-lsastop_dat = l_wa_dit
16386              em-budat.
16387              PERFORM f_upd_hstab USING l_wa_th
16388              dr.
16389              CLEAR: l_wa_thdr.
16390          ENDIF. "++ MOD-033
16391          CLEAR l_v_date. "++ MOD-033
16392      ENDIF.

```

```

16387             PERFORM f_upd_tab USING l_wa_ditem.
16388             "Update completion indicator in orig
inal item also
16389             IF l_wa_ditem-tran_type = c_amort.'"
04'-Amort.
16390             CLEAR: l_wa_ditem.
16391             l_wa_ditem-knuma = <l_fs_ditem>-kn
uma.
16392             *           l_wa_ditem-item = <l_fs_ditem>-it
em.
16393             l_wa_ditem-bukrs = <l_fs_ditem>-bu
krs.
16394             l_wa_ditem-tran_type = <l_fs_ditem
>-tran_type.
16395             l_wa_ditem-lsa_doc = <l_fs_ditem>-
lsa_doc.
16396             PERFORM f_upd_tab USING l_wa_ditem
.
16397             CLEAR: l_wa_ditem.
16398             ENDIF.
16399             CLEAR: l_wa_ditem.
16400
16401             ENDIF.
16402             ELSE.
16403             CALL FUNCTION 'BAPI_TRANSACTION_ROLLBA
CK'.
16404             ENDIF.
16405             ENDIF.
16406             IF l_wa_sfina1 IS NOT INITIAL.
16407             APPEND l_wa_sfina1 TO i_sfina1.
16408             ENDIF.
16409             CLEAR: l_wa_sfina1, v_eflag, l_v_message,
16410             l_i_copa[], l_i_tcopa[], l_wa_copa,
16411             l_wa_ditem, l_v_cnt. "l_v_amntc. "-
MOD-019
16412
16413             ENDIF.
16414
16415             ENDLOOP.
16416             CLEAR: l_v_tindex, l_v_famnt.
16417             "BOC | 10-Mar-2025 | EJX9005197 | MOD-033
16418             ELSE.
16419             IF l_v_comp_flag = abap_true.
16420             CLEAR: l_wa_thdr.
16421             l_wa_thdr-knuma = <l_fs_dhdr>-knuma.
16422             l_wa_thdr-start_date = <l_fs_dhdr>-start_dat
e.
16423             l_wa_thdr-compl = abap_true.
16424             l_wa_thdr-lsastop_dat = sy-datlo.
16425             PERFORM f_upd_htab USING l_wa_thdr.
16426             CLEAR l_wa_thdr.
16427             ENDIF.
16428             CLEAR l_v_comp_flag.
16429             "EOC | 10-Mar-2025 | EJX9005197 | MOD-033
16430             ENDIF.
16431             ENDIF.
16432             ENDIF.
16433             ENDIF.
16434             CLEAR: l_v_skip.
16435             ENDDO.
16436             *           ENDIF.

```

```

16437             ENDIF.
16438             ENDIF.
16439             ENDIF.
16440             CLEAR: l_r_knuma, l_v_tlines, v_dbg1, l_v_item,
16441                   v_mwskz, v_mwskz1, l_v_lines, l_v_vfield,
16442                   l_v_tax, l_v_stax.
16443             ELSE.
16444             CLEAR: l_wa_sfinal, l_v_message.
16445             l_wa_sfinal-monat = p_monat.
16446             l_wa_sfinal-gjahr = p_gjahr.
16447             l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
16448             MESSAGE s038 WITH <l_fs_dhdr>-knuma INTO
16449             l_wa_sfinal-msg.
16450             APPEND l_wa_sfinal TO i_sfinal.
16451             CLEAR: l_wa_sfinal.
16452             ENDIF.
16453             ELSE.
16454             CLEAR: l_wa_sfinal, l_v_message.
16455             l_wa_sfinal-monat = p_monat.
16456             l_wa_sfinal-gjahr = p_gjahr.
16457             l_wa_sfinal-knuma = <l_fs_dhdr>-knuma.
16458             CONCATENATE text-039 <l_fs_dhdr>-knuma
16459             INTO l_v_message SEPARATED BY space.
16460             l_wa_sfinal-msg = l_v_message.
16461             APPEND l_wa_sfinal TO i_sfinal.
16462             CLEAR: l_wa_sfinal.
16463             ENDIF.
16464             ENDLOOP.
16465             ENDIF.
16466             ENDFORM.                                " F_PROCESS_SECON
16467
16468             * Begin of change in MOD-024
16469             *&-----*
16470             *&      Form  F_SCREEN_FIELD_ENABLE
16471             *&-----*
16472             *&      text
16473             *&-----*
16474             *&      —>  p1      text
16475             *&      <—  p2      text
16476             *&-----*
16477             FORM f_screen_field_enable .
16478             LOOP AT SCREEN.
16479             IF rb_othr EQ abap_true AND screen-group1 = 'BT'.
16480             screen-input = 0.
16481             screen-invisible = 1.
16482             ENDIF.
16483
16484             IF rb_sale EQ abap_true AND screen-group1 = 'BT'.
16485             IF rb_reg EQ abap_true OR rb_sec EQ abap_true.
16486             screen-input = 0.
16487             screen-invisible = 1.
16488             ELSE.
16489             screen-input = 1.
16490             screen-invisible = 0.
16491             ENDIF.
16492             ENDIF.
16493             MODIFY SCREEN.
16494             ENDLOOP.
16495             ENDFORM.                                " F_SCREEN_FIELD_ENABLE
16496             * End of change in MOD-024
16497

```

```
16498 "BOC | EJX9005197 | MOD-032 | 25-Oct-2024
16499 *&-----*
16500 *&      Form  F_BOTTLER_DUMMY_CHECK
16501 *&-----*
16502 *-----*
16503 FORM f_bottler_dummy_check .
16504
16505     TYPES:      BEGIN OF l_ty_konp,
16506                  knumh TYPE knumh,
16507                  kopos TYPE kopos,
16508                  krech TYPE krech,
16509                  kbetr TYPE kbetr,
16510                  kpein TYPE kpein,
16511                  loevm_ko TYPE loevm_ko,
16512                  kbrue TYPE kbrue,
16513                  END OF l_ty_konp,
16514
16515          "BOC | 12-May-2025 | EJX9005197 | MOD-035
16516          BEGIN OF l_ty_kote,
16517                  katr3 TYPE katr3,
16518                  knuma TYPE knuma,
16519                  END OF l_ty_kote,
16520
16521          BEGIN OF l_ty_tvko,
16522                  vkorg TYPE vkorg,
16523                  bukrs TYPE vkbuk,
16524                  END OF l_ty_tvko.
16525 "EOC | 12-May-2025 | EJX9005197 | MOD-035
16526
16527 DATA: l_wa_sales TYPE ty_sales,
16528        l_v_per TYPE jahrper, "Period/month
16529        l_r_bukrs TYPE RANGE OF bukrs,
16530        l_wa_bukrs LIKE LINE OF l_r_bukrs,
16531        "BOC | 13-May-2025 | EJX9005197 | MOD-035
16532        l_i_kote TYPE STANDARD TABLE OF l_ty_kote,
16533        l_i_btype TYPE rseloption,
16534        l_v_flag TYPE c,
16535        l_i_custd_copy TYPE STANDARD TABLE OF ty_custd.
16536 "EOC | 13-May-2025 | EJX9005197 | MOD-035
16537
16538 DATA: l_r_kndnr TYPE RANGE OF kunde_pa,
16539        l_wa_kndnr LIKE LINE OF l_r_kndnr,
16540        l_r_ww214 TYPE RANGE OF /ccej/mdm_botacct,
16541        l_wa_ww214 LIKE LINE OF l_r_ww214.
16542
16543 "BOC | 12-May-2025 | EJX9005197 | MOD-035
16544 DATA: l_i_custd_temp TYPE TABLE OF ty_custd,
16545        l_wa_custd      TYPE ty_custd,
16546        l_i_tvko         TYPE TABLE OF l_ty_tvko,
16547        l_wa_tvko        TYPE l_ty_tvko,
16548        l_v_bukrs        TYPE vkbuk,
16549        l_v_vkorg        TYPE vkorg.
16550 "EOC | 12-May-2025 | EJX9005197 | MOD-035
16551
16552 CONSTANTS: l_c_dsd TYPE katr3 VALUE '01', "++ MOD-035
16553            l_c_reg TYPE katr4 VALUE '1'.  "++ MOD-035
16554
16555 FIELD-SYMBOLS: <l_fs_custd> TYPE ty_custd,
16556                <l_fs_konp> TYPE l_ty_konp,
16557                <l_fs_dhdr> TYPE ty_dhdr,
16558                <l_fs_kote> TYPE l_ty_kote, "++ MOD-035
```



```
16559             <l_fs_btype> TYPE rsdsselopt. "++ MOD-035
16560
16561     SORT i_custd[] BY kschl.
16562     CLEAR: l_wa_kndnr, l_r_kndnr, l_wa_ww214, l_r_ww214.
16563
16564     "BOC | 12-May-2025 | EJX9005197 | MOD-035
16565 * Get data for KATR4 from TVARVC
16566     SELECT sign
16567           opti
16568           low
16569           high
16570     FROM tvarvc
16571     INTO TABLE l_i_btype
16572     WHERE name EQ c_bname.
16573     IF sy-subrc IS NOT INITIAL.
16574       CLEAR: l_i_btype.
16575     ENDIF.
16576     "EOC | 12-May-2025 | EJX9005197 | MOD-035
16577
16578     IF i_custd[] IS NOT INITIAL.
16579       LOOP AT i_custd[] ASSIGNING <l_fs_custd>. "#EC CI_NESTED
16580 * Check the deletion indicator
16581       READ TABLE i_konp ASSIGNING <l_fs_konp>
16582             WITH KEY knumh = <l_fs_custd>-knumh
16583             BINARY SEARCH.
16584       IF sy-subrc IS INITIAL.
16585         IF <l_fs_custd>-kschl EQ c_custe.
16586           IF <l_fs_custd>-kunnr IS NOT INITIAL.
16587 * Range for Excluded customer
16588             l_wa_kndnr-sign = c_ex.
16589             l_wa_kndnr-option = c_eq.
16590             l_wa_kndnr-low = <l_fs_custd>-kunnr.
16591             APPEND l_wa_kndnr TO l_r_kndnr.
16592             CLEAR: l_wa_kndnr.
16593             ELSEIF <l_fs_custd>-rke_ww214 IS NOT INITIAL.
16594 * Range for Excluded bottler account
16595                 l_wa_ww214-sign = c_ex.
16596                 l_wa_ww214-option = c_eq.
16597                 l_wa_ww214-low = <l_fs_custd>-rke_ww214.
16598                 APPEND l_wa_ww214 TO l_r_ww214.
16599                 CLEAR: l_wa_ww214.
16600             ENDIF.
16601             ELSEIF <l_fs_custd>-kschl EQ c_custi.
16602               IF <l_fs_custd>-kunnr IS NOT INITIAL.
16603 * Range for Included customer
16604                 l_wa_kndnr-sign = c_i.
16605                 l_wa_kndnr-option = c_eq.
16606                 l_wa_kndnr-low = <l_fs_custd>-kunnr.
16607                 APPEND l_wa_kndnr TO l_r_kndnr.
16608                 CLEAR: l_wa_kndnr.
16609                 ELSEIF <l_fs_custd>-rke_ww214 IS NOT INITIAL.
16610 * Range for Included bottler account
16611                     l_wa_ww214-sign = c_i.
16612                     l_wa_ww214-option = c_eq.
16613                     l_wa_ww214-low = <l_fs_custd>-rke_ww214.
16614                     APPEND l_wa_ww214 TO l_r_ww214.
16615                     CLEAR: l_wa_ww214.
16616                 ENDIF.
16617             ENDIF.
16618           ENDIF.
16619         ENDLOOP.
```



```
16620     IF <l_fs_custd> IS ASSIGNED.
16621         UNASSIGN <l_fs_custd>.
16622     ENDIF.
16623 ENDIF.
16624
16625 * Read TVARVC for Hana connection
16626 SELECT SINGLE low
16627     FROM tvarvc
16628     INTO v_conn
16629     WHERE name EQ c_name
16630           AND type EQ c_type
16631           AND numb EQ c_numb.
16632 IF sy-subrc IS NOT INITIAL.
16633     CLEAR: v_conn.
16634 ENDIF.
16635 CLEAR: l_v_per.
16636 CONCATENATE p_gjahr c_zero p_monat
16637     INTO l_v_per.
16638
16639 READ TABLE i_dhdr ASSIGNING <l_fs_dhdr> INDEX 1.
16640 IF sy-subrc IS INITIAL.
16641
16642     CLEAR: l_wa_bukrs, l_r_bukrs.
16643     l_wa_bukrs-sign = c_i.
16644     l_wa_bukrs-option = c_eq.
16645     l_wa_bukrs-low = <l_fs_dhdr>-bukrs.
16646     APPEND l_wa_bukrs TO l_r_bukrs.
16647     CLEAR: l_wa_bukrs.
16648     IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
16649         l_wa_bukrs-sign = c_i.
16650         l_wa_bukrs-option = c_eq.
16651         l_wa_bukrs-low = <l_fs_dhdr>-sub_bukrs.
16652         APPEND l_wa_bukrs TO l_r_bukrs.
16653         CLEAR: l_wa_bukrs.
16654
16655         "BOC | 12-May-2025 | EJX9005197 | MOD-035
16656         l_i_custd_temp = i_custd.
16657         SORT l_i_custd_temp BY vkorg.
16658         DELETE ADJACENT DUPLICATES FROM l_i_custd_temp
16659             COMPARING vkorg.
16660         IF l_i_custd_temp IS NOT INITIAL.
16661             SELECT vkorg bukrs
16662                 FROM tvko
16663                 INTO TABLE l_i_tvko
16664                 FOR ALL ENTRIES IN l_i_custd_temp
16665                 WHERE vkorg = l_i_custd_temp-vkorg.
16666             IF sy-subrc IS NOT INITIAL.
16667                 CLEAR: l_i_tvko.
16668             ELSE.
16669                 SORT l_i_tvko BY vkorg.
16670             ENDIF.
16671         ENDIF.
16672         "EOC | 12-May-2025 | EJX9005197 | MOD-035
16673     ENDIF.
16674
16675     "BOC | 12-May-2025 | EJX9005197 | MOD-035
16676     CLEAR: l_i_custd_temp, l_v_vkorg, l_v_bukrs.
16677     l_i_custd_temp = i_custd.
16678     SORT l_i_custd_temp BY rke_ww214.
16679     READ TABLE l_i_custd_temp INTO l_wa_custd
16680         WITH KEY rke_ww214 = s_botacc-low
```

```
16681      BINARY SEARCH.
16682      IF sy-subrc IS INITIAL.
16683          l_v_vkorg = l_wa_custd-vkorg.
16684      READ TABLE l_i_tvko INTO l_wa_tvko WITH KEY vkorg = l_v_vkorg BINA
RY SEARCH.
16685      IF sy-subrc IS INITIAL.
16686          l_v_bukrs = l_wa_tvko-bukrs.
16687      ENDIF.
16688  ENDIF.
16689  "EOC | 12-May-2025 | EJX9005197 | MOD-035
16690
16691  IF v_conn IS NOT INITIAL.
16692
16693      "BOC | 06-Mar-2025 | EJX9005197 | MOD-033
16694      IF l_r_ww214 IS NOT INITIAL AND l_r_kndnr IS INITIAL.
16695          SELECT      bukrs
16696                      katr4 "++ MOD-035
16697                      SUM( vv506 ) SUM( vv507 ) SUM( vv980 )
16698                      SUM( vv981 ) SUM( vv983 ) COUNT(*)
16699                      FROM ce1jp00
16700                      CONNECTION (v_conn)
16701                      INTO TABLE i_sales
16702                      WHERE paledger EQ c_opcon
16703                      AND vrgar EQ c_record
16704                      AND perio EQ l_v_per
16705                      AND bukrs IN l_r_bukrs
16706                      AND kmvkbv IN s_vkbur
16707                      AND ( ww214 IN l_r_ww214 )
16708                      GROUP BY bukrs
16709                      katr4. "++ MOD-035
16710
16711      ELSEIF l_r_ww214 IS INITIAL AND l_r_kndnr IS NOT INITIAL..
16712          SELECT      bukrs
16713                      katr4 "++ MOD-035
16714                      SUM( vv506 ) SUM( vv507 ) SUM( vv980 )
16715                      SUM( vv981 ) SUM( vv983 ) COUNT(*)
16716                      FROM ce1jp00
16717                      CONNECTION (v_conn)
16718                      INTO TABLE i_sales
16719                      WHERE paledger EQ c_opcon
16720                      AND vrgar EQ c_record
16721                      AND perio EQ l_v_per
16722                      AND bukrs IN l_r_bukrs
16723                      AND kmvkbv IN s_vkbur
16724                      AND ( ww207 IN l_r_kndnr )
16725                      GROUP BY bukrs
16726                      katr4. "++ MOD-035
16727
16728      ELSE.
16729          SELECT      bukrs
16730                      katr4 "++ MOD-035
16731                      SUM( vv506 ) SUM( vv507 ) SUM( vv980 )
16732                      SUM( vv981 ) SUM( vv983 ) COUNT(*)
16733                      FROM ce1jp00
16734                      CONNECTION (v_conn)
16735                      INTO TABLE i_sales
16736                      WHERE paledger EQ c_opcon
16737                      AND vrgar EQ c_record
16738                      AND perio EQ l_v_per
16739                      AND bukrs IN l_r_bukrs
16740                      AND kmvkbv IN s_vkbur
```

```
16741          AND ( ww214 IN l_r_ww214 OR ww207 IN l_r_kndnr )
16742          GROUP BY buhrs
16743                katr4. "++ MOD-035
16744
16745      ENDIF.
16746
16747      "BOC | 12-May-2025 | EJX9005197 | MOD-035
16748      SORT i_sales BY buhrs katr4.
16749      SELECT katr3 knuma
16750            FROM kote712
16751            INTO TABLE l_i_kote
16752            WHERE knuma EQ <l_fs_dhdr>-knuma.
16753      IF sy-subrc IS INITIAL.
16754      " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
16755      JX9007359 04.06.2026 FOR ATC
16756      READ TABLE l_i_kote ASSIGNING <l_fs_kote> INDEX 1. "#EC CI_NOORD
16757      ER
16758      " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
16759      X9007359 04.06.2026 FOR ATC
16760      IF sy-subrc IS INITIAL AND <l_fs_kote>-katr3 IS NOT INITIAL.
16761      IF <l_fs_kote>-katr3 = l_c_dsd.
16762      READ TABLE i_sales
16763      WITH KEY buhrs = <l_fs_dhdr>-buhrs
16764            katr4 = l_c_reg
16765      TRANSPORTING NO FIELDS
16766      BINARY SEARCH.
16767      IF sy-subrc IS NOT INITIAL.
16768      l_v_flag = abap_true.
16769      ENDIF.
16770      ELSE.
16771      " Code Remediation changes S4 2025_1_A Conversion **BEGIN OF CHANGE BY E
16772      JX9007359 04.06.2026 FOR ATC
16773      SORT L_I_BTTYPE .
16774      " Code Remediation changes S4 2025_1_A Conversion * *END OF CHANGE BY EJ
16775      X9007359 04.06.2026 FOR ATC
16776      LOOP AT l_i_btype ASSIGNING <l_fs_btype>.
16777      READ TABLE i_sales
16778      WITH KEY buhrs = <l_fs_dhdr>-buhrs
16779            katr4 = <l_fs_btype>-low
16780      TRANSPORTING NO FIELDS
16781      BINARY SEARCH.
16782      IF sy-subrc IS INITIAL.
16783      CLEAR l_v_flag.
16784      EXIT.
16785      ELSE.
16786      l_v_flag = abap_true.
16787      ENDIF.
16788      ENDLOOP.
16789      IF <l_fs_btype> IS ASSIGNED.
16790      UNASSIGN <l_fs_btype>.
16791      ENDIF.
16792      ENDIF.
16793      IF <l_fs_kote> IS ASSIGNED.
16794      UNASSIGN <l_fs_kote>.
16795      ENDIF.
16796      CLEAR l_i_kote[].
16797      "EOC | 12-May-2025 | EJX9005197 | MOD-035
16798
16799      *      SELECT buhrs SUM( vv506 ) SUM( vv507 ) SUM( vv980 )
```

```
16797 *          SUM( vv981 ) SUM( vv983 ) COUNT(*)
16798 *          FROM ce1jp00
16799 *          CONNECTION (v_conn)
16800 *          INTO TABLE i_sales
16801 *          WHERE paledger EQ c_opcon
16802 *          AND vrgar EQ c_record
16803 *          AND perio EQ l_v_per
16804 *          AND bukr IN l_r_bukrs
16805 *          AND kmvkb IN s_vkbur
16806 *          AND ( ww214 IN l_r_ww214 OR ww207 IN l_r_kndnr )
16807 *          GROUP BY bukr.
16808
16809 *      IF sy-subrc IS INITIAL .
16810 IF i_sales IS NOT INITIAL.
16811     "EOC | 06-Mar-2025 | EJX9005197 | MOD-033
16812
16813     IF <l_fs_dhdr>-cross_ind IS INITIAL. "++ MOD-035
16814     SORT i_sales BY bukr.
16815     READ TABLE i_sales INTO l_wa_sales
16816     WITH KEY bukr = <l_fs_dhdr>-bukr
16817     BINARY SEARCH.
16818     IF sy-subrc IS INITIAL.
16819     PERFORM f_dummy_check_sales
16820     USING l_wa_sales
16821     <l_fs_dhdr>
16822     <l_fs_dhdr>-bukr
16823     CHANGING v_dummy_flag.
16824     ELSE.
16825     v_dummy_flag = abap_true.
16826     ENDIF.
16827     CLEAR l_wa_sales.
16828
16829     "BOC | 12-May-2025 | EJX9005197 | MOD-035
16830 *      IF <l_fs_dhdr>-cross_ind IS NOT INITIAL. "— MOD-035
16831 ELSE.
16832     READ TABLE i_sales INTO l_wa_sales
16833     WITH KEY bukr = l_v_bukr
16834     BINARY SEARCH.
16835     IF sy-subrc IS INITIAL.
16836     PERFORM f_dummy_check_sales
16837     USING l_wa_sales
16838     <l_fs_dhdr>
16839     l_v_bukr
16840     CHANGING v_dummy_flag.
16841     ELSE.
16842     l_v_flag = abap_true.
16843     ENDIF.
16844     CLEAR l_wa_sales.
16845     ENDIF.
16846     "EOC | 12-May-2025 | EJX9005197 | MOD-035
16847 ENDIF.
16848
16849 "BOC | 13-May-2025 | EJX9005197 | MOD-035
16850 IF l_v_flag IS NOT INITIAL OR
16851 i_sales IS INITIAL.
16852 l_i_custd_copy[] = i_custd[].
16853 SORT l_i_custd_copy BY kappl kschl vkorg.
16854 IF <l_fs_dhdr>-cross_ind IS NOT INITIAL.
16855
16856     LOOP AT l_i_custd_copy ASSIGNING <l_fs_custd>.
16857     AT NEW vkorg.
```

```

16858         IF s_botacc IS NOT INITIAL AND
16859             <l_fs_custd>-rke_ww214 EQ s_botacc-low.
16860             CLEAR v_dummy_flag.
16861             EXIT.
16862         ELSEIF s_dealer IS NOT INITIAL AND
16863             <l_fs_custd>-kunnr EQ s_dealer-low.
16864             CLEAR v_dummy_flag.
16865             EXIT.
16866         ELSE.
16867             v_dummy_flag = abap_true.
16868         ENDIF.
16869     ENDAT.
16870 ENDLOOP.
16871
16872 ELSE.
16873
16874     READ TABLE l_i_custd_copy ASSIGNING <l_fs_custd> INDEX 1.
16875     IF sy-subrc IS INITIAL.
16876         IF s_botacc IS NOT INITIAL AND
16877             <l_fs_custd>-rke_ww214 IN s_botacc.
16878             CLEAR v_dummy_flag.
16879         ELSE.
16880             v_dummy_flag = abap_true.
16881         ENDIF.
16882     ELSE.
16883         v_dummy_flag = abap_true.
16884     ENDIF.
16885 ENDIF.
16886
16887 ENDIF.
16888
16889     CLEAR: l_i_btype, l_v_flag, l_i_custd_copy[].
16890     "EOC | 13-May-2025 | EJX9005197 | MOD-035
16891 ENDIF.
16892 ENDIF.
16893
16894 ENDFORM.                                " F_BOTTLER_DUMMY_CHECK
16895 *&-----*
16896 *&      Form   F_DUMMY_CHECK_SALES
16897 *&-----*
16898 *-----*
16899 FORM f_dummy_check_sales USING      fp_wa_sales      TYPE ty_sales
16900                                fp_dhdr              TYPE ty_dhdr
16901                                fp_bukrs             TYPE bukrs
16902                                CHANGING fp_v_dummy_flag TYPE char1.
16903
16904 FIELD-SYMBOLS: <l_fs_custd> TYPE ty_custd.
16905
16906 IF ( fp_wa_sales-vv506 = 0 AND
16907     fp_wa_sales-vv507 = 0 AND
16908     fp_wa_sales-vv980 = 0 AND
16909     fp_wa_sales-vv981 = 0 AND
16910     fp_wa_sales-vv983 = 0 ).
16911
16912     IF fp_dhdr-cross_ind IS NOT INITIAL AND
16913         fp_bukrs = fp_dhdr-sub_bukrs.
16914
16915         LOOP AT i_custd ASSIGNING <l_fs_custd>.
16916             AT NEW vkorg.
16917                 IF s_botacc IS NOT INITIAL AND
16918                     <l_fs_custd>-rke_ww214 EQ s_botacc-low.

```

```

16919         CLEAR fp_v_dummy_flag.
16920     ELSEIF s_dealer IS NOT INITIAL AND
16921         <l_fs_custd>-kunnr EQ s_dealer-low.
16922         CLEAR fp_v_dummy_flag.
16923     ELSE.
16924         fp_v_dummy_flag = abap_true.
16925     ENDIF.
16926 ENDAT.
16927 ENDLOOP.
16928
16929 ELSE.
16930
16931     READ TABLE i_custd ASSIGNING <l_fs_custd> INDEX 1.
16932     IF sy-subrc IS INITIAL.
16933         IF s_botacc IS NOT INITIAL AND
16934             <l_fs_custd>-rke_ww214 IN s_botacc.
16935             CLEAR fp_v_dummy_flag.
16936         ELSE.
16937             fp_v_dummy_flag = abap_true.
16938         ENDIF.
16939     ELSE.
16940         fp_v_dummy_flag = abap_true.
16941     ENDIF.
16942 ENDIF.
16943
16944 ELSE.
16945     fp_v_dummy_flag = abap_true.
16946 ENDIF.
16947
16948 ENDFORM.                                " F_DUMMY_CHECK_SALES
16949 "EOC | EJX9005197 | MOD-032 | 25-Oct-2024
16950 *&-----*
16951 *&      Form   F_UPD_HDR_TAB
16952 *&-----*
16953 *      text
16954 *-----*
16955 *      —>P_L_WA_THDR  text
16956 *-----*
16957 FORM f_upd_hdr_tab    USING fp_wa_thdr TYPE /ccbj/t_dme_hdr.
16958
16959 * local data declarations
16960 DATA: l_v_varkey TYPE rstable-varkey,
16961        "Varkey to be used for locking table
16962        l_v_flag   TYPE char1."Variable for flag
16963
16964 * Local Constants:
16965 CONSTANTS: l_c_tab TYPE rstable-tabname VALUE '/CCBJI/T_DME_HDR'.
16966
16967 CLEAR: l_v_varkey, l_v_flag.
16968
16969 * Prepare key fields
16970 CONCATENATE sy-mandt fp_wa_thdr-knuma INTO l_v_varkey.
16971
16972 * Lock the table entries while updating specified in varkey
16973 DO 3 TIMES.
16974     CALL FUNCTION 'ENQUEUE_E_TABLE'
16975     EXPORTING
16976         mode_rstable   = c_mode
16977         tabname        = l_c_tab
16978         varkey         = l_v_varkey
16979     EXCEPTIONS

```

```
16980         foreign_lock    = 1
16981         system_failure = 2
16982         OTHERS            = 3.
16983     IF sy-subrc IS NOT INITIAL.
16984         WAIT UP TO 1 SECONDS.
16985     ELSE.
16986         l_v_flag = abap_true.
16987         EXIT.
16988     ENDIF.
16989 ENDDO.
16990
16991 * If flag is set
16992 IF l_v_flag = abap_true.
16993 *   Modify the table with workarea
16994     UPDATE /ccbj/t_dme_hdr
16995     SET compl = fp_wa_thdr-compl
16996     WHERE knuma = fp_wa_thdr-knuma.
16997
16998 *       Unlock the table when it is updated
16999     CALL FUNCTION 'DEQUEUE_E_TABLE'
17000     EXPORTING
17001         mode_rstable = c_mode
17002         tabname      = l_c_tab
17003         varkey       = l_v_varkey.
17004
17005     ENDIF.
17006     CLEAR: l_v_flag, l_v_varkey.
17007
17008 ENDFORM.
" F_UPD_HDR_TAB
```

#EC CI_WAITUP

#EC CI_UPDATE


```
1  *
2  * Program Name      : /CCBJI/RUFIAPR_DME_SEL
3  * Program Title    : Accrual Apportionment for DME Expenses
4  * Program Type     : Selection Include
5  * Description      : The purpose of this program is to process accrual
6  *                  : Apportionment for DME Expenses
7  * Date             : 01-11-2018
8  * Author           : Kundan Kumar S204711
9  * Run Frequency    : NA
10 * Transaction      : /CCBJI/RURAP_ACC_DME
11 * Transport Number : DJRK996164
12 * RICEF ID         : Gap 1000000930
13 * Release          : DME Tool
14 * Additional Info  :
15 *
16 *
17 * ===== MODIFICATION LOG =====
18 *
19 * Mod No.           : MOD-001
20 * Date              : 04-Sep-2019
21 * Author            : Kundan Kumar(S204711)
22 * Change Reference  : Defect 9000004787
23 * Transport Number  : MJRK906140
24 * Change Request    : 8000003983
25 * Change Description : Month End Related Changes:
26 *                  : 1)Tax logic correction for contract end month
27 *                  : 2)Accumulated Quant. logic for a contract
28 *                  : 3)Performance Related changes
29 *
30 * Mod No.           : MOD-002
31 * Date              : 05-Sep-2019
32 * Author            : Kundan Kumar(S204711)
33 * Change Reference  : Defect 9000004791
34 * Transport Number  : MJRK906158
35 * Change Request    : 8000003990
36 * Change Description : Performance Related Changes:
37 *                  : 1)Tax logic correction for Pre Pay cases
38 *                  : 2)Amortization logic for Pre pay Quantity
39 *                  : 3)Performance Related changes for COPA planning
40 *
41 * Mod No.           : MOD-003
42 * Date              : 06-Sep-2019
43 * Author            : Kundan Kumar(S204711)
44 * Change Reference  : Defect 9000004223
45 * Transport Number  : MJRK906175
46 * Change Request    : 8000003997
47 * Change Description : Performance Related Changes:
48 *                  : 1)Logic correction for Post Pay cases
49 *
50 * Mod No.           : MOD-004
51 * Date              : 24-Sep-2019
52 * Author            : Kundan Kumar(S204711)
53 * Change Reference  : Defect 9000005039
54 * Transport Number  : DJRK9A04K3
55 * Change Request    : 8000004086
56 * Change Description : 1)Logic changes for different tax rates
57 *                  : 2)Cross-Territory logic need to be added
58 *                  : 3)Dummy Sales logic need to be added
59 *                  : 4)Restrict back data posting based on period
60 *
61 * Mod No.           : MOD-005
```



```

62 * Date : 04-Oct-2019 *
63 * Author : Kundan Kumar(S204711) *
64 * Change Reference : Defect 9000005326 *
65 * Transport Number : DJRK9A0554 *
66 * Change Request : 8000004135 *
67 * Change Description : 1)Logic to update invoice date in dummy sales *
68 * 2)Changes for pre pay related to contract start *
69 * date changes *
70 *
71 * Mod No. : MOD-006 *
72 * Date : 07-Oct-2019 *
73 * Author : Kundan Kumar(S204711) *
74 * Change Reference : Defect 9000005367 *
75 * Transport Number : DJRK9A057S *
76 * Change Request : 8000004147 *
77 * Change Description : 1)Performance related changes suggested by SAP *
78 *
79 * Mod No. : MOD-007 *
80 * Date : 17-Oct-2019 *
81 * Author : Kundan Kumar(S204711) *
82 * Change Reference : Defect 9000005420,9000005421 *
83 * Transport Number : DJRK9A05LS *
84 * Change Request : 8000004199 *
85 * Change Description : 1)Multiple tax rates related changes *
86 * 2)Sales Tax and DME tax mapping logic *
87 * 3)Logic added to filter regular Data *
88 * 4)Fetching logic changes for Pre pay *
89 *
90 * Mod No. : MOD-008 *
91 * Date : 04-Nov-2019 *
92 * Author : Kundan Kumar(S204711) *
93 * Change Reference : Defect 9000005738 *
94 * Transport Number : DJRK9A064N/DJRK9A066H *
95 * Change Request : 8000004199 *
96 * Change Description : 1)Correct logic to update completed flag in hdr *
97 * 2)Update Posting date in case of sales update *
98 * 3)Correct the logic for mult. tax for mul.items *
99 *
100 * Mod No. : MOD-009 *
101 * Date : 12-Nov-2019 *
102 * Author : Kundan Kumar(S204711) *
103 * Change Reference : Defect 9000005720 *
104 * Transport Number : DJRK9A068K *
105 * Change Request : 8000004296 *
106 * Change Description : 1)Residual days should be considered for mid *
107 * month contract settlement *
108 *
109 * Mod No. : MOD-010 *
110 * Date : 29-Nov-2019 *
111 * Author : Kundan Kumar(S204711) *
112 * Change Reference : Defect 9000006114,9000006116 *
113 * Transport Number : DJRK9A06YA *
114 * Change Request : 8000004397 *
115 * Change Description : 1)Pre-Pay catch up functionality *
116 * 2)Pre-Pay Amortization stop logic change *
117 *
118 * Mod No. : MOD-011 *
119 * Date : 09-Dec-2019 *
120 * Author : Kundan Kumar(S204711) *
121 * Change Reference : Defect 9000006117 *
122 * Transport Number : DJRK9A0779 *

```

```

123 * Change Request      : 8000004428      *
124 * Change Description  : 1)Post pay Prev. Year compar. logic need to be  *
125 *                      added.            *
126 *                      2)Pre-Pay variable logic need to be changed      *
127 * _____ *
128 * Mod No.             : MOD-012          *
129 * Date                : 17-Jan-2019     *
130 * Author              : Kundan Kumar(S204711) *
131 * Change Reference    : Defect 9000006686 *
132 * Transport Number    : DJRK9A07ZG      *
133 * Change Request      : 8000004523      *
134 * Change Description  : 1)Include the logic for pre-period if contract  *
135 *                      end date is in the same month of start date.      *
136 *                      2)Correct the logic to pass fiscal year in case  *
137 *                      of posting date provided for document display.    *
138 * _____ *
139 * Mod No.             : MOD-013          *
140 * Date                : 28-Jan-2019     *
141 * Author              : Kundan Kumar(S204711) *
142 * Change Reference    : GAP 1000001923   *
143 * Transport Number    : DJRK9A0890      *
144 * Change Request      : 8000004574      *
145 * Change Description  : 1)Regular Pay COPA allocation logic need to be  *
146 *                      added          *
147 *                      2)Fetch all the item data from DME item table    *
148 *                      and later on exclude deleted items.              *
149 * _____ *
150 * Mod No.             : MOD-014          *
151 * Date                : 27-Feb-2020     *
152 * Author              : Kundan Kumar(S204711) *
153 * Change Reference    : Defect 9000006988 *
154 * Transport Number    : DJRK9A08RX      *
155 * Change Request      : 8000004685      *
156 * Change Description  : 1)Add Seperate radio button for Regular Pay      *
157 *                      2)LSA Complete logic to be added for regular pay  *
158 *                      based on last cut-off date                        *
159 *                      3)Consider correct dealer in case of dummy cases  *
160 *                      4)Add logic for Cross terr. 'By Group' scenario    *
161 * _____ *
162 * Mod No.             : MOD-015          *
163 * Date                : 02-Apr-2020     *
164 * Author              : Kundan Kumar(S204711) *
165 * Change Reference    : Defect 9000007623 *
166 * Transport Number    : MJRK906549      *
167 * Change Request      : 8000004848      *
168 * Change Description  : 1)Correct logic for mult. regular pay contracts  *
169 *                      processing          *
170 *                      2)Update Completion flag after allocation for      *
171 *                      particulat cut-off date                            *
172 *                      3)Fetch Reg. contracts same like post pay and      *
173 *                      process based on posting date in item table        *
174 * _____ *
175 * Mod No.             : MOD-016          *
176 * Date                : 09-Apr-2020     *
177 * Author              : Kundan Kumar(S204711) *
178 * Change Reference    : Defect 9000007651 *
179 * Transport Number    : MJRK906706      *
180 * Change Request      : 8000004891      *
181 * Change Description  : 1)Correct logic for completeion flag for regular *
182 *                      pay processing          *
183 * _____ *

```

```

184 * Mod No.           : MOD-017                               *
185 * Date             : 08-May-2020                           *
186 * Author           : Kundan Kumar(S204711)                 *
187 * Change Reference  : Defect 9000008043                     *
188 * Transport Number  : MJRK907377                           *
189 * Change Request    : 8000005118                           *
190 * Change Description : 1)Remove the check for tax amount is not initial*
191 *                   : since for some cases in pre pay tax amount is 0*
192 *                   : and COPA tax need to be adjusted based on this.*
193 *                   :                                         *
194 * Mod No.           : MOD-018                               *
195 * Date             : 16-Oct-2020                           *
196 * Author           : Kundan Kumar(S204711)                 *
197 * Change Reference  : Defect 9000010003                     *
198 * Transport Number  : MJRK907377                           *
199 * Change Request    : 8000005118                           *
200 * Change Description : Correct the pre pay catch up functionality*
201 *                   :                                         *
202 * Mod No.           : MOD-019                               *
203 * Date             : 14-Sep-2020                           *
204 * Author           : Kundan Kumar(S204711)                 *
205 * Change Reference  : Gap 1000002164,Gap 2173               *
206 * Transport Number  : DJRK9A0AN9                           *
207 * Change Request    : 8000005710                           *
208 * Change Description : 1)Change the cutoff date to month-end date for*
209 *                   : fixed amount scenario to consider in settlement*
210 *                   : 2)Add logic for secondary customer scenario to*
211 *                   : do the allocation                      *
212 *                   : 3)Change rate to 2 point decimals as provided on*
213 *                   : FIORI screen                          *
214 *                   :                                         *
215 * Mod No.           : MOD-020                               *
216 * Date             : 22-Feb-2021                           *
217 * Author           : Kundan Kumar(S204711)                 *
218 * Change Reference  : Defect 9000012006/9000012007/9000012009*
219 * Transport Number  : MJRK911380                           *
220 * Change Request    : 8000006892                           *
221 * Change Description : 1)Comment the logic for completion header and*
222 *                   : item table in case of post pay period scenario*
223 *                   : 2)Add logic to handle multiple tax for post pay*
224 *                   : period type of contracts.              *
225 *                   : 3)Add logic to put error message for no sales*
226 *                   : in case of pre pay contracts.          *
227 *                   :                                         *
228 * Mod No.           : MOD-021                               *
229 * Date             : 17-Mar-2021                           *
230 * Author           : Kundan Kumar(S204711)                 *
231 * Change Reference  : Defect 9000012007                     *
232 * Transport Number  : MJRK911760                           *
233 * Change Request    : 8000007068                           *
234 * Change Description : 1)Add the logic to handle multiple tax code for*
235 *                   : post pay period scenario              *
236 *                   :                                         *
237 * Mod No.           : MOD-022                               *
238 * Date             : 10-Nov-2021                           *
239 * Author           : Ashok Kumar(S422335)                   *
240 * Change Reference  : Defect: 9000015115 & 9000015248        *
241 * Transport Number  : MJRK915617                           *
242 * Change Request    : 8000008739                           *
243 * Change Description : 1) DME item data rollback issue      *
244 *                   : 2) Incorrect message in rollback issue*

```

```

245 *                               3) FI/CO interface error while posting *
246 * _____ *
247 * Mod No. : MOD-024 *
248 * Date : 14-Mar-2022 *
249 * Author : Ashok Kumar(S422335) *
250 * Change Reference : Defect:9000016159 *
251 * Transport Number : MJRK917521 *
252 * Change Request : 8000009869 *
253 * Change Description : For huge contracts, sales will be update based *
254 * bottler wise *
255 * _____ *
256 * Mod No. : MOD-032 *
257 * Date : 24-October-2024 *
258 * Author : Sabari Saai Sunthosh Kanagaraj | EJX9005197 *
259 * Change Reference : GAP 1000003586 / 1000003587 *
260 * Transport Number : MJRK927911 *
261 * Change Request : 8000016351 *
262 * Change Description : DME Month end program changes / *
263 * Dummy logic modification for cross-company *
264 * _____ *
265 * & _____ *
266 * & Include /CCBJI/RUFIAPR_DME_SEL *
267 * & _____ *
268 * Selection screen declaration
269 SELECTION-SCREEN BEGIN OF BLOCK b1 WITH FRAME TITLE text-001.
270 PARAMETERS: p_bukrs TYPE bukrs OBLIGATORY, "Company code
271 p_monat TYPE monat OBLIGATORY, "Month
272 p_gjahr TYPE gjahr OBLIGATORY. "Fiscal Year
273
274 SELECT-OPTIONS: s_knuma FOR v_knuma, "Agreement Number
275 s_vkbur FOR v_vkbur, "Sales Office
276 s_botacc FOR v_botac MODIF ID BT, " bottler account MOD-
024++
277 s_dealer for v_kunnr. "Dealer MOD-032 ++
278 SELECTION-SCREEN END OF BLOCK b1.
279
280 SELECTION-SCREEN BEGIN OF BLOCK b3 WITH FRAME TITLE text-012.
281 PARAMETERS: p_budat TYPE budat,
282 p_pmon TYPE monat NO-DISPLAY.
283 SELECTION-SCREEN END OF BLOCK b3.
284
285 SELECTION-SCREEN BEGIN OF BLOCK b5 WITH FRAME TITLE text-027.
286 PARAMETERS: rb_sale RADIOBUTTON GROUP r3 USER-COMMAND u1
287 DEFAULT 'X',
288 rb_othr RADIOBUTTON GROUP r3.
289 SELECTION-SCREEN END OF BLOCK b5.
290
291 SELECTION-SCREEN BEGIN OF BLOCK b4 WITH FRAME TITLE text-016.
292 PARAMETERS:rb_pre RADIOBUTTON GROUP r2 DEFAULT 'X' USER-COMMAND u4 MODIF
ID m2,
293 " user command added in MOD-024
294 rb_pos RADIOBUTTON GROUP r2 MODIF ID m2,
295
296 rb_spot RADIOBUTTON GROUP r2 MODIF ID m2,
297
298 rb_reg RADIOBUTTON GROUP r2 MODIF ID m2, "++MOD-014
299
300 rb_sec RADIOBUTTON GROUP r2 MODIF ID m2. "++MOD-019
301 SELECTION-SCREEN END OF BLOCK b4.
302

```

```
303 SELECTION-SCREEN BEGIN OF BLOCK b2 WITH FRAME TITLE text-002.  
304 PARAMETERS:rb_test RADIOBUTTON GROUP r1 USER-COMMAND u1  
305                                DEFAULT 'X',  
306                rb_post RADIOBUTTON GROUP r1.  
307 SELECTION-SCREEN END OF BLOCK b2.
```

```
1 *
2 * Program Name      : /CCBJI/RUFIAPR_DME_TOP
3 * Program Title     : Accrual Apportionment for DME Expenses
4 * Program Type      : Top Include
5 * Description       : The purpose of this program is to process accrual
6 *                   : Apportionment for DME Expenses
7 * Date              : 01-11-2018
8 * Author            : Kundan Kumar S204711
9 * Run Frequency     : NA
10 * Transaction       : /CCBJI/RURAP_ACC_DME
11 * Transport Number  : DJRK996164
12 * RICEF ID         : Gap 1000000930
13 * Release          : DME Tool
14 * Additional Info   :
15 *
16 *
17 * ===== MODIFICATION LOG =====
18 *
19 * Mod No.           : MOD-001
20 * Date              : 04-Sep-2019
21 * Author            : Kundan Kumar(S204711)
22 * Change Reference  : Defect 9000004787
23 * Transport Number  : MJRK906140
24 * Change Request    : 8000003983
25 * Change Description : Month End Related Changes:
26 *                   : 1)Tax logic correction for contract end month
27 *                   : 2)Accumulated Quant. logic for a contract
28 *                   : 3)Performance Related changes
29 *
30 * Mod No.           : MOD-002
31 * Date              : 05-Sep-2019
32 * Author            : Kundan Kumar(S204711)
33 * Change Reference  : Defect 9000004791
34 * Transport Number  : MJRK906158
35 * Change Request    : 8000003990
36 * Change Description : Performance Related Changes:
37 *                   : 1)Tax logic correction for Pre Pay cases
38 *                   : 2)Amortization logic for Pre pay Quantity
39 *                   : 3)Performance Related changes for COPA planning
40 *
41 * Mod No.           : MOD-003
42 * Date              : 06-Sep-2019
43 * Author            : Kundan Kumar(S204711)
44 * Change Reference  : Defect 9000004223
45 * Transport Number  : MJRK906175
46 * Change Request    : 8000003997
47 * Change Description : Performance Related Changes:
48 *                   : 1)Logic correction for Post Pay cases
49 *
50 * Mod No.           : MOD-004
51 * Date              : 24-Sep-2019
52 * Author            : Kundan Kumar(S204711)
53 * Change Reference  : Defect 9000005039
54 * Transport Number  : DJRK9A04K3
55 * Change Request    : 8000004086
56 * Change Description : 1)Logic changes for different tax rates
57 *                   : 2)Cross-Territory logic need to be added
58 *                   : 3)Dummy Sales logic need to be added
59 *                   : 4)Restrict back data posting based on period
60 *
61 * Mod No.           : MOD-005
```



```
62 * Date : 04-Oct-2019 *
```

```
63 * Author : Kundan Kumar(S204711) *
```

```
64 * Change Reference : Defect 9000005326 *
```

```
65 * Transport Number : DJRK9A0554 *
```

```
66 * Change Request : 8000004135 *
```

```
67 * Change Description : 1)Logic to update invoice date in dummy sales *
```

```
68 * 2)Changes for pre pay related to contract start *
```

```
69 * date changes *
```

```
70 * *
```

```
71 * Mod No. : MOD-006 *
```

```
72 * Date : 07-Oct-2019 *
```

```
73 * Author : Kundan Kumar(S204711) *
```

```
74 * Change Reference : Defect 9000005367 *
```

```
75 * Transport Number : DJRK9A057S *
```

```
76 * Change Request : 8000004147 *
```

```
77 * Change Description : 1)Performance related changes suggested by SAP *
```

```
78 * *
```

```
79 * Mod No. : MOD-007 *
```

```
80 * Date : 17-Oct-2019 *
```

```
81 * Author : Kundan Kumar(S204711) *
```

```
82 * Change Reference : Defect 9000005420,9000005421 *
```

```
83 * Transport Number : DJRK9A05LS *
```

```
84 * Change Request : 8000004199 *
```

```
85 * Change Description : 1)Multiple tax rates related changes *
```

```
86 * 2)Sales Tax and DME tax mapping logic *
```

```
87 * 3)Logic added to filter regular Data *
```

```
88 * 4)Fetching logic changes for Pre pay *
```

```
89 * *
```

```
90 * Mod No. : MOD-008 *
```

```
91 * Date : 04-Nov-2019 *
```

```
92 * Author : Kundan Kumar(S204711) *
```

```
93 * Change Reference : Defect 9000005738 *
```

```
94 * Transport Number : DJRK9A064N/DJRK9A066H *
```

```
95 * Change Request : 8000004199 *
```

```
96 * Change Description : 1)Correct logic to update completed flag in hdr *
```

```
97 * 2)Update Posting date in case of sales update *
```

```
98 * 3)Correct the logic for mult. tax for mul.items *
```

```
99 * *
```

```
100 * Mod No. : MOD-009 *
```

```
101 * Date : 12-Nov-2019 *
```

```
102 * Author : Kundan Kumar(S204711) *
```

```
103 * Change Reference : Defect 9000005720 *
```

```
104 * Transport Number : DJRK9A068K *
```

```
105 * Change Request : 8000004296 *
```

```
106 * Change Description : 1)Residual days should be considered for mid *
```

```
107 * month contract settlement *
```

```
108 * *
```

```
109 * Mod No. : MOD-010 *
```

```
110 * Date : 29-Nov-2019 *
```

```
111 * Author : Kundan Kumar(S204711) *
```

```
112 * Change Reference : Defect 9000006114,9000006116 *
```

```
113 * Transport Number : DJRK9A06YA *
```

```
114 * Change Request : 8000004397 *
```

```
115 * Change Description : 1)Pre-Pay catch up functionality *
```

```
116 * 2)Pre-Pay Amortization stop logic change *
```

```
117 * *
```

```
118 * Mod No. : MOD-011 *
```

```
119 * Date : 09-Dec-2019 *
```

```
120 * Author : Kundan Kumar(S204711) *
```

```
121 * Change Reference : Defect 9000006117 *
```

```
122 * Transport Number : DJRK9A0779 *
```

```
123 * Change Request      : 8000004428 *
124 * Change Description  : 1)Post pay Prev. Year compar. logic need to be *
125 *                      added. *
126 *                      2)Pre-Pay variable logic need to be changed *
127 * _____ *
128 * Mod No.            : MOD-012 *
129 * Date               : 17-Jan-2019 *
130 * Author             : Kundan Kumar(S204711) *
131 * Change Reference   : Defect 9000006686 *
132 * Transport Number   : DJRK9A07ZG *
133 * Change Request     : 8000004523 *
134 * Change Description : 1)Include the logic for pre-period if contract *
135 *                      end date is in the same month of start date. *
136 *                      2)Correct the logic to pass fiscal year in case *
137 *                      of posting date provided for document display. *
138 * _____ *
139 * Mod No.            : MOD-013 *
140 * Date               : 28-Jan-2019 *
141 * Author             : Kundan Kumar(S204711) *
142 * Change Reference   : GAP 1000001923 *
143 * Transport Number   : DJRK9A0890 *
144 * Change Request     : 8000004574 *
145 * Change Description : 1)Regular Pay COPA allocation logic need to be *
146 *                      added *
147 *                      2)Fetch all the item data from DME item table *
148 *                      and later on exclude deleted items. *
149 * _____ *
150 * Mod No.            : MOD-014 *
151 * Date               : 27-Feb-2020 *
152 * Author             : Kundan Kumar(S204711) *
153 * Change Reference   : Defect 9000006988 *
154 * Transport Number   : DJRK9A08RX *
155 * Change Request     : 8000004685 *
156 * Change Description : 1)Add Seperate radio button for Regular Pay *
157 *                      2)LSA Complete logic to be added for regular pay *
158 *                      based on last cut-off date *
159 *                      3)Consider correct dealer in case of dummy cases *
160 *                      4)Add logic for Cross terr. 'By Group' scenario *
161 * _____ *
162 * Mod No.            : MOD-015 *
163 * Date               : 02-Apr-2020 *
164 * Author             : Kundan Kumar(S204711) *
165 * Change Reference   : Defect 9000007623 *
166 * Transport Number   : MJRK906549 *
167 * Change Request     : 8000004848 *
168 * Change Description : 1)Correct logic for mult. regular pay contracts *
169 *                      processing *
170 *                      2)Update Completion flag after allocation for *
171 *                      particulat cut-off date *
172 *                      3)Fetch Reg. contracts same like post pay and *
173 *                      process based on posting date in item table *
174 * _____ *
175 * Mod No.            : MOD-016 *
176 * Date               : 09-Apr-2020 *
177 * Author             : Kundan Kumar(S204711) *
178 * Change Reference   : Defect 9000007651 *
179 * Transport Number   : MJRK906706 *
180 * Change Request     : 8000004891 *
181 * Change Description : 1)Correct logic for completeion flag for regular *
182 *                      pay processing *
183 * _____ *
```



```
184 * Mod No. : MOD-017 *
185 * Date : 08-May-2020 *
186 * Author : Kundan Kumar(S204711) *
187 * Change Reference : Defect 9000008043 *
188 * Transport Number : MJRK907377 *
189 * Change Request : 8000005118 *
190 * Change Description : 1)Remove the check for tax amount is not initial*
191 * since for some cases in pre pay tax amount is 0*
192 * and COPA tax need to be adjusted based on this.*
193 *
194 * Mod No. : MOD-018 *
195 * Date : 16-Oct-2020 *
196 * Author : Kundan Kumar(S204711) *
197 * Change Reference : Defect 9000010003 *
198 * Transport Number : MJRK907377 *
199 * Change Request : 8000005118 *
200 * Change Description : Correct the pre pay catch up functionality *
201 *
202 * Mod No. : MOD-019 *
203 * Date : 14-Sep-2020 *
204 * Author : Kundan Kumar(S204711) *
205 * Change Reference : Gap 1000002164,Gap 2173 *
206 * Transport Number : DJRK9A0AN9 *
207 * Change Request : 8000005710 *
208 * Change Description : 1)Change the cutoff date to month-end date for *
209 * fixed amount scenario to consider in settlement *
210 * 2)Add logic for secondary customer scenario to *
211 * do the allocation *
212 * 3)Change rate to 2 point decimals as provided on *
213 * FIORI screen *
214 *
215 * Mod No. : MOD-020 *
216 * Date : 22-Feb-2021 *
217 * Author : Kundan Kumar(S204711) *
218 * Change Reference : Defect 9000012006/9000012007/9000012009 *
219 * Transport Number : MJRK911380 *
220 * Change Request : 8000006892 *
221 * Change Description : 1)Comment the logic for completion header and *
222 * item table in case of post pay period scenario *
223 * 2)Add logic to handle multiple tax for post pay *
224 * period type of contracts. *
225 * 3)Add logic to put error message for no sales *
226 * in case of pre pay contracts. *
227 *
228 * Mod No. : MOD-021 *
229 * Date : 17-Mar-2021 *
230 * Author : Kundan Kumar(S204711) *
231 * Change Reference : Defect 9000012007 *
232 * Transport Number : MJRK911760 *
233 * Change Request : 8000007068 *
234 * Change Description : 1)Add the logic to handle multiple tax code for *
235 * post pay period scenario *
236 *
237 * Mod No. : MOD-022 *
238 * Date : 10-Nov-2021 *
239 * Author : Ashok Kumar(S422335) *
240 * Change Reference : Defect: 9000015115 & 9000015248 *
241 * Transport Number : MJRK915617 *
242 * Change Request : 8000008739 *
243 * Change Description : 1) DME item data rollback issue *
244 * 2) Incorrect message in rollback issue *
```

```

245 *                               3) FI/CO interface error while posting *
246 *                               * *
247 * Mod No.                      : MOD-024 *
248 * Date                        : 14-Mar-2022 *
249 * Author                      : Ashok Kumar(S422335) *
250 * Change Reference            : Defect:9000016159 *
251 * Transport Number           : MJRK917521 *
252 * Change Request              : 8000009869 *
253 * Change Description          : For huge contracts, sales will be update based *
254 *                             bottler wise *
255 *                               *
256 * Mod No.                      : MOD-026 *
257 * Date                        : 03-May-2023 *
258 * Author                      : Kundan Kumar(S204711) *
259 * Change Reference            : GAP 1000003082-DME Invoice(JCT) Changes *
260 * Transport Number           : DJRK9A0HH5 *
261 * Change Request              : 8000013154 *
262 * Change Description          : Need to pass Inv.Reg.Number to XREF1_HD field *
263 *                             of BKPF which will be used later to compare *
264 *                             change in Inv. Reg. Number *
265 *                               *
266 * Mod No.                      : MOD-030 *
267 * Date                        : 13-June-2024 *
268 * Author                      : Sabari Saai Sunthosh Kanagaraj | EJX9005197 *
269 * Change Reference            : Defect 9000026150 *
270 * Transport Number           : DJRK9A0KQ0 *
271 * Change Request              : 8000015686 *
272 * Change Description          : Prepay amortization changes *
273 *                               *
274 * Mod No.                      : MOD-032 *
275 * Date                        : 24-October-2024 *
276 * Author                      : Sabari Saai Sunthosh Kanagaraj | EJX9005197 *
277 * Change Reference            : GAP 1000003586 / 1000003587 *
278 * Transport Number           : MJRK927911 *
279 * Change Request              : 8000016351 *
280 * Change Description          : DME Month end program changes / *
281 *                             Dummy logic modification for cross-company *
282 *                               *
283 * Mod No.                      : MOD-035 *
284 * Date                        : 09-May-2025 *
285 * Author                      : Sabari Saai Sunthosh Kanagaraj | EJX9005197 *
286 * Change Reference            : GAP 1000003718 *
287 * Transport Number           : MJRK932248 *
288 * Change Request              : 8000017235 *
289 * Change Description          : Regular Pay Completion Flag Issue *
290 *                               *
291 * &                               *
292 * & Include                    /CCBJI/RUFIAPR_DME_TOP *
293 * &                               *
294 *
295 TYPES: BEGIN OF ty_dhdr,
296         knuma TYPE knuma, "Agreement
297         bukrs TYPE bukrs, "Company code
298         pay_type TYPE /ccbj/dme_paytyp, "Payment type
299         cal_type TYPE /ccbj/dme_cal_typ, "Calculation Type
300         boart TYPE boart, "Agreement Type
301         start_date TYPE oij_schstrdt, "Schedule st.date
302         cont_amnt TYPE /ccbj/otc_contamt, "Contract Amount
303         cont_vol TYPE /ccbj/otc_contqty, "Contract Volume
304         waers TYPE waers, "Currency
305         compl TYPE /scl/otc_lsa_compl, "LSA Completed

```

```

306      lsa_stop TYPE /scl/otc_lsa_stp, "LSA Stop
307      lsastop_dat TYPE /ccbj/otc_lsa_stop, "Stop date
308      tax_ind TYPE /ccbj/otc_taxin, "Tax Indicator
309      cross_ind TYPE /ccbj/otc_cross, "Cross Indicator
310      pay_period TYPE /ccbj/otc_pytim, "Payment Timing
311      pay_cutoff TYPE /ccbj/otc_cutoffd, "Cutoff Day
312      pay_month TYPE /ccbj/otc_pymon, "Payment Month
313      pay_day TYPE /ccbj/otc_pyday, "Payment Day
314      kvsl1 TYPE kvsl1, "Account key
315      hkont TYPE hkont, "GL account
316      agre_typ TYPE /ccbj/otc_agre_typ, "Aggregation Type
317      main_bukrs TYPE /ccbj/otc_main_bukrs, "Main Bukrs
318      main_vkbur TYPE /ccbj/otc_main_vkbur, "Main Sales office
319      main_kostl TYPE /ccbj/otc_main_kostl, "Costcenter
320      main_trg_amt TYPE /ccbj/otc_main_trg_amt, "Main Tar. amnt "++M
OD-010
321      main_trg_vol TYPE /ccbj/otc_main_trg_vol, "Target Volume
322      sub_bukrs TYPE /ccbj/otc_sub_bukrs, "Sub Bukrs
323      sub_vkbur TYPE /ccbj/otc_sub_vkbur, "Sub Sales Office
324      sub_kostl TYPE /ccbj/otc_sub_kostl, "Sub Cost center
325      sub_trg_amt TYPE /ccbj/otc_sub_trg_amt, "Sub Target Amount
326      sub_trg_vol TYPE /ccbj/otc_sub_trg_vol, "Sub Target Volume
327      status TYPE /ccbj/dme_access, "Contract Status
328      app_date TYPE /ccbj/otc_appdt, "Approved Date "++MOD-004
329      inv_reg_num TYPE /ccbj/dme_invreg, "Invoice Reg.No. "++MOD-02
6
330      inv_reg_dat TYPE /ccbj/dme_regdat, "Registration date "++MOD-
026
331      END OF ty_dhdr,
332
333      BEGIN OF ty_ditem,
334          knuma TYPE knuma, "Agreement
335          item TYPE /ccbj/otc_item, "Item
336          bukrs TYPE bukrs, "Company Code
337          tposn TYPE /ccbj/otc_tposn, "Agreement Item
338          tran_type TYPE /ccbj/otc_dme_tran, "Transaction Type
339          sched_dat TYPE /ccbj/otc_sched_date, "Scheduled date
340          vkbur TYPE vkbur, "Sales Office
341          tar_unit TYPE /ccbj/otc_unit, "Target Unit
342          perc TYPE /ccbj/otc_scale, "Scale type
343          cross_typ TYPE /ccbj/otc_crotyp, "Cross Terr. type
344          compl TYPE /scl/otc_lsa_compl, "LSA completed
345          act_amnt TYPE /ccbj/otc_lsaactamt, "Actual Amount
346          act_vol TYPE /ccbj/otc_act_vol, "Actual Volume
347          unit_price TYPE /ccbj/dme_uprice, "Unit Price
348          mwskz TYPE mwskz, "Tax Code
349          lsastop TYPE /scl/otc_lsa_stp, "LSA stop
350          lsa_doc TYPE /ccbj/otc_lsa_doc, "LSA Document
351          budat TYPE budat, "Posting date
352          item_status TYPE /ccbj/dme_access, "++MOD-013
353          unt_dec TYPE /ccbj/dme_uprc, "++MOD-019
354          inv_reg_num TYPE /ccbj/dme_invreg, "Invoice Reg.No. "++MOD-02
6
355          inv_reg_dat TYPE /ccbj/dme_regdat, "Registration date "++MOD-
026
356          new_doc TYPE /ccbj/dme_nwdoc, "New Accounting Document"++MOD-
026
357          zupdind TYPE /ccej/mdm_upd_ind, "++MOD-013
358      END OF ty_ditem,
359
360      BEGIN OF ty_kona,

```

```

361      knuma TYPE knuma, "Agreement
362      vkorg TYPE vkorg, "Sales Organization
363      vtweg TYPE vtweg, "Distribution Channel
364      spart TYPE spart, "Division
365      vkbur TYPE vkbur, "Sales office
366      boart TYPE boart, "Agreement type
367      bonem TYPE bonem, "Rebate recipient
368      datab TYPE abdatab, "Valid-from date
369      datbi TYPE abdatbi, "Valid-to date
370      botext TYPE botext, "Description
371  END OF ty_kona,
372
373  BEGIN OF ty_final,
374      monat TYPE monat, "Month
375      gjahr TYPE gjahr, "Fiscal Year
376      buksr TYPE buksr, "Company code "++MOD-004
377      sched_dat TYPE /ccbj/otc_sched_date, "Scheduled date
378      knuma TYPE knuma, "Agreement
379      tposn TYPE /ccbj/otc_tposn, "Agreement Item
380      tar_unit TYPE char16, "Target unit class
381      *      accper TYPE /ccbj/dme_uprice, "Accrual Percentage "—MOD-01
382      *      acquan TYPE /ccbj/dme_uprice, "Accrual Quantity "—MOD-019
383      accper TYPE /ccbj/dme_uprc, "Accrual Percentage "++MOD-019
384      acquan TYPE /ccbj/dme_uprc, "Accrual Quantity "++MOD-019
385      csquan TYPE rke2_vv980, "CS quantity
386      lsquan TYPE rke2_vv981, "LS quantity
387      gaquan TYPE rke2_vv983, "GA quantity
388      vv506 TYPE /ccej/rtr_tot, "Sales Tax Exclusive
389      vv507 TYPE /ccej/rtr_tot, "Sales Tax Inclusive
390      kbrue TYPE /ccej/rtr_tot, "Accrual Amount
391      fi_doc TYPE belnr_d, "Accounting Doc
392      msg TYPE bapi_msg, "Message
393  END OF ty_final,
394
395  BEGIN OF ty_sfinal,
396      monat TYPE monat, "Month
397      gjahr TYPE gjahr, "Fiscal Year
398      buksr TYPE buksr, "Company code "++MOD-004
399      knuma TYPE knuma, "Agreement
400      datab TYPE abdatab, "Valid-from date
401      datbi TYPE abdatbi, "Valid-to date
402      amnt TYPE /ccej/rtr_tot, "Apportionment Amount
403      atax TYPE /ccej/rtr_tot, "Tax Amount
404      cont_amnt TYPE /ccej/rtr_tot, "Contract Amount
405      msg TYPE bapi_msg, "Message
406  END OF ty_sfinal,
407
408  BEGIN OF ty_dagt,
409      pay_type TYPE /ccbj/dme_paytyp, "Payment Type
410      cal_type TYPE /ccbj/dme_cal_typ, "Calculation Type
411      boart TYPE boart, "Agreement type
412      payment TYPE /ccbj/pay_cond, "Payment Condition type
413      cust_inc TYPE /ccbj/cusi_cond, "Customer Incl. Condition type
414      cust_exc TYPE /ccbj/cuse_cond, "Customer Excl. Condition type
415      prod_inc TYPE /ccbj/proi_cond, "Product Incl. Condition type
416      prod_exc TYPE /ccbj/proe_cond, "Product Excl. Condition type
417      rate_unt TYPE /ccbj/runt_cond, "Rate Unit Condition type
418      rate_amnt TYPE /ccbj/ramnt_cond, "Rate Amnt Condition type
419  END OF ty_dagt,
420

```

```
421 BEGIN OF ty_custd,
422     kappl TYPE kappl,
423     kschl TYPE kscha,
424     vkorg TYPE vkorg,
425     vtweg TYPE vtweg,
426     kunnr TYPE kunnr,
427     rke_ww214 TYPE /ccej/mdm_botacct,
428     datbi TYPE kodatbi,
429     knuma TYPE knuma,
430     knumh TYPE knumh,
431 END OF ty_custd,
432
433 BEGIN OF ty_matd,
434     kappl TYPE kappl,
435     kschl TYPE kscha,
436     vkorg TYPE vkorg,
437     vtweg TYPE vtweg,
438     tposn TYPE tposn,
439     /scl/brand TYPE /scl/brand,
440     /ccbj/bbrand TYPE /ccbj/otc_brand,
441     /ccbj/packcode TYPE /ccej/mdm_cntnrsiz,
442     /ccbj/bpackg TYPE /ccbj/otc_bpackg,
443     /scl/flav TYPE /scl/flavo,
444     /ccbj/subcat TYPE /ccbj/otc_subcat,
445     matnr TYPE matnr,
446     datbi TYPE kodatbi,
447     knuma TYPE knuma,
448     knumh TYPE knumh,
449 END OF ty_matd,
450
451 BEGIN OF ty_rated,
452     kappl TYPE kappl,
453     kschl TYPE kscha,
454     vkorg TYPE vkorg,
455     vtweg TYPE vtweg,
456     tposn TYPE tposn,
457     katr3 TYPE katr3,
458     datbi TYPE kodatbi,
459     knuma TYPE knuma,
460     knumh TYPE knumh,
461 END OF ty_rated,
462
463 BEGIN OF ty_konh,
464     knumh TYPE knumh,
465     kotabnr TYPE kotabnr,
466     kschl TYPE kschl,
467     knuma_bo TYPE knuma_bo,
468 END OF ty_konh,
469
470 BEGIN OF ty_konp,
471     knumh TYPE knumh,
472     kopos TYPE kopos,
473     krech TYPE krech,
474     kbetr TYPE kbetr,
475     kpein TYPE kpein,
476     loevm_ko TYPE loevm_ko,
477     kbrue TYPE kbrue,
478 END OF ty_konp,
479
480 BEGIN OF ty_rval,
481     tposn TYPE tposn,
```



```

482          knuma TYPE knuma,
483          kattr3 TYPE kattr3,
484          kschl TYPE kscha,
485          krech TYPE krech,
486          kbetr TYPE kbetr,
487          kpein TYPE kpein,
488          kbrue TYPE kbrue,
489      END OF ty_rval,
490
491      BEGIN OF ty_dmegl,
492          ktopl TYPE ktopl,
493          bukrs TYPE bukrs,
494          boart TYPE boart,
495          kvsl1 TYPE kvsl1,
496          sakn1 TYPE saknr,
497          sakn3 TYPE /ccbj/sakn3,
498          sakn2 TYPE /ccbj/sakn2,
499          mwszk TYPE mwszk,
500          mwszk1 TYPE mwszk,
501          vfield TYPE rke_wrtfld,
502      END OF ty_dmegl,
503
504      BEGIN OF ty_ce1jp00,
505          mandt TYPE mandt, "Client
506          paledger TYPE ledbo, "Currency type for operating con.
507          vrgar TYPE rke_vrgar, "Record Type
508          versi TYPE rkeversi, "Plan version (CO-PA)
509          perio TYPE jahrper, "Period/year
510          paobjnr TYPE rkeobjnr, "Profitability Segment Number
511          pasubnr TYPE rkesubnr, "Profitability segment changes
512          belnr TYPE rke_belnr, "Document number
513          posnr TYPE rke_posnr, "Item no.
514          gjahr TYPE gjahr, "Fiscal Year
515          perde TYPE periode, "Period
516          fadat TYPE fadat, "Invoice Date
517          kindnr TYPE kunde_pa, "Customer
518          artnr TYPE artnr, "Product number
519          fkart TYPE fkart, "Billing Type
520          bukrs TYPE bukrs, "Company Code
521          werks TYPE werks_d, "Plant
522          vkorg TYPE vkorg, "Sales Org
523          vtweg TYPE vtweg, "Distribution
524          spart TYPE spart, "Division
525          prctr TYPE prctr, "Profit Center
526          kunwe TYPE kunwe, "Ship to
527          kmvkb TYPE vkbur, "Sales Office
528          ww207 TYPE rkeg_ww207, "Dealer
529          kattr4 TYPE kattr4, "Business type extension
530          ww214 TYPE /ccej/mdm_botacct, "Bottlers account code
531          vkaus TYPE abrvw, "++MOD-007
532          ww224 TYPE /ccej/mdm_subcat, "Sub Category code
533          ww225 TYPE /scl/brand, "Brand
534          ww226 TYPE /ccej/mdm_cntnrsiz, "Package
535          ww227 TYPE /scl/flavo, "Flavour
536          ww228 TYPE knuma, "Agreement
537          ww229 TYPE /ccbj/otc_tposn, "Agreement Item
538          absmg_me TYPE meins, "Base Unit of Measure
539          vv980_me TYPE meins, "Base Unit of Measure
540          vv981_me TYPE meins, "Base Unit of Measure
541          vv982_me TYPE meins, "Base Unit of Measure
542          vv983_me TYPE meins, "Base Unit of Measure

```

```

543      absmg TYPE rke2_absmg, "Sales quantity
544      erlos TYPE rke2_erlos, "Revenue
545      vv506 TYPE rke2_vv506, "Sales Tax Exclusive
546      vv507 TYPE rke2_vv507, "Sales Tax Inclusive
547      vv980 TYPE rke2_vv980, "QTY-Volume(BAPC)
548      vv981 TYPE rke2_vv981, "QTY-Volume(Loose)
549      vv982 TYPE rke2_vv982, "QTY-Volume(Unit)
550      vv983 TYPE rke2_vv983, "QTY-Volume(Gallon)
551  END OF ty_ce1jp00,
552
553  BEGIN OF ty_ce2jp00,
554      mandt TYPE mandt, "Client
555      paledger TYPE ledbo, "Currency type for operating con.
556      vrgar TYPE rke_vrgar, "Record Type
557      versi TYPE rkeversi, "Plan version (CO-PA)
558      paobjnr TYPE rkeobjnr, "Profitability Segment Number
559      pasubnr TYPE rkesubnr, "Profitability segment changes
560      belnr TYPE rke_belnr, "Document number
561      perbl TYPE jahrperbl, "Period/year
562      gjahr TYPE gjahr, "Fiscal Year
563      kindnr TYPE kunde_pa, "Customer
564      artnr TYPE artnr, "Product number
565      fkart TYPE fkart, "Billing Type
566      buksr TYPE buksr, "Company Code
567      werks TYPE werks_d, "Plant
568      vkorg TYPE vkorg, "Sales Org
569      vtweg TYPE vtweg, "Distribution
570      spart TYPE spart, "Division
571      prctr TYPE prctr, "Profit Center
572      kunwe TYPE kunwe, "Ship to
573      kmvkbv TYPE vkbur, "Sales Office
574      ww207 TYPE rkeg_ww207, "Dealer
575      katr4 TYPE katr4, "Business type extension
576      ww214 TYPE /ccej/mdm_botacct, "Bottlers account code
577      vkaus TYPE abrvw, "++MOD-007
578      ww224 TYPE /ccej/mdm_subcat, "Sub Category code
579      ww225 TYPE /scl/brand, "Brand
580      ww226 TYPE /ccej/mdm_cntnrsiz, "Package
581      ww227 TYPE /scl/flavo, "Flavour
582      ww228 TYPE knuma, "Agreement
583      ww229 TYPE /ccbj/otc_tposn, "Agreement Item
584      absmg_me TYPE meins, "Base Unit of Measure
585      vv980_me TYPE meins, "Base Unit of Measure
586      vv981_me TYPE meins, "Base Unit of Measure
587      vv982_me TYPE meins, "Base Unit of Measure
588      vv983_me TYPE meins, "Base Unit of Measure
589      absmg TYPE rke2_absmg, "Sales quantity
590      erlos TYPE rke2_erlos, "Revenue
591      vv506 TYPE rke2_vv506, "Sales Tax Exclusive
592      vv507 TYPE rke2_vv507, "Sales Tax Inclusive
593      vv980 TYPE rke2_vv980, "QTY-Volume(BAPC)
594      vv981 TYPE rke2_vv981, "QTY-Volume(Loose)
595      vv982 TYPE rke2_vv982, "QTY-Volume(Unit)
596      vv983 TYPE rke2_vv983, "QTY-Volume(Gallon)
597  END OF ty_ce2jp00,
598
599  BEGIN OF ty_copa,
600      ww228 TYPE knuma, "Agreement
601      ww229 TYPE /ccbj/otc_tposn, "Agreement Item
602      kindnr TYPE kunde_pa,
603      artnr TYPE artnr,

```

```

604      vkaus TYPE abrvw, "++MOD-007
605      gjahr TYPE gjahr,
606      perde TYPE periode,
607      *      kindnr TYPE kunde_pa,
608      *      artnr TYPE artnr,
609      fkart TYPE fkart,      "Billing Type
610      buhrs TYPE buhrs,
611      werks TYPE werks_d,
612      vkorg TYPE vkorg,
613      vtweg TYPE vtweg,
614      spart TYPE spart,
615      prctr TYPE prctr,
616      kunwe TYPE kunwe,      "Ship to
617      kmvkbk TYPE vkbur,
618      ww207 TYPE rkeg_ww207, "Dealer
619      katr4 TYPE katr4,      "Business type extension
620      ww214 TYPE /ccej/mdm_botacct, "Bottlers account code
621      ww224 TYPE /ccej/mdm_subcat, "Sub Category code
622      ww225 TYPE /scl/brand, "Brand
623      ww226 TYPE /ccej/mdm_cntnrsiz, "Package
624      ww227 TYPE /scl/flavo, "Flavour
625      absmg_me TYPE meins,
626      vv980_me TYPE meins,
627      vv981_me TYPE meins,
628      vv982_me TYPE meins,
629      vv983_me TYPE meins,
630      absmg TYPE rke2_absmg,
631      erlos TYPE rke2_erlos,
632      vv506 TYPE rke2_vv506, "Sales Tax Exclusive
633      vv507 TYPE rke2_vv507, "Sales Tax Inclusive
634      vv980 TYPE rke2_vv980, "QTY-Volume(BAPC)
635      vv981 TYPE rke2_vv981, "QTY-Volume(Loose)
636      vv982 TYPE rke2_vv982, "QTY-Volume(Unit)
637      vv983 TYPE rke2_vv983, "QTY-Volume(Gallon)
638      END OF ty_copa,
639
640      BEGIN OF ty_salesoff,
641      buhrs TYPE buhrs,
642      zkwzwerks TYPE /ccej/mdm_site,
643      zkwzpltnam TYPE /ccej/mdm_nam,
644      END OF ty_salesoff,
645
646      BEGIN OF ty_mexc,
647      vkorg TYPE vkorg, "Sales Organization
648      matnr TYPE matnr, "Material
649      END OF ty_mexc,
650
651      BEGIN OF ty_mbrand,
652      /scl/brand TYPE /scl/brand, "Brand
653      /ccbj/bbrand TYPE /ccbj/otc_brand, "Bottler brand
654      END OF ty_mbrand,
655
656      BEGIN OF ty_bpack,
657      package_code TYPE /ccej/mdm_cntnrsiz, "Package code
658      /ccbj/bpackg TYPE /ccbj/otc_bpackg, "Bottler pack.
659      END OF ty_bpack,
660
661      BEGIN OF ty_temp,
662      ww228 TYPE knuma,      "Agreement
663      ww229 TYPE /ccbj/otc_tposn, "Agreement Item
664      vv980 TYPE rke2_vv980, "QTY-Volume(BAPC)

```



```

665         vv981 TYPE rke2_vv981, "QTY-Volume(Loose)
666         vv983 TYPE rke2_vv983, "QTY-Volume(Gallon)
667         vv506 TYPE rke2_vv506, "Sales Tax Exclusive
668         vv507 TYPE rke2_vv507, "Sales Tax Inclusive
669     END OF ty_temp,
670     "Begin of changes          MOD-007
671     BEGIN OF ty_taxd,
672         ww228 TYPE knuma, "Agreement
673         ww229 TYPE /ccbj/otc_tposn, "Agreement Item
674         vkaus TYPE abrvw,
675         vv980 TYPE rke2_vv980, "QTY-Volume(BAPC)
676         vv981 TYPE rke2_vv981, "QTY-Volume(Loose)
677         vv983 TYPE rke2_vv983, "QTY-Volume(Gallon)
678         vv506 TYPE rke2_vv506, "Sales Tax Exclusive
679         vv507 TYPE rke2_vv507, "Sales Tax Inclusive
680         txamnt TYPE /ccej/rtr_tot, "Apportionment Amount
681         txtax TYPE /ccej/rtr_tot, "Tax Amount
682     END OF ty_taxd,
683     "End of changes          MOD-007
684 *   Begin of changes by S204711      MOD-013
685         BEGIN OF ty_dreg,
686             knuma TYPE knuma,
687             cut_off_date TYPE datum,
688             kunnr TYPE kunnr,
689             kunnr_type TYPE /ccbj/otc_reg_kunnr_typ,
690             kvsl1 TYPE /ccbj/kvsl1,
691             buhrs TYPE buhrs,
692             dkunnr TYPE kunnr,
693             lkunnr TYPE kunnr,
694             saknr TYPE saknr,
695             mwskz TYPE mwskz,
696             amt_tax TYPE /ccbj/otc_amt_tax_code1,
697             reg_comm TYPE fm_comment,
698         END OF ty_dreg,
699 *   End of changes by S204711      MOD-013
700 *   Begin of changes by S204711      MOD-014
701         BEGIN OF ty_atax,
702             mandt TYPE mandt, "Client
703             buhrs TYPE buhrs,
704             vv605 TYPE rke2_vv605,
705         END OF ty_atax,
706 *   End of changes by S204711      MOD-014
707 *   Begin of changes by S204711      MOD-026
708         BEGIN OF ty_t007a,
709             kalsm TYPE kalsm_d,
710             mwskz TYPE mwskz,
711             mwart TYPE mwart,
712         END OF ty_t007a,
713
714         BEGIN OF ty_znn0001,
715             zzkey1 TYPE char40,
716             zzkey2 TYPE char10,
717             zzkey3 TYPE char10,
718             zzdata1 TYPE char10,
719             zzdata2 TYPE char50,
720         END OF ty_znn0001,
721
722         BEGIN OF ty_bseg,
723             buhrs TYPE buhrs, "Company Code
724             belnr TYPE belnr_d, "Accounting Document Number
725             gjahr TYPE gjahr, "Year

```

```

726          buzei TYPE buzei,      "Number of Line Item
727          buzid TYPE buzid,      "Identification of Line Item
728          koart TYPE koart,      "Account Type
729          shkzg TYPE shkzg,      "Debit/Credit Indicator
730          mwszk TYPE mwszk,      "Tax code
731          wrbtr TYPE wrbtr,      "Amount
732          fwbas TYPE fwbas,      "Tax Base Amount
733          mwart TYPE mwart,      "Tax Type
734          hkont TYPE hkont,      "G/L Account
735          kunnr TYPE kunnr,      "Customer Number
736          lifnr TYPE lifnr,      "Vendor
737      END OF ty_bseg,
738  * End of changes by S204711      MOD-026
739
740  "BOC | MOD-032 | EJX9005197 | 17-Dec-2024
741      BEGIN OF ty_sales,
742          bukr4 TYPE bukr4,
743          katr4 type katr4,      "++ MOD-035
744          vv506 TYPE rke2_vv506,
745          vv507 TYPE rke2_vv507,
746          vv980 TYPE rke2_vv980,
747          vv981 TYPE rke2_vv981,
748          vv983 TYPE rke2_vv983,
749          count TYPE i,
750      END OF ty_sales,
751  "EOC | MOD-032 | EJX9005197 | 17-Dec-2024
752
753      tb_ce1jp00 TYPE STANDARD TABLE OF ty_ce1jp00, "++MOD-006
754      tb_cdata TYPE STANDARD TABLE OF bapi_copa_data,
755      tb_selc TYPE STANDARD TABLE OF bapi_copa_selection,
756      tb_fname TYPE STANDARD TABLE OF bapi_copa_field.
757
758  * Data Declarations:
759      DATA: v_knuma TYPE knuma, "Agreement Number
760      v_vkbur TYPE tvbur-vkbur, "/ccej/tzktfi0001-zkzwerks, "Sales Off
ice
761      i_dhdr TYPE STANDARD TABLE OF ty_dhdr ##needed,
762      i_ditem TYPE STANDARD TABLE OF ty_ditem ##needed,
763      i_kona TYPE STANDARD TABLE OF ty_kona ##needed,
764      i_konh TYPE STANDARD TABLE OF ty_konh ##needed,
765      i_konp TYPE STANDARD TABLE OF ty_konp ##needed,
766      i_ce1jp00 TYPE STANDARD TABLE OF ty_ce1jp00 ##needed,
767      i_dagt TYPE STANDARD TABLE OF ty_dagt ##needed,
768      i_t6b2f TYPE STANDARD TABLE OF t6b2f ##needed,
769      i_custd TYPE STANDARD TABLE OF ty_custd ##needed,
770      i_matd TYPE STANDARD TABLE OF ty_matd ##needed,
771      i_mexc TYPE STANDARD TABLE OF ty_mexc ##needed,
772      i_rval TYPE STANDARD TABLE OF ty_rval ##needed,
773      i_rated TYPE STANDARD TABLE OF ty_rated ##needed,
774      i_dreg TYPE STANDARD TABLE OF ty_dreg ##needed, "++MOD-013
775      i_ce2jp00 TYPE STANDARD TABLE OF ty_ce2jp00 ##needed,
776      i_t007a TYPE STANDARD TABLE OF ty_t007a ##needed, "++MOD-026
777      i_znn0001 TYPE STANDARD TABLE OF ty_znn0001 ##needed, "++MOD-026
778      i_bseg TYPE STANDARD TABLE OF ty_bseg ##needed, "++MOD-026
779      o_column TYPE REF TO cl_salv_columns_table ##needed,
780      "Columns in Simple, Two-Dimensional Tables
781      o_columns TYPE REF TO cl_salv_columns ##needed,
782      "All Column Objects
783      o_column TYPE REF TO cl_salv_column ##needed,
784      "Column Object
785      o_table TYPE REF TO cl_salv_table ##needed,

```

```

786      "Basis Class for Simple Tables
787      v_eflag TYPE char1 ##needed,
788      v_last TYPE sy-datum ##needed,
789      v_dbg1 TYPE saknr ##needed,
790      v_crg1 TYPE /ccbj/sakn3 ##needed,
791      v_mwskz TYPE mwskz ##needed,
792      v_mwskz1 TYPE mwskz ##needed,      "++MOD-004
793      v_botac TYPE /ccej/mdm_botacct, " Bottler account MOD-024 ++
794      v_nvz TYPE wmwst, "NVV amount      "++MOD-026
795      v_nvz_wmwst TYPE wmwst,      "++ MOD-030
796      i_dsku TYPE rseloption, "TVARVC Dummy SKU"++MOD-004
797      r_stat TYPE RANGE OF /ccbj/dme_access ##needed,
798      i_dmegl TYPE STANDARD TABLE OF ty_dmegl ##needed,
799      i_final TYPE STANDARD TABLE OF ty_final ##needed,
800      i_ftaxd TYPE STANDARD TABLE OF ty_taxd ##needed, "++MOD-007
801      i_sfinal TYPE STANDARD TABLE OF ty_sfinal ##needed,
802      r_per TYPE RANGE OF jahrper, "++ MOD-032
803      r_bukrs TYPE RANGE OF bukrs, "++ MOD-032
804      v_conn TYPE dbcon_name,      "++ MOD-032      "database conn name
805      v_dummy_flag TYPE c,      "++ MOD-032
806      v_kunnr TYPE kunnr,      "++ MOD-032
807      i_sales TYPE STANDARD TABLE OF ty_sales. "++ MOD-032
808
809      CONSTANTS: c_i      TYPE char1      VALUE 'I', "Include
810                  c_eq      TYPE char2      VALUE 'EQ', "Equal
811                  c_bt      TYPE char2      VALUE 'BT', "Between "++MOD-010
812                  c_ex      TYPE char1      VALUE 'E', "Exclude
813                  c_kappl TYPE kappl      VALUE 'V', "Application
814                  c_usage TYPE kvewe      VALUE 'E', "Usage Cond. Tab
815                  c_quan TYPE krech      VALUE 'C', "Quantity
816                  c_prec TYPE krech      VALUE 'A', "Percentage
817                  c_ptax TYPE char1      VALUE 'T', "Tax Prefix Code
818                  c_pre TYPE char4      VALUE 'KOTE', "Table Prefix
819                  c_custi TYPE kscha      VALUE 'YJ12', "Customer Inc.
820                  c_custe TYPE kscha      VALUE 'YJ13', "Customer Exc.
821                  c_mati TYPE kscha      VALUE 'YJ14', "Material Inc.
822                  c_mate TYPE kscha      VALUE 'YJ15', "Material Exc.
823                  c_dtyp TYPE blart      VALUE 'GR', "DME Accrual
824                  c_pdtyp TYPE blart      VALUE 'GA', "DME Amortisation
825                  c_btw TYPE char2      VALUE 'BT', "Between "++MOD-007
826                  c_opcon TYPE ledbo      VALUE '01', "Currency type
827                  c_record TYPE rke_vrgar VALUE 'F', "Record type
828                  c_exrec TYPE rke_vrgar VALUE '5', "Record type Exp.
829                  c_eversi TYPE rkeversi VALUE '101', "Version Sales
830                  c_name TYPE tvarvc-name VALUE '/CCEJ/RTR/HANA_CONN',
831                  c_numv TYPE tvarv_numv VALUE '0000', "Tvarc numb
832                  c_type TYPE rscr_kind VALUE 'P', "Selection type
833                  c_gltv TYPE tvarvc-name VALUE '/CCBJI/RTR_DME_CRGL',
834                  c_bname TYPE tvarvc-name VALUE '/CCBJI/DME_KATR4',
835                  c_taxmp TYPE tvarvc-name VALUE '/CCBJI/DME_TAX_MAP', "++MOD
-007
836                  c_zero TYPE char1 VALUE '0', "Zero
837                  c_one TYPE /ccbj/dme_paytyp VALUE '1', "Prepay
838                  c_two TYPE /ccbj/dme_paytyp VALUE '2', "Spot
839                  c_thr TYPE /ccbj/dme_paytyp VALUE '3', "PostPay
840                  c_unt4 TYPE /ccbj/otc_unit VALUE '4', "Amnt Inc.
841                  c_unt5 TYPE /ccbj/otc_unit VALUE '5', "Amnt Exc.
842                  c_six TYPE /ccbj/otc_unit VALUE '6', "Period
843                  c_erkrs TYPE erkrs VALUE 'JP00', "Operating Concern
844                  c_solow TYPE slis_fieldname VALUE 'S_VKBUR-LOW',
845                  "Sales office field

```

```

846      c_pbuk TYPE slis_fieldname VALUE 'P_BUKRS',"Company
847      c_sof  TYPE slis_fieldname VALUE 'ZKZWERKS',"SO Field
848      c_valorg TYPE ddbool_d      VALUE 'S',"Structure Wise
849      c_mon   TYPE lvc_fname VALUE 'MONAT',
850      c_year  TYPE lvc_fname VALUE 'GJAHR',
851      c_sdat   TYPE lvc_fname VALUE 'SCHED_DAT',
852      c_agre   TYPE lvc_fname VALUE 'KNUMA',
853      c_litm   TYPE lvc_fname VALUE 'TPOSN',
854      c_accrp  TYPE lvc_fname VALUE 'ACCPER',
855      c_acquan TYPE lvc_fname VALUE 'ACQUAN',
856      c_squan  TYPE lvc_fname VALUE 'ABSMG' ##NEEDED,
857      c_erlos  TYPE lvc_fname VALUE 'ERLOS' ##NEEDED,
858      c_csquan TYPE lvc_fname VALUE 'CSQUAN',
859      c_lsquan TYPE lvc_fname VALUE 'LSQUAN',
860      c_gaquan TYPE lvc_fname VALUE 'GAQUAN',
861      c_ovv506 TYPE lvc_fname VALUE 'VV506',
862      c_ovv507 TYPE lvc_fname VALUE 'VV507',
863      c_vv605  TYPE lvc_fname VALUE 'VV605',"DME-Con. Tax
864      c_val    TYPE lvc_fname VALUE 'KBRUE',
865      c_msg    TYPE lvc_fname VALUE 'MSG',
866      c_datb   TYPE lvc_fname VALUE 'DATAB',
867      c_dati   TYPE lvc_fname VALUE 'DATBI',
868      c_coam   TYPE lvc_fname VALUE 'CONT_AMNT',
869      c_totd   TYPE lvc_fname VALUE 'TOT_DAY' ##NEEDED,
870      c_mntd   TYPE lvc_fname VALUE 'MNT_DAY' ##NEEDED,
871      c_apam   TYPE lvc_fname VALUE 'AMNT',
872      c_atax   TYPE lvc_fname VALUE 'ATAX',
873      c_tunt   TYPE lvc_fname VALUE 'TAR_UNIT',
874      c_err    TYPE char1 VALUE 'E',
875      c_succ   TYPE char1 VALUE 'S',
876      c_sep    TYPE char1 VALUE ',',
877      c_mode   TYPE dd26e-enqmode VALUE 'E',
878      "Constant for enqmode
879      c_object TYPE xuobject VALUE 'F_BKPF_BUK',
880      c_activity TYPE xufield VALUE 'ACTVT',
881      c_bukv    TYPE xufield VALUE 'BUKRS',
882      c_post    TYPE char2   VALUE '01',
883      c_budat   TYPE fieldname VALUE 'BUDAT',
884      c_curty   TYPE fieldname VALUE 'PALEDGER',
885      c_recty   TYPE fieldname VALUE 'VRGAR',
886      c_belnr   TYPE fieldname VALUE 'BELNR' ##NEEDED,
887      c_rbeln   TYPE fieldname VALUE 'RBELN',
888      c_posnr   TYPE fieldname VALUE 'POSNR' ##NEEDED,
889      c_rposn   TYPE fieldname VALUE 'RPOSN',
890      c_bukrs   TYPE fieldname VALUE 'BUKRS',
891      c_ww229   TYPE fieldname VALUE 'WW229',
892      c_vkorg   TYPE fieldname VALUE 'VKORG',
893      c_vtweg   TYPE fieldname VALUE 'VTWEG',
894      c_spart   TYPE fieldname VALUE 'SPART',
895      c_kmvkbu  TYPE fieldname VALUE 'KMKVBU',
896      c_kunwe   TYPE fieldname VALUE 'KUNWE',
897      c_skost   TYPE fieldname VALUE 'SKOST',
898      c_kndnr   TYPE fieldname VALUE 'KNDNR',
899      c_artnr   TYPE fieldname VALUE 'ARTNR',
900      c_kstar   TYPE fieldname VALUE 'KSTAR',
901      c_werks   TYPE fieldname VALUE 'WERKS',
902      c_absmg_me TYPE fieldname VALUE 'ABSMG_ME' ##NEEDED,
903      c_absmg   TYPE fieldname VALUE 'ABSMG' ##NEEDED,
904      c_kokrs   TYPE fieldname VALUE 'KOKRS',
905      c_ww228   TYPE fieldname VALUE 'WW228',
906      c_vv573   TYPE fieldname VALUE 'VV573' ##NEEDED,

```



```

907      c_recval  TYPE rke_param_value VALUE '6',
908      c_srecval  TYPE rke_param_value VALUE '4',
909      c_precval  TYPE rke_param_value VALUE '8',
910      c_versi    TYPE fieldname VALUE 'VERSI',
911      c_perio    TYPE fieldname VALUE 'PERIO',
912      c_cusage   TYPE fieldname VALUE 'VKAUS',
913      c_verval   TYPE rke_param_value VALUE '101',
914      c_salval   TYPE rke_param_value VALUE '5',
915      c_curval   TYPE rke_param_value VALUE '01',
916      c_vv980_m  TYPE fieldname VALUE 'VV980_ME',
917      c_vv981_m  TYPE fieldname VALUE 'VV981_ME',
918      c_vv983_m  TYPE fieldname VALUE 'VV983_ME',
919      c_vv506    TYPE fieldname VALUE 'VV506',
920      c_vv507    TYPE fieldname VALUE 'VV507',
921      c_vv980    TYPE fieldname VALUE 'VV980',
922      c_vv981    TYPE fieldname VALUE 'VV981',
923      c_vv983    TYPE fieldname VALUE 'VV983',
924      c_fdoc     TYPE fieldname VALUE 'FI_DOC',
925      c_fsvc     TYPE fkart VALUE 'ZV1', "FSV Cons Invoice
926      c_fsvs     TYPE fkart VALUE 'ZV2', "FSV Sale Invoice
927      c_kfsv     TYPE katr3 VALUE '04', "Business type FSV
928      c_blnr     TYPE memoryid VALUE 'BLN', "Accounting Paramter
929      c_bukr     TYPE char3 VALUE 'BUK', "Company code
930      c_gjr      TYPE char3 VALUE 'GJR', "Fiscal year
931      c_tacc     TYPE sy-tcode VALUE 'FB03', "FB03 Tcode
932      c_curr     TYPE waers VALUE 'JPY', "Currency
933      c_cter     TYPE /ccbj/otc_pytim VALUE '00' ##NEEDED, "Contrac
t Termi.
934      c_accr     TYPE /ccbj/otc_dme_tran VALUE '03', "Trans.Type
935      c_acct     TYPE /ccbj/otc_dme_tran VALUE '07', "Trans.Type "++
MOD-009
936      c_appr     TYPE /ccbj/dme_access VALUE '05', "Approved
937      c_seco     TYPE /ccbj/dme_cal_typ VALUE '9', "Secondary Cust
938      c_amort     TYPE /ccbj/otc_dme_tran VALUE '04', "Trans.Type
939      c_sales     TYPE /ccbj/otc_dme_tran VALUE '91', "SalesTran.Typ
940      c_calc     TYPE /ccbj/dme_access VALUE '06', "Calculated
941      c_vkor1     TYPE vkorg VALUE '0801' ##NEEDED, "CCBJI sales org
942      c_vkor2     TYPE vkorg VALUE '0803' ##NEEDED, "FVEJ sales org
943      c_dumval    TYPE rke2_vv506 VALUE '1.01', "Dummy Value
944      c_katr4     TYPE katr4 VALUE 'K', "++MOD-006
945      c_ntax     TYPE vkaus VALUE 'TB1', "++MOD-007
946      c_fsco     TYPE boart VALUE 'YJDA', "++MOD-013
947      c_rego     TYPE boart VALUE 'YJDB', "++MOD-013
948      c_indel     TYPE /ccej/mdm_upd_ind VALUE 'D', "Delete "++MOD-007
949      c_treg     TYPE /ccbj/otc_dme_tran VALUE '11', "Reg.Tran.Typ
950      c_upd       TYPE /ccej/mdm_upd_ind VALUE 'U', "Update "++MOD-01
3
951      c_clos     TYPE /ccbj/dme_access VALUE '07', "Closed "++MOD-00
4
952      c_with     TYPE /ccbj/dme_access VALUE '09', "Withdraw"++MOD-0
04
953      c_canc     TYPE /ccbj/dme_access VALUE '08', "Cancelled "++MOD
-004
954      c_fixr     TYPE /ccbj/dme_cal_typ VALUE 'C' ##NEEDED, "Fixed A
mount "++MOD-019
955      c_tere     TYPE /ccbj/otc_pytim VALUE '99', "Contr.Ter. Early
"++MOD-019
956      c_secon    TYPE /ccbj/otc_dme_tran VALUE '02', "Secondary item
"++MOD-019
957      c_rcond    TYPE kscha VALUE 'YJ19', "Rate cond. type
"++MOD-020

```

```
958          c_xrefhd TYPE strng250 VALUE 'XREF1_HD',"Xref HD"++MOD-026
959          c_taxp TYPE kalsm_d VALUE 'TAXJP', "++MOD-026
960          c_ktosl TYPE ktosl VALUE 'NVV', "++MOD-026
961          c_7827 type bukrs VALUE '7827', "++ MOD-032
962          c_7828 type bukrs VALUE '7828'. "++ MOD-032
963
964  * _____ *
965  *          CLASS lcl_handle_events DEFINITION
966  * _____ *
967  * Define a local class for handling events of cl_salv_table
968  * _____ *
969  CLASS lcl_handle_events DEFINITION.
970      PUBLIC SECTION.
971          METHODS:
972              on_link_click FOR EVENT link_click OF cl_salv_events_table
973                  IMPORTING row column.
974
975  ENDCCLASS.          "lcl_handle_events DEFINITION
```

Title:
Amortization/Accrual Apportionment for DME Expenses

Text elements:

001	Input parameters
002	Options
003	Period
004	Fiscal Year
005	Schedule Date
006	Agreement
007	Accrual Percentage
008	Accrual Price
009	Sales Value
010	Accrual Amount
011	Message
012	Posting Parameters
013	QTY-Volume(BAPC)
014	QTY-Volume(Loose)
015	QTY-Volume(Gallon)
016	Contract Scenarios
017	Contract Start Date
018	Contract End Date
019	DME Amount
020	Total Contract Days
021	No. of Days in Month
022	Apportionment Amount
023	No Errors found
024	Condition Item
025	Sales Data updated Successfully
026	Unit Class
027	DME & Sales Data posting
028	Data already processed.
029	Accounting Document
030	Sales Tax Exclusive
031	Sales Tax Inclusive
032	COPA Actual Data updated Successfully
033	Case(CS)
034	Loose(LS)
035	Gallon(GAL)
036	Amount(Tax Inc.)
037	Amount(Tax Exc.)
038	Tax Amount
039	Amortization is Completed for the contract
040	No Dealer Found for the contract
041	No Sales data. Table will be updated with dummy line.
042	No Sales data. Table updated with dummy line.
043	No data found
044	DME101E: Bottler Account Code has no dealer(s) assigned, please maintain t
045	DME102I: Since no sales for dealer(s), system uses dummy material for CO-P
046	There is error in contract master, please check and resolve it!
047	There are sales but not matching with calculation target.

Selection texts:

P_BUDAT	Posting Date
P_BUKRS	Company Code
P_GJAHR	Fiscal Year
P_MONAT	Month
RB_OTHR	DME Expense Postings
RB_POS	Postpay Scenario
RB_POST	Update Mode
RB_PRE	Prepay Scenario
RB_REG	Regular Pay Scenario
RB_SALE	Update Sales Data
RB_SEC	Secon. Cust Scenario
RB_SPOT	Spot Scenario
RB_TEST	Test Mode
S_BOTACC	Bottlers Account Code
S_DEALER	Dealers
S_KNUMA	Agreement Number
S_VKBUR	Sales Office

Owner..... S420011
Short text..... RTR messages for CCBJI
Edit Language EN
Status 17.06.24

/CCBJI/RTR001	No Authorization for Company Code &
/CCBJI/RTR002	Please enter a valid company code
/CCBJI/RTR003	No data found as per selection criteria
/CCBJI/RTR005	Error in generating alv
/CCBJI/RTR038	Contract & has not been calculated or approved for accru
yet.	

Subroutines:

	Line	Page
F_AUTHORIZATION_BUKRS.....	/CCBJI/RUFIAPR_DME_F01 431	17
	/CCBJI/RUFIAPR_DME_F01 8285	192
F_BOTTLER_DUMMY_CHECK.....	/CCBJI/RUFIAPR_ACCURAL_DME 447	9
	/CCBJI/RUFIAPR_DME_F01 16503	356
F_CALL_BAPI.....	/CCBJI/RUFIAPR_DME_F01 7040	168
	/CCBJI/RUFIAPR_DME_F01 8177	190
F_CAL_CTAX.....	/CCBJI/RUFIAPR_DME_F01 4356	95
	/CCBJI/RUFIAPR_DME_F01 5102	114
	/CCBJI/RUFIAPR_DME_F01 5115	114
	/CCBJI/RUFIAPR_DME_F01 5151	115
	/CCBJI/RUFIAPR_DME_F01 5165	116
	/CCBJI/RUFIAPR_DME_F01 5200	117
	/CCBJI/RUFIAPR_DME_F01 5214	117
	/CCBJI/RUFIAPR_DME_F01 5248	118
	/CCBJI/RUFIAPR_DME_F01 5287	119
	/CCBJI/RUFIAPR_DME_F01 5358	122
	/CCBJI/RUFIAPR_DME_F01 5372	122
	/CCBJI/RUFIAPR_DME_F01 6786	161
	/CCBJI/RUFIAPR_DME_F01 8042	188
	/CCBJI/RUFIAPR_DME_F01 9721	217
	/CCBJI/RUFIAPR_DME_F01 10706	241
	/CCBJI/RUFIAPR_DME_F01 11441	254
	/CCBJI/RUFIAPR_DME_F01 12857	278
	/CCBJI/RUFIAPR_DME_F01 13696	300
	/CCBJI/RUFIAPR_DME_F01 16183	349
F_CAL_ETAX.....	/CCBJI/RUFIAPR_DME_F01 8102	189
	/CCBJI/RUFIAPR_DME_F01 11185	250
F_CAL_ITAX.....	/CCBJI/RUFIAPR_DME_F01 8074	188
	/CCBJI/RUFIAPR_DME_F01 8091	189
	/CCBJI/RUFIAPR_DME_F01 8109	189
	/CCBJI/RUFIAPR_DME_F01 11290	251
F_CAL_STAX.....	/CCBJI/RUFIAPR_DME_F01 1681	37
	/CCBJI/RUFIAPR_DME_F01 1697	38
	/CCBJI/RUFIAPR_DME_F01 4361	95
	/CCBJI/RUFIAPR_DME_F01 5109	114
	/CCBJI/RUFIAPR_DME_F01 5159	116
	/CCBJI/RUFIAPR_DME_F01 5208	117
	/CCBJI/RUFIAPR_DME_F01 5253	118
	/CCBJI/RUFIAPR_DME_F01 5292	120
	/CCBJI/RUFIAPR_DME_F01 5363	122
	/CCBJI/RUFIAPR_DME_F01 5643	129
	/CCBJI/RUFIAPR_DME_F01 5664	130
	/CCBJI/RUFIAPR_DME_F01 5689	131
	/CCBJI/RUFIAPR_DME_F01 5707	131
	/CCBJI/RUFIAPR_DME_F01 5742	132
	/CCBJI/RUFIAPR_DME_F01 5751	133
	/CCBJI/RUFIAPR_DME_F01 5783	133
	/CCBJI/RUFIAPR_DME_F01 5799	134
	/CCBJI/RUFIAPR_DME_F01 5834	135
	/CCBJI/RUFIAPR_DME_F01 5845	135
	/CCBJI/RUFIAPR_DME_F01 5948	138
	/CCBJI/RUFIAPR_DME_F01 5987	139
	/CCBJI/RUFIAPR_DME_F01 6008	139
	/CCBJI/RUFIAPR_DME_F01 6033	140
	/CCBJI/RUFIAPR_DME_F01 6050	141
	/CCBJI/RUFIAPR_DME_F01 6085	142
	/CCBJI/RUFIAPR_DME_F01 6094	142
	/CCBJI/RUFIAPR_DME_F01 6127	143
	/CCBJI/RUFIAPR_DME_F01 6143	143

	/CCBJI/RUFIAPR_DME_F01	6178	144
	/CCBJI/RUFIAPR_DME_F01	6189	145
	/CCBJI/RUFIAPR_DME_F01	6292	147
	/CCBJI/RUFIAPR_DME_F01	6330	148
	/CCBJI/RUFIAPR_DME_F01	6351	149
	/CCBJI/RUFIAPR_DME_F01	6376	150
	/CCBJI/RUFIAPR_DME_F01	6393	150
	/CCBJI/RUFIAPR_DME_F01	6406	150
	/CCBJI/RUFIAPR_DME_F01	6435	151
	/CCBJI/RUFIAPR_DME_F01	6444	152
	/CCBJI/RUFIAPR_DME_F01	6477	153
	/CCBJI/RUFIAPR_DME_F01	6493	153
	/CCBJI/RUFIAPR_DME_F01	6528	154
	/CCBJI/RUFIAPR_DME_F01	6539	154
	/CCBJI/RUFIAPR_DME_F01	6642	157
	/CCBJI/RUFIAPR_DME_F01	6710	159
	/CCBJI/RUFIAPR_DME_F01	6767	160
	/CCBJI/RUFIAPR_DME_F01	6791	161
	/CCBJI/RUFIAPR_DME_F01	6805	161
	/CCBJI/RUFIAPR_DME_F01	6820	162
	/CCBJI/RUFIAPR_DME_F01	9727	217
	/CCBJI/RUFIAPR_DME_F01	11519	255
	/CCBJI/RUFIAPR_DME_F01	12863	278
	/CCBJI/RUFIAPR_DME_F01	15266	329
F_CLEAR.....	/CCBJI/RUFIAPR_ACCURAL_DME	415	8
	/CCBJI/RUFIAPR_DME_F01	404	16
F_COL_DESC.....	/CCBJI/RUFIAPR_DME_F01	7703	182
	/CCBJI/RUFIAPR_DME_F01	10949	246
F_COL_DESC_FILE.....	/CCBJI/RUFIAPR_DME_F01	7686	182
	/CCBJI/RUFIAPR_DME_F01	7733	183
F_CONVERSION.....	/CCBJI/RUFIAPR_DME_F01	1490	34
	/CCBJI/RUFIAPR_DME_F01	1560	35
	/CCBJI/RUFIAPR_DME_F01	1565	35
	/CCBJI/RUFIAPR_DME_F01	8573	197
	/CCBJI/RUFIAPR_DME_F01	8723	199
	/CCBJI/RUFIAPR_DME_F01	8763	200
	/CCBJI/RUFIAPR_DME_F01	11990	263
	/CCBJI/RUFIAPR_DME_F01	13490	295
	/CCBJI/RUFIAPR_DME_F01	14341	313
F_DISPLAY_ALV.....	/CCBJI/RUFIAPR_ACCURAL_DME	465	9
	/CCBJI/RUFIAPR_DME_F01	7666	182
F_DISPLAY_TRAN.....	/CCBJI/RUFIAPR_DME_F01	11145	249
	/CCBJI/RUFIAPR_DME_F01	11153	249
F_DUMMY_CHECK_SALES.....	/CCBJI/RUFIAPR_DME_F01	9901	221
	/CCBJI/RUFIAPR_DME_F01	16819	361
	/CCBJI/RUFIAPR_DME_F01	16836	361
	/CCBJI/RUFIAPR_DME_F01	16899	362
F_DUMMY_SALES.....	/CCBJI/RUFIAPR_DME_F01	2798	57
	/CCBJI/RUFIAPR_DME_F01	3960	84
	/CCBJI/RUFIAPR_DME_F01	4065	87
	/CCBJI/RUFIAPR_DME_F01	9573	214
	/CCBJI/RUFIAPR_DME_F01	9963	223
	/CCBJI/RUFIAPR_DME_F01	10050	225
	/CCBJI/RUFIAPR_DME_F01	11663	257
	/CCBJI/RUFIAPR_DME_F01	12727	275
	/CCBJI/RUFIAPR_DME_F01	13007	282
	/CCBJI/RUFIAPR_DME_F01	13041	283
	/CCBJI/RUFIAPR_DME_F01	15130	326
	/CCBJI/RUFIAPR_DME_F01	15443	333
	/CCBJI/RUFIAPR_DME_F01	15538	335
F_EVENT_LINK_CLK.....	/CCBJI/RUFIAPR_DME_F01	7717	183

	/CCBJI/RUFIAPR_DME_F01	11127	249
F_FILL_ACCGL.....	/CCBJI/RUFIAPR_DME_F01	6946	165
	/CCBJI/RUFIAPR_DME_F01	7907	186
F_FILL_CRGL.....	/CCBJI/RUFIAPR_DME_F01	6986	166
	/CCBJI/RUFIAPR_DME_F01	7996	187
F_FILL_HDR.....	/CCBJI/RUFIAPR_DME_F01	6924	164
	/CCBJI/RUFIAPR_DME_F01	7887	185
F_GET_DATA.....	/CCBJI/RUFIAPR_ACCURAL_DME	434	9
	/CCBJI/RUFIAPR_DME_F01	440	17
F_LAST_CUTOFF.....	/CCBJI/RUFIAPR_DME_F01	13751	301
	/CCBJI/RUFIAPR_DME_F01	14042	308
F_POST_COPA.....	/CCBJI/RUFIAPR_DME_F01	7061	168
	/CCBJI/RUFIAPR_DME_F01	8300	192
	/CCBJI/RUFIAPR_DME_F01	10801	243
	/CCBJI/RUFIAPR_DME_F01	13792	302
	/CCBJI/RUFIAPR_DME_F01	16278	351
F_POST_SALES.....	/CCBJI/RUFIAPR_DME_F01	7096	169
	/CCBJI/RUFIAPR_DME_F01	10824	243
	/CCBJI/RUFIAPR_DME_F01	11031	247
	/CCBJI/RUFIAPR_DME_F01	13815	303
	/CCBJI/RUFIAPR_DME_F01	16301	352
F_PROCESS_DATA.....	/CCBJI/RUFIAPR_ACCURAL_DME	460	9
	/CCBJI/RUFIAPR_DME_F01	1212	29
F_PROCESS_RGDATA.....	/CCBJI/RUFIAPR_ACCURAL_DME	454	9
	/CCBJI/RUFIAPR_DME_F01	11834	260
F_PROCESS_SECON.....	/CCBJI/RUFIAPR_ACCURAL_DME	457	9
	/CCBJI/RUFIAPR_DME_F01	14152	310
F_PROCESS_SPDATA.....	/CCBJI/RUFIAPR_ACCURAL_DME	452	9
	/CCBJI/RUFIAPR_DME_F01	8586	197
F_SCREEN_FIELD_ENABLE.....	/CCBJI/RUFIAPR_ACCURAL_DME	428	9
	/CCBJI/RUFIAPR_DME_F01	16477	355
F_SOFF_VALUE.....	/CCBJI/RUFIAPR_ACCURAL_DME	425	8
	/CCBJI/RUFIAPR_DME_F01	8382	194
F_UPD_HDR_TAB.....	/CCBJI/RUFIAPR_DME_F01	13997	307
	/CCBJI/RUFIAPR_DME_F01	16957	363
F_UPD_HTAB.....	/CCBJI/RUFIAPR_DME_F01	7337	175
	/CCBJI/RUFIAPR_DME_F01	7479	178
	/CCBJI/RUFIAPR_DME_F01	7518	179
	/CCBJI/RUFIAPR_DME_F01	10883	245
	/CCBJI/RUFIAPR_DME_F01	11605	256
	/CCBJI/RUFIAPR_DME_F01	13909	305
	/CCBJI/RUFIAPR_DME_F01	16382	353
	/CCBJI/RUFIAPR_DME_F01	16425	354
F_UPD_TAB.....	/CCBJI/RUFIAPR_DME_F01	7346	175
	/CCBJI/RUFIAPR_DME_F01	7483	178
	/CCBJI/RUFIAPR_DME_F01	7489	178
	/CCBJI/RUFIAPR_DME_F01	7519	179
	/CCBJI/RUFIAPR_DME_F01	8485	195
	/CCBJI/RUFIAPR_DME_F01	10886	245
	/CCBJI/RUFIAPR_DME_F01	13924	306
	/CCBJI/RUFIAPR_DME_F01	13934	306
	/CCBJI/RUFIAPR_DME_F01	16387	354
	/CCBJI/RUFIAPR_DME_F01	16396	354
F_VALIDATIONS.....	/CCBJI/RUFIAPR_ACCURAL_DME	422	8
	/CCBJI/RUFIAPR_DME_F01	419	16

Messages:

		Line	Page
/CCBJI/RTR001.....	/CCBJI/RUFIAPR_DME_F01	8292	192
/CCBJI/RTR002.....	/CCBJI/RUFIAPR_DME_F01	429	17
	/CCBJI/RUFIAPR_DME_F01	8448	195
/CCBJI/RTR003.....	/CCBJI/RUFIAPR_DME_F01	7723	183
/CCBJI/RTR005.....	/CCBJI/RUFIAPR_DME_F01	7681	182
	/CCBJI/RUFIAPR_DME_F01	7698	182
	/CCBJI/RUFIAPR_DME_F01	7879	185
	/CCBJI/RUFIAPR_DME_F01	11023	247
/CCBJI/RTR038.....	/CCBJI/RUFIAPR_DME_F01	7639	181
	/CCBJI/RUFIAPR_DME_F01	10924	245
	/CCBJI/RUFIAPR_DME_F01	14018	307
	/CCBJI/RUFIAPR_DME_F01	16448	355

External calls

Function Modules	Line	Page
BAPI_ACC_DOCUMENT_CHECK.....	/CCBJI/RUFIAPR_DME_F01	8213 191
BAPI_ACC_DOCUMENT_POST.....	/CCBJI/RUFIAPR_DME_F01	8233 191
BAPI_COPAACTUALS_POSTCOSTDATA.	/CCBJI/RUFIAPR_DME_F01	8315 193
	/CCBJI/RUFIAPR_DME_F01	8325 193
BAPI_COPAPLANNING_POSTDATA....	/CCBJI/RUFIAPR_DME_F01	11046 247
	/CCBJI/RUFIAPR_DME_F01	11058 247
BAPI_TRANSACTION_COMMIT.....	/CCBJI/RUFIAPR_DME_F01	7123 170
	/CCBJI/RUFIAPR_DME_F01	10837 244
	/CCBJI/RUFIAPR_DME_F01	13828 303
	/CCBJI/RUFIAPR_DME_F01	16314 352
BAPI_TRANSACTION_ROLLBACK.....	/CCBJI/RUFIAPR_DME_F01	7352 176
	/CCBJI/RUFIAPR_DME_F01	10889 245
	/CCBJI/RUFIAPR_DME_F01	13942 306
	/CCBJI/RUFIAPR_DME_F01	16403 354
BKK_ADD_MONTH_TO_DATE.....	/CCBJI/RUFIAPR_DME_F01	2118 45
	/CCBJI/RUFIAPR_DME_F01	9033 205
	/CCBJI/RUFIAPR_DME_F01	12239 267
	/CCBJI/RUFIAPR_DME_F01	14101 309
	/CCBJI/RUFIAPR_DME_F01	14588 317
CALCULATE_TAX_FROM_GROSSAMOUNT	/CCBJI/RUFIAPR_DME_F01	11214 250
	/CCBJI/RUFIAPR_DME_F01	11538 255
CALCULATE_TAX_FROM_NET_AMOUNT.	/CCBJI/RUFIAPR_DME_F01	11323 252
	/CCBJI/RUFIAPR_DME_F01	11459 254
CCM_GO_BACK_MONTHS.....	/CCBJI/RUFIAPR_DME_F01	2100 44
	/CCBJI/RUFIAPR_DME_F01	9003 204
	/CCBJI/RUFIAPR_DME_F01	12211 267
	/CCBJI/RUFIAPR_DME_F01	14560 316
CONVERSION_EXIT_ALPHA_INPUT...	/CCBJI/RUFIAPR_DME_F01	8575 197
CONVERSION_EXIT_MATN1_INPUT...	/CCBJI/RUFIAPR_DME_F01	11738 259
	/CCBJI/RUFIAPR_DME_F01	11774 259
DEQUEUE_E_TABLE.....	/CCBJI/RUFIAPR_DME_F01	8558 197
	/CCBJI/RUFIAPR_DME_F01	11648 257
	/CCBJI/RUFIAPR_DME_F01	16999 364
DYNP_VALUES_READ.....	/CCBJI/RUFIAPR_DME_F01	8398 194
ENQUEUE_E_TABLE.....	/CCBJI/RUFIAPR_DME_F01	8503 196
	/CCBJI/RUFIAPR_DME_F01	11622 257
	/CCBJI/RUFIAPR_DME_F01	16974 363
F4IF_INT_TABLE_VALUE_REQUEST..	/CCBJI/RUFIAPR_DME_F01	8452 195
FIMA_DAYS_AND_MONTHS_AND_YEARS	/CCBJI/RUFIAPR_DME_F01	2085 44
	/CCBJI/RUFIAPR_DME_F01	2108 44
	/CCBJI/RUFIAPR_DME_F01	3021 61
	/CCBJI/RUFIAPR_DME_F01	3030 62
	/CCBJI/RUFIAPR_DME_F01	3069 62
	/CCBJI/RUFIAPR_DME_F01	8979 204
	/CCBJI/RUFIAPR_DME_F01	9011 204
	/CCBJI/RUFIAPR_DME_F01	9778 218
	/CCBJI/RUFIAPR_DME_F01	9805 219
	/CCBJI/RUFIAPR_DME_F01	12186 266
	/CCBJI/RUFIAPR_DME_F01	12219 267
	/CCBJI/RUFIAPR_DME_F01	12899 279
	/CCBJI/RUFIAPR_DME_F01	12911 280
	/CCBJI/RUFIAPR_DME_F01	14544 316
	/CCBJI/RUFIAPR_DME_F01	14568 316
	/CCBJI/RUFIAPR_DME_F01	15296 329
	/CCBJI/RUFIAPR_DME_F01	15308 329
J_1I6_ROUND_TO_NEAREST_AMT....	/CCBJI/RUFIAPR_DME_F01	3147 64

	/CCBJI/RUFIAPR_DME_F01	4286	93
	/CCBJI/RUFIAPR_DME_F01	4298	93
	/CCBJI/RUFIAPR_DME_F01	4310	94
	/CCBJI/RUFIAPR_DME_F01	4322	94
	/CCBJI/RUFIAPR_DME_F01	4334	94
	/CCBJI/RUFIAPR_DME_F01	4347	94
	/CCBJI/RUFIAPR_DME_F01	5239	118
	/CCBJI/RUFIAPR_DME_F01	5278	119
	/CCBJI/RUFIAPR_DME_F01	5321	120
	/CCBJI/RUFIAPR_DME_F01	5347	121
	/CCBJI/RUFIAPR_DME_F01	5873	136
	/CCBJI/RUFIAPR_DME_F01	6216	145
	/CCBJI/RUFIAPR_DME_F01	6566	155
	/CCBJI/RUFIAPR_DME_F01	6669	158
	/CCBJI/RUFIAPR_DME_F01	6727	159
	/CCBJI/RUFIAPR_DME_F01	10195	228
	/CCBJI/RUFIAPR_DME_F01	11241	250
	/CCBJI/RUFIAPR_DME_F01	11352	252
	/CCBJI/RUFIAPR_DME_F01	11488	255
	/CCBJI/RUFIAPR_DME_F01	11570	256
	/CCBJI/RUFIAPR_DME_F01	13178	287
	/CCBJI/RUFIAPR_DME_F01	15673	338
RP_CALC_DATE_IN_INTERVAL.....	/CCBJI/RUFIAPR_DME_F01	13887	305
	/CCBJI/RUFIAPR_DME_F01	13980	307
	/CCBJI/RUFIAPR_DME_F01	14314	312
	/CCBJI/RUFIAPR_DME_F01	16362	353
RP_LAST_DAY_OF_MONTHS.....	/CCBJI/RUFIAPR_DME_F01	594	19
	/CCBJI/RUFIAPR_DME_F01	2133	45
	/CCBJI/RUFIAPR_DME_F01	7313	175
	/CCBJI/RUFIAPR_DME_F01	7465	178
	/CCBJI/RUFIAPR_DME_F01	9046	205
	/CCBJI/RUFIAPR_DME_F01	12250	267
	/CCBJI/RUFIAPR_DME_F01	14070	308
	/CCBJI/RUFIAPR_DME_F01	14599	317

SET/GET Parameters	Line	Page
?..... /CCBJI/RUFIAPR_DME_F01	11170	249
?..... /CCBJI/RUFIAPR_DME_F01	11172	249
?..... /CCBJI/RUFIAPR_DME_F01	11174	249

Transactions:	Line	Page
?..... /CCBJI/RUFIAPR_DME_F01	11175	249

DATABASE OPERATIONS

SELECT:

		Line	Page
/CCBJI/T_DME_AGT.....	/CCBJI/RUFIAPR_DME_F01	967	25
/CCBJI/T_DME_EXC.....	/CCBJI/RUFIAPR_DME_F01	1142	28
/CCBJI/T_DME_GL.....	/CCBJI/RUFIAPR_DME_F01	1021	26
	/CCBJI/RUFIAPR_DME_F01	1046	27
/CCBJI/T_DME_HDR.....	/CCBJI/RUFIAPR_DME_F01	652	20
	/CCBJI/RUFIAPR_DME_F01	697	21
	/CCBJI/RUFIAPR_DME_F01	744	22
	/CCBJI/RUFIAPR_DME_F01	789	22
/CCBJI/T_DME_ITM.....	/CCBJI/RUFIAPR_DME_F01	838	23
/CCBJI/T_DME_REG.....	/CCBJI/RUFIAPR_DME_F01	996	26
/CCEJ/TZKTFI0001.....	/CCBJI/RUFIAPR_DME_F01	8437	195
/CCEJ/T_PACKCODE.....	/CCBJI/RUFIAPR_DME_F01	2021	43
/SCL/TMDM_BRAND.....	/CCBJI/RUFIAPR_DME_F01	2001	43
?.....	/CCBJI/RUFIAPR_DME_F01	1172	29
?.....	/CCBJI/RUFIAPR_DME_F01	1963	42
?.....	/CCBJI/RUFIAPR_DME_F01	2050	43
CE1JP00.....	/CCBJI/RUFIAPR_DME_F01	1753	38
	/CCBJI/RUFIAPR_DME_F01	2356	49
	/CCBJI/RUFIAPR_DME_F01	2492	51
	/CCBJI/RUFIAPR_DME_F01	2627	53
	/CCBJI/RUFIAPR_DME_F01	9200	208
	/CCBJI/RUFIAPR_DME_F01	9334	210
	/CCBJI/RUFIAPR_DME_F01	9467	212
	/CCBJI/RUFIAPR_DME_F01	12394	270
	/CCBJI/RUFIAPR_DME_F01	12523	272
	/CCBJI/RUFIAPR_DME_F01	12652	274
	/CCBJI/RUFIAPR_DME_F01	14759	320
	/CCBJI/RUFIAPR_DME_F01	14891	322
	/CCBJI/RUFIAPR_DME_F01	15021	324
	/CCBJI/RUFIAPR_DME_F01	16699	359
	/CCBJI/RUFIAPR_DME_F01	16716	359
	/CCBJI/RUFIAPR_DME_F01	16733	359
CE2JP00.....	/CCBJI/RUFIAPR_DME_F01	2287	48
	/CCBJI/RUFIAPR_DME_F01	2425	50
	/CCBJI/RUFIAPR_DME_F01	2560	52
	/CCBJI/RUFIAPR_DME_F01	9132	206
	/CCBJI/RUFIAPR_DME_F01	9268	209
	/CCBJI/RUFIAPR_DME_F01	9401	211
	/CCBJI/RUFIAPR_DME_F01	12328	269
	/CCBJI/RUFIAPR_DME_F01	12459	271
	/CCBJI/RUFIAPR_DME_F01	12587	273
	/CCBJI/RUFIAPR_DME_F01	14691	319
	/CCBJI/RUFIAPR_DME_F01	14825	321
	/CCBJI/RUFIAPR_DME_F01	14955	323
I_OPERATIONALACCTGDOCITEM.....	/CCBJI/RUFIAPR_DME_F01	923	25
KNA1.....	/CCBJI/RUFIAPR_DME_F01	2701	55
	/CCBJI/RUFIAPR_DME_F01	2747	55
	/CCBJI/RUFIAPR_DME_F01	3902	83
	/CCBJI/RUFIAPR_DME_F01	3939	84
	/CCBJI/RUFIAPR_DME_F01	4007	86
	/CCBJI/RUFIAPR_DME_F01	4044	86
	/CCBJI/RUFIAPR_DME_F01	9505	213
	/CCBJI/RUFIAPR_DME_F01	9529	213
	/CCBJI/RUFIAPR_DME_F01	9923	222
	/CCBJI/RUFIAPR_DME_F01	9945	222
	/CCBJI/RUFIAPR_DME_F01	9995	223

	/CCBJI/RUFIAPR_DME_F01	10029	224
	/CCBJI/RUFIAPR_DME_F01	15057	325
	/CCBJI/RUFIAPR_DME_F01	15081	325
	/CCBJI/RUFIAPR_DME_F01	15398	332
	/CCBJI/RUFIAPR_DME_F01	15420	332
	/CCBJI/RUFIAPR_DME_F01	15474	333
	/CCBJI/RUFIAPR_DME_F01	15513	334
KONA.....	/CCBJI/RUFIAPR_DME_F01	943	25
KONH.....	/CCBJI/RUFIAPR_DME_F01	1103	28
KONP.....	/CCBJI/RUFIAPR_DME_F01	1122	28
KOTE712.....	/CCBJI/RUFIAPR_DME_F01	16750	360
T001.....	/CCBJI/RUFIAPR_DME_F01	424	16
T007A.....	/CCBJI/RUFIAPR_DME_F01	855	24
T6B1.....	/CCBJI/RUFIAPR_DME_F01	1071	27
T6B2F.....	/CCBJI/RUFIAPR_DME_F01	1082	27
TVARVC.....	/CCBJI/RUFIAPR_DME_F01	1186	29
	/CCBJI/RUFIAPR_DME_F01	1472	34
	/CCBJI/RUFIAPR_DME_F01	1483	34
	/CCBJI/RUFIAPR_DME_F01	1497	34
	/CCBJI/RUFIAPR_DME_F01	1510	34
	/CCBJI/RUFIAPR_DME_F01	8706	199
	/CCBJI/RUFIAPR_DME_F01	8716	199
	/CCBJI/RUFIAPR_DME_F01	11973	263
	/CCBJI/RUFIAPR_DME_F01	11983	263
	/CCBJI/RUFIAPR_DME_F01	14281	312
	/CCBJI/RUFIAPR_DME_F01	16570	357
	/CCBJI/RUFIAPR_DME_F01	16627	358
TVK0.....	/CCBJI/RUFIAPR_DME_F01	16662	358
ZNN0001.....	/CCBJI/RUFIAPR_DME_F01	877	24

UPDATE:

		Line	Page
/CCBJI/T_DME_HDR.....	/CCBJI/RUFIAPR_DME_F01	11642	257
	/CCBJI/RUFIAPR_DME_F01	16994	364
/CCBJI/T_DME_ITM.....	/CCBJI/RUFIAPR_DME_F01	8526	196
	/CCBJI/RUFIAPR_DME_F01	8542	196

MODIFY:

		Line	Page
/CCBJI/T_DME_ITM.....	/CCBJI/RUFIAPR_DME_F01	8553	197
I_FINAL.....	/CCBJI/RUFIAPR_DME_F01	7069	168
	/CCBJI/RUFIAPR_DME_F01	7129	170
L_I_CDATA.....	/CCBJI/RUFIAPR_DME_F01	7059	168

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
FP_I_ACCTAX.....	/CCBJI/RUFIAPR_DME_F01	8129	189
FP_I_CURR.....	/CCBJI/RUFIAPR_DME_F01	8131	189
	/CCBJI/RUFIAPR_DME_F01	8146	190
	/CCBJI/RUFIAPR_DME_F01	11211	250
	/CCBJI/RUFIAPR_DME_F01	11319	252
I_BSEG.....	/CCBJI/RUFIAPR_DME_F01	9687	216
	/CCBJI/RUFIAPR_DME_F01	15232	328
I_CUSTD.....	/CCBJI/RUFIAPR_DME_F01	16931	363
I_DAGT.....	/CCBJI/RUFIAPR_DME_F01	1068	27
	/CCBJI/RUFIAPR_DME_F01	1536	35
	/CCBJI/RUFIAPR_DME_F01	8738	200
	/CCBJI/RUFIAPR_DME_F01	12004	263
	/CCBJI/RUFIAPR_DME_F01	14300	312
I_DHDR.....	/CCBJI/RUFIAPR_DME_F01	16639	358
I_DITEM.....	/CCBJI/RUFIAPR_DME_F01	2157	45
	/CCBJI/RUFIAPR_DME_F01	2173	46
	/CCBJI/RUFIAPR_DME_F01	8991	204
	/CCBJI/RUFIAPR_DME_F01	12198	266
	/CCBJI/RUFIAPR_DME_F01	14615	317
I_DMEGL.....	/CCBJI/RUFIAPR_DME_F01	1552	35
	/CCBJI/RUFIAPR_DME_F01	8754	200
	/CCBJI/RUFIAPR_DME_F01	13493	295
	/CCBJI/RUFIAPR_DME_F01	14334	313
I_DSKU.....	/CCBJI/RUFIAPR_DME_F01	11730	259
	/CCBJI/RUFIAPR_DME_F01	11766	259
I_FINAL.....	/CCBJI/RUFIAPR_DME_F01	7399	177
	/CCBJI/RUFIAPR_DME_F01	7412	177
	/CCBJI/RUFIAPR_DME_F01	7536	179
	/CCBJI/RUFIAPR_DME_F01	7562	180
	/CCBJI/RUFIAPR_DME_F01	7584	180
	/CCBJI/RUFIAPR_DME_F01	11159	249
I_FTAXD.....	/CCBJI/RUFIAPR_DME_F01	4370	95
I_KONA.....	/CCBJI/RUFIAPR_DME_F01	1543	35
	/CCBJI/RUFIAPR_DME_F01	8746	200
	/CCBJI/RUFIAPR_DME_F01	12012	263
	/CCBJI/RUFIAPR_DME_F01	14308	312
I_KONP.....	/CCBJI/RUFIAPR_DME_F01	1825	40
	/CCBJI/RUFIAPR_DME_F01	1972	42
	/CCBJI/RUFIAPR_DME_F01	2057	44
	/CCBJI/RUFIAPR_DME_F01	3268	67
	/CCBJI/RUFIAPR_DME_F01	8848	202
	/CCBJI/RUFIAPR_DME_F01	14438	314
	/CCBJI/RUFIAPR_DME_F01	16581	357
I_MATD.....	/CCBJI/RUFIAPR_DME_F01	3255	67
	/CCBJI/RUFIAPR_DME_F01	3331	69
I_MEXC.....	/CCBJI/RUFIAPR_DME_F01	3446	71
	/CCBJI/RUFIAPR_DME_F01	4133	89
	/CCBJI/RUFIAPR_DME_F01	9835	219
	/CCBJI/RUFIAPR_DME_F01	10085	225
	/CCBJI/RUFIAPR_DME_F01	12940	280
	/CCBJI/RUFIAPR_DME_F01	13073	284
	/CCBJI/RUFIAPR_DME_F01	15336	330
	/CCBJI/RUFIAPR_DME_F01	15569	335
I_RVAL.....	/CCBJI/RUFIAPR_DME_F01	2961	60
I_SALES.....	/CCBJI/RUFIAPR_DME_F01	9897	221
	/CCBJI/RUFIAPR_DME_F01	16759	360

	/CCBJI/RUFIAPR_DME_F01	16772	360
	/CCBJI/RUFIAPR_DME_F01	16815	361
	/CCBJI/RUFIAPR_DME_F01	16832	361
I_SFIMAL.....	/CCBJI/RUFIAPR_DME_F01	12871	279
	/CCBJI/RUFIAPR_DME_F01	13946	306
I_T007A.....	/CCBJI/RUFIAPR_DME_F01	863	24
	/CCBJI/RUFIAPR_DME_F01	1663	37
	/CCBJI/RUFIAPR_DME_F01	9660	216
I_T6B2F.....	/CCBJI/RUFIAPR_DME_F01	1156	29
	/CCBJI/RUFIAPR_DME_F01	1936	42
	/CCBJI/RUFIAPR_DME_F01	2034	43
I_ZNN0001.....	/CCBJI/RUFIAPR_DME_F01	1668	37
	/CCBJI/RUFIAPR_DME_F01	9673	216
	/CCBJI/RUFIAPR_DME_F01	9680	216
	/CCBJI/RUFIAPR_DME_F01	12119	265
	/CCBJI/RUFIAPR_DME_F01	15218	328
	/CCBJI/RUFIAPR_DME_F01	15225	328
L_I_ATA.....	/CCBJI/RUFIAPR_DME_F01	5721	132
	/CCBJI/RUFIAPR_DME_F01	5813	134
	/CCBJI/RUFIAPR_DME_F01	6064	141
	/CCBJI/RUFIAPR_DME_F01	6157	144
	/CCBJI/RUFIAPR_DME_F01	6414	151
	/CCBJI/RUFIAPR_DME_F01	6507	153
L_I_BPACK.....	/CCBJI/RUFIAPR_DME_F01	3536	74
	/CCBJI/RUFIAPR_DME_F01	3645	76
L_I_CDATA.....	/CCBJI/RUFIAPR_DME_F01	5547	127
	/CCBJI/RUFIAPR_DME_F01	5559	127
	/CCBJI/RUFIAPR_DME_F01	5583	128
	/CCBJI/RUFIAPR_DME_F01	5596	128
	/CCBJI/RUFIAPR_DME_F01	5930	137
	/CCBJI/RUFIAPR_DME_F01	6274	147
	/CCBJI/RUFIAPR_DME_F01	6624	157
	/CCBJI/RUFIAPR_DME_F01	6691	158
	/CCBJI/RUFIAPR_DME_F01	6748	160
	/CCBJI/RUFIAPR_DME_F01	6888	163
	/CCBJI/RUFIAPR_DME_F01	7012	167
	/CCBJI/RUFIAPR_DME_F01	10753	242
	/CCBJI/RUFIAPR_DME_F01	10779	242
	/CCBJI/RUFIAPR_DME_F01	13742	301
	/CCBJI/RUFIAPR_DME_F01	13770	302
	/CCBJI/RUFIAPR_DME_F01	16230	350
	/CCBJI/RUFIAPR_DME_F01	16256	351
L_I_CDATE.....	/CCBJI/RUFIAPR_DME_F01	14135	309
L_I_CE1JP.....	/CCBJI/RUFIAPR_DME_F01	3841	82
	/CCBJI/RUFIAPR_DME_F01	3844	82
	/CCBJI/RUFIAPR_DME_F01	3847	82
	/CCBJI/RUFIAPR_DME_F01	3856	82
L_I_COPA.....	/CCBJI/RUFIAPR_DME_F01	12992	282
L_I_CUSTD_COPY.....	/CCBJI/RUFIAPR_DME_F01	16874	362
L_I_CUSTD_TEMP.....	/CCBJI/RUFIAPR_DME_F01	16679	358
L_I_DITEM.....	/CCBJI/RUFIAPR_DME_F01	1654	37
	/CCBJI/RUFIAPR_DME_F01	2794	56
	/CCBJI/RUFIAPR_DME_F01	2930	59
	/CCBJI/RUFIAPR_DME_F01	7273	173
	/CCBJI/RUFIAPR_DME_F01	7280	174
	/CCBJI/RUFIAPR_DME_F01	7287	174
	/CCBJI/RUFIAPR_DME_F01	9569	214
	/CCBJI/RUFIAPR_DME_F01	9652	216
	/CCBJI/RUFIAPR_DME_F01	12723	275
	/CCBJI/RUFIAPR_DME_F01	15126	326
L_I_DREG.....	/CCBJI/RUFIAPR_DME_F01	12082	264

	/CCBJI/RUFIAPR_DME_F01	12796	277
L_I_DUMCE1.....	/CCBJI/RUFIAPR_DME_F01	3971	85
	/CCBJI/RUFIAPR_DME_F01	4076	87
	/CCBJI/RUFIAPR_DME_F01	9974	223
	/CCBJI/RUFIAPR_DME_F01	10061	225
	/CCBJI/RUFIAPR_DME_F01	13018	282
	/CCBJI/RUFIAPR_DME_F01	13052	283
	/CCBJI/RUFIAPR_DME_F01	15454	333
	/CCBJI/RUFIAPR_DME_F01	15549	335
L_I_DYNPREAD.....	/CCBJI/RUFIAPR_DME_F01	8420	194
L_I_FNAME.....	/CCBJI/RUFIAPR_DME_F01	4538	99
	/CCBJI/RUFIAPR_DME_F01	4569	100
	/CCBJI/RUFIAPR_DME_F01	4593	101
	/CCBJI/RUFIAPR_DME_F01	4629	102
	/CCBJI/RUFIAPR_DME_F01	4646	102
	/CCBJI/RUFIAPR_DME_F01	4672	103
	/CCBJI/RUFIAPR_DME_F01	4697	103
	/CCBJI/RUFIAPR_DME_F01	4720	104
	/CCBJI/RUFIAPR_DME_F01	4748	105
	/CCBJI/RUFIAPR_DME_F01	4773	105
	/CCBJI/RUFIAPR_DME_F01	4799	106
	/CCBJI/RUFIAPR_DME_F01	4823	107
	/CCBJI/RUFIAPR_DME_F01	4847	107
	/CCBJI/RUFIAPR_DME_F01	4860	108
	/CCBJI/RUFIAPR_DME_F01	4878	108
	/CCBJI/RUFIAPR_DME_F01	4889	108
	/CCBJI/RUFIAPR_DME_F01	4915	109
	/CCBJI/RUFIAPR_DME_F01	4947	110
	/CCBJI/RUFIAPR_DME_F01	4995	111
	/CCBJI/RUFIAPR_DME_F01	5020	112
	/CCBJI/RUFIAPR_DME_F01	5045	112
	/CCBJI/RUFIAPR_DME_F01	5069	113
	/CCBJI/RUFIAPR_DME_F01	5398	123
	/CCBJI/RUFIAPR_DME_F01	5407	123
	/CCBJI/RUFIAPR_DME_F01	5424	123
	/CCBJI/RUFIAPR_DME_F01	5439	124
	/CCBJI/RUFIAPR_DME_F01	5453	124
	/CCBJI/RUFIAPR_DME_F01	5465	125
	/CCBJI/RUFIAPR_DME_F01	5480	125
	/CCBJI/RUFIAPR_DME_F01	5492	125
	/CCBJI/RUFIAPR_DME_F01	5507	126
	/CCBJI/RUFIAPR_DME_F01	5519	126
	/CCBJI/RUFIAPR_DME_F01	10227	229
	/CCBJI/RUFIAPR_DME_F01	10254	230
	/CCBJI/RUFIAPR_DME_F01	10277	230
	/CCBJI/RUFIAPR_DME_F01	10302	231
	/CCBJI/RUFIAPR_DME_F01	10319	231
	/CCBJI/RUFIAPR_DME_F01	10339	232
	/CCBJI/RUFIAPR_DME_F01	10358	232
	/CCBJI/RUFIAPR_DME_F01	10381	233
	/CCBJI/RUFIAPR_DME_F01	10409	234
	/CCBJI/RUFIAPR_DME_F01	10428	234
	/CCBJI/RUFIAPR_DME_F01	10454	235
	/CCBJI/RUFIAPR_DME_F01	10478	235
	/CCBJI/RUFIAPR_DME_F01	10502	236
	/CCBJI/RUFIAPR_DME_F01	10515	236
	/CCBJI/RUFIAPR_DME_F01	10529	236
	/CCBJI/RUFIAPR_DME_F01	10540	237
	/CCBJI/RUFIAPR_DME_F01	10560	237
	/CCBJI/RUFIAPR_DME_F01	10584	238
	/CCBJI/RUFIAPR_DME_F01	10610	238

	/CCBJI/RUFIAPR_DME_F01	10635	239
	/CCBJI/RUFIAPR_DME_F01	10661	240
	/CCBJI/RUFIAPR_DME_F01	10686	240
	/CCBJI/RUFIAPR_DME_F01	10716	241
	/CCBJI/RUFIAPR_DME_F01	10724	241
	/CCBJI/RUFIAPR_DME_F01	10738	242
	/CCBJI/RUFIAPR_DME_F01	13209	287
	/CCBJI/RUFIAPR_DME_F01	13236	288
	/CCBJI/RUFIAPR_DME_F01	13259	289
	/CCBJI/RUFIAPR_DME_F01	13284	289
	/CCBJI/RUFIAPR_DME_F01	13301	290
	/CCBJI/RUFIAPR_DME_F01	13321	290
	/CCBJI/RUFIAPR_DME_F01	13340	291
	/CCBJI/RUFIAPR_DME_F01	13359	291
	/CCBJI/RUFIAPR_DME_F01	13387	292
	/CCBJI/RUFIAPR_DME_F01	13406	293
	/CCBJI/RUFIAPR_DME_F01	13432	293
	/CCBJI/RUFIAPR_DME_F01	13456	294
	/CCBJI/RUFIAPR_DME_F01	13480	294
	/CCBJI/RUFIAPR_DME_F01	13505	295
	/CCBJI/RUFIAPR_DME_F01	13519	296
	/CCBJI/RUFIAPR_DME_F01	13530	296
	/CCBJI/RUFIAPR_DME_F01	13550	296
	/CCBJI/RUFIAPR_DME_F01	13574	297
	/CCBJI/RUFIAPR_DME_F01	13600	298
	/CCBJI/RUFIAPR_DME_F01	13625	298
	/CCBJI/RUFIAPR_DME_F01	13651	299
	/CCBJI/RUFIAPR_DME_F01	13676	300
	/CCBJI/RUFIAPR_DME_F01	13706	300
	/CCBJI/RUFIAPR_DME_F01	13714	301
	/CCBJI/RUFIAPR_DME_F01	13728	301
	/CCBJI/RUFIAPR_DME_F01	15704	339
	/CCBJI/RUFIAPR_DME_F01	15731	339
	/CCBJI/RUFIAPR_DME_F01	15754	340
	/CCBJI/RUFIAPR_DME_F01	15779	340
	/CCBJI/RUFIAPR_DME_F01	15796	341
	/CCBJI/RUFIAPR_DME_F01	15816	341
	/CCBJI/RUFIAPR_DME_F01	15835	341
	/CCBJI/RUFIAPR_DME_F01	15858	342
	/CCBJI/RUFIAPR_DME_F01	15886	343
	/CCBJI/RUFIAPR_DME_F01	15905	343
	/CCBJI/RUFIAPR_DME_F01	15931	344
	/CCBJI/RUFIAPR_DME_F01	15955	344
	/CCBJI/RUFIAPR_DME_F01	15979	345
	/CCBJI/RUFIAPR_DME_F01	15992	345
	/CCBJI/RUFIAPR_DME_F01	16006	345
	/CCBJI/RUFIAPR_DME_F01	16017	346
	/CCBJI/RUFIAPR_DME_F01	16037	346
	/CCBJI/RUFIAPR_DME_F01	16061	347
	/CCBJI/RUFIAPR_DME_F01	16087	347
	/CCBJI/RUFIAPR_DME_F01	16112	348
	/CCBJI/RUFIAPR_DME_F01	16138	348
	/CCBJI/RUFIAPR_DME_F01	16163	349
	/CCBJI/RUFIAPR_DME_F01	16193	350
	/CCBJI/RUFIAPR_DME_F01	16201	350
	/CCBJI/RUFIAPR_DME_F01	16215	350
L_I_FTXD.....	/CCBJI/RUFIAPR_DME_F01	5338	121
	/CCBJI/RUFIAPR_DME_F01	5538	127
	/CCBJI/RUFIAPR_DME_F01	5574	128
	/CCBJI/RUFIAPR_DME_F01	5922	137
	/CCBJI/RUFIAPR_DME_F01	6266	147

	/CCBJI/RUFIAPR_DME_F01	6616	156
	/CCBJI/RUFIAPR_DME_F01	6683	158
	/CCBJI/RUFIAPR_DME_F01	6740	160
L_I_ICE1JP.....	/CCBJI/RUFIAPR_DME_F01	3707	78
L_I_KOTE.....	/CCBJI/RUFIAPR_DME_F01	16755	360
L_I_MATD.....	/CCBJI/RUFIAPR_DME_F01	3484	72
	/CCBJI/RUFIAPR_DME_F01	3593	75
L_I_MBRAND.....	/CCBJI/RUFIAPR_DME_F01	3511	73
	/CCBJI/RUFIAPR_DME_F01	3620	76
L_I_MWDAT.....	/CCBJI/RUFIAPR_DME_F01	11384	253
L_I_RETURN.....	/CCBJI/RUFIAPR_DME_F01	8253	192
	/CCBJI/RUFIAPR_DME_F01	8338	193
	/CCBJI/RUFIAPR_DME_F01	8351	193
	/CCBJI/RUFIAPR_DME_F01	11073	248
	/CCBJI/RUFIAPR_DME_F01	11090	248
L_I_RETURN[].....	/CCBJI/RUFIAPR_DME_F01	8466	195
L_I_SDITEM.....	/CCBJI/RUFIAPR_DME_F01	2858	58
L_I_SEL.....	/CCBJI/RUFIAPR_DME_F01	4525	99
	/CCBJI/RUFIAPR_DME_F01	4555	100
	/CCBJI/RUFIAPR_DME_F01	4582	101
	/CCBJI/RUFIAPR_DME_F01	4618	101
	/CCBJI/RUFIAPR_DME_F01	4655	102
	/CCBJI/RUFIAPR_DME_F01	4680	103
	/CCBJI/RUFIAPR_DME_F01	4730	104
	/CCBJI/RUFIAPR_DME_F01	4756	105
	/CCBJI/RUFIAPR_DME_F01	4781	106
	/CCBJI/RUFIAPR_DME_F01	4807	106
	/CCBJI/RUFIAPR_DME_F01	4831	107
	/CCBJI/RUFIAPR_DME_F01	4898	109
	/CCBJI/RUFIAPR_DME_F01	4923	109
	/CCBJI/RUFIAPR_DME_F01	4982	111
	/CCBJI/RUFIAPR_DME_F01	5004	111
	/CCBJI/RUFIAPR_DME_F01	5030	112
	/CCBJI/RUFIAPR_DME_F01	5053	113
	/CCBJI/RUFIAPR_DME_F01	10214	229
	/CCBJI/RUFIAPR_DME_F01	10240	229
	/CCBJI/RUFIAPR_DME_F01	10266	230
	/CCBJI/RUFIAPR_DME_F01	10291	231
	/CCBJI/RUFIAPR_DME_F01	10391	233
	/CCBJI/RUFIAPR_DME_F01	10436	234
	/CCBJI/RUFIAPR_DME_F01	10462	235
	/CCBJI/RUFIAPR_DME_F01	10486	235
	/CCBJI/RUFIAPR_DME_F01	10568	237
	/CCBJI/RUFIAPR_DME_F01	10598	238
	/CCBJI/RUFIAPR_DME_F01	10619	239
	/CCBJI/RUFIAPR_DME_F01	10646	239
	/CCBJI/RUFIAPR_DME_F01	10670	240
	/CCBJI/RUFIAPR_DME_F01	13196	287
	/CCBJI/RUFIAPR_DME_F01	13222	288
	/CCBJI/RUFIAPR_DME_F01	13248	288
	/CCBJI/RUFIAPR_DME_F01	13273	289
	/CCBJI/RUFIAPR_DME_F01	13369	292
	/CCBJI/RUFIAPR_DME_F01	13414	293
	/CCBJI/RUFIAPR_DME_F01	13440	293
	/CCBJI/RUFIAPR_DME_F01	13464	294
	/CCBJI/RUFIAPR_DME_F01	13558	297
	/CCBJI/RUFIAPR_DME_F01	13588	297
	/CCBJI/RUFIAPR_DME_F01	13609	298
	/CCBJI/RUFIAPR_DME_F01	13636	298
	/CCBJI/RUFIAPR_DME_F01	13660	299
	/CCBJI/RUFIAPR_DME_F01	15691	338

	/CCBJI/RUFIAPR_DME_F01	15717	339
	/CCBJI/RUFIAPR_DME_F01	15743	339
	/CCBJI/RUFIAPR_DME_F01	15768	340
	/CCBJI/RUFIAPR_DME_F01	15868	342
	/CCBJI/RUFIAPR_DME_F01	15913	343
	/CCBJI/RUFIAPR_DME_F01	15939	344
	/CCBJI/RUFIAPR_DME_F01	15963	344
	/CCBJI/RUFIAPR_DME_F01	16045	346
	/CCBJI/RUFIAPR_DME_F01	16075	347
	/CCBJI/RUFIAPR_DME_F01	16096	347
	/CCBJI/RUFIAPR_DME_F01	16123	348
	/CCBJI/RUFIAPR_DME_F01	16147	349
L_I_TCE1JP.....	/CCBJI/RUFIAPR_DME_F01	3579	75
	/CCBJI/RUFIAPR_DME_F01	3685	77
L_I_TCOPA.....	/CCBJI/RUFIAPR_DME_F01	5530	126
L_I_TDITEM.....	/CCBJI/RUFIAPR_DME_F01	1600	36
	/CCBJI/RUFIAPR_DME_F01	1770	39
	/CCBJI/RUFIAPR_DME_F01	1792	39
	/CCBJI/RUFIAPR_DME_F01	2915	59
	/CCBJI/RUFIAPR_DME_F01	8783	200
	/CCBJI/RUFIAPR_DME_F01	8815	201
	/CCBJI/RUFIAPR_DME_F01	9629	215
	/CCBJI/RUFIAPR_DME_F01	12030	263
	/CCBJI/RUFIAPR_DME_F01	12054	264
	/CCBJI/RUFIAPR_DME_F01	12783	276
	/CCBJI/RUFIAPR_DME_F01	13840	303
	/CCBJI/RUFIAPR_DME_F01	14358	313
	/CCBJI/RUFIAPR_DME_F01	14382	313
	/CCBJI/RUFIAPR_DME_F01	14410	314
	/CCBJI/RUFIAPR_DME_F01	15185	327
L_I_TDITEM_COPY.....	/CCBJI/RUFIAPR_DME_F01	12829	278
L_I_TEMP.....	/CCBJI/RUFIAPR_DME_F01	12133	265
	/CCBJI/RUFIAPR_DME_F01	12820	277
L_I_TUDATA.....	/CCBJI/RUFIAPR_DME_F01	13916	305
L_I_TVKO.....	/CCBJI/RUFIAPR_DME_F01	16684	359
L_I_TXMAP.....	/CCBJI/RUFIAPR_DME_F01	4959	110
L_I_UDITEM.....	/CCBJI/RUFIAPR_DME_F01	7266	173
L_R_KNDNR.....	/CCBJI/RUFIAPR_DME_F01	2718	55
	/CCBJI/RUFIAPR_DME_F01	3913	83
	/CCBJI/RUFIAPR_DME_F01	4016	86
	/CCBJI/RUFIAPR_DME_F01	9514	213
	/CCBJI/RUFIAPR_DME_F01	9932	222
	/CCBJI/RUFIAPR_DME_F01	10004	224
	/CCBJI/RUFIAPR_DME_F01	12097	265
	/CCBJI/RUFIAPR_DME_F01	12682	275
	/CCBJI/RUFIAPR_DME_F01	15066	325
	/CCBJI/RUFIAPR_DME_F01	15407	332
	/CCBJI/RUFIAPR_DME_F01	15483	334
L_R_KNDNR_CROSS.....	/CCBJI/RUFIAPR_DME_F01	2762	56
	/CCBJI/RUFIAPR_DME_F01	3950	84
	/CCBJI/RUFIAPR_DME_F01	4055	87
	/CCBJI/RUFIAPR_DME_F01	9538	213
	/CCBJI/RUFIAPR_DME_F01	9954	222
	/CCBJI/RUFIAPR_DME_F01	10040	224
	/CCBJI/RUFIAPR_DME_F01	12692	275
	/CCBJI/RUFIAPR_DME_F01	15094	325
	/CCBJI/RUFIAPR_DME_F01	15433	332
	/CCBJI/RUFIAPR_DME_F01	15528	334

DELETE:

		Line	Page
I_CE1JP00.....	/CCBJI/RUFIAPR_DME_F01	2659	54
	/CCBJI/RUFIAPR_DME_F01	2664	54
	/CCBJI/RUFIAPR_DME_F01	2847	57
	/CCBJI/RUFIAPR_DME_F01	2864	58
	/CCBJI/RUFIAPR_DME_F01	2880	58
	/CCBJI/RUFIAPR_DME_F01	3002	61
	/CCBJI/RUFIAPR_DME_F01	3042	62
	/CCBJI/RUFIAPR_DME_F01	9611	215
	/CCBJI/RUFIAPR_DME_F01	9764	218
	/CCBJI/RUFIAPR_DME_F01	9788	218
	/CCBJI/RUFIAPR_DME_F01	12765	276
	/CCBJI/RUFIAPR_DME_F01	15168	327
I_CE2JP00.....	/CCBJI/RUFIAPR_DME_F01	2888	58
	/CCBJI/RUFIAPR_DME_F01	9619	215
	/CCBJI/RUFIAPR_DME_F01	12773	276
	/CCBJI/RUFIAPR_DME_F01	15176	327
I_DHDR.....	/CCBJI/RUFIAPR_DME_F01	802	23
I_DMEGL.....	/CCBJI/RUFIAPR_DME_F01	1063	27
I_KONP.....	/CCBJI/RUFIAPR_DME_F01	1129	28
I_MEXC.....	/CCBJI/RUFIAPR_DME_F01	1148	28
L_I_ADHDR.....	/CCBJI/RUFIAPR_DME_F01	953	25
L_I_CE1JP.....	/CCBJI/RUFIAPR_DME_F01	3434	71
	/CCBJI/RUFIAPR_DME_F01	12935	280
L_I_CE2JP00.....	/CCBJI/RUFIAPR_DME_F01	13070	284
L_I_CRDITEM.....	/CCBJI/RUFIAPR_DME_F01	6910	164
	/CCBJI/RUFIAPR_DME_F01	6913	164
L_I_CUSTD.....	/CCBJI/RUFIAPR_DME_F01	1816	40
	/CCBJI/RUFIAPR_DME_F01	8839	201
	/CCBJI/RUFIAPR_DME_F01	14431	314
L_I_CUSTD_TEMP.....	/CCBJI/RUFIAPR_DME_F01	16658	358
L_I_DHDR.....	/CCBJI/RUFIAPR_DME_F01	810	23
L_I_DITEM.....	/CCBJI/RUFIAPR_DME_F01	849	23
	/CCBJI/RUFIAPR_DME_F01	890	24
	/CCBJI/RUFIAPR_DME_F01	891	24
	/CCBJI/RUFIAPR_DME_F01	893	24
	/CCBJI/RUFIAPR_DME_F01	1594	36
	/CCBJI/RUFIAPR_DME_F01	1617	36
	/CCBJI/RUFIAPR_DME_F01	8777	200
	/CCBJI/RUFIAPR_DME_F01	8799	201
	/CCBJI/RUFIAPR_DME_F01	12027	263
	/CCBJI/RUFIAPR_DME_F01	12039	264
	/CCBJI/RUFIAPR_DME_F01	14354	313
	/CCBJI/RUFIAPR_DME_F01	14367	313
L_I_DREG.....	/CCBJI/RUFIAPR_DME_F01	1007	26
	/CCBJI/RUFIAPR_DME_F01	12076	264
L_I_FNAME.....	/CCBJI/RUFIAPR_DME_F01	7053	168
	/CCBJI/RUFIAPR_DME_F01	7089	169
	/CCBJI/RUFIAPR_DME_F01	10797	243
	/CCBJI/RUFIAPR_DME_F01	10818	243
	/CCBJI/RUFIAPR_DME_F01	13788	302
	/CCBJI/RUFIAPR_DME_F01	13809	303
	/CCBJI/RUFIAPR_DME_F01	16274	351
	/CCBJI/RUFIAPR_DME_F01	16295	352
L_I_KONA.....	/CCBJI/RUFIAPR_DME_F01	1095	28
L_I_KONH.....	/CCBJI/RUFIAPR_DME_F01	1112	28
L_I_MATD.....	/CCBJI/RUFIAPR_DME_F01	1992	43
	/CCBJI/RUFIAPR_DME_F01	1995	43
	/CCBJI/RUFIAPR_DME_F01	2012	43
	/CCBJI/RUFIAPR_DME_F01	2015	43

L_I_RET.....	/CCBJI/RUFIAPR_DME_F01	8266	192
	/CCBJI/RUFIAPR_DME_F01	8358	193
	/CCBJI/RUFIAPR_DME_F01	11098	248
L_I_SDITEM.....	/CCBJI/RUFIAPR_DME_F01	2855	58
	/CCBJI/RUFIAPR_DME_F01	2894	58
L_I_SELCL.....	/CCBJI/RUFIAPR_DME_F01	7092	169
	/CCBJI/RUFIAPR_DME_F01	10821	243
	/CCBJI/RUFIAPR_DME_F01	13812	303
	/CCBJI/RUFIAPR_DME_F01	16298	352
L_I_SUBCE1.....	/CCBJI/RUFIAPR_DME_F01	2876	58
	/CCBJI/RUFIAPR_DME_F01	3008	61
	/CCBJI/RUFIAPR_DME_F01	3048	62
	/CCBJI/RUFIAPR_DME_F01	9607	215
	/CCBJI/RUFIAPR_DME_F01	9770	218
	/CCBJI/RUFIAPR_DME_F01	9794	219
	/CCBJI/RUFIAPR_DME_F01	12761	276
	/CCBJI/RUFIAPR_DME_F01	15164	327
L_I_SUBCE2.....	/CCBJI/RUFIAPR_DME_F01	2884	58
	/CCBJI/RUFIAPR_DME_F01	9615	215
	/CCBJI/RUFIAPR_DME_F01	12769	276
	/CCBJI/RUFIAPR_DME_F01	15172	327
L_I_TDHDR.....	/CCBJI/RUFIAPR_DME_F01	975	26
L_I_TDITEM.....	/CCBJI/RUFIAPR_DME_F01	1632	36
	/CCBJI/RUFIAPR_DME_F01	1721	38
	/CCBJI/RUFIAPR_DME_F01	1788	39
	/CCBJI/RUFIAPR_DME_F01	1809	39
	/CCBJI/RUFIAPR_DME_F01	8812	201
	/CCBJI/RUFIAPR_DME_F01	8830	201
	/CCBJI/RUFIAPR_DME_F01	12051	264
	/CCBJI/RUFIAPR_DME_F01	12069	264
	/CCBJI/RUFIAPR_DME_F01	12071	264
	/CCBJI/RUFIAPR_DME_F01	12072	264
	/CCBJI/RUFIAPR_DME_F01	12166	266
	/CCBJI/RUFIAPR_DME_F01	14379	313
	/CCBJI/RUFIAPR_DME_F01	14396	314
	/CCBJI/RUFIAPR_DME_F01	14397	314
L_I_TEMCOPA.....	/CCBJI/RUFIAPR_DME_F01	4420	96
L_I_TEMP.....	/CCBJI/RUFIAPR_DME_F01	1136	28
L_I_TVKBZT.....	/CCBJI/RUFIAPR_DME_F01	8442	195
L_R_KNDNR_CROSS.....	/CCBJI/RUFIAPR_DME_F01	12156	266