

Created on....19.03.2015 Last changed on/by..... 19.03.2015 ABAP4
Author.....ABAP4

Title.....Material Document Print.

Type.....1 Reporting

Status.....

Application.....

Class.....

Logical database.....

 from Application....

Selection screen.....

Authorization group...

Package.....ZMM

 Start by Variants

 Deactivate editor lock

X Fixed point arithmetic active

```
1  *&-----*
2  *& Report  ZMATERIALDOC
3  *&
4  *&-----*
5  *&
6  *&
7  *&-----*
8
9  REPORT ZMM_MAT_PRINT.
10
11 TABLES : MKPF.
12
13 * Decalre types.
14 INCLUDE ZDEC2.
15
16 * Selection screen.
17 INCLUDE ZSEL12.
18
19 * Fetch data.
20 INCLUDE ZFETCH12.
21
22 * Call smartform.
23 INCLUDE ZCALL2.
```

```

1  *&-----*
2  *&  Include          ZCALL1
3  *&-----*
4
5  DATA :  FNAME          TYPE TDSFNAME ,
6           FM_NAME1      TYPE RS38L_FNAM.
7
8  FNAME = 'ZMM_MATERIAL'.
9
10
11
12  CALL FUNCTION 'SSF_FUNCTION_MODULE_NAME'
13    EXPORTING
14      formname              = FNAME
15  *  VARIANT                = ' '
16  *  DIRECT_CALL            = ' '
17    IMPORTING
18      FM_NAME              = FM_NAME1
19    EXCEPTIONS
20      NO_FORM              = 1
21      NO_FUNCTION_MODULE   = 2
22      OTHERS               = 3.
23
24
25  CALL FUNCTION FM_NAME1
26  *  EXPORTING
27  *  ARCHIVE_INDEX          =
28  *  ARCHIVE_INDEX_TAB     =
29  *  ARCHIVE_PARAMETERS    =
30  *  CONTROL_PARAMETERS    =
31  *  MAIL_APPL_OBJ         =
32  *  MAIL_RECIPIENT        =
33  *  MAIL_SENDER           =
34  *  OUTPUT_OPTIONS        =
35  *  USER_SETTINGS         = 'X'
36  *  IMPORTING
37  *  DOCUMENT_OUTPUT_INFO   =
38  *  JOB_OUTPUT_INFO        =
39  *  JOB_OUTPUT_OPTIONS     =
40    TABLES
41      ta_header            = ta_header
42      ta_item              = ta_item
43      ta_crea              = ta_crea
44    EXCEPTIONS
45      FORMATTING_ERROR     = 1
46      INTERNAL_ERROR       = 2
47      SEND_ERROR           = 3
48      USER_CANCELED        = 4
49      OTHERS               = 5
50    .
51  IF sy-subrc <> 0.
52  *  Implement suitable error handling here
53  ENDIF.

```

```

1  *&-----*
2  *&  Include          ZDEC
3  *&-----*
4  * Header Declartion.
5  TYPES : BEGIN OF TY_HEADER .
6          INCLUDE STRUCTURE zmkpf .
7  TYPES : BUTXT TYPE BUTXT.
8  TYPES : end OF TY_HEADER.
9
10 * Item Declartion.
11 TYPES : BEGIN OF TY_MSEG ,
12         MBLNR TYPE MBLNR ,
13         MJAHR TYPE MJAHR ,
14         ZEILE TYPE MSEG-ZEILE ,
15         BWART TYPE MSEG-BWART ,
16         MATNR TYPE MATNR ,
17         LGORT TYPE MSEG-LGORT ,
18         CHARG TYPE CHARG_D ,
19         LIFNR TYPE MSEG-LIFNR ,
20         MENGE TYPE MSEG-MENGE ,
21         SHKZG TYPE MSEG-SHKZG ,
22         WAERS TYPE MSEG-WAERS ,
23         DMBTR TYPE MSEG-DMBTR ,
24         MEINS TYPE MSEG-MEINS ,
25         SGTXT TYPE MSEG-SGTXT ,
26         GRUND TYPE MSEG-GRUND ,
27         VFDAT TYPE MSEG-VFDAT ,
28         HSDAT TYPE MSEG-HSDAT ,
29         end OF TY_MSEG.
30
31
32 TYPES : BEGIN OF TY_LIFNR ,
33         MATNR TYPE MSEG-MATNR ,
34         CHARG TYPE MSEG-CHARG ,
35         LIFNR TYPE MSEG-LIFNR ,
36         END OF TY_LIFNR.
37
38 * Fetching Data from QALS Table.
39 TYPES : BEGIN OF TY_QALS ,
40         ENSTEHDAT TYPE QALS-ENSTEHDAT,
41         HERSTELLER TYPE QALS-HERSTELLER ,
42         MATNR TYPE QALS-MATNR ,
43         CHARG TYPE QALS-CHARG ,
44         MJAHR TYPE QALS-MJAHR ,
45         MBLNR TYPE QALS-MBLNR ,
46         AR_NO TYPE QALS-AR_NO ,
47         END OF TY_QALS.
48
49 * Item Declartion.
50 TYPES : BEGIN OF TY_NAME ,
51         MBLNR TYPE MKPF-MBLNR ,
52         MJAHR TYPE MKPF-MJAHR ,
53         USNAM TYPE MKPF-USNAM ,
54         NAME_TEXT TYPE USER_ADDRP-NAME_TEXT ,
55         end OF TY_NAME.
56
57 TYPES : BEGIN OF TY_USER ,
58         BNAME TYPE USR21-BNAME ,
59         NAME_TEXT TYPE USER_ADDRP-NAME_TEXT,
60         end OF TY_USER.
61

```

```
62
63 TYPES : BEGIN OF TY_NAME1 ,
64     LIFNR      TYPE LFA1-LIFNR ,
65     NAME1      TYPE LFA1-NAME1,
66     end OF TY_NAME1.
67
68 * for creation and update user.
69 TYPES : BEGIN OF TY_CREA .
70     INCLUDE STRUCTURE ZNAMES.
71 TYPES : end OF TY_CREA.
72
73 * for creation and update user.
74 TYPES : BEGIN OF TY_ITEM .
75     INCLUDE STRUCTURE ZMSEG2.
76 TYPES : end OF TY_ITEM.
77
78 * For Material Description.
79 TYPES : BEGIN OF TY_MAKT ,
80     MATNR TYPE MAKT-MATNR ,
81     MAKTX TYPE MAKT-MAKTX ,
82     end OF TY_MAKT.
83
84 * For Material Description.
85 TYPES : BEGIN OF TY_STOR ,
86     LGORT TYPE T001L-LGORT ,
87     LGOBE TYPE T001L-LGOBE ,
88     end OF TY_STOR.
89
90 * For Material Description.
91 TYPES : BEGIN OF TY_PLANT ,
92     WERKS TYPE T001L-LGORT ,
93     LGOBE TYPE T001L-LGOBE ,
94     end OF TY_PLANT.
95
96 * For Material Description.
97 TYPES : BEGIN OF TY_BUKRS ,
98     BUKRS TYPE T001-BUKRS ,
99     BUTXT TYPE T001-BUTXT ,
100     end OF TY_BUKRS.
101
102 * For Movement Text.
103 TYPES : BEGIN OF TY_T156T ,
104     BWART TYPE T156T-BWART ,
105     BTEXT TYPE T156T-BTEXT ,
106     end OF TY_T156T.
107
108
109 * For Reason Movement Text.
110 TYPES : BEGIN OF TY_T157E ,
111     BWART TYPE T157E-BWART ,
112     GRUND TYPE T157E-GRUND ,
113     GRXTX TYPE T157E-GRTXT ,
114     end OF TY_T157E.
115
116 DATA : TA_HEADER TYPE STANDARD TABLE OF TY_HEADER ,
117     WA_HEADER TYPE TY_HEADER.
118
119 DATA : TA_ITEM TYPE STANDARD TABLE OF TY_ITEM ,
120     WA_ITEM TYPE TY_ITEM.
121
122 DATA : TA_NAME TYPE STANDARD TABLE OF TY_NAME ,
```

```
123          WA_NAME TYPE TY_NAME.
124
125 DATA : TA_USER TYPE STANDARD TABLE OF TY_USER ,
126          WA_USER TYPE TY_USER.
127
128 DATA : TA_CREA TYPE STANDARD TABLE OF TY_CREA ,
129          WA_CREA TYPE TY_CREA.
130
131 DATA : TA_MSEG TYPE STANDARD TABLE OF TY_MSEG ,
132          WA_MSEG TYPE TY_MSEG.
133
134 DATA : TA_QALS TYPE STANDARD TABLE OF TY_QALS ,
135          WA_QALS TYPE TY_QALS.
136
137 DATA : TA_QALS1 TYPE STANDARD TABLE OF TY_QALS ,
138          WA_QALS1 TYPE TY_QALS.
139
140 DATA : TA_MAKT TYPE STANDARD TABLE OF TY_MAKT ,
141          WA_MAKT TYPE TY_MAKT.
142
143 DATA : TA_STOR TYPE STANDARD TABLE OF TY_STOR ,
144          WA_STOR TYPE TY_STOR.
145
146 DATA : TA_NAME1 TYPE STANDARD TABLE OF TY_NAME1 ,
147          WA_NAME1 TYPE TY_NAME1.
148
149 DATA : TA_BUKRS TYPE STANDARD TABLE OF TY_BUKRS ,
150          WA_BUKRS TYPE TY_BUKRS.
151
152 DATA : TA_T156T TYPE STANDARD TABLE OF TY_T156T ,
153          WA_T156T TYPE TY_T156T.
154
155 DATA : TA_T157E TYPE STANDARD TABLE OF TY_T157E ,
156          WA_T157E TYPE TY_T157E.
157
158 DATA : TA_LIFNR TYPE STANDARD TABLE OF TY_LIFNR ,
159          WA_LIFNR TYPE TY_LIFNR.
160
161
162
163 DATA : L TYPE I.
```

```

1  *&-----*
2  *& Include           ZFETCH1
3  *&-----*
4  * Selecting data from Header data.
5  DATA : TA_BATCH TYPE STANDARD TABLE OF CLBATCH ,
6          WA_BATCH TYPE CLBATCH ,
7          L_TABIX TYPE SY-TABIX ,
8          L_BWART(3) TYPE C .
9
10
11
12  SELECT *
13  FROM ZMKPF
14  INTO TABLE TA_HEADER
15  WHERE
16  MBLNR IN S_MBLNR1 AND
17  MJAHR IN S_MJAHR1.
18
19  SORT TA_HEADER BY MBLNR MJAHR.
20  DELETE ADJACENT DUPLICATES FROM TA_HEADER COMPARING MBLNR MJAHR.
21
22  * Checking Authority Object.
23  CLEAR : WA_HEADER.
24  LOOP AT TA_HEADER INTO WA_HEADER.
25  AUTHORITY-CHECK OBJECT 'M_MSEG_WMB'
26          ID 'ACTVT' FIELD '04'
27          ID 'WERKS' FIELD WA_HEADER-WERKS.
28
29  IF sy-subrc <> 0.
30      MESSAGE 'User is not authorize for plant' TYPE 'E' .
31  ENDIF.
32
33  ENDLOOP.
34
35  * Fetching BUKRS Text from T001 Table.
36  IF TA_HEADER[] IS NOT INITIAL.
37      SELECT BUKRS BUTXT
38      FROM T001
39      INTO TABLE TA_BUKRS
40      FOR ALL ENTRIES IN TA_HEADER
41      WHERE
42      BUKRS EQ TA_HEADER-BUKRS.
43  ENDIF.
44
45
46  IF TA_HEADER[] IS NOT INITIAL.
47  * Select data from USER_ADDRP FOR GETTING USER NAME.
48      SELECT BNAME NAME_TEXT
49      FROM USER_ADDRP
50      INTO TABLE TA_USER
51      FOR ALL ENTRIES IN TA_HEADER
52      WHERE
53      BNAME = TA_HEADER-USNAM.
54  ENDIF.
55
56
57  * Appending User Deatils.
58  LOOP AT TA_HEADER INTO WA_HEADER.
59
60      CLEAR : L_TABIX.
61      L_TABIX = SY-TABIX.

```

```
62
63  WA_CREA-MBLNR = WA_HEADER-MBLNR.
64  WA_CREA-MJAHR = WA_HEADER-MJAHR.
65  WA_CREA-CPUDT = WA_HEADER-CPUDT.
66  WA_CREA-CPUTM = WA_HEADER-CPUTM.
67  WA_CREA-USNAM = WA_HEADER-USNAM.
68
69  CLEAR : WA_USER.
70  READ TABLE TA_USER INTO WA_USER WITH KEY BNAME = WA_HEADER-USNAM.
71  IF SY-SUBRC EQ 0.
72    WA_CREA-NAME_TEXT = WA_USER-NAME_TEXT.
73  ENDIF.
74  APPEND WA_CREA TO TA_CREA.
75
76  * Logic to append the Company code text.
77  CLEAR : WA_BUKRS.
78  READ TABLE TA_BUKRS INTO WA_BUKRS WITH KEY BUKRS = WA_HEADER-BUKRS.
79  IF SY-SUBRC EQ 0.
80    WA_HEADER-BUTXT = WA_BUKRS-BUTXT.
81    MODIFY TA_HEADER INDEX L_TABIX FROM WA_HEADER TRANSPORTING BUTXT.
82  ENDIF.
83
84  ENDLOOP.
85
86
87  * Selecting data from MSEG Table.
88  IF TA_HEADER[] IS NOT INITIAL.
89  SELECT MBLNR MJAHR ZEILE BWART MATNR LGORT CHARG LIFNR MENGE SHKZG WAER
90  S DMBTR MEINS SGTXT GRUND VFDAT HSDAT
91  FROM MSEG
92  INTO TABLE TA_MSEG
93  FOR ALL ENTRIES IN TA_HEADER
94  WHERE
95  MBLNR = TA_HEADER-MBLNR AND
96  MJAHR = TA_HEADER-MJAHR.
97  ENDIF.
98
99  * For Vendor Deatils.
100 IF NOT TA_MSEG[] IS INITIAL.
101 SELECT MATNR CHARG LIFNR
102 FROM MSEG
103 INTO TABLE TA_LIFNR
104 FOR ALL ENTRIES IN TA_MSEG
105 WHERE
106 BWART EQ '101' AND
107 MATNR EQ TA_MSEG-MATNR AND
108 CHARG EQ TA_MSEG-CHARG.
109 ENDIF.
110
111 * Selecting the movement type text.
112 IF NOT TA_MSEG[] IS INITIAL.
113 SELECT BWART BTEXT
114 FROM T156T
115 INTO TABLE TA_T156T
116 FOR ALL ENTRIES IN TA_MSEG
117 WHERE
118 SPRAS = 'EN' AND
119 BWART EQ TA_MSEG-BWART.
120 ENDIF.
121
122 ** Selecting the movement type text.
```

```
122 IF NOT ta_mseg[] IS INITIAL.
123 " Code Remediation changes S4 2025_A Conversion **BEGIN OF CHANGE BY ABA
P7 25.06.2026 FOR ATC
124 * SELECT BWART GRUND GRTXT
125 * FROM T157E
126 * INTO TABLE TA T157E
127 * FOR ALL ENTRIES IN TA_MSEG
128 * WHERE
129 * SPRAS = 'EN' AND
130 * BWART EQ TA_MSEG-BWART AND
131 * GRUND EQ TA_MSEG-GRUND.
132 SELECT BWART GRUND GRTXT
133 FROM T157E
134 INTO TABLE TA T157E
135 FOR ALL ENTRIES IN TA_MSEG
136 WHERE
137 SPRAS = 'EN' AND
138 BWART EQ TA_MSEG-BWART AND
139 GRUND EQ TA_MSEG-GRUND. "#EC CI NOORDER
140 " Code Remediation changes S4 2025_A Conversion * *END OF CHANGE BY ABAP
7 25.06.2026 FOR ATC
141 ENDIF.
142
143
144
145 IF NOT TA_MSEG[] IS INITIAL.
146 * Selecting fields from QALS Table for Manufacture ,AR Number , Retest D
ate
147 SELECT ENSTEHDAT HERSTELLER MATNR CHARG MJAHR MBLNR AR_NO
148 FROM QALS
149 INTO TABLE TA_QALS
150 FOR ALL ENTRIES IN TA_MSEG
151 WHERE
152 MATNR = TA_MSEG-MATNR AND
153 CHARG = TA_MSEG-CHARG .
154 ENDIF.
155
156
157 * Fetching Vendor Description.
158 IF TA_LIFNR[] IS NOT INITIAL.
159 SELECT LIFNR NAME1
160 INTO TABLE TA_NAME1
161 FROM LFA1
162 FOR ALL ENTRIES IN TA_LIFNR
163 WHERE
164 LIFNR = TA_LIFNR-LIFNR.
165 ENDIF.
166
167 * Fetching Manufacturer Description.
168 IF TA_QALS[] IS NOT INITIAL.
169 SELECT LIFNR NAME1
170 APPENDING TABLE TA_NAME1
171 FROM LFA1
172 FOR ALL ENTRIES IN TA_QALS
173 WHERE
174 LIFNR EQ TA_QALS-HERSTELLER.
175 ENDIF.
176
177 * Selecting the Material Description.
178 IF NOT TA_MSEG[] IS INITIAL.
179 SELECT MATNR MAKTX
```

```

180 FROM MAKT
181 INTO TABLE TA_MAKT
182 FOR ALL ENTRIES IN TA_MSEG
183 WHERE
184 MATNR = TA_MSEG-MATNR AND
185 SPRAS = 'EN'.
186 ENDIF.
187
188 * Selecting the Storage Location.
189 IF NOT TA_MSEG[] IS INITIAL.
190 SELECT LGORT LGOBE
191 FROM T001L
192 INTO TABLE TA_STOR
193 FOR ALL ENTRIES IN TA_MSEG
194 WHERE
195 LGORT = TA_MSEG-LGORT.
196 ENDIF.
197
198 sort TA_QALS BY ENSTEHDAT DESCENDING.
199
200 LOOP AT TA_MSEG INTO WA_MSEG.
201 MOVE-CORRESPONDING WA_MSEG TO WA_ITEM.
202
203
204
205 CLEAR : WA_LIFNR.
206 READ TABLE TA_LIFNR INTO WA_LIFNR WITH KEY MATNR = WA_MSEG-MATNR
207 CHARG = WA_MSEG-CHARG.
208 IF SY-SUBRC EQ 0.
209 WA_ITEM-LIFNR = WA_LIFNR-LIFNR.
210 ENDIF.
211 * For AR Number.
212 * CLEAR : WA_HEADER.
213 READ TABLE TA_HEADER INTO WA_HEADER WITH KEY MBLNR = WA_MSEG-MBLNR
214 MJahr = WA_MSEG-MJAHR.
215 CLEAR : WA_QALS.
216 LOOP AT TA_QALS INTO WA_QALS WHERE ENSTEHDAT LE WA_HEADER-BUDAT AND
217 MATNR EQ WA_MSEG-MATNR AND
218 CHARG = WA_MSEG-CHARG.
219 IF SY-SUBRC EQ 0 .
220 WA_ITEM-AR_NO = WA_QALS-AR_NO.
221 EXIT.
222 ENDIF.
223 ENDLOOP.
224
225
226 WA_ITEM-RATE = WA_ITEM-DMBTR / WA_ITEM-MENGE .
227
228 IF WA_MSEG-SHKZG EQ 'H'.
229 WA_ITEM-MENGE = -1 * WA_MSEG-MENGE .
230 ENDIF.
231
232
233 CALL FUNCTION 'VB_BATCH_GET_DETAIL'
234 EXPORTING
235 MATNR = WA_MSEG-MATNR
236 CHARG = WA_MSEG-CHARG
237 * WERKS =
238 GET_CLASSIFICATION = 'X'
239 * EXISTENCE_CHECK =
240 * READ_FROM_BUFFER =

```

```

241 *      NO CLASS INIT      = ' '
242 *      LOCK BATCH        = ' '
243 *      IMPORTING
244 *      YMCHA              =
245 *      CLASSNAME          =
246 TABLES
247     CHAR OF BATCH        = TA_BATCH
248 EXCEPTIONS
249     NO_MATERIAL          = 1
250     NO_BATCH             = 2
251     NO_PLANT             = 3
252     MATERIAL NOT FOUND   = 4
253     PLANT NOT FOUND      = 5
254     NO AUTHORITY        = 6
255     BATCH NOT EXIST      = 7
256     LOCK ON BATCH       = 8
257     OTHERS              = 9.
258 IF SY-SUBRC EQ 0.
259     CLEAR : WA_BATCH.
260     READ TABLE TA_BATCH INTO WA_BATCH WITH KEY ATNAM = 'ZMANUFACTURER_B
ATCH'.
261
262     IF SY-SUBRC EQ 0.
263         WA_ITEM-ATWTB = WA_BATCH-ATWTB.
264     ENDIF.
265
266     CLEAR : WA_BATCH.
267     READ TABLE TA_BATCH INTO WA_BATCH WITH KEY ATNAM = 'ZRETEST_DATE'.
268     IF SY-SUBRC EQ 0.
269 " Code Remediation changes S4 2025_A Conversion **BEGIN OF CHANGE BY ABA
P7 25.06.2026 FOR ATC
270 *      WA_ITEM-zretest_date = WA_BATCH-ATWTB.
271 WA_ITEM-zretest_date = CONV #( WA_BATCH-ATWTB ) .
272 " Code Remediation changes S4 2025_A Conversion * *END OF CHANGE BY ABAP
7 25.06.2026 FOR ATC
273     ENDIF.
274
275
276     CLEAR : WA_BATCH.
277     READ TABLE TA_BATCH INTO WA_BATCH WITH KEY ATNAM = 'ZMANUFACTURER'.
278     IF SY-SUBRC EQ 0.
279         WA_ITEM-HERSTELLER = WA_BATCH-ATWTB.
280     ENDIF.
281
282
283 ENDIF.
284
285
286
287
288 * Transferring Material Description.
289     CLEAR : WA_MAKT.
290     READ TABLE TA_MAKT INTO WA_MAKT WITH KEY MATNR = WA_MSEG-MATNR.
291     IF SY-SUBRC EQ 0.
292         WA_ITEM-MAKTX = WA_MAKT-MAKTX.
293     ENDIF.
294
295
296 * Transferring Storage Location desription.
297     CLEAR : WA_STOR.
298     READ TABLE TA_STOR INTO WA_STOR WITH KEY LGORT = WA_MSEG-LGORT.

```

```

299     IF SY-SUBRC EQ 0.
300         WA_ITEM-LGOBE = WA_STOR-LGOBE.
301     ENDIF.
302
303     * * Transferring Movment Type description
304     CLEAR : WA_STOR.
305     READ TABLE TA_T156T INTO WA_T156T WITH KEY BWART = WA_MSEG-BWART.
306     IF SY-SUBRC EQ 0.
307         WA_ITEM-BTEXT = WA_T156T-BTEXT.
308     ENDIF.
309
310     * * Transferring Movment Type description
311     CLEAR : WA_STOR.
312     READ TABLE TA_T157E INTO WA_T157E WITH KEY BWART = WA_MSEG-BWART
313                                         GRUND = WA_MSEG-GRUND.
314     IF SY-SUBRC EQ 0.
315         WA_ITEM-BTEXT1 = WA_T157E-GRXTX.
316     ENDIF.
317
318     * * Transferring the text for vendor details.
319     CLEAR : WA_NAME1.
320     READ TABLE TA_NAME1 INTO WA_NAME1 WITH KEY LIFNR = WA_ITEM-LIFNR.
321     IF SY-SUBRC EQ 0.
322         WA_ITEM-NAME = WA_NAME1-NAME1.
323     ENDIF.
324
325     * Transfeering the manufacturer Text.
326     CLEAR : WA_ITEM-NAME1.
327
328     SELECT SINGLE NAME1
329     FROM           LFA1
330     INTO           WA_ITEM-NAME1
331     WHERE          LIFNR = WA_ITEM-HERSTELLER.
332
333
334     APPEND WA_ITEM TO TA_ITEM.
335     CLEAR : WA_ITEM.
336
337     ENDLOOP.

```

```
1  *&-----*
2  *&  Include          ZSEL1
3  *&-----*
4
5
6  SELECT-OPTIONS : S_MBLNR1  FOR MKPF-MBLNR OBLIGATORY ,
7                   S_MJAHR1  FOR MKPF-MJAHR OBLIGATORY DEFAULT 2015.
```

Title:
Material Document Print.

Selection texts:

S_MBLNR1
D .
S_MJAHR1
D .

Messages:

	Line	Page
?..... ZFETCH12	30	7

External calls

Function Modules	Line	Page
?..... ZCALL2	25	3
SSF_FUNCTION_MODULE_NAME..... ZCALL2	12	3
VB_BATCH_GET_DETAIL..... ZFETCH12	233	10

DATABASE OPERATIONS

SELECT:		Line	Page
LFA1.....	ZFETCH12	161	9
	ZFETCH12	171	9
	ZFETCH12	329	12
MAKT.....	ZFETCH12	180	10
MSEG.....	ZFETCH12	90	8
	ZFETCH12	101	8
QALS.....	ZFETCH12	148	9
T001.....	ZFETCH12	38	7
T001L.....	ZFETCH12	191	10
T156T.....	ZFETCH12	113	8
T157E.....	ZFETCH12	133	9
USER_ADDRP.....	ZFETCH12	49	7
ZMKPF.....	ZFETCH12	13	7

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
TA_BATCH.....	ZFETCH12	260	11
	ZFETCH12	267	11
	ZFETCH12	277	11
TA_BUKRS.....	ZFETCH12	78	8
TA_HEADER.....	ZFETCH12	213	10
TA_LIFNR.....	ZFETCH12	206	10
TA_MAKT.....	ZFETCH12	290	11
TA_NAME1.....	ZFETCH12	320	12
TA_STOR.....	ZFETCH12	298	11
TA_T156T.....	ZFETCH12	305	12
TA_T157E.....	ZFETCH12	312	12
TA_USER.....	ZFETCH12	70	8

MODIFY:

		Line	Page
TA_HEADER.....	ZFETCH12	81	8

DELETE:

		Line	Page
TA_HEADER.....	ZFETCH12	20	7