Conversion Function


SQL File 10* SQL File 11* SQL File 12* SQL File 13* SQL File 14* SQL File 16* SQL File 17* SQL File 18*

Limit to 1000 rows


```sql
CREATE DATABASE A;
USE A;
CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);
INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');
SELECT Student_Name, CAST(Marks AS CHAR) AS Marks_Text
FROM Student;
```


Result Grid | Filter Rows: | Export: | Wrap Cell Content:


Student_Name	Marks_Text
Manu	90
Varun	80
Vaibhav	70
Raghavendra	60





Date Function


SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 16*
SQL File 17*
SQL File
Limit to 1000 rows
CREATE DATABASE C;
USE C;
CREATE TABLE Student (
Student_ID INT,
Student_Name VARCHAR(50),
Marks INT,
DOB DATE
);
INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');
SELECT CURRENT_DATE();
SELECT Student_Name, YEAR(DOB) AS Birth_Year
FROM Student;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CURRENT_DATE()
2026-10-02


SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 16*
SQL File 17*
SQL File 18*
Limit to 1000 rows
1 • CREATE DATABASE C;
2 • USE C;
3 • CREATE TABLE Student (
4 Student_ID INT,
5 Student_Name VARCHAR(50),
6 Marks INT,
7 DOB DATE
8);
9 • INSERT INTO Student VALUES
10 (101, 'Manu', 90, '2005-05-10'),
11 (102, 'Varun', 80, '2004-08-15'),
12 (103, 'Vaibhav', 70, '2005-01-20'),
13 (104, 'Raghavendra', 60, '2004-12-05');
14 • SELECT CURRENT_DATE();
15 • SELECT Student_Name, YEAR(DOB) AS Birth_Year
16 FROM Student;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_Name
Birth_Year
Manu
2005
Varun
2004
Vaibhav
2005
Raghavendra
2004


SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 16*
SQL File 17*
SQL File 18*
Limit to 1000 rows
3 CREATE TABLE Student (
4 Student_ID INT,
5 Student_Name VARCHAR(50),
6 Marks INT,
7 DOB DATE
8);
9 INSERT INTO Student VALUES
10 (101, 'Manu', 90, '2005-05-10'),
11 (102, 'Varun', 80, '2004-08-15'),
12 (103, 'Vaibhav', 70, '2005-01-20'),
13 (104, 'Raghavendra', 60, '2004-12-05');
14 SELECT CURRENT_DATE();
15 SELECT Student_Name, YEAR(DOB) AS Birth_Year
16 FROM Student;
17 SELECT Student_Name, MONTH(DOB) AS Birth_Month
18 FROM Student;
19 SELECT Student_Name, DAY(DOB) AS Birth_Day
20 FROM Student;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_Name
Birth_Day
Manu 10
Varun 15
Vaibhav 20
Raghavendra 5


SQL File 10*
SQL File 11*
SQL File 12*
SQL File 13*
SQL File 14*
SQL File 16*
SQL File 17*
SQL File 18*
Limit to 1000 rows
Student_Name VARCHAR(50),
Marks INT,
DOB DATE
);
INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');
SELECT CURRENT_DATE();
SELECT Student_Name, YEAR(DOB) AS Birth_Year
FROM Student;
SELECT Student_Name, MONTH(DOB) AS Birth_Month
FROM Student;
SELECT Student_Name, DAY(DOB) AS Birth_Day
FROM Student;
SELECT Student_Name, DATEDIFF(CURRENT_DATE(), DOB) AS Days
FROM Student;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_Name
Birth_Day
Manu
10
Varun
15
Vaibhav
20
Raghavendra
5





SQL Operators – Arithmetic, Logical and Comparison


```
CREATE DATABASE D;
USE D;
CREATE TABLE Student (
   Student_ID INT,
   Student_Name VARCHAR(50),
   Marks INT,
   DOB DATE
);
INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');
SELECT Marks + 5 AS New_Marks
FROM Student;
```


```
SELECT Marks - 5 AS Reduced_Marks
FROM Student;
SELECT Marks * 2 AS Double_Marks
FROM Student;
SELECT Marks / 2 AS Half_Marks
FROM Student;
SELECT Marks % 10 AS Remainder
FROM Student;
```


Output













Comparison Operators

```
CREATE DATABASE E;
USE E;
CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);
INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');
SELECT * FROM Student
WHERE Marks = 80;
SELECT * FROM Student
WHERE Marks > 70;
SELECT * FROM Student
WHERE Marks < 80;
SELECT * FROM Student
WHERE Marks >= 80;
SELECT * FROM Student
WHERE Marks <= 70;
SELECT * FROM Student
WHERE Marks <> 80;
```


Output






Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_ID	Student_Name	Marks	DOB
103	Vaibhav	70	2005-01-20
104	Raghavendra	60	2004-12-05




Student 13 | Student 14 | Student 15 | Student 16 | Student 17 | Student 18



Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_ID	Student_Name	Marks	DOB
101	Manu	90	2005-05-10
102	Varun	80	2004-08-15


Student 13 | Student 14 | Student 15 | Student 16 | Student 17 | Student 18



Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_ID	Student_Name	Marks	DOB
101	Manu	90	2005-05-10
102	Varun	80	2004-08-15


Student 13 | Student 14 | Student 15 | Student 16 | Student 17 | Student 18



Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_ID	Student_Name	Marks	DOB
103	Vaibhav	70	2005-01-20
104	Raghavendra	60	2004-12-05


Student 13 | Student 14 | Student 15 | Student 16 | Student 17 | Student 18





Logical Operators

```
CREATE DATABASE F;
USE F;
CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);
INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');
SELECT * FROM Student
WHERE Marks > 70 AND Marks < 90;
SELECT * FROM Student
WHERE Marks = 90 OR Marks = 60;
SELECT * FROM Student
WHERE NOT Marks = 80;
```

Output









SQL Operators – Special Operators and Set Operations


CREATE DATABASE G;


```
USE G;
CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);
INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');
SELECT * FROM Student
WHERE Marks BETWEEN 70 AND 90;
SELECT * FROM Student
WHERE Marks IN (60, 80, 90);
SELECT * FROM Student
WHERE Student_Name LIKE 'M%';
SELECT * FROM Student
WHERE Student_Name LIKE '%a%';
SELECT * FROM Student
WHERE DOB IS NULL;
```


Output




Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_ID Student_Name Marks DOB
101 Manu 90 2005-05-10
102 Varun 80 2004-08-15
104 Raghavendra 60 2004-12-05
104
Student 22
Student 23
Student 24
Student 25
Student 26


Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_ID Student_Name Marks DOB
101 Manu 90 2005-05-10
Student 22
Student 23
Student 24
Student 25
Student 26


Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_ID Student_Name Marks DOB
101 Manu 90 2005-05-10
102 Varun 80 2004-08-15
103 Vaibhav 70 2005-01-20
104 Raghavendra 60 2004-12-05
Student 22
Student 23
Student 24
Student 25
Student 26


Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_ID Student_Name Marks DOB
Student 22
Student 23
Student 24
Student 25
Student 26

Set Operations UNION

