```
Program Files > Java > JDK 8 > bin > 🧶 MThread.java
  class NewThread implements Runnable
  String name;
   Thread t;
   int n;
  NewThread(String threadname, int x)
  name = threadname;
  n=x;
   t = new Thread(this,name);
System.out.println("New thread :"+t);
   t.start();
   public void run()
   try{
   for(int i=5;i>0;i--)
   System.out.println(name + ":"+i);
   if(n==1)
   Thread.sleep(10000);
   Thread.sleep(2000);
    }catch(InterruptedException e)
    System.out.println(name + ":"+"Interrupted");
    System.out.println(name + ":"+ "exiting.");
```

```
Thread.sleep(10000);
else
Thread.sleep(2000);
}

catch(InterruptedException e)

{
System.out.println(name + ":"+"Interrupted");
}

System.out.println(name + ":"+ "exiting.");
}

System.out.println(name + ":"+ "exiting.");
}

class MThread[
public static void main(String args[])

new NewThread("BMS COLLEGE OF ENGINEERING",1);
new NewThread("CSE",2);
}

I
```

```
C:\Program Files\Java\JDK 8\bin\java MThread.java
C:\Program Files\Java\JDK 8\bin\java MThread
New thread :Thread[BMS COLLEGE OF ENGINEERING,5,main]
New thread :Thread[CSE,5,main]
BMS COLLEGE OF ENGINEERING:5
CSE:5
CSE:4
CSE:3
CSE:2
CSE:1
BMS COLLEGE OF ENGINEERING:4
CSE:exiting.
BMS COLLEGE OF ENGINEERING:3
BMS COLLEGE OF ENGINEERING:2
BMS COLLEGE OF ENGINEERING:2
BMS COLLEGE OF ENGINEERING:2
BMS COLLEGE OF ENGINEERING:1
BMS COLLEGE OF ENGINEERING:1
BMS COLLEGE OF ENGINEERING:2
```