

# Hand off the follow-up.

A voice-operated AI computer.  
Designed to turn a client request  
into work ready for review.

Vaibhav Sharma · September 2026  
Concept / feasibility · Investor introduction



Industrial design concept

THE MOMENT WE WANT TO IMPROVE

# A call ends. The work begins.

**“Can you send the revised scope  
and check the vendor’s latest requirements?”**

01

**Find the right files**

02

**Check the  
sources**

03

**Write the  
follow-up**

04

**Review and send**

INITIAL CUSTOMER HYPOTHESIS

# Start with the person who owns the whole job.

---

## Independent consultants

They handle client calls, project documents and the follow-up themselves.

---

## A recurring task

Prepare a client reply or revised scope using the right files and current sources.

---

## A visible finish

A draft, its sources and the changes made—ready for the owner to review.

This is the first market to test. The broader product remains a personal computer for delegated work.

THE FIRST DEMONSTRATION

# One request. One reviewable result.

**“Use the Atlas project folder. Check the vendor docs. Draft my reply.”**

## 01 Ask

Speak the task.  
Choose the project.

## 02 Gather

Read approved files.  
Check public sources.

## 03 Prepare

Create the draft.  
Flag missing details.

## 04 Review

Inspect on iPhone.  
Decide what to send.

THE HARDWARE THESIS

# A computer of its own. A task that stays with it.



## Local model + memory

The proposed device holds the task, its working context and its tools.

## Voice + physical control

Speak to start. Use a physical stop.  
Review the result in the iOS app.

Concept scene. Task continuity, wake behavior and local inference still need to be proven on the selected board.

## THE COMPARISON THAT MATTERS

# Why carry another device?

| Alternative       | Why someone might choose it          | What MOB must prove                       |
|-------------------|--------------------------------------|-------------------------------------------|
| Phone + an AI app | Already carried; familiar interface  | Less effort to start and finish this task |
| Desktop agent     | Existing compute and file access     | Useful continuity away from the desk      |
| MOB concept       | Own runtime, local context, controls | Enough added value to carry and charge it |

Hardware earns its place only if customers prefer it in repeated, matched task comparisons.



PROPOSED VALIDATION GATES

# A useful first task. A reason to come back.

---

## Task quality

At least 80% of test drafts accepted with only minor edits.  
No invented source claims.

## Less effort

At least 30% less active user time than the matched app workflow.  
Include review and correction.

## Repeat use

At least 12 of 20 pilot users complete 3 tasks in week four.  
Test willingness to pay.

EVIDENCE, CLEARLY SEPARATED

# What exists today. What the round must establish.

## Prepared

- Industrial design concept
- Published component shortlist
- Early software source packages
- Launch site and research-led pitch

## Still to prove

- Integrated local voice workflow
- Battery, thermals and call audio
- Repeated customer use
- Manufacturing cost and yield



MARKET ENTRY AND GROWTH THESIS

# Begin with follow-up. Expand with evidence.

---

## First

Client follow-up for independent technical consultants.  
One buyer, one repeated job.

## Next

Project research and document preparation using the same approved context and tools.

## Later

More workflows and device adapters, after repeat use and reliable execution are proven.

WORKING BUSINESS MODEL

**A device people choose to buy.**

**\$649**

Price to test

**$\leq$  \$357**

Landed product-cost target

**45%**

Product gross-margin  
target

---

Core local functions: proposed one-time purchase.  
Any optional recurring service must earn its own recurring value.

Illustrative economics before fulfillment, payment, returns, acquisition and overhead. Pricing awaits quotes and customer tests.

## GO-TO-MARKET AND DEVELOPMENT SEQUENCE

# Learn before committing to inventory.

| Stage                     | Acquisition / delivery action           | Evidence to advance                  |
|---------------------------|-----------------------------------------|--------------------------------------|
| Discovery · weeks 0–6     | Founder outreach; 20 target interviews  | Recurring pain + app comparison      |
| Bench · weeks 0–12        | Supported board; complete one task      | Working local voice-to-draft loop    |
| Engineering · weeks 13–24 | Carrier, enclosure, audio and power     | Measured fit, runtime and stability  |
| Pilot · weeks 25–32       | 20 participants; direct onboarding      | Quality, repeat use and price signal |
| Production · weeks 33–48+ | DVT/PVT, certification, launch planning | Quoted cost, yield and service plan  |

Crowdfunding is a later distribution option. It does not replace product proof, working capital or production validation.

## A 12-MONTH PLANNING ENVELOPE

# Proposed pre-seed: \$750k.

| Use of funds                   | USD    |
|--------------------------------|--------|
| Local software + iOS           | \$275k |
| Electronics, audio + mechanics | \$175k |
| Validation + tooling           | \$125k |
| Pilot operations + launch      | \$75k  |
| Contingency                    | \$100k |

## Vaibhav Sharma

Founder · Kota, India  
Product direction and early  
software development.

## The team to assemble

Embedded Linux + audio  
Mechanical + thermal engineering  
iOS and manufacturing partners

THE NEXT CONVERSATION

# Help prove a useful personal AI computer.

**We're seeking a lead investor and engineering partners  
for a milestone-based pre-seed.**

A 20-minute conversation:  
the first task, the hardware test and the evidence to fund next.

Vaibhav Sharma · [vaibhavs362@gmail.com](mailto:vaibhavs362@gmail.com)

## Real parts. A target enclosure.

| Candidate                 | Published size (mm)     | Role / status                              |
|---------------------------|-------------------------|--------------------------------------------|
| Open-Q 8550CS SOM         | 54 × 45 × 3.61          | Local compute; BSP/model proof needed      |
| Microchip BM83            | 32 × 15 × 2.5           | Bluetooth audio candidate                  |
| 2 × IM69D128S             | 3.5 × 2.65 × 1 each     | PDM microphones                            |
| Adafruit 3923 reference   | 30 × 20 × 5             | 1 W / 8 Ω speaker                          |
| Custom 7 Ah / 3.7 V pouch | 90 × 60 × 12 allocation | Target only; supplier qualification needed |



## APPENDIX · ENERGY BUDGET

**Half a day is a target.  
Power measurement decides.**

**25.9 Wh**

Nominal battery allocation

**$\leq 1.83 \text{ W}$**

Average for a 12-hour target\*

**~3.7 hours**

Illustrative continuous 6 W\*

**USB-C is the primary sustained-power path.  
Magnetic mounting and Qi input remain integration targets.**

\*Assumes 85% usable energy. These are calculations, not measured runtime. Always-ready listening needs its own low-power path.

# The promises we must earn.

---

## Calls

Validate full-duplex audio, echo control, iPhone routing and reliable human takeover.

---

## Device access

Use enrolled devices, supported adapters and OS permissions. Tailscale is the network layer.

---

## Kickstarter

Working prototype footage, production plan and eligible creator entity before launch.