

Vaibhav Mangla

24BAI10690

```
import com.mongodb.client.FindIterable; import
com.mongodb.client.MongoClient; import
com.mongodb.client.MongoClients; import
com.mongodb.client.MongoCollection; import
com.mongodb.client.MongoDatabase; import
com.mongodb.client.model.Filters; import
com.mongodb.client.model.UpdateOptions;
import com.mongodb.client.model.Updates;
import java.util.Arrays; import
org.bson.Document; public class Test2 {    public
static void main(String[] args) {
// Connect to MongoDB
MongoClient mongoClient =
MongoClients.create("mongodb://localhost:27017");
// Access Database and Collection
MongoDatabase database = mongoClient.getDatabase("CollegeDB");
MongoCollection<Document> collection = database.getCollection("Students");
// READ (Display All Students)
System.out.println("\nStudent Records:");
for (Document doc : collection.find()) {
System.out.println(doc.toJson());
// UPDATE
collection.updateMany(
new Document(),
```

```
new Document("$rename",
new Document("cgpa", "GPA"))
);
}
System.out.println("Field Renamed Successfully");
SHREYANSH SHIVAM
24BHI10059
// READ Updated Record
System.out.println("\nRecords After Update:");
for (Document doc : collection.find()) {
System.out.println(doc.toJson());
}
collection.updateOne(
Document("id", 107),
Document("$set",
Document("name", "Anjali")
new
new
new
.append("department", "IT")
.append("cgpa", 9.0)),
UpdateOptions().upsert(true)
);
new
System.out.println("\nRecords after upsert");
for(Document doc : collection.find()) {
```

```
System.out.println(doc.toJson());
```

```
}
```

```
// Close Connection
```

```
mongoClient.close();
```

```
}
```

```
}
```