




The image shows a screenshot of an IDE interface. The top toolbar contains icons for Run, Debug, Stop, Share, Save, Beautify, and other utilities. The language is set to Java. The editor displays a Java class named Main with a main method that prints numbers 1 through 10. The console on the right shows the output of the program, which is empty, and a message indicating the program finished with exit code 0.

```
1  
2  
3 public class Main  
4 {  
5     public static void main(String[] args) {  
6  
7  
8         for(int i = 1; i<=10 ; i++){  
9             System.out.println(i + " ");  
10  
11     }  
12 }  
13  
14 }
```

...Program finished with exit code 0
Press ENTER to exit console.

Run

Debug

Stop

Share

Save

{ } Beautify

LanguageJava


input

Main.java

```
1
2
3 import java.util.Scanner;
4
5 public class Main {
6     public static void main(String[] args) {
7
8         Scanner scanner = new Scanner(System.in);
9
10        System.out.print("Enter a number: ");
11        int n = scanner.nextInt();
12
13        for (int i = 1; i <= n; i++) {
14            System.out.print(i + " ");
15        }
16
17        scanner.close();
18    }
19 }
20
```

```
Enter a number: 10
1 2 3 4 5 6 7 8 9 10

...Program finished with exit code 0
Press ENTER to exit console.
```



The image shows a screenshot of an IDE with a Java file named 'Main.java' and a console window. The code in 'Main.java' is as follows:

```
1
2
3 import java.util.Scanner;
4
5 public class Main {
6     public static void main(String[] args) {
7         Scanner scanner = new Scanner(System.in);
8
9         System.out.print("Enter a number: ");
10        int n = scanner.nextInt();
11
12
13        for (int i = 3; i <= n; i += 3) {
14            System.out.print(i + " ");
15        }
16
17        scanner.close();
18    }
19 }
20
```

The console window, titled 'input', shows the following output:

```
Enter a number: 20
3 6 9 12 15 18

...Program finished with exit code 0
Press ENTER to exit console.
```

Run

Debug

Stop

Share

Save

Beautify

Language Java


Main.java

```
1
2
3 import java.util.Scanner;
4
5 public class Main {
6     public static void main(String[] args) {
7         Scanner scanner = new Scanner(System.in);
8
9         System.out.print("Enter a number: ");
10        int n = scanner.nextInt();
11
12
13        long factorial = 1;
14
15
16        for (int i = 1; i <= n; i++) {
17            factorial *= i;
18        }
19
20        System.out.println("Factorial of " + n + " is " + factorial);
21
22        scanner.close();
23    }
24 }
25
26
```

input

```
Enter a number: 5
Factorial of 5 is 120

...Program finished with exit code 0
Press ENTER to exit console.
```



```
1 import java.util.Scanner;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner scanner = new Scanner(System.in);
6
7         System.out.print("Enter a number: ");
8         int n = scanner.nextInt();
9
10        int sum = 0;
11
12
13        for (int i = 1; i <= n; i += 2) {
14            sum += i;
15        }
16
17        System.out.println(" The sum of odd numbers from 1 to " + n + " is: " + sum);
18
19        scanner.close();
20    }
21 }
22
23
24
25
26
```

input

```
Enter a number: 10
The sum of odd numbers from 1 to 10 is: 25

...Program finished with exit code 0
Press ENTER to exit console.
```

Run Debug Stop Share Save {} Beautify Language Java

```
1 import java.util.Scanner;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner scanner = new Scanner(System.in);
6
7         int[] numbers = new int[5];
8
9         System.out.println("Enter 5 integers: ");
10
11         for (int i = 0; i < numbers.length; i++) {
12             numbers[i] = scanner.nextInt();
13         }
14
15         for (int num : numbers) {
16             System.out.print(num + " ");
17         }
18
19         scanner.close();
20     }
21 }
22
23
24
25
```

input

```
Enter 5 integers:
3 7 5 12 8
3 7 5 12 8

...Program finished with exit code 0
Press ENTER to exit console.
```



Main.java

```
1 public class Main {
2     public static void main(String[] args) {
3         for (int i = 1; i <= 5; i++) {
4             for (int j = 1; j <= i; j++) {
5                 System.out.print(i);
6                 if (j < i) {
7                     System.out.print("*");
8                 }
9             }
10            System.out.println();
11        }
12        for (int i = 5; i >= 2; i--) {
13            for (int j = 1; j <= i; j++) {
14                System.out.print(i);
15                if (j < i) {
16                    System.out.print("*");
17                }
18            }
19            System.out.println();
20        }
21    }
22 }
23
24
25
26
```

```
1
2*2
3*3*3
4*4*4*4
5*5*5*5*5
5*5*5*5*5
4*4*4*4
3*3*3
2*2
```

...Program finished with exit code 0
Press ENTER to exit console.



Main.java

```
1 public class Main {  
2     public static void main(String[] args) {  
3  
4         for (int i = 1; i <= 5; i++) {  
5  
6             for (int j = 1; j <= i; j++) {  
7                 System.out.print(j);  
8                 if (j < i) {  
9                     System.out.print("*");  
10                }  
11            }  
12            System.out.println();  
13        }  
14    }  
15 }  
16  
17  
18  
19
```



input

```
1  
1*2  
1*2*3  
1*2*3*4  
1*2*3*4*5  
  
...Program finished with exit code 0  
Press ENTER to exit console.
```

Run Debug Stop Share Save {} Beautify Langu

Main.java

```
1 public class Main {
2     public static void main(String[] args) {
3
4         for (int i = 1; i <= 5; i++) {
5             int oddNumber = 1;
6
7             for (int j = 1; j <= i; j++) {
8                 System.out.print(oddNumber);
9                 if (j < i) {
10                     System.out.print("*");
11                 }
12                 oddNumber += 2;
13             }
14             System.out.println();
15         }
16     }
17 }
18
19
20
```

input

```
1
1*3
1*3*5
1*3*5*7
1*3*5*7*9

...Program finished with exit code 0
Press ENTER to exit console.
```

Run Debug Stop Share Save { } Beautify

Main.java


```
1 public class Main {  
2     public static void main(String[] args) {  
3         for (int i = 1; i <= 5; i++) {  
4             for (int j = 1; j <= 5; j++) {  
5                 System.out.print(i);  
6             }  
7             System.out.println();  
8         }  
9     }  
10 }  
11  
12  
13
```

Language

input

```
11111  
22222  
33333  
44444  
55555
```

```
...Program finished with exit code 0  
Press ENTER to exit console.
```



Run Debug Stop Share Save {} Beautify Language

Main.java

```
1 public class Main {  
2     public static void main(String[] args) {  
3         for (int i = 1; i <= 5; i++) {  
4             for (int j = 1; j <= i; j++) {  
5                 System.out.print(j);  
6             }  
7             System.out.println();  
8         }  
9     }  
10 }  
11  
12  
13  
14
```

input

```
1  
12  
123  
1234  
12345
```

```
...Program finished with exit code 0  
Press ENTER to exit console.
```

Run Debug Stop Share Save Beautify

Main.java

```
1 public class Main {  
2     public static void main(String[] args) {  
3         int count = 1;  
4         for (int i = 1; i <= 5; i++) {  
5             for (int j = 1; j <= i; j++) {  
6                 System.out.print(count + " ");  
7                 count++;  
8             }  
9             System.out.println();  
10        }  
11    }  
12 }  
13  
14  
15  
16
```

Language

input

```
1  
2 3  
4 5 6  
7 8 9 10  
11 12 13 14 15
```

```
...Program finished with exit code 0  
Press ENTER to exit console.
```

```
Main.java
1 public class Main {
2     public static void main(String[] args) {
3         int rows = 6;
4         int cols = 6;
5         for (int i=1;i<= rows;i++) {
6             for (int j =1;j <=cols;j++) {
7                 if (i == 1 || i == rows || j == 1 || j == cols) {
8                     System.out.print("*");
9                 } else {
10                    System.out.print(" ");
11                }
12            }
13            System.out.println();
14        }
15    }
16 }
17
18
```

input

```
*****
*   *
*   *
*   *
*   *
*****

...Program finished with exit code 0
Press ENTER to exit console.
```

Run

Debug

Stop

Share

Save

{ } Beautify

Langu

input

Main.java

```
1 public class Main {
2     public static void main(String[] args) {
3         for (int i = 1; i <= 6; i++) {
4
5             for (int j=1; j<= 6 - i;j++) {
6                 System.out.print(" ");
7             }
8
9             for (int k=1; k<= (2 * i - 1);k++) {
10                 System.out.print("*");
11             }
12             System.out.println();
13         }
14         for (int i =6; i>= 1;i--) {
15
16             for (int j =1; j<= 6 - i;j++) {
17                 System.out.print(" ");
18             }
19             for (int k =1; k<=(2 * i - 1);k++) {
20                 System.out.print("*");
21             }
22             System.out.println();
23         }
24     }
25 }
26
27
```

```
*
***
*****
*****
*****
*****
*****
*****
*****
***
*

...Program finished with exit code 0
Press ENTER to exit console.
```