

MySQL Workbench

Navigation

SCHEMAS

Filter objects

bank

new

new_schema

sakila

startersql

sys

validik

validik2

world

Administration

Schemas

Information

No object selected

PROJECT_1*

Limit to 5000 rows

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

CREATE DATABASE DataDigger;

USE DataDigger;

#CREATING CUSTOMERS TABLE

CREATE TABLE customers(

CustomerID INT AUTO_INCREMENT PRIMARY KEY,

Name VARCHAR(100) NOT NULL ,

Email VARCHAR(100) NOT NULL,

Address VARCHAR(150) NOT NULL

);

#CREATING ORDERS TABLE

CREATE TABLE orders(

OrderID INT AUTO_INCREMENT PRIMARY KEY,

CustomerID INT NOT NULL,

OrderDate DATE NOT NULL,

TotalAmount DECIMAL(10,2) NOT NULL,

FOREIGN KEY (CustomerID) REFERENCES customers(CustomerID)

);

#CREATING PRODUCTS TABLE

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	21:49:05	CREATE DATABASE PROJECT	1 row(s) affected	0.015 sec
✓ 2	21:49:12	USE PROJECT	0 row(s) affected	0.000 sec
✓ 3	21:51:53	CREATE DATABASE DataDigger	1 row(s) affected	0.015 sec
✓ 4	21:52:10	USE DataDigger	0 row(s) affected	0.000 sec
✓ 5	21:56:51	CREATE TABLE customers(CustomerID INT AUTO_INCREMENT PRIMARY KEY, Name VARCHAR(100) N...	0 row(s) affected	0.047 sec
✓ 6	22:00:42	CREATE TABLE orders(OrderID INT AUTO_INCREMENT PRIMARY KEY, CustomerID INT NOT NULL, Ord...	0 row(s) affected	0.046 sec

Object Info

Session

27°C

Clear

Search

ENG IN

10:14 PM

08-09-2026

PROJECT_1* x

Limit to 5000 rows



```
19      );
20
21      #CREATING PRODUCTS TABLE
22      ● ○ CREATE TABLE products(
23          ProductID INT AUTO_INCREMENT PRIMARY KEY,
24          ProductName VARCHAR(100) NOT NULL,
25          Price DECIMAL(10,2) NOT NULL,
26          Stock INT NOT NULL
27      );
28
29      #CREATING ORDER DETAILS TABLE
30      ● ○ CREATE TABLE orderdetails(
31          OrderDetailID INT AUTO_INCREMENT PRIMARY KEY,
32          OrderID INT NOT NULL,
33          ProductID INT NOT NULL,
34          Quantity INT NOT NULL,
35          SubTotal DECIMAL(10,2) NOT NULL,
36          FOREIGN KEY (OrderID)
37              REFERENCES orders(OrderID),
38          FOREIGN KEY (ProductID)
39              REFERENCES products(ProductID);
```

No object selected

Output

#	Time	Action	Message	Duration / Fetch
✓ 1	21:49:05	CREATE DATABASE PROJECT	1 row(s) affected	0.015 sec
✓ 2	21:49:12	USE PROJECT	0 row(s) affected	0.000 sec
✓ 3	21:51:53	CREATE DATABASE DataDigger	1 row(s) affected	0.015 sec
✓ 4	21:52:10	USE DataDigger	0 row(s) affected	0.000 sec
✓ 5	21:56:51	CREATE TABLE customers(CustomerID INT AUTO_INCREMENT PRIMARY KEY, Name VARCHAR(100) N...	0 row(s) affected	0.047 sec
✓ 6	22:00:42	CREATE TABLE orders(OrderID INT AUTO_INCREMENT PRIMARY KEY, CustomerID INT NOT NULL, Ord...	0 row(s) affected	0.046 sec

1 27°C
Clear

MySQL Workbench

voidik

File Edit View Query Database Server Tools Scripting Help

Limit to 5000 rows

Navigator

PROJECT_1*

SCHEMAS

Filter objects

bank

new

new_schema

sakila

startersql

sys

voidik

voidik2

world

56 • SELECT * FROM customers;

57

58 #UPDATE CUSTOMERS ADDRESS

59 • UPDATE customers

60 SET Address="NikoI"

61 WHERE Address="C.T.M.";

62

63 #DELETE A CUSTOMER USING THEIR CUSTOMERID

64 • DELETE FROM customers

65 WHERE CustomerID=2;

66

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	CustomerID	Name	Email	Address
▶	1	Vaidik	vaidik123@gmail.com	Vastral
	3	Vineet	vineet21@gmail.com	Maninagar
	4	Jay	jay56@gmail.com	Nikol
	5	Pooja	pooja456@gmail.com	Gandhinagar
	6	Karan	karan43@gmail.com	Ramol
•	NULL	NULL	NULL	NULL

customers 5

Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 13	22:16:44	UPDATE customers SET Address="NikoI" WHERE Address="C.T.M."	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
✓ 14	22:16:48	SELECT * FROM customers LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 15	22:21:35	INSERT INTO CUSTOMERS (NAME,EMAIL,ADDRESS) VALUES ("Karan","karan43@gmail.com","Ramol")	1 row(s) affected	0.015 sec
✓ 16	22:21:43	SELECT * FROM customers LIMIT 0, 5000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 17	22:22:09	DELETE FROM customers WHERE CustomerID=2	1 row(s) affected	0.016 sec
✓ 18	22:22:13	SELECT * FROM customers LIMIT 0, 5000	5 row(s) returned	0.016 sec / 0.000 sec

No object selected

Administration Schemas

Information

Object Info Session

27°C Clear

Search

ENG IN

10:22 PM 08-09-2026

Result Grid
Form Editor

Result Grid
Form Editor

#	Time	Action	Message	Duration / Fetch
✓ 14	22:16:48	SELECT * FROM customers LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 15	22:21:35	INSERT INTO CUSTOMERS (NAME,EMAIL_ADDRESS) VALUES ("Karan","karan43@gmail.com","Ramol")	1 row(s) affected	0.015 sec
✓ 16	22:21:43	SELECT * FROM customers LIMIT 0, 5000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 17	22:22:09	DELETE FROM customers WHERE CustomerID=2	1 row(s) affected	0.016 sec
✓ 18	22:22:13	SELECT * FROM customers LIMIT 0, 5000	5 row(s) returned	0.016 sec / 0.000 sec
✓ 19	22:23:55	SELECT * FROM customers WHERE Name="Vaidik" LIMIT 0, 5000	1 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

Navigation

SCHEMAS

Filter objects

bank

new

new_schema

sakila

startersql

sys

validik

validik2

world

Administration

Schemas

Information

No object selected

PROJECT_1*

Limit to 5000 rows

79 #ORDERS QUERIES

80

81 #RETRIEVE ALL ORDERS MADE BY A SPECIFIC CUSTOMER

82 • SELECT * FROM orders

83 WHERE CustomerID=1;

84

85

86

87

88

89

Result Grid

Filter Rows:

Edit

Export/Import:

Wrap Cell Content:

	OrderID	CustomerID	OrderDate	TotalAmount
▶	6	1	2026-09-03	1500.00
•	NULL	NULL	NULL	NULL

orders 9 ×

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✖	23 22:28:25	INSERT INTO orders(OrderDate, TotalAmount) VALUES (CURDATE()-INTERVAL 5 DAY, 1500.00), (CURDA...	Error Code: 1364. Field 'CustomerID' doesn't have a default value	0.015 sec
✔	24 22:28:50	SELECT * FROM customers LIMIT 0, 5000	5 row(s) returned	0.016 sec / 0.000 sec
✖	25 22:29:13	INSERT INTO orders(OrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500.00), (3,CUR...	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
✖	26 22:30:01	INSERT INTO orders(CustomerIDOrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500...	Error Code: 1054. Unknown column 'CustomerIDOrderDate' in field list	0.000 sec
✔	27 22:30:11	INSERT INTO orders(CustomerID,OrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
✔	28 22:32:13	SELECT * FROM orders WHERE CustomerID=1 LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

27°C Clear

Search

ENG IN

10:32 PM 08-09-2026

#	Time	Action	Message	Duration / Fetch
✖	23 22:28:25	INSERT INTO orders(OrderDate, TotalAmount) VALUES (CURDATE()-INTERVAL 5 DAY, 1500.00), (CURDA...	Error Code: 1364. Field 'CustomerID' doesn't have a default value	0.015 sec
✔	24 22:28:50	SELECT * FROM customers LIMIT 0, 5000	5 row(s) returned	0.016 sec / 0.000 sec
✖	25 22:29:13	INSERT INTO orders(OrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500.00), (3,CUR...	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
✖	26 22:30:01	INSERT INTO orders(CustomerIDOrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500....	Error Code: 1054. Unknown column 'CustomerIDOrderDate' in field list	0.000 sec
✔	27 22:30:11	INSERT INTO orders(CustomerID, OrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500....	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
✔	28 22:32:13	SELECT * FROM orders WHERE CustomerID=1 LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec


```
88 WHERE CustomerID=5;
89
90 #DELETE AN ORDER USING ITS ORDERID
91 DELETE FROM orders
92 WHERE OrderID=6;
```

OrderID	CustomerID	OrderDate	TotalAmount
7	3	2026-08-29	750.00
8	4	2026-08-25	950.00
9	5	2026-08-14	1650.00
10	6	2026-08-04	1800.00
NULL	NULL	NULL	NULL

Apply Revert

Apply Revert

#	Time	Action	Message	Duration / Fetch
27	22:30:11	INSERT INTO orders(CustomerID,OrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
28	22:32:13	SELECT * FROM orders WHERE CustomerID=1 LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
29	22:34:06	UPDATE orders SET TotalAmount=1650.00 WHERE CustomerID=5	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
30	22:34:25	SELECT * FROM orders LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
31	22:36:00	DELETE FROM orders WHERE OrderID=6	1 row(s) affected	0.016 sec
32	22:36:07	SELECT * FROM orders LIMIT 0, 5000	4 row(s) returned	0.000 sec / 0.000 sec

Apply Revert

Apply Revert

PROJECT_1* x

```
109 • SELECT * FROM PRODUCTS
110 ORDER BY Price DESC;
111
112 #UPDATE PRICE OF PRODUCT
113 • UPDATE products
114 SET Price=1499.00
115 WHERE ProductID=5;
116
117 #PRODUCTS BETWEEN ₹500 AND ₹2000
118 • SELECT * FROM products
119 WHERE Price BETWEEN 500 AND 2000;
```

```
119 WHERE Price BETWEEN 500 AND 2000;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

Result
Grid

Form
Editor

products 15 ×

Action Output

Fetch
0.000 sec
0.000 sec
0.000 sec
0.000 sec

38 22:49:04 SELECT * FROM products WHERE Price BETWEEN 500 AND 2000 LIMIT 0, 5000 5 row(s) returned 0.000 sec / 0.000 sec

PROJECT_1' x

```

117 #PRODUCTS BETWEEN ₹500 AND ₹2000
118 • SELECT * FROM products
119 WHERE Price BETWEEN 500 AND 2000;
120
121 #MOST EXPENSIVE PRODUCT
122 • SELECT * FROM products
123 WHERE Price=(SELECT MAX(Price) FROM products);
124
125 #CHEAPEST PRODUCT
126 • SELECT * FROM products
127 WHERE Price=(SELECT MIN(Price) FROM products);

```

Result Grid Filter Rows: Export/Import: Wrap Cell Content:

	ProductID	ProductName	Price	Stock
▶	1	Wireless Mouse	799.00	25
•	HULL	HULL	HULL	HULL

Result
Grid

Form
Editor

Apply Revert

Action Output

#	Time	Action	Message	Duration / Fetch
35	22:46:23	SELECT * FROM PRODUCTS ORDER BY Price DESC LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
36	22:47:50	UPDATE products SET Price=1499.00 WHERE ProductID=5	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
37	22:47:57	SELECT * FROM PRODUCTS LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
38	22:49:04	SELECT * FROM products WHERE Price BETWEEN 500 AND 2000 LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
39	22:51:20	SELECT * FROM products WHERE Price=(SELECT MAX(Price) FROM products) LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
40	22:53:00	SELECT * FROM products WHERE Price=(SELECT MIN(Price) FROM products) LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec

.000 sec / 0.000 sec

PROJECT_1' x

```

123 WHERE Price=(SELECT MAX(Price) FROM products);
124
125 #CHEAPEST PRODUCT
126 • SELECT * FROM products
127 WHERE Price=(SELECT MIN(Price) FROM products);
128
129 #DELETE PRODUCT IF IT IS OUT OF STOCK
130 • DELETE FROM products
131 WHERE productID=5 AND Stock=0;
132
133

```

- ▶ bank
- ▶ new
- ▶ new_schema
- ▶ sakila
- ▶ startersql
- ▶ sys
- ▶ vaidik
- ▶ vaidik2
- ▶ world

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	ProductID	ProductName	Price	Stock
▶	1	Wireless Mouse	799.00	25
	2	Mechanical Keyboard	1899.00	15
	3	Laptop Charger	999.00	30
	4	Laptop Stand	1499.00	10
■	NULL	NULL	NULL	NULL

products 20 x

Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
39	22:51:20	SELECT * FROM products WHERE Price=(SELECT MAX(Price) FROM products) LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
40	22:53:00	SELECT * FROM products WHERE Price=(SELECT MIN(Price) FROM products) LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
41	22:54:17	SELECT * FROM products LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
42	22:54:53	DELETE FROM products WHERE productID=5 AND Stock=0	1 row(s) affected	0.016 sec
43	22:55:05	SELECT * FROM products WHERE Price=(SELECT MIN(Price) FROM products) LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
44	22:55:10	SELECT * FROM products LIMIT 0, 5000	4 row(s) returned	0.000 sec / 0.000 sec

.000 sec / 0.000 sec

PROJECT_1* x

```

138      (9,3,1,999.00),
139      (10,4,1,1499.00);
140
141  #ORDER DETAILS QUERIES
142
143  #DETAILS FOR A SPECIFIC ORDER
144  • SELECT * FROM OrderDetails
145  WHERE OrderID=7;
146
147  #TOTAL REVENUE
148  • SELECT SUM(SubTotal) AS TotalRevenue FROM OrderDetails;

```

Result Grid
Form Editor

Result
Grid

Form Editor

Read Only

#	Time	Action	Message	Duration / Fetch
54	23:07:07	SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered FROM orderdetails OD JOIN...	4 row(s) returned	0.000 sec / 0.000 sec
55	23:07:14	SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered FROM orderdetails OD JOIN...	3 row(s) returned	0.000 sec / 0.000 sec
56	23:09:38	SELECT * FROM OrderDetails WHERE OrderID=1 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
57	23:09:48	SELECT * FROM OrderDetails WHERE OrderID=2 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
58	23:09:57	SELECT * FROM OrderDetails WHERE OrderID=7 LIMIT 0, 5000	1 row(s) returned	0.016 sec / 0.000 sec
59	23:11:10	SELECT SUM(SubTotal) AS TotalRevenue FROM OrderDetails LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec

59 23:11:10 SELECT SUM(SubTotal) AS TotalRevenue FROM OrderDetails LIMIT 0, 5000 1 row(s) returned 0.000 sec / 0.000 sec

	ProductID	ProductName	TotalQuantityOrdered
1		Wireless Mouse	1
2		Mechanical Keyboard	1
3		Laptop Charger	1

#	Time	Action	Message	Duration / Fetch
55	23:07:14	SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered FROM orderdetails OD JOIN...	3 row(s) returned	0.000 sec / 0.000 sec
56	23:09:38	SELECT * FROM OrderDetails WHERE OrderID=1 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
57	23:09:48	SELECT * FROM OrderDetails WHERE OrderID=2 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
58	23:09:57	SELECT * FROM OrderDetails WHERE OrderID=7 LIMIT 0, 5000	1 row(s) returned	0.016 sec / 0.000 sec
59	23:11:10	SELECT SUM(SubTotal) AS TotalRevenue FROM OrderDetails LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
60	23:11:52	SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered FROM orderdetails OD JOIN...	3 row(s) returned	0.000 sec / 0.000 sec

PROJECT_1' x

```

152 FROM orderdetails OD
153 JOIN products P
154 ON OD.ProductID=P.ProductID
155 GROUP BY P.ProductID,P.ProductName
156 ORDER BY TotalQuantityOrdered DESC LIMIT 3;
157
158 #COUNT HOW MANY TIMES PRODUCTID 2WAS SOLD
159 • SELECT ProductID,COUNT(*) AS TIMESOLD
160 FROM OrderDetails
161 WHERE ProductID=2
162 GROUP BY ProductID;

```

Result Grid Filter Rows: Export: Wrap Cell Content:

	ProductID	TIMESOLD
▶	2	1

Read Only

Result 30 x

 Action Output

#	Time	Action	Message	Duration / Fetch
56	23:09:38	SELECT * FROM OrderDetails WHERE OrderID=1 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
57	23:09:48	SELECT * FROM OrderDetails WHERE OrderID=2 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
58	23:09:57	SELECT * FROM OrderDetails WHERE OrderID=7 LIMIT 0, 5000	1 row(s) returned	0.015 sec / 0.000 sec
59	23:11:10	SELECT SUM(SubTotal) AS TotalRevenue FROM OrderDetails LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
60	23:11:52	SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered FROM orderdetails OD JOIN...	3 row(s) returned	0.000 sec / 0.000 sec
61	23:14:20	SELECT ProductID,COUNT(*) AS TIMESOLD FROM OrderDetails WHERE ProductID=2 GROUP BY Produc...	1 row(s) returned	0.000 sec / 0.000 sec

ENG 11:14 PM
IN 08-09-2026

PROJECT_1' x

```
171 • DELETE FROM Orders WHERE OrderID=7;
172
173 #FINALLY DELETE CUSTOMER 7
174 • DELETE FROM customers
175 WHERE CustomerID=7;
176
177 #FINAL VERIFICATION
178
179 • SELECT * FROM customers;
180 • SELECT * FROM orders;
181 • SELECT * FROM products;
```

- ▶ bank
- ▶ new
- ▶ new_schema
- ▶ sakila
- ▶ startersql
- ▶ sys
- ▶ vaidik
- ▶ vaidik2
- ▶ world

	ProductID	Productname	Price	Stock
▶	1	Wireless Mouse	799.00	25
	2	Mechanical Keyboard	1899.00	15
	3	Laptop Charger	999.00	30
	4	Laptop Stand	1499.00	10
■	<u>TOTAL</u>	<u>TOTAL</u>	<u>TOTAL</u>	<u>TOTAL</u>

products 35 x

Apply Revert

Output

 Action Output

 Search

L



^

ENG
IN

11:08-09

4 PM
-2026

