

21 #CREATING PRODUCTS TABLE

Action Output					
#	Time	Action	Message	Duration / Fetch	
✓ 1	21:49:05	CREATE DATABASE PROJECT	1 row(s) affected	0.015 sec	
✓ 2	21:49:12	USE PROJECT	0 row(s) affected	0.000 sec	
✓ 3	21:51:53	CREATE DATABASE DataDigger	1 row(s) affected	0.015 sec	
✓ 4	21:52:10	USE DataDigger	0 row(s) affected	0.000 sec	
✓ 5	21:56:51	CREATE TABLE customers(CustomerID INT AUTO_INCREMENT PRIMARY KEY, Name VARCHAR(100) N...	0 row(s) affected	0.047 sec	
✓ 6	22:00:42	CREATE TABLE orders(OrderID INT AUTO_INCREMENT PRIMARY KEY, CustomerID INT NOT NULL, Ord...	0 row(s) affected	0.046 sec	

27°C Clear  Search             ^ ENG IN    10:15 PM 08-09-2026

Result Grid
Form Editor

PROJECT_1* x

The screenshot shows the 'Limit to 5000 rows' dropdown menu in the Power BI ribbon. The menu is open, displaying a list of options: 'Limit to 5000 rows', 'Limit to 1000 rows', 'Limit to 500 rows', 'Limit to 250 rows', 'Limit to 100 rows', 'Limit to 50 rows', 'Limit to 25 rows', 'Limit to 10 rows', 'Limit to 5 rows', 'Limit to 2 rows', and 'Limit to 1 row'. The 'Limit to 5000 rows' option is currently selected.

```
56 • SELECT * FROM customers;
57
58 #UPDATE CUSTOMERS ADDRESS
59 • UPDATE customers
60 SET Address="Nikol"
61 WHERE Address="C.T.M.";
62
63 #DELETE A CUSTOMER USING THEIR CUSTOMERID
64 • DELETE FROM customers
65 WHERE CustomerID=2;
66
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:





Form Editor

No object selected

Apply Revert

Action Output

Object Info Session

SCHEMAS

```
79 #ORDERS QUERIES
80
81 #RETRIEVE ALL ORDERS MADE BY A SPECIFIC CUSTOMER
82 • SELECT * FROM orders
83 WHERE CustomerID=1;
84
85 #UPDATE AN ORDER'S TOTAL AMOUNT
86 • UPDATE orders
87 SET TotalAmount=1650.00
88 WHERE CustomerID=5;
89
```

	OrderID	CustomerID	OrderDate	TotalAmount
▶	6	1	2026-09-03	1500.00
	7	3	2026-08-29	750.00
	8	4	2026-08-25	950.00
	9	5	2026-08-14	1650.00
	10	6	2026-08-04	1800.00
✱	NULL	NULL	NULL	NULL

[illegible]

orders 10 × Apply Revert

 Action Output

#	Time	Action	Message	Duration / Fetch
25	22:29:13	INSERT INTO orders(OrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500.00), (3,CUR...	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
26	22:30:01	INSERT INTO orders(CustomerID,OrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500....	Error Code: 1054. Unknown column 'CustomerID,OrderDate' in field list'	0.000 sec
27	22:30:11	INSERT INTO orders(CustomerID,OrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500....	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
28	22:32:13	SELECT * FROM orders WHERE CustomerID=1 LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
29	22:34:06	UPDATE orders SET TotalAmount=1650.00 WHERE CustomerID=5	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
30	22:34:25	SELECT * FROM orders LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec

SCHEMAS

Filter objects

- bank
- new
- new_schema
- sakila
- startersql
- sys
- vaidik
- vaidik2
- world

Result Grid

Form Editor

Administration Schemas Information

No object selected

orders 11 x

Output


Action Output

#	Time	Action	Message	Duration / Fetch
✓ 27	22:30:11	INSERT INTO orders(CustomerID,OrderDate, TotalAmount) VALUES (1,CURDATE()-INTERVAL 5 DAY, 1500....	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
✓ 28	22:32:13	SELECT * FROM orders WHERE CustomerID=1 LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 29	22:34:06	UPDATE orders SET TotalAmount=1650.00 WHERE CustomerID=5	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
✓ 30	22:34:25	SELECT * FROM orders LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 31	22:36:00	DELETE FROM orders WHERE OrderID=6	1 row(s) affected	0.016 sec
✓ 32	22:36:07	SELECT * FROM orders LIMIT 0, 5000	4 row(s) returned	0.000 sec / 0.000 sec

Result Grid

Form Editor

PROJECT_1* x

 Limit to 5000 rows

```
117 #PRODUCTS BETWEEN ₹500 AND ₹2000
118 • SELECT * FROM products
119 WHERE Price BETWEEN 500 AND 2000;
120
121 #MOST EXPENSIVE PRODUCT
122 • SELECT * FROM products
123 WHERE Price=(SELECT MAX(Price) FROM products);
124
125 #CHEAPEST PRODUCT
126 • SELECT * FROM products
127 WHERE Price=(SELECT MIN(Price) FROM products);
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:



Result Grid

Information

Object Info Session

Apply Revert

Action Output

Form Editor

```

123 WHERE Price=(SELECT MAX(Price) FROM products);
124
125 #CHEAPEST PRODUCT
126 • SELECT * FROM products
127 WHERE Price=(SELECT MIN(Price) FROM products);
128
129 #DELETE PRODUCT IF IT IS OUT OF STOCK
130 • DELETE FROM products
131 WHERE productID=5 AND Stock=0;
132
133

```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

	ProductID	ProductName	Price	Stock
▶	1	Wireless Mouse	799.00	25
	2	Mechanical Keyboard	1899.00	15
	3	Laptop Charger	999.00	30
	4	Laptop Stand	1499.00	10
✱	NULL	NULL	NULL	NULL

Information ::::::::::::::::::::::::::::::::::

No object selected

products 20 x

Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
39	22:51:20	SELECT * FROM products WHERE Price=(SELECT MAX(Price) FROM products) LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
40	22:53:00	SELECT * FROM products WHERE Price=(SELECT MIN(Price) FROM products) LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
41	22:54:17	SELECT * FROM products LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
42	22:54:53	DELETE FROM products WHERE productID=5 AND Stock=0	1 row(s) affected	0.016 sec
43	22:55:05	SELECT * FROM products WHERE Price=(SELECT MIN(Price) FROM products) LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
44	22:55:10	SELECT * FROM products LIMIT 0, 5000	4 row(s) returned	0.000 sec / 0.000 sec

PROJECT_1* x

Filter objects

Limit to 5000 rows

 Filter Rows:Wrap Cell Content: 

5196.00

[illegible]

Object Info Session


Read Only

Action Output

#	Time	Action	Message	Duration / Fetch
54	23:07:07	SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered FROM orderdetails OD JOIN...	4 row(s) returned	0.000 sec / 0.000 sec
55	23:07:14	SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered FROM orderdetails OD JOIN...	3 row(s) returned	0.000 sec / 0.000 sec
56	23:09:38	SELECT * FROM OrderDetails WHERE OrderID=1 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
57	23:09:48	SELECT * FROM OrderDetails WHERE OrderID=2 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
58	23:09:57	SELECT * FROM OrderDetails WHERE OrderID=7 LIMIT 0, 5000	1 row(s) returned	0.016 sec / 0.000 sec
59	23:11:10	SELECT SUM(SubTotal) AS TotalRevenue FROM OrderDetails LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec

Result Grid
Form Editor

PROJECT_1* x



```

146
147     #TOTAL REVENUE
148     • SELECT SUM(SubTotal) AS TotalRevenue FROM OrderDetails;
149
150     #TOP 3 MOST ORDERED PRODUCTS
151     • SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered
152     FROM orderdetails OD
153     JOIN products P
154     ON OD.ProductID=P.ProductID
155     GROUP BY P.ProductID,P.ProductName
156     ORDER BY TotalQuantityOrdered DESC LIMIT 3;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

	ProductID	ProductName	TotalQuantityOrdered
▶	1	Wireless Mouse	1
	2	Mechanical Keyboard	1
	3	Laptop Charger	1

Information : ::::::::::::::::::::

Object Info Session

Read Only

Action Output

#	Time	Action	Message	Duration / Fetch
55	23:07:14	SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered FROM orderdetails OD JOI...	3 row(s) returned	0.000 sec / 0.000 sec
56	23:09:38	SELECT * FROM OrderDetails WHERE OrderID=1 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
57	23:09:48	SELECT * FROM OrderDetails WHERE OrderID=2 LIMIT 0, 5000	0 row(s) returned	0.000 sec / 0.000 sec
58	23:09:57	SELECT * FROM OrderDetails WHERE OrderID=7 LIMIT 0, 5000	1 row(s) returned	0.016 sec / 0.000 sec
59	23:11:10	SELECT SUM(SubTotal) AS TotalRevenue FROM OrderDetails LIMIT 0, 5000	1 row(s) returned	0.000 sec / 0.000 sec
60	23:11:52	SELECT P.ProductID,P.ProductName,SUM(OD.Quantity) AS TotalQuantityOrdered FROM orderdetails OD JOI...	3 row(s) returned	0.000 sec / 0.000 sec

PROJECT_1* x

The screenshot shows the 'Limit to 5000 rows' dropdown menu in the Power BI ribbon. The menu is open, displaying a list of options: 'Limit to 5000 rows', 'Limit to 1000 rows', 'Limit to 500 rows', 'Limit to 250 rows', 'Limit to 100 rows', 'Limit to 50 rows', 'Limit to 25 rows', 'Limit to 10 rows', 'Limit to 5 rows', 'Limit to 2 rows', and 'Limit to 1 row'. The 'Limit to 5000 rows' option is currently selected.

```
170 #THEN DELETE ORDER 7
171 • DELETE FROM Orders WHERE OrderID=7;
172
173 #FINALLY DELETE CUSTOMER 7
174 • DELETE FROM customers
175 WHERE CustomerID=7;
176
177 #FINAL VERIFICATION
178
179 • SELECT * FROM customers;
180 • SELECT * FROM orders;
```

	OrderID	CustomerID	OrderDate	TotalAmount
▶	8	4	2026-08-25	950.00
	9	5	2026-08-14	1650.00
	10	6	2026-08-04	1800.00
*	NULL	NULL	NULL	NULL

Information :xxxxxxxxxxxxx

orders 34 ×

Apply Revert

Action Output

#	Time	Action	Message	Duration / Fetch
✖ 67	23:19:29	DELETE FROM customers WHERE CustomerID=5	Error Code: 1451. Cannot delete or update a parent row: a foreign key constraint fails ('datadigger'. 'orders', CO...	0.015 sec
✖ 68	23:21:48	DELETE FROM customers IF EXIST WHERE CustomerID=7	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.000 sec
✔ 69	23:22:03	DELETE FROM customers WHERE CustomerID=7	0 row(s) affected	0.000 sec
✔ 70	23:22:58	SELECT * FROM customers LIMIT 0, 5000	5 row(s) returned	0.000 sec / 0.000 sec
✖ 71	23:23:40	SELECT * FROM ordres LIMIT 0, 5000	Error Code: 1146. Table 'datadigger.ordres' doesn't exist	0.000 sec
✔ 72	23:23:49	SELECT * FROM orders LIMIT 0, 5000	3 row(s) returned	0.000 sec / 0.000 sec

