

SQL File 4*

The screenshot shows the 'Data' tab of the 'Table' tool. The 'Limit to 5000 rows' dropdown menu is open, displaying a list of options: 'All rows', 'First 100 rows', 'First 500 rows', 'First 1000 rows', 'First 2000 rows', 'First 5000 rows', 'Last 100 rows', 'Last 500 rows', 'Last 1000 rows', 'Last 2000 rows', 'Last 5000 rows', and 'Random 5000 rows'. The 'First 5000 rows' option is currently selected.

 [back](#)

Administration Schemas

Information:

Schema: **project**

```

22 #3. EMPLOYEES TABLE
23 • CREATE TABLE Employees(
24     EmployeeID INT PRIMARY KEY NOT NULL,
25     FirstName VARCHAR(100) NOT NULL,
26     LastName VARCHAR(100) NOT NULL,
27     Department VARCHAR (100) NOT NULL,
28     HireDate DATE NOT NULL,
29     Salary DECIMAL(10,2) NOT NULL
30 );
31
32 # INSERTING DATA INTO THE TABLE
33 • INSERT INTO customers VALUES
34     (1,"Vaidik","Makwana","vaidik.mak@gamil.com","2022-03-15"),
35     (2,"Ved","Makwana","ved.mak123@gamil.com","2021-11-02");
36
37 • INSERT INTO Orders VALUES
38     (101,1,"2023-07-01",150.50),
39     (102,2,"2023-07-03",200.75);
40
41 • INSERT INTO Employees VALUES
42     (1,"Vineet","Parmar","Sales","2020-01-15",50000.00),

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✖	18 16:37:58	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customerSID,c.FirstName,c.LastName FROM orders AS o IN...	Error Code: 1054. Unknown column 'c.cutomerSID' in 'on clause'	0.000 sec
✖	19 16:38:38	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	Error Code: 1054. Unknown column 'c.cutomerSID' in 'on clause'	0.000 sec
✖	20 16:39:01	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	Error Code: 1054. Unknown column 'c.cutomersID' in 'on clause'	0.000 sec
✖	21 17:05:29	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	Error Code: 1054. Unknown column 'c.cutomersID' in 'on clause'	0.000 sec
✔	22 17:05:42	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	2 row(s) returned	0.000 sec / 0.000 sec
✖	23 17:08:05	INSERT INTO customers VALUES (1,"Vaidik","Makwana","vaidik.mak@gamil.com","2022-03-15"), (2,"Ved",...	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec

	orderID	orderDate	TotalAmount	customersID	FirstName	LastName
▶	101	2023-07-01	150.50	1	Vaidik	Makwana
	102	2023-07-03	200.75	2	Ved	Vaidik yana

#	Time	Action	Message	Duration / Fetch
❌ 19	16:38:38	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	Error Code: 1054. Unknown column 'c.cutomerSID' in 'on clause'	0.000 sec
❌ 20	16:39:01	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	Error Code: 1054. Unknown column 'c.cutomersID' in 'on clause'	0.000 sec
❌ 21	17:05:29	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	Error Code: 1054. Unknown column 'c.cutomersID' in 'on clause'	0.000 sec
✅ 22	17:05:42	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	2 row(s) returned	0.000 sec / 0.000 sec
❌ 23	17:08:05	INSERT INTO customers VALUES (1,"Vaidik","Makwana","vaidik.mak@gamil.com","2022-03-15"), (2,"Ved",...	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec
✅ 24	17:08:38	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	2 row(s) returned	0.000 sec / 0.000 sec

	customersID	FirstName	LastName	orderID	orderDate	TotalAmount
▶	1	Vaidik	Makwana	NULL	NULL	NULL
	2	Ved	Makwana	NULL	NULL	NULL

#	Time	Action	Message	Duration / Fetch
❌ 21	17:05:29	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	Error Code: 1054. Unknown column 'c.cutomersID' in 'on clause'	0.000 sec
✅ 22	17:05:42	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	2 row(s) returned	0.000 sec / 0.000 sec
❌ 23	17:08:05	INSERT INTO customers VALUES (1,"Vaidik","Makwana","vaidik.mak@gamil.com","2022-03-15"), (2,"Ved",...	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec
✅ 24	17:08:38	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	2 row(s) returned	0.000 sec / 0.000 sec
❌ 25	17:12:00	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	Error Code: 1054. Unknown column 'o.ordersID' in 'on clause'	0.000 sec
✅ 26	17:12:06	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	2 row(s) returned	0.000 sec / 0.000 sec

	orderID	orderDate	TotalAmount	customersID	FirstName	LastName
▶	NULL	NULL	NULL	1	Vaidik	Makwana
	NULL	NULL	NULL	2	Ved	Makwana

#	Time	Action	Message	Duration / Fetch
✓ 22	17:05:42	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	2 row(s) returned	0.000 sec / 0.000 sec
✗ 23	17:08:05	INSERT INTO customers VALUES (1,"Vaidik","Makwana","vaidik.mak@gamil.com","2022-03-15"), (2,"Ved",...	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec
✓ 24	17:08:38	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	2 row(s) returned	0.000 sec / 0.000 sec
✗ 25	17:12:00	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	Error Code: 1054. Unknown column 'o.ordersID' in 'on clause'	0.000 sec
✓ 26	17:12:06	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 27	17:15:27	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS O RI...	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

voidik

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQLFile 4*

Limit to 5000 rows

Navigator

SCHEMAS

Filter objects

bank

datadigger

new

new1

new2

new_schema

project

Tables

Views

Stored Procedures

Functions

sakila

startersql

sys

voidik

voidik2

world

Administration

Schemas

Information

Schema: project

58

RIGHT JOIN

customers AS c

59

ON c.customersID=o.orderID;

60

61

4.FULL OUTER JOIN

62

SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c

63

LEFT JOIN orders AS o

64

ON c.customersID=o.orderID

65

UNION

66

SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS O

67

RIGHT JOIN

customers AS c

68

ON c.customersID=o.orderID;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	customersID	FirstName	LastName	orderID	orderDate	TotalAmount
▶	1	Vaidik	Makwana	NULL	NULL	NULL
	2	Ved	Makwana	NULL	NULL	NULL
	NULL	NULL	NULL	1	Vaidik	Makwana
	NULL	NULL	NULL	2	Ved	Makwana

Result 5

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 24	17:08:38	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS o IN...	2 row(s) returned	0.000 sec / 0.000 sec
✗ 25	17:12:00	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	Error Code: 1054. Unknown column 'o.ordersID' in 'on clause'	0.000 sec
✓ 26	17:12:06	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 27	17:15:27	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS O RI...	2 row(s) returned	0.000 sec / 0.000 sec
✗ 28	17:18:53	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers as c ...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.000 sec
✓ 29	17:20:05	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	4 row(s) returned	0.016 sec / 0.000 sec

Object Info

Session

29°C

Mostly cloudy

Search

ENG IN

05:20 PM

15-09-2026

MySQL Workbench

voidik

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQLFile 4*

Limit to 5000 rows

Navigator

SCHEMAS

Filter objects

bank

datadigger

new

new1

new2

new_schema

project

Tables

Views

Stored Procedures

Functions

sakila

startersql

sys

voidik

voidik2

world

Administration

Schemas

Information

Schema: project

69

70

71# 5.SUBQUERY: CUSTOMERS WITH ORDERS ABOVE AVARAGE AMOUNT

72• SELECT DISTINCT c.customersID,c.FirstName,c.LastName FROM customers AS c

73 JOIN orders AS o

74 ON c.customersID=o.customerID

75 WHERE o.TotalAmount > (SELECT AVG(TotalAmount) FROM orders);

76

77# 6.SUBQUERY: EMPLOYEES WITH SALARIES ABOVE AVARAGE SALARY

78• SELECT EmployeeID,FirstName,LastName,Department,Salary FROM Employees

79 WHERE Salary >(SELECT AVG(Salary) FROM Employees);

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	EmployeeID	FirstName	LastName	Department	Salary
▶	2	Pooja	Patel	HR	55000.00
•	NULL	NULL	NULL	NULL	NULL

Employees 7

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 26	17:12:06	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 27	17:15:27	SELECT o.orderID,o.orderDate,o.TotalAmount,c.customersID,c.FirstName,c.LastName FROM orders AS O RI...	2 row(s) returned	0.000 sec / 0.000 sec
✗ 28	17:18:53	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers as c ...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.000 sec
✓ 29	17:20:05	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	4 row(s) returned	0.016 sec / 0.000 sec
✓ 30	17:27:37	SELECT DISTINCT c.customersID,c.FirstName,c.LastName FROM customers AS c JOIN orders AS o ON c.c...	1 row(s) returned	0.016 sec / 0.000 sec
✓ 31	17:30:51	SELECT EmployeeID,FirstName,LastName,Department,Salary FROM Employees WHERE Salary >(SELECT A...	1 row(s) returned	0.015 sec / 0.000 sec

Object Info

Session

29°C

Mostly cloudy

Search

ENG IN

05:30 PM

15-09-2026

#	Time	Action	Message	Duration / Fetch
❌ 28	17:18:53	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers as c ...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.000 sec
✅ 29	17:20:05	SELECT c.customersID,c.FirstName,c.LastName,o.orderID,o.orderDate,o.TotalAmount FROM customers AS c...	4 row(s) returned	0.016 sec / 0.000 sec
✅ 30	17:27:37	SELECT DISTINCT c.customersID,c.FirstName,c.LastName FROM customers AS c JOIN orders AS o ON c.c...	1 row(s) returned	0.016 sec / 0.000 sec
✅ 31	17:30:51	SELECT EmployeeID,FirstName,LastName,Department,Salary FROM Employees WHERE Salary >(SELECT A...	1 row(s) returned	0.015 sec / 0.000 sec
✅ 32	17:34:22	SELECT OrderID,OrderDate, EXTRACT(YEAR FROM OrderDate) AS OrderYear, EXTRACT(MONTH FROM O...	2 row(s) returned	0.000 sec / 0.000 sec
✅ 33	17:38:03	SELECT OrderID,OrderDate,DATEDIFF(CURRENT_DATE(),OrderDate) as DaysDifference FROM Orders LIM...	2 row(s) returned	0.015 sec / 0.000 sec

MySQL Workbench

voidik

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQLFile 4*

Limit to 5000 rows

Navigator

SCHEMAS

Filter objects

bank

datadigger

new

new1

new2

new_schema

project

Tables

Views

Stored Procedures

Functions

sakila

startersql

sys

voidik

voidik2

world

Administration

Schemas

Information

Schema: project

Object Info

Session

83

EXTRACT(YEAR FROM OrderDate) AS OrderYear,

84

EXTRACT(MONTH FROM OrderDate) AS OrderMonth

85

FROM Orders;

86

87

8. DAYS DIFFERENCE BETWEEN ORDER DATE AND CURRENT DATE

88

SELECT OrderID,OrderDate,DATEDIFF(CURRENT_DATE(),OrderDate) as DaysDifference

89

FROM Orders;

90

91

9. FORMATE ORDERDATE('DD-MM-YYYY')

92

SELECT OrderID,DATE_FORMAT(OrderDate, "%d-%b-%Y") AS FormattedDate

93

FROM orders;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

Form Editor

	OrderID	FormattedDate
	101	01-Jul-2023
	102	03-Jul-2023

Result 10

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
31	17:30:51	SELECT EmployeeID,FirstName,LastName,Department,Salary FROM Employees WHERE Salary >(SELECT A...	1 row(s) returned	0.015 sec / 0.000 sec
32	17:34:22	SELECT OrderID,OrderDate, EXTRACT(YEAR FROM OrderDate) AS OrderYear, EXTRACT(MONTH FROM O...	2 row(s) returned	0.000 sec / 0.000 sec
33	17:38:03	SELECT OrderID,OrderDate,DATEDIFF(CURRENT_DATE(),OrderDate) as DaysDifference FROM Orders LIM...	2 row(s) returned	0.015 sec / 0.000 sec
34	17:40:37	SELECT OrderID,DATE_FORMAT(OrderDate) AS FormattedDate FROM orders LIMIT 0, 5000	Error Code: 1305. FUNCTION project1.DATE_FORMAT does not exist	0.031 sec
35	17:40:59	SELECT OrderID,DATE_FORMAT(OrderDate) AS FormattedDate FROM orders LIMIT 0, 5000	Error Code: 1582. Incorrect parameter count in the call to native function 'DATE_FORMAT'	0.000 sec
36	17:41:38	SELECT OrderID,DATE_FORMAT(OrderDate, "%d-%b-%Y") AS FormattedDate FROM orders LIMIT 0, 5000	2 row(s) returned	0.016 sec / 0.000 sec

29°C

Mostly cloudy

Search

ENG IN

05:41 PM

15-09-2026

MySQL Workbench

voidik

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQLFile 4*

Limit to 5000 rows

Navigator

SCHEMAS

Filter objects

bank

datadigger

new

new1

new2

new_schema

project

Tables

Views

Stored Procedures

Functions

sakila

startersql

sys

voidik

voidik2

world

AdministrationSchemas

Information

Schema: project

Object InfoSession

8. DAYS DIFFERENCE BBETWEEN ORDER DATE AND CURRENT DATE

SELECT OrderID,OrderDate,DATEDIFF(CURRENT_DATE(),OrderDate) as DaysDifference

FROM Orders;

9. FORMATE ORDERDATE('DD-MM-YYYY')

SELECT OrderID,DATE_FORMAT(OrderDate, "%d-%b-%Y") AS FormattedDate

FROM orders;

10. CONCAT FIRSTNAME AND LASTNAME

SELECT customersID,CONCAT(FirstName,' ',LastName) AS FullName

FROM customers;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	customersID	FullName
1		Vaidik Makwana
2		Ved Makwana

Result 12

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
35	17:40:59	SELECT OrderID,DATE_FORMAT(OrderDate) AS FormattedDate FROM orders LIMIT 0, 5000	Error Code: 1582. Incorrect parameter count in the call to native function 'DATE_FORMAT'	0.000 sec
36	17:41:38	SELECT OrderID,DATE_FORMAT(OrderDate, "%d-%b-%Y") AS FormattedDate FROM orders LIMIT 0, 5000	2 row(s) returned	0.016 sec / 0.000 sec
37	17:43:52	SELECT customerID,CONCAT(FirstName,"",LastName) AS FullName FROM customers LIMIT 0, 5000	Error Code: 1054. Unknown column 'customerID' in 'field list'	0.000 sec
38	17:43:59	SELECT customersID,CONCAT(FirstName,"",LastName) AS FullName FROM customers LIMIT 0, 5000	Error Code: 1305. FUNCTION project.1.CONCAT does not exist	0.000 sec
39	17:44:23	SELECT customersID,CONCAT(FirstName,"",LastName) AS FullName FROM customers LIMIT 0, 5000	2 row(s) returned	0.016 sec / 0.000 sec
40	17:44:31	SELECT customersID,CONCAT(FirstName,' ',LastName) AS FullName FROM customers LIMIT 0, 5000	2 row(s) returned	0.000 sec / 0.000 sec

29°C Mostly cloudy

Search

ENG IN

05:44 PM 15-09-2026

MySQL Workbench

voidik

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL File 4*

Limit to 5000 rows

Navigator

SCHEMAS

Filter objects

bank

datadigger

new

new1

new2

new_schema

project

Tables

Views

Stored Procedures

Functions

sakila

startersql

sys

voidik

voidik2

world

Administration

Schemas

Information

Schema: project

91# 9. FORMATE ORDERDATE('DD-MM-YYYY')

92• SELECT OrderID,DATE_FORMAT(OrderDate, "%d-%b-%Y") AS FormattedDate

93FROM orders;

94

95# 10. CONCAT FIRSTNAME AND LASTNAME

96• SELECT customersID,CONCAT(FirstName,' ',LastName) AS FullName

97FROM customers;

98

99#11. REPALCE STRING PATTERN

100• SELECT customersID,REPLACE(FirstName,"Ved","Vedant") AS Updated_FirstNme

101FROM customers;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	customersID	Updated_FirstNme
▶	1	Vaidik
	2	Vedant

Result 13

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 36	17:41:38	SELECT OrderID,DATE_FORMAT(OrderDate, "%d-%b-%Y") AS FormattedDate FROM orders LIMIT 0, 5000	2 row(s) returned	0.016 sec / 0.000 sec
✗ 37	17:43:52	SELECT customerID,CONCAT(FirstName,".LastName) AS FullName FROM customers LIMIT 0, 5000	Error Code: 1054. Unknown column 'customerID' in 'field list'	0.000 sec
✗ 38	17:43:59	SELECT customersID,CONCAT(FirstName,".LastName) AS FullName FROM customers LIMIT 0, 5000	Error Code: 1305. FUNCTION project1.CONCAT does not exist	0.000 sec
✓ 39	17:44:23	SELECT customersID,CONCAT(FirstName,".LastName) AS FullName FROM customers LIMIT 0, 5000	2 row(s) returned	0.016 sec / 0.000 sec
✓ 40	17:44:31	SELECT customersID,CONCAT(FirstName,'.LastName) AS FullName FROM customers LIMIT 0, 5000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 41	17:47:21	SELECT customersID,REPLACE(FirstName,"Ved","Vedant") AS Updated_FirstNme FROM customers LIMIT 0...	2 row(s) returned	0.016 sec / 0.000 sec

Object Info

Session

29°C Mostly cloudy

Search

ENG IN

05:47 PM 15-09-2026

MySQL Workbench

voidik

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQLFile 4*

Limit to 5000 rows

101FROM customers;

102

103#12. CONVERT FIRSTNAME TO UPPER AND LAST NAME TO LOWER

104• SELECT customersID,

105UPPER(FirstName) AS Upper_FirstName,

106LOWER(LastName) AS LOWER_LastName

107FROM customers;

108

109#13. TRIM EXTRA SPACE FROM EMAIL

110• SELECT customerSID, TRIM(Email) AS CleanEmail

111FROM customers;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	customerSID	CleanEmail
▶ 1		vaidik.mak@gamil.com
2		ved.mak123@gamil.com

AdministrationSchemas

Information

Schema: project

Result 15

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 40	17:44:31	SELECT customersID,CONCAT(FirstName,'',LastName) AS FullName FROM customers LIMIT 0, 5000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 41	17:47:21	SELECT customersID,REPLACE(FirstName,"Ved","Vedant") AS Updated_FirstNme FROM customers LIMIT 0...	2 row(s) returned	0.016 sec / 0.000 sec
✗ 42	17:50:21	SELECT customersIS,UPPER(FirstName) AS Upper_FirstName,LOWER(LastName) AS LOWER_La...	Error Code: 1054. Unknown column 'customersIS' in 'field list'	0.016 sec
✓ 43	17:50:30	SELECT customersID,UPPER(FirstName) AS Upper_FirstName,LOWER(LastName) AS LOWER_La...	2 row(s) returned	0.000 sec / 0.000 sec
✗ 44	17:51:45	SELECT customerID, TRIM(Email) AS CleanEmail FROM customers LIMIT 0, 5000	Error Code: 1054. Unknown column 'customerID' in 'field list'	0.000 sec
✓ 45	17:51:52	SELECT customerSID, TRIM(Email) AS CleanEmail FROM customers LIMIT 0, 5000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

SQL File 4*

```

111 FROM customers;
112
113 #14. RUNNING TOTAL OF TOTALAMOUNT
114 • SELECT OrderID,OrderDate,TotalAmount,
115        SUM(TotalAmount) OVER (ORDER BY OrderDate,OrderID) AS RunningTotal
116 FROM Orders;
117
118 #15. RANK ORDERS BY TOTALAMOUNT
119 • SELECT orderID,TotalAmount,
120        RANK() OVER (ORDER BY TotalAmount DESC) AS OrderRank
121 FROM Orders;

```







Form Editor

Read Only

Action Output

```

n / Fetch
ec
ec / 0.000 sec
ec
ec / 0.000 sec
ec / 0.000 sec
ec / 0.000 sec

```

MySQL Workbench

Navigation icons

File Edit View Query Database Server Tools Scripting Help

SQL PROJECT_2* 15-09-2026

Limit to 5000 rows

SCHEMAS

Filter objects

bank, datadigger, new, new1, new2, Tables (departments, employees, employees2, mobile, orders, price, Views, Stored Procedures, Functions), new_schema, project, project1, Tables

Administration Schemas

SQL Editor

119 SELECT orderID,TotalAmount,
120 RANK() OVER (ORDER BY TotalAmount DESC) AS OrderRank
121 FROM Orders;
122
123 #16. ASSIGN DISCOUNT BASED ON TOTALAMOUNT
124 SELECT orderID,TotalAmount,
125 CASE
126 WHEN TotalAmount>1000 THEN '10% OFF'
127 WHEN TotalAmount>500 THEN '5% OFF'
128 ELSE 'NO DISCOUNT' END AS Discount
129 FROM Orders;

Result Grid

Filter Rows:

Export: Wrap Cell Content:

	orderID	TotalAmount	Discount
▶	101	150.50	NO DISCOUNT
	102	200.75	NO DISCOUNT

Result 1

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✖ 1	09:29:09	SELECT orderID,TotalAmount, CASE WHEN TotalAmount>1000 THEN '10% OFF', WHEN TotalAmo...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL serv...	0.000 sec
✖ 2	09:29:22	SELECT orderID,TotalAmount, CASE WHEN TotalAmount>1000 THEN '10% OFF' WHEN TotalAmo...	Error Code: 1054. Unknown column 'orderID' in 'field list'	0.016 sec
✔ 3	09:29:45	USE PROJECT1	0 row(s) affected	0.000 sec
✔ 4	09:29:54	SELECT orderID,TotalAmount, CASE WHEN TotalAmount>1000 THEN '10% OFF' WHEN TotalAmo...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

25°C Heavy t-storms

Search

Taskbar icons

ENG IN 09:29 AM 18-09-2026

```

127         WHEN TotalAmount>500 THEN '5% OFF'
128         ELSE 'NO DISCOUNT' END AS Discount
129     FROM Orders;
130
131     #17. CATEGORIZE EMPLOYEE SALARIES
132     • SELECT EmployeeID,FirstName,LastName,Salary,
133         CASE
134             WHEN SALARY>=80000 THEN'High'
135             WHEN SALARY>=50000 THEN'Medium'
136         END AS SalaryCategory
137     FROM EMPLOYEES;

```

Result Grid  Filter Rows: Export:  Wrap Cell Content: 

	EmployeeID	FirstName	LastName	Salary	SalaryCategory
▶	1	Vineet	Parmar	50000.00	Medium
	2	Pooja	Patel	55000.00	Medium

Result 2 

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
❌ 1	09:29:09	SELECT orderID,TotalAmount, CASE WHEN TotalAmount>1000 THEN '10% OFF', WHEN TotalAmo...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL serv...	0.000 sec
❌ 2	09:29:22	SELECT orderID,TotalAmount, CASE WHEN TotalAmount>1000 THEN '10% OFF' WHEN TotalAmo...	Error Code: 1054. Unknown column 'orderID' in 'field list'	0.016 sec
✅ 3	09:29:45	USE PROJECT1	0 row(s) affected	0.000 sec
✅ 4	09:29:54	SELECT orderID,TotalAmount, CASE WHEN TotalAmount>1000 THEN '10% OFF' WHEN TotalAmo...	2 row(s) returned	0.000 sec / 0.000 sec
✅ 5	09:32:27	SELECT EmployeeID,FirstName,LastName,Salary, CASE WHEN SALARY>=80000 THEN'High' WHEN S...	2 row(s) returned	0.015 sec / 0.000 sec