

Python Programming

Machine Learning Assignment: 11

There is one data set of wine which classify the wines according to its contents into three classes.

Consider below Wine Dataset as

Class	Alcohol	Malic acid	Ash	Alcalinity of ash	Magnesium	Total phenols	Flavanoids	Nonflavanoid phenols	Proanthocyanins	Color intensity	Hue	OD280/OD315 of diluted wines	Proline
1	14.23	1.71	2.43	15.6	127	2.8	3.06	0.28	2.29	5.64	1.04	3.92	1065
1	13.2	1.78	2.14	11.2	100	2.65	2.76	0.26	1.28	4.38	1.05	3.4	1050
1	13.16	2.36	2.67	18.6	101	2.8	3.24	0.3	2.81	5.68	1.03	3.17	1185
1	14.37	1.95	2.5	16.8	113	3.85	3.49	0.24	2.18	7.8	0.86	3.45	1480
1	13.24	2.59	2.87	21	118	2.8	2.69	0.39	1.82	4.32	1.04	2.93	735
1	14.2	1.76	2.45	15.2	112	3.27	3.39	0.34	1.97	6.75	1.05	2.85	1450
1	14.39	1.87	2.45	14.6	96	2.5	2.52	0.3	1.98	5.25	1.02	3.58	1290
1	14.06	2.15	2.61	17.6	121	2.6	2.51	0.31	1.25	5.05	1.06	3.58	1295
1	14.83	1.64	2.17	14	97	2.8	2.98	0.29	1.98	5.2	1.08	2.85	1045
1	13.86	1.35	2.27	16	98	2.98	3.15	0.22	1.85	7.22	1.01	3.55	1045
1	14.1	2.16	2.3	18	105	2.95	3.32	0.22	2.38	5.75	1.25	3.17	1510
1	14.12	1.48	2.32	16.8	95	2.2	2.43	0.26	1.57	5	1.17	2.82	1280
1	13.75	1.73	2.41	16	89	2.6	2.76	0.29	1.81	5.6	1.15	2.9	1320
1	14.75	1.73	2.39	11.4	91	3.1	3.69	0.43	2.81	5.4	1.25	2.73	1150
1	14.38	1.87	2.38	12	102	3.3	3.64	0.29	2.96	7.5	1.2	3	1547
1	13.63	1.81	2.7	17.2	112	2.85	2.91	0.3	1.46	7.3	1.28	2.88	1310
1	14.3	1.92	2.72	20	120	2.8	3.14	0.33	1.97	6.2	1.07	2.65	1280
1	13.83	1.57	2.62	20	115	2.95	3.4	0.4	1.72	6.6	1.13	2.57	1130
1	14.19	1.59	2.48	16.5	108	3.3	3.93	0.32	1.86	8.7	1.23	2.82	1680
1	13.64	3.1	2.56	15.2	116	2.7	3.03	0.17	1.66	5.1	0.96	3.36	845
1	14.06	1.63	2.28	16	126	3	3.17	0.24	2.1	5.65	1.09	3.71	780
1	12.93	3.8	2.65	18.6	102	2.41	2.41	0.25	1.98	4.5	1.03	3.52	770
1	13.71	1.86	2.36	16.6	101	2.61	2.88	0.27	1.69	3.8	1.11	4	1035
1	12.85	1.6	2.52	17.8	95	2.48	2.37	0.26	1.46	3.93	1.09	3.63	1015
1	13.5	1.81	2.61	20	96	2.53	2.61	0.28	1.66	3.52	1.12	3.82	845



These data are the results of a chemical analysis of wines grown in the same region in Italy but derived from three different cultivars. The analysis determined the quantities of 13 constituents found in each of the three types of wines.

Wine data set contains 13 features as


- 1) Alcohol
- 2) Malic acid
- 3) Ash
- 4) Alcalinity of ash
- 5) Magnesium
- 6) Total phenols
- 7) Flavanoids
- 8) Nonflavanoid phenols
- 9) Proanthocyanins
- 10)Color intensity
- 11)Hue
- 12)OD280/OD315 of diluted wines
- 13)Proline

According to the above features wine can be classified as

- Class 1
- Class 2
- Class 3



We have to design Machine Learning application which uses Classification technique.



Design machine learning application which follows below steps as

Step 1:

Get Data

Load data from WinePredictor.csv file into python application.

Step 2:

Clean, Prepare and Manipulate data

As we want to use the above data into machine learning application we have prepare that in the format which is accepted by the algorithms.

Step 3:

Train Data

Now we want to train our data for that we have to select the Machine learning algorithm. For that we select K Nearest Neighbour algorithm.

use fit method for training purpose.

For training use 70% dataset and for testing purpose use 30% dataset.

Step 4:

Test Data

After successful training now we can test our trained data by passing some value of wether and temperature.

As we are using KNN algorithm use value of K as 3.

After providing the values check the result and display on screen.

Result may be Yes or No.



Step 5:

Calculate Accuracy

Write one function as CheckAccuracy() which calculate the accuracy of our algorithm. For calculating the accuracy divide the dataset into two equal parts as Training data and Testing data.

Calculate Accuracy by changing value of K.

Before designing the application first consider all features of data set.

