




Weka Explorer

PreprocessClassifyClusterAssociateSelect attributesVisualize

Clusterer

ChooseEM -I 100 -N -1 -X 10 -max -1 -ll-cv 1.0E-6 -ll-iter 1.0E-6 -M 1.0E-6 -K 10 -num-slots 1 -S 100

Cluster mode

Use training set

Supplied test set

Percentage split

Classes to clusters evaluation

Store clusters for visualization

Set...

%

65

(Num) Word3

Ignore attributes

Start

Stop

Result list (right-click for options)

18:00:59 - SimpleKMeans

18:01:07 - EM

Clusterer output

Attribute	Cluster
	0
	(1)
=====	
Document	
D1	2
D2	2
D3	2
D4	2
D5	2
[total]	10
Word1	
mean	0.41
std. dev.	0.3007
Word2	
mean	0.35
std. dev.	0.1949
Word3	
mean	0.24
std. dev.	0.12

Time taken to build model (full training data) : 0 seconds

=== Model and evaluation on training set ===

Clustered Instances

0 5 (100%)

Log likelihood: -0.90915

Status

OK

Log

x 0

20-06-2026

18:01

ENG IN

Weka Explorer

PreprocessClassifyClusterAssociateSelect attributesVisualize

Clusterer

ChooseSimpleKMeans -init 0 -max-candidates 100 -periodic-pruning 10000 -min-density 2.0 -t1 -1.25 -t2 -1.0 -N 2 -A "weka.core.ManhattanDistance -R first-last" -I 500 -num-slots 1 -S 10

Cluster mode

Use training set

Supplied test set

Percentage split

Classes to clusters evaluation

Store clusters for visualization

Set...

%

65

(Num) Longitude

Ignore attributes

Start

Stop

Result list (right-click for options)

18:03:29 - SimpleKMeans

18:03:48 - SimpleKMeans

Clusterer output

KMeans

=====

Number of iterations: 2

Sum of within cluster distances: 5.61538461538462

Initial starting points (random):

Cluster 0: P4,13.05,80.3

Cluster 1: P2,13.1,80.25

Missing values globally replaced with mean/mode

Final cluster centroids:

Attribute	Full Data	Cluster#	
		0	1
	(5.0)	(1.0)	(4.0)
=====			
Point	P1	P4	P1
Latitude	13.05	13.05	13.04
Longitude	80.25	80.3	80.235

Time taken to build model (full training data) : 0 seconds

=== Model and evaluation on training set ===

Clustered Instances

0	1 (20%)
1	4 (80%)

Status

OK

Log

18:03

20-06-2026

Weka Explorer

Preprocess Classify Cluster Associate Select attributes Visualize

Clusterer

Choose HierarchicalClusterer -N 2 -L SINGLE -P -A "weka.core.EuclideanDistance -R first-last"

Cluster mode

☒ Use training set

☐ Supplied test set Set...

☐ Percentage split % 65

☐ Classes to clusters evaluation

(Num) Frequency

☒ Store clusters for visualization

Ignore attributes

Start Stop

Result list (right-click for options)

18:06:16 - HierarchicalClusterer

Clusterer output

=== Run information ===

Schema: weka.clusterers.HierarchicalClusterer -N 2 -L SINGLE -P -A "weka.core.EuclideanDistance -R first-last"

Relation: cc4_at3_4

Instances: 5

Attributes: 3

Product

Sales (7)

Frequency

Test mode: evaluate on training data

=== Clustering model (full training set) ===

Cluster 0

(20.0:1.01286,22.0:1.01286)

Cluster 1

((10.0:1.01286,12.0:1.01286):0.01412,8.0:1.02695)

Time taken to build model (full training data) : 0 seconds

=== Model and evaluation on training set ===

Clustered Instances

0	2 (40%)
1	3 (60%)

Status

OK

Log

18:06 20-06-2026

