

Corporate Survey Licence No. SLA 200146 EXP. DATE 15-05-2027

Our Claim No: FSR-TEST-001

Date: 25-09-2026

Atlas Insurance Co
North Zone
123 Commercial Way
Metro-110001.

FINAL SURVEY REPORT

Issued without prejudice and does not necessarily mean that the loss is admissible which depends upon the terms, conditions of the policy of Insurance contract.

CLAIM NUMBER & SURVEY TYPE	CLM-00001 ()				
INSURER	Atlas Insurance Co				
NAME AND ADDRESS OF INSURED	Apex Logistics Pvt Ltd 45 Industrial Area Metro, State: State, Pincode: 110002				
POLICY SCHEDULE & TYPE	POL-PDF-2026-001 - Standard Fire & Special Perils				
PERIOD OF INSURANCE	From 23 Sep 2026 to 23 Sep 2027				
COMMODITY / PROPERTY	Electronic Goods & Spares				
DATE & LOCATION OF LOSS	Date of Loss: 09 Sep 2026 Loss Location: Warehouse Unit 3, Industrial Area				
DATE & MODE OF INSTRUCTION	Date: 10 Sep 2026 Mode: Direct Email				
INTRODUCTION	Final Survey Report for electronic warehouse fire loss				
OCCURRENCE OF INCIDENT	Occurrence verified with fire department records				
SURVEY DETAILS	Final inventory audit and salvage negotiation completed				
EXTENT OF LOSS	102 major electrical units destroyed, remainder salvaged				
CAUSE OF LOSS	Electrical arcing at main busbar				
ADEQUACY OF SUM INSURED	Sum Insured: INR 15000000.00/- Value at Risk (VAR): INR 16000000.00/- Under-Insurance Percentage: 5.00%				
SALVAGE	Salvage Value: INR 100000.00/- Bidded scrap lot sold to licensed recycler				
INSURED'S CLAIM	Original claim Rs 3,000,000 for all damaged stock				
ASSESSMENT OF LOSS	Itemized Assessment Lines:				
	Description		Amount Claimed	Amount Recommended	Remarks
	Power Distribution Unit 400A Three-phase switchgear		Rs. 600000.00	Rs. 500000.00	-
	Sub-assembly circuit controllers OEM batch controllers		Rs. 1800000.00	Rs. 1500000.00	-
	Loss Computation & Deductions:				
	Gross Assessed Loss		Rs. 2000000.00		
	Less: Salvage		- Rs. 100000.00		
	Total		Rs. 1900000.00		
Less: Underinsurance (5.00%)		- Rs. 100000.00			

	<table> <tr> <td>Less: Depreciation</td><td>- Rs. 50000.00</td></tr> <tr> <td>Adjusted Loss</td><td>Rs. 1750000.00</td></tr> <tr> <td>Less: Policy Excess</td><td>- Rs. 50000.00</td></tr> <tr> <td>NET ASSESSED LOSS</td><td>Rs. 1700000.00</td></tr> </table>	Less: Depreciation	- Rs. 50000.00	Adjusted Loss	Rs. 1750000.00	Less: Policy Excess	- Rs. 50000.00	NET ASSESSED LOSS	Rs. 1700000.00
Less: Depreciation	- Rs. 50000.00								
Adjusted Loss	Rs. 1750000.00								
Less: Policy Excess	- Rs. 50000.00								
NET ASSESSED LOSS	Rs. 1700000.00								
ADMISSIBILITY	Fully admissible under policy perils POLICY COVERAGE: Standard Fire Policy Material Damage								
BREACH OF WARRANTY	Warranty Compliance: Warranties Complied With All conditions satisfied POLICY EXCLUSIONS: None applicable								
REMARKS	Claim processed in agreed timelines								
FINAL OPINION	Recommended settlement of net loss.								

Issued without prejudice.

For, SOTERIA Insurance Surveyors & Loss Assessors Pvt. Ltd.




Gautam Acharyya

Principal Surveyor

Corporate Survey License No: 200146 Valid upto :15.05.2027