

Our Report No.: SSLA-91-E-P-261127

Dtd: 23.09.2026

IMMEDIATE LOSS ADVICE

Issued without prejudice and does not necessarily mean that the loss is admissible which depends upon the terms, conditions of the policy of Insurance contract.

TIME & DATE OF INSTRUCTION	22 Apr 2026 from IndusInd General Insurance Company Limited.
SOURCE OF INSTRUCTION	Vide Email Dtd 22nd April from Claims Team-Kolkata R.O.
INSURER	IndusInd General Insurance Company Limited.
NAME AND ADDRESS OF INSURED	Somnath Pal Mr. Somnath Pal Vill&Po- Surekalna, Jamalpur, City : Jamalpur, State: West Bengal, Pincode: 713408 Jamalpur, State: West Bengal, Pincode: 713408
TIME & DATE OF VISIT/SURVEY	On 23 September 2026 from 14.00hrs to 07Hrs
REASON FOR DELAY	As per appointment _apparently No delay.
PLACE WHERE THE DAMAGE WAS INSPECTED	At the insured premises of Mr. Somnath Pal, Vill&Po- Surekalna, Jamalpur, City : Jamalpur, State:West Bengal, Pincode: 713408
PERSON CONTACTED, WITH TELEPHONE NO. & E-MAIL ID	Mr. Somnath Pal Contact No. 9874265167
POLICY SCHEDULE-NATIONAL BHARAT SOOKSHMA UDYAM SURAKSHA POLICY:	240501112510000013
PERIOD OF INSURANCE	As per policy
COMMODITY	Stocks of Raw Material, Finishes and Semi Finished goods including packing materials
NATURE OF LOSS	Loss due to Fire.
SUM INSURED	INR 35915000.00/-
POLICY EXCESS	30000000.00 as per policy terms
OUR SURVEY AND INSPECTION (CONT'D)	During our survey visit at the affected insured premises at Village Surekalna, Jamalpur, WB on dated 23.04.2026@14.00Hrs as per appointment. It was observed that the insured works of Somnath Pal (M/s.Pal Paper Lamination) is a shed built of class-I construction having masonry brick walls with thatched tin roofing upon iron trusses. The premises measures about 72ft in length and 15ft in width in which machines are installed to carry out the process of sheet cutting and film lamination upon kraft paper rolls which are the finished products. Adjacent to the 15ft space within the premises is another 10ft area in breadth separated by tin partition an area where both raw paper reels and finished goods are kept stored. Beside which is a the brick built masonry wall and beyond which is vacant space outside of the premises used for open storage as well. There is a submersible pump installed in the open storage towards water supply. The height of the factory is about 8-10ft with tin roofing. The insured has its manufacturing machinery installed like i)Lamination Machine ii)Shid Cutting Machine, through which his process is carried out at the rear end portion of the premises. Whilst in the front is an area occupied within the premises by insureds brother Mr. Sabyasachi Pal who is engaged in making paper plates from laminated sheet rolls as bought from the insured. There are several machines installed in the said space like Cutting Mc, Hydraulic Mc, Ball Press Mc, Crank Mc etc in all 8nos which are like held in trust in the insureds premises. Similarly stocks of finished goods of insureds brother was also within the said premises as goods held in trust, which got affected burnt. The finished laminated rolls as manufactured by the insured are eighter sold to

	customers for paper plate making or are also made therein as per customers orders received by insured. The insured buys raw materials like kraft paper (of 75-90-100 & 120 gsm) from local vendors or Baglamukhi Paper Mill and sells finished products to their few permanent and local customers and also to his brother Ms. Sabyasachi Pal.
EXTENT OF DAMAGE	Upon inspection, it was observed that the fire spread throughout the entire factory and damaged all materials and machinery inside the premises. It is reported that inside the factory materials were burnt to ashes and machinery was damaged due to the fire remains of few finished goods rolls and or raw kraft paper as well as laminated paper plates charred in the fire was also found along with the burnt machines which are beyond usage now. The fact of the incident is true and the loss has occurred due to accidental fire arising out of unknown reason. The Jamalpur Police Station has made a G.D. Entry vide No: 1173 Dtd 23.4.26
ESTIMATE OF LOSS/AMOUNT CLAIMED:	Insured has provided a loss estimate of INR 1727300.00/- Surveyor's Estimated Gross Loss: INR 1727300.00/-
CAUSE OF DAMAGE	As per the available records, statements of concerned persons, and observations made at the time of survey, the loss appears to have been caused due to a fire incident at the insured location. However, the exact cause and point of origin of the fire could not be conclusively ascertained at the time of survey. Insured is supposing the same to have been caused by some un-known miscreants
SALVAGE	PROSPECT OF ANY SALVAGE IS NIL
LIABILITY UNDER POLICY & BUDGETARY RESERVE TO BE MAINTAINED	As per policy records, the insurance coverage is limited to Finished Stock for a sum insured of ₹10,00,000. The reported loss pertains to materials (finished stock & raw materials) burnt in the fire, which falls within the scope of the policy. Damage to machinery is not covered under the policy. Accordingly, the liability of the insurer is restricted to the loss of finished stock, subject to policy terms, conditions, and deductible.
RESERVE FOR INSURERS	Budgetary RESERVE recommended at present: INR 1700000.00/- , subject to change based upon supporting documents.
REMARKS	The claim is being processed in accordance with the terms and conditions of the policy without Prejudice.

Issued without prejudice.

For, **SOTERIA Insurance Surveyors & Loss Assessors Pvt. Ltd.**




Gautam Acharyya

Principal Surveyor

Corporate Survey License No: 200146 Valid upto :15.05.2027