Ex No: 7

Date:

# EVALUATE EXPRESSION THAT TAKES DIGITS, \*, + USING LEX AND YACC

#### AIM:

To perform arithmetic operations that takes digits,\*, + using lex and yacc.

## **ALGORITHM:**

- 1. Define rules in evaluate.l to recognize digits and ignore whitespace, returning tokens for numbers. Utilize yylval to pass token values to parser.
- 2. Break down input into tokens (numbers) in evaluate.l, associating each with its respective value.
- 3. Use parser (evaluate.y) to implement grammar rules for arithmetic expressions, considering precedence and associativity of operators. Generate a result for each expression.
- 4. Implement error handling in evaluate.y to detect invalid expressions. Set a flag if errors occur during parsing.
- 5. After parsing, check if the flag remains unset. If so, indicate that the arithmetic expression is valid; otherwise, display an error message.

# **PROGRAM:**

#### evaluate.l:

```
%{
#include<stdio.h>
#include "v.tab.h"
extern int yylval;
%}
%%
[0-9]+ {
       yylval=atoi(yytext);
       return NUMBER;
        }
\lceil t \rceil;
[\n] return 0;
. return yytext[0];
%%
int yywrap()
return 1;
}
210701298- Vaishnavi C
```

# evaluate.y:

```
%{
       #include<stdio.h>
       int flag=0;
%}
%token NUMBER
%left '+' '-'
%left '*' '/' '%'
%left '(' ')'
%%
ArithmeticExpression: E{
       printf("\nResult=\%d\n",\$\$);
       return 0;
       }
E:E'+'E {$$=$1+$3;}
|E'-'E {$$=$1-$3;}
|E'*'E {$$=$1*$3;}
|E'/'E {$$=$1/$3;}
|E'%'E {$$=$1%$3;}
|'('E')' {$$=$2;}
| NUMBER {$$=$1;}
%%
void main()
 printf("\nEnter Any Arithmetic Expression which can have operations Addition,
Subtraction, Multiplication, Divison, Modulus and Round brackets:\n");
  yyparse();
 if(flag==0)
 printf("\nEntered arithmetic expression is Valid\n\n");
void yyerror()
 printf("\nEntered arithmetic expression is Invalid\n\n");
 flag=1;
}
```

## **OUTPUT:**

```
[root@localhost-live 210701296]# vi ex7.l
[root@localhost-live 210701296]# vi ex7.y
[root@localhost-live 210701296]# lex ex7.l
[root@localhost-live 210701296]# yacc -d ex7.y
[root@localhost-live 210701296]# cc lex.yy.c y.tab.c
[root@localhost-live 210701296]# ./a.out

Enter Any Arithmetic Expression which can have operations Addition, 6+4

Result=10

Entered arithmetic expression is Valid
[root@localhost-live 210701296]# ./a.out

Enter Any Arithmetic Expression which can have operations Addition, 4++3

Entered arithmetic expression is Invalid
```

# **RESULT:**