SIMATS Engineering • CSE • CSA0804 — Python Programming • 29-07-2026 • Category: Class Work (28.7.26) • Student Submissions Report

Student 36 **VAISHNAVI S** 192420031RD 19 / 20 submitted

Q1. Void Function (No Return Value)

CODE

```
def welcome():
    print("welcome to python programming")
welcome()
```

OUTPUT

```
welcome to python programming
```

Q2. Void Function (No Return Value)

CODE

```
def table(n):
    for i in range(1,11):
        print(n * i)
        num = int(input())
        table(num)
```

INPUT

```
5
```

OUTPUT

Q3. Void Function (No Return Value)

CODE

```
def even(n):
    for i in range(2, n + 1,2):
        print(i)
        n = int(input("Enter N:"))
        even(n)
```

INPUT

```
10
```

OUTPUT

Q4. Fruitful Function (Returns One Value)

CODE

```
def count_vowels(s):
    count = 0
    for ch in s:
        if ch in "aeiouAEIOU":
            count += 1
            return count
        s = input()
        print(count_vowels(s))
```

INPUT

```
saveetha
```

OUTPUT

Q5. Fruitful Function (Returns One Value)

CODE

```
def largest(lst):
    return max(lst)
n = int(input("enter number of elements:"))
lst = []
for i in range(n):
    lst.append(int(input()))
    print("largest element:",
          largest(lst))
```

INPUT

```
5
10
25
7
40
18
```

OUTPUT

```
enter number of elements:largest element: 10
largest element: 25
largest element: 25
largest element: 40
largest element: 40
```

Q6. Fruitful Function (Returns One Value)

CODE

```
def prime(n):
    if n < 2:
        return False
    for i in range(2,n):
        if n % i == 0:
            return False
        return true
    n = int(input("enter a number:"))
    if primr(n):
        print("prime")
    else:
        print("not prime")
```

INPUT

```
29
```

OUTPUT

Q7. Function Returning Two or More Values

CODE

```
def marks(m1,m2,m3):
    total = m1+m2+m3
    avg = total / 3
    if avg ≥ 90:
        grade = "A":
        elif avg ≥ 75:
            grade = "B":
            elif avg ≥ 50:
                grade = "C":
                else:
                    grade = "F"
                    return total,avg,grade
                t,a,g = marks(int(input()),
                             int(input()),int(input()))
                print(t)
                print(a)
                print(g)
```

OUTPUT

Q8. Function Returning Two or More Values

CODE

```
def circle(r):
    area=3.14*r*r
    circum=2*3.14*r
    return area,circum
a,c=circle(float(input()))
print(a)
print(c)
```

INPUT

```
5
```

OUTPUT

```
78.5
31.400000000000002
```

Q9. Function Returning Two or More Values

CODE

```
def valuea(n):
    return n*n,n*n*n,n**0.5
    s,c,r=values(float(input()))
    print(s)
    print(c)
    print(r)
```

INPUT

```
4
```

OUTPUT

Q10. Keyword Arguments

CODE

```
def student(name,age,deparment):
    print(name)
    print(age)
    print(department)
    student(name="vaishnavi",age=19,department="CSE")
```

INPUT

```
Vaishnavi
19
CSE
```

OUTPUT

Q11. Keyword Arguments

CODE

```
def employee(empid,name,salary):
    print(empid)
    print(name)
    print(salary)
    employee(empid=101,name="Rahul",salary=35000)
```

INPUT

```
101
Rahul
35000
```

OUTPUT

Q12. Keyword Arguments

CODE

```
def book(title,author,price):
    print(title)
    print(author)
    print(price)
    book(author="james",price=500,title="python")
```

INPUT

```
James
500
Python
```

OUTPUT

Q13. Variable-Length Arguments (*args)

CODE

```
def add(*args):
    total = 0
    for i in args:
        total += i
        return total
    print(add(10,20,30,40))
```

INPUT

```
10 20 30 40
```

OUTPUT

Q14. Variable-Length Arguments (*args)

CODE

```
def average(*marks):
    total = 0
    for i in marks:
        total = total + i
        avg = total / len(marks)
        return avg
    print(average(80,90,75,85))
```

INPUT

```
80 90 75 85
```

OUTPUT

Q15. Variable-Length Arguments (*args)

CODE

```
def display(*args):
    for i in args:
        print(i)
        display("python","java","C++","HTML")
```

INPUT

```
python java C++ HTML
```

OUTPUT

Q16. Variable-Length Arguments (*args)

CODE

```
def largest(*args):
    max_value = args[0]
    for i in args:
        if i > max_value:
            max_value = i
            return max_value
        print(largest(10,50,30,90,20))
```

INPUT

```
10 50 30 90 20
```

OUTPUT

Q17. Recursive Functions

CODE

```
def fibonacci(n):
    if n <= 1:
        return n
    else:
        return fibonacci(n-1)+fibonacci(n-2)
    n = int(input())
    for i in range(n):
        print(fibonacci(i),end="")
```

INPUT

```
5
```

OUTPUT

Q18. Recursive Functions

CODE

```
def sum_digits(n):
    if n== 0:
        return 0
    else:
        return (n % 10) + sum_digits(n // 10)
    num = int(input())
    print(sum_digits(num))
```

INPUT

```
12345
```

OUTPUT

Q19. Recursive Functions

CODE

```
def reverse_strings(s):
    if s == "":
        return s
    else:
        return
    reverse_strings(s[1:]) + s[0]
    text = input()
    print(reverse_string(text))
```

INPUT

```
python
```

OUTPUT

Q20. Recursive Functions