

**NEW DRUGS APPROVED LIST FROM SND DIVISION
(FROM 01.01.2024 TO 31.12.2024)**

Sr. No.	Drug Name	Indication	Date of approval
1	Zolpidem Sublingual Spray 3.85% w/v (Additional Dosage Form)	For the short-term treatment of insomnia.	12.01.2024
2	Dydrogesterone Extended Release Tablets 30mg	Indicated "For the treatment of Endometriosis".	12.01.2024
3	Imeglimin Hydrochloride Sustained Release Tablets 500mg/1000mg (Additional Dosage Form)	Indicated for the treatment of type 2 diabetes mellitus inadequately controlled with diet and exercise alone.	18.01.2024
4	Empagliflozin Tablets 10mg /25 mg (Additional Indication)	To reduce the risk of sustained decline in eGFR (only for patients with eGFR 30-90 ml/min/1.73m2), end-stage kidney disease, cardiovascular death, and hospitalization in adults with chronic kidney disease at risk of progression.	18.01.2024
5	Pegaspargase Injection 1500 IU/2ml vial	Indicated as a component of a multi-agent chemotherapeutic regimen for the treatment of patients with acute lymphoblastic leukemia who are hypersensitive to asparaginase. Pegaspargase Injection as First-Line chemotherapeutic agent for treatment of patients with acute lymphoblastic leukemia (ALL)	06.02.2024
6	Ferric Carboxymaltose Injection (50mg iron/ml) (Additional Indication)	For the treatment of iron deficiency in children and adolescents aged > 1 years when oral iron preparations are ineffective or cannot be used	15.02.2024
7	Tadalafil Oral Jelly 20 mg (Orange Flavour) (Additional Dosage Form)	It is indicated for the treatment of erectile dysfunction in adult men.	16.02.2024
8	Bisoprolol Fumarate Tablets USP 3.75 mg/7.5mg (Additional Strength)	Treatment of stable chronic heart failure with reduced systolic left ventricular function in addition to ACE inhibitors, and diuretics, and optionally cardiac glycosides	16.02.2024
9	Sterile dehydrated Human Amnion Chorion Membrane (12x6cm2)	Indicated for the treatment of acute and chronic non-healing wounds.	28.02.2024
10	Hydroxyurea Oral Suspension 100 mg/ml (Additional Dosage Form)	It is indicated for the prevention of vaso-occlusive complications of Sickle Cell Disease in patients over 2 years of age.	07.03.2024

**NEW DRUGS APPROVED LIST FROM SND DIVISION
(FROM 01.01.2024 TO 31.12.2024)**

11	Tacrolimus Lipid Tablets 3 mg (Additional strength)	For treatment of active rheumatoid arthritis in adult patients for whom disease modifying anti-rheumatic drug (DMARD) therapy is ineffective or inappropriate.	21.03.2024
12	Nicoumalone Tablets IP 1.5mg/2.5mg/3.5mg (Additional Strength)	For the prevention and treatment of thromboembolic diseases such as venous thrombosis, atrial fibrillation with embolization, pulmonary embolism and as an adjunct in the treatment of coronary occlusion.	22.03.2024
13	Esmolol Hydrochloride Topical Gel 14% w/w	For the treatment of Diabetic foot ulcer.	24.04.2024
14	Alfuzosin Prolonged Release Tablets IP 10mg	For the treatment of sign & symptoms of Benign Prostatic Hyperplasia (BPH).	30.04.2024
15	Rifapentine Dispersible Tablets 150mg (Additional Dosage Form)	For the treatment of latent tuberculosis infection caused by Mycobacterium tuberculosis in adults and children 2 years and older who are at high risk of progression to tuberculosis disease (including those in close contact with active tuberculosis patients, recent conversion to a positive tuberculin skin test, HIV – infected patients, or those with pulmonary fibrosis on radiograph). Active tuberculosis disease should be ruled out before initiating treatment for latent tuberculosis infection. Rifapentine Tablets 150mg must always be used in combination with isoniazid as a 12 week once weekly regimen for the treatment of latent tuberculosis infection.	16.05.2024
16	Acalabrutinib maleate 100mg tablets (Additional Dosage Form)	Acalabrutinib is indicated: 1. for the treatment of patients with mantle cell lymphoma (MCL) who have received at least one prior therapy. 2. for the treatment of patients with chronic lymphocytic leukaemia (CLL)/small lymphocytic lymphoma (SLL).	17.05.2024
17	Nitisinone Tablets	It is indicated for the treatment of	14.06.2024

**NEW DRUGS APPROVED LIST FROM SND DIVISION
(FROM 01.01.2024 TO 31.12.2024)**

	2mg/5mg/10mg (Additional Dosage Form)	adult and pediatric patients with hereditary tyrosinemia type 1 (HT-1) in combination with dietary restriction of tyrosine and phenylalanine.	
18.	Pilocarpine Hydrochloride Ophthalmic solution USP 1.25% w/v	Indicated for the treatment of presbyopia in adults	06.08.2024`
19.	Tirzepatide 2.5mg/0.5ml, 5mg/0.5ml , 7.5mg/0.5ml, 10mg/0.5ml, 12.5mg/0.5ml, 15mg/0.5ml solution for injection in a single dose vial	Indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus	18.09.2024
20.	Lenalidomide capsules 20mg (Additional strength)	1 For the treatment of patients with transfusion dependent anemia due to low or intermediate-1-risk myelodysplastic syndromes associated with a deletion 5q cytogenetic abnormality with or without additional cytogenetic abnormalities. 2. In combination with Dexamethasone for the treatment of multiple myeloma patients who have received at least one prior therapy. 3 Follicular lymphoma: Lenalidomide in combination with a Riuximab product, is indicated for the treatment of adult patients with previously treated follicular lymphoma (FL). 4. Marginal Zone Lymphoma : Lenalidomide in combination with a Rituximab product, is indicated for the treatment of adult patients with previously treated marginal zone lymphoma (MZL)	19.09.2024
21.	Tirzepatide 2.5 mg/0.5ml, 5 mg/0.5ml, 7.5 mg/0.5ml 10 mg/0.5ml, 12.5 mg/0.5ml, 15 mg/0.5ml solution for injection in a single dose prefilled pen	Indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus	27.09.2024
22.	Finerenone bulk drug	-	08.10.2024

**NEW DRUGS APPROVED LIST FROM SND DIVISION
(FROM 01.01.2024 TO 31.12.2024)**

23.	Rabeprazole Sodium Orally Disintegrating Tablets 20 mg (Additional dosage form)	For the treatment of • Gastroesophageal reflux disease (GERD) • Duodenal ulcer and Gastric ulcer • Zollinger Ellison Syndrome	08.10.2024
24.	Pregabalin gel 8% w/w (Additional dosage form)	For the treatment of Diabetic neuropathic pain.	08.10.2024
25.	Omeprazole Delayed release orally disintegrating Tablets 20 mg.	Indicated for Treatment of duodenal ulcers, Prevention of relapse of duodenal ulcers, Treatment of gastric ulcers, Prevention of relapse of gastric ulcers, In combination with appropriate antibiotics, Helicobacter pylori (H. pylori) eradication in peptic ulcer disease, Treatment of NSAID-associated gastric and duodenal ulcers, Prevention of NSAID-associated gastric and duodenal ulcers in patients at risk, Treatment of reflux oesophagitis, Longterm management of patients with healed reflux oesophagitis, Treatment of symptomatic gastro-oesophageal reflux disease and Treatment of Zollinger-Ellison syndrome	25.10.2024
26.	Bortezomib 2.5 mg/ml & Bortezomib 3.5 mg/(1.4ml) (2.5mg/ml) solution for injection (Additional dosage form)	For the treatment of multiple myeloma and for the treatment of mantle cell lymphoma who have received at least one prior therapy.	13.11.2024
27.	Olaparib film coated tablets 100mg / 150mg (Additional Indication)	Olaparib in combination with Durvalumab is indicated for the maintenance treatment of adult patients with advanced or recurrent endometrial cancer whose disease has not progressed on first-line treatment with Durvalumab in combination with platinum-based chemotherapy.	25.11.2024
28.	Dermatophagoides pteronyssinus and Dermatophagoides farnea 12SQ-HDM sublingual lyophilisate	SENSIMUNE is indicated in adult patients (18-65 years) diagnosed by clinical history and a positive test of house dust mite sensitization (skin prick test and/or specific IgE) with at least one of the following conditions:	28.11.2024

**NEW DRUGS APPROVED LIST FROM SND DIVISION
(FROM 01.01.2024 TO 31.12.2024)**

		• persistent moderate to severe house dust mite allergic rhinitis despite use of symptom relieving medication. • house dust mite allergic asthma not well controlled by inhaled corticosteroids and associated with mild to severe house dust mite allergic rhinitis. Patients' asthma status should be carefully evaluated before the initiation of treatment. SENSIMUNE is indicated in adolescents (12-17 years) diagnosed by clinical history and a positive test of house dust mite sensitisation (skin prick test and/ or specific IgE) with persistent moderate to severe house dust mite allergic rhinitis despite use of symptom relieving medication.	
30.	Povidone Iodine Throat Spray 0.45% w/v (Additional dosage form)	Indicated for patients suffering from Tonsillitis and Pharyngitis (throat infections)	17.12.2024
31.	Clotrimazole Vaginal Film 50mg (Additional dosage form)	Clotrimazole is used to treat vaginal yeast infections and relieve external itching and irritation due to vaginal yeast infection.	30.12.2024