

FIXED DOSE COMBINATIONS APPROVED BY DCG (I) for year 2022

S. No	FDC	Indication	Approval Date
1.	Each film coated bilayered tablet contains: Benidipine Hydrochloride..... 4mg Telmisartan IP 40mg (Additional Dosage Form)	For the treatment of hypertension	03.01.2022
2.	Each uncoated bilayered tablets contains: Glimepiride IP + Voglibose IP + Metformin HCl (SR) IP (1mg + 0.2mg + 1000mg & 2mg + 0.2mg + 1000mg) (Additional Strength)	As 3rd line treatment of type 2 diabetes mellitus when diet, exercise and the single agents and second line therapy with two drugs do not result in adequate glycemic control.	06.01.2022
3.	Each uncoated mouth dissolving tablets contains: Pyridoxine Hydrochloride IP 3mg + Folic acid IP 5mg + Vitamin D3 IP 1000IU + Methylcobalamin IP 1500mcg	For the management of diabetic neuropathy in patients with hyperhomocysteinemia.	01.02.2022
4.	Each hard gelatin capsule contains: Dutasteride IP0.5mg Silodosin...4 mg (Additional Strength)	For the treatment of the signs and symptoms of BPH in men with an enlarged prostate.	03.02.2022
5.	Each film coated bilayered tablet contains: Efonidipine Hydrochloride Ethanolate.....40mg Telmisartan IP 40mg	For the management of stage II hypertension.	07.02.2022
6.	Glycopyrrolate IP 9mcg Formoterol Fumarate Dihydrate IP eq. to Formoterol Fumarate... 4.8mcg Budesonide IP 160mcg Meterd dose inhaler	For the treatment of patients with Chronic Obstructive Pulmonary Disease (COPD)	07.02.2022
7.	Each film coated tablets contains: Rosuvastatin Calcium IP eq. to Rosuvastatin + Teneligliptin Hydrobromide Hydrate eq. to Teneligliptin (5mg + 20mg, 10mg + 20mg & 20mg + 20mg)	Dyslipidemia associated with Type II Diabetes Mellitus	25.02.2022

8.	Each film coated tablets contains: Teneligliptin Hydrobromide Hydrate eq. to Teneligliptin + Pioglitazone Hydrochloride eq. to Pioglitazone (20mg + 15mg & 20mg + 30mg)	For the treatment of type 2 diabetes mellitus	25.02.2022
9.	Per 5ml suspension contains: Bilastine.....10mg Montelukast Sodium IP Eq. to Montelukast....4mg	For the treatment of Allergic rhinitis in children aged 6 to 11 years (both inclusive) with a body weight of atleast 20kg.	11.03.2022
10.	Each Orodispersible tablets contains: Montelukast sodium eq. to Montelukast IP 10mg Bilastine20mg (Additional Dosage form)	For the treatment of allergic rhinitis in adults.	11.03.2022
11.	Each film coated bilayered tablets contains: Mecobalamin IP.....1500mcg Nortriptyline Hydrochloride IP Eq. to Nortriptyline 10mg Pregabalin PR (IP) 75mg	For the treatment of patients with diabetic peripheral neuropathic pain coexistent Vitamin B12 deficiency.	17.03.2022
12.	Lidocaine Hydrochloride IP 2% w/w + Diltiazem Hydrochloride IP 2% w/w gel	For the treatment of anal fissure.	24.03.2022
13.	Each film coated tablets contains: Sitagliptin Phosphate IP eq. to Sitagliptin + Metformin Hydrochloride IP (as sustained release form) (50mg +500mg, 50mg + 1000mg & 100mg + 1000mg) (Additional Strength)	It is indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus when treatment with both Sitagliptin and Metformin is appropriate	24.03.2022
14.	Each film coated tablets contains: Nortriptyline Hydrochloride IP eq. to Nortriptyline10mg Pregabalin IP..... 50mg (Additional Strength)	For the treatment of neuropathic pain.	25.03.2022

15.	Each film coated tablets contains: Empagliflozin + Metformin Hydrochloride (as extended release) (5mg + 1000mg, 10mg + 1000mg, 12.5mg + 1000mg & 25mg + 1000mg)	It is indicated as an adjunct to diet and exercise to improve glycaemic control in adult patients with type 2 diabetes mellitus who are not adequately controlled on a regimen containing Empagliflozin or Metformin, or in patients already being treated with both Empagliflozin and Metformin.	29.03.2022
16.	Each film coated tablet contains: Metformin Hydrochloride IP (as immediate release form).....500mg Dapagliflozin..... 5mg	It is indicated as an adjunct to diet and exercise to improve glycaemic control in adults with type 2 diabetes mellitus when treatment with both Dapagliflozin and Metformin is appropriate.	04.04.2022
17.	Each film coated tablets contains: Linagliptin + Metformin Hydrochloride IP (as extended release) (2.5mg + 1000mg & 5mg + 1000mg) (Additional Strength)	Indicated as an adjunct to diet and exercise to improve glycaemic control in adult patients with type-II diabetes mellitus when treatment with Linagliptin and Metformin is appropriate.	08.04.2022
18.	Each uncoated bilayered tablet contains: Vildagliptin (as sustained release) + Dapagliflozin (100mg + 5mg & 100mg + 10mg)	For the treatment of patients with type 2 Diabetes mellitus inadequately controlled on Metformin monotherapy.	08.04.2022
19.	Ripasudil Hydrochloride Hydrate eq. to Ripasudil % w/v Timolol Maleate IP eq. to Timolol.....% w/v Benzalkonium chloride IP.....%w/v Eye Drops	It is indicated for the treatment of elevated intraocular pressure (IOP) in adult patients with open-angle glaucoma or ocular hypertension.	18.04.2022
20.	Each Orodispersible tablet contains: Bilastine.....10mg Montelukast Sodium IP Eq. to Montelukast....4mg (Additional Dosage Form)	For the treatment of allergic rhinitis	09.05.2022

21.	Each uncoated sublingual tablet contains: Naloxone Hydrochloride IP eq. to Naloxone.....0.25mg Buprenorphine Hydrochloride IP eq. to Buprenorphine 1mg (Additional Strength)	For the treatment of patients with opioid dependence	17.05.2022
22.	Each Film Coated Tablet contains: - Tenofovir Alafenamide Fumarate 28mg eq. to Tenofovir Alafenamide25mg Lamivudine USP 300mg Dolutegravir Sodium eq. to Dolutegravir 50mg	As a complete regimen for the treatment of HIV 1 infection in adults and pediatric patients weighing at least 25kg.	02.06.2022
23.	Calcium-3-Methyl-2-Oxo-Valerate Ketoanalogue to Isoleucine Calcium Salt) IH 67.0mg + Calcium-4-Methyl-2-Oxo-Valerate Ketoanalogue to Leucine Calcium Salt) IH 101.0mg + Calcium-2-Oxo-3-Phenylpropionate (α-Ketoanalogue to Phenylalanine Calcium Salt) IH 68.0mg + Calcium-3-Methyl-2-Oxo-Butyrate (α-Ketoanalogue to Valine Calcium Salt) IH 86.0mg Calcium-DL-2-hydroxy-4 (methylthio) Butyrate (α-Ketoanalogue to methionine Calcium Salt) IH 59.0mg + L-Lysine acetate USP 105.0mg + Threonine USP 53.0mg + L-Tryptophan USP 23.0mg + Histidine Hydrochloride Monohydrate eq. to Histidine 38 mg + L-Tyrosine USP 30.0mg per 10ml Oral suspension (Additional Strength)	Prevention and treatment of (or) damages due to faulty or deficient protein (or) metabolism in chronic kidney disease in connection with a limited dietary protein intake of 40g/day or less (adult). Usually this applies to patients whose glomerular filtration rate (GFR) is less than 25mL/min L-BP	22.06.2022
24.	Each hard gelatin capsules contains: Mirabegron (as extended release tablet) + Solifenacin Succinate (as immediate release tablet) (25mg + 5mg & 50mg + 5mg) (Additional Strength)	It is indicated for the treatment of overactive bladder (OAB)	22.06.2022
25.	Each uncoated bilayered tablet contains: Efonidipine Hydrochloride Ethanolate.....40mg Chlorthalidone IP 12.5mg	In the management of hypertension	23.06.2022

26.	Each film coated tablet contains:- Sitagliptin Phosphate monohydrate IP eq. to Sitagliptin + Dapagliflozin Propanediol monohydrate eq. to Dapagliflozin (50mg+5mg & 100mg+10mg)	It is indicated for the treatment of type 2 diabetes mellitus inadequately controlled on metformin monotherapy	30.06.2022
27.	Each film coated tablet contains: Gabapentin IP.....200mg Nortriptyline Hydrochloride IP eq. to Nortriptyline10mg	For the treatment of Neuropathic pain	06.07.2022
28.	Each capsule contains: Fluticasone Furoate + Vilanterol Trifenatate eq. to Vilanterol (100mcg + 25mcg & 200mcg + 25mcg)	Treatment of asthma in adults and adolescents aged 12 years and older where use of a combination medicinal product (long-acting beta2-agonist and inhaled corticosteroids) is appropriate: • Patients not adequately controlled with inhaled corticosteroids and 'as needed' inhaled short acting beta 2-agonists. • Patients already adequately controlled on both inhaled corticosteroid and long-acting beta 2-agonist.	06.07.2022
29.	Each film coated tablet contains: Gabapentin IP + Nortriptyline Hydrochloride IP eq. to Nortriptyline (100mg +10mg & 200mg +10mg) (Additional Dosage form)	For the treatment of Neuropathic pain	23.07.2022
30.	FDC of Amino Acid and Carbohydrate Injection with Electrolytes and Vitamin B1- (Brand Name: BFLUID) 1. Upper chamber contains (500ml): Acetyl cysteine JP 0.202gm + Glycine JP 0.885gm + L-Alanine USP 1.200gm + L- Arginine USP 1.575gm + L-Aspartic acid BP 0.150gm + L- Glutamic acid BP	Provision of amino acids, electrolytes, vitamin B1, and water via a peripheral vein to patients with mild hypoproteinemia or mild malnutrition due to inadequate oral intake, and before and after gastrointestinal surgery.	02.08.2022

	0.150gm + L-Histidine USP 0.750gm + L- Isoleucine JP 1.200gm + L- Leucine JP 2. 100gm + L-Lysine Hydrochloride JP 1.965gm + L- Methionine JP 0.585gm + L- Phenylalanine JP 1.050gm + L-Proline USP 0.750gm + L-Serine USP 0.450gm + L-Threonine JP 0.855gm + L-Tryptophan JP 0.300gm + L- Tyrosine USP 0.075gm + L-Valine JP 1.200gm + Dibasic Potassium Phosphate USP 0.501gm + Dibasic Sodium Phosphate Hydrate JP 0.771gm + Sodium Citrate Hydrate JP 0.285gm + Sodium L-Lactate solution (60%) (as Sodium L-Lactate) USP 1.145gm Lower chamber contains (500ml): Calcium Chloride Hydrate JP 0.184gm + Glucose USP 37.499gm + Magnesium Sulfate Hydrate JP 0.308gm + Potassium chloride JP 0.317gm + Thiamine Chloride Hydrochloride JP 0.96mg + Zinc sulphate Hydrate JP 0.70mg 2. Upper chamber contains (1000ml): Acetyl cysteine JP 0.404gm + Glycine JP 1.770gm + L-Alanine USP 2.400gm + L- Arginine USP 3.150gm + L-Aspartic acid BP 0.300gm + L- Glutamic acid BP 0.300gm + L- Histidine USP 1.500gm + L- Isoleucine JP 2.400gm + L-Leucine JP 4.200gm + L-Lysine Hydrochloride JP 3.930gm + L-Methionine JP 1.170gm + L- Phenylalanine JP 2.100gm + L-Proline USP 1.500gm + L-Serine USP 0.900gm + L-Threonine JP 1.710gm + L-Tryptophan JP 0.600gm + L-Tyrosine USP 0.150gm + L-Valine JP 2.400gm + Dibasic Potassium Phosphate USP 1.002gm + Dibasic Sodium Phosphate Hydrate JP 1.542gm + Sodium Citrate Hydrate JP 0.570gm + Sodium L-Lactate solution (60%) (as Sodium L-Lactate) USP 2.290gm Lower chamber contains (1000ml): Calcium Chloride Hydrate JP 0.368gm + Glucose USP 74.998gm + Magnesium Sulfate Hydrate JP 0.616gm + Potassium chloride JP 0.634gm + Thiamine Chloride Hydrochloride JP 1.920mg + Zinc sulphate Hydrate JP 1.400mg		
--	--	--	--

31.	Each Chewable uncoated tablet contains: Magnesium Hydroxide IP...165mg Calcium Carbonate IP.....800mg Femotidine IP... 10mg	For the treatment of conditions where neutralization of gastric acid and a controlled reduction of gastric secretion is required, such as acid indigestion, heartburn, sour or upset stomach	08.09.2022
32.	Each film coated tablet contains: Sitagliptin Phosphate monohydrate IP eq. to Sitagliptin + Dapagliflozin Propanediol monohydrate eq. to Dapagliflozin (50mg + 10mg & 100mg + 5mg)	It is indicated for the treatment of type 2 diabetes mellitus inadequately controlled on metformin monotherapy	16.09.2022
33.	Each film coated tablet contains: Vildagliptin.....50mg Pioglitazone Hydrochloride IP eq. to Pioglitazone... 15mg	For the treatment of type 2 diabetes mellitus inadequately controlled on metformin monotherapy	16.09.2022
34.	Each Film Coated tablet contains: Alpha Lipoic Acid USP 200mg Mecobalamin IP..... 1500mcg Myo-Inositol BP...100mg Folic Acid IP... 1.5mg Pyridoxine Hydrochloride IP...3mg Chromium Picolinate USP eq. to elemental Chromium200mcg Benfotiamine...200mg	For the treatment of diabetic neuropathic	16.09.2022
35.	Each film coated bilayered tablet contains: Dapagliflozin Propanediol monohydrate eq. to Dapagliflozin + Sitagliptin Phosphate IP eq. to Sitagliptin + Metformin Hydrochloride IP (as an extended release form) (10mg + 100mg + 500mg & 10mg + 100mg + 1000mg)	It is indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus	16.09.2022
36.	Each film coated tablet contains: Rosuvastatin Calcium IP eq. to Rosuvastatin 40mg Bempedoic acid.... 180mg	For the treatment of adults with heterozygous familial hypercholesterolemia or established atherosclerotic cardiovascular disease who require additional lowering of LDL-C	19.09.2022

37.	Each film coated tablet contains: Atorvastatin Calcium IP eq. to Atorvastatin..... 80mg Bempedoic acid.... 180mg	It is indicated as an adjunct to diet and maximally tolerated statin therapy for the treatment of adults with heterozygous familial hypercholesterolemia or established atherosclerotic cardiovascular disease who required additional lowering of LDL C.	24.09.2022
38.	Each Film Coated Tablet contains: Teneligliptin Hydrobromide Hydrate eq. to Teneligliptin IP + Dapagliflozin Propanediol monohydrate eq. to Dapagliflozin (20mg + 5mg & 20mg + 10mg)	For the treatment of patients with type 2 diabetes mellitus inadequately controlled on metformin monotherapy.	06.10.2022
39.	Each Film Coated Tablet contains: Ezetimibe IP... 10mg Rosuvastatin Calcium IP eq. to Rosuvastatin 20mg (In additional Strength)	For the treatment of patients with primary hypercholesterolemia	14.10.2022
40.	Each 20ml vial contains: Ceftazidime pentahydrate equivalent to Ceftazidime 2gm Avibactam Sodium equivalent to Avibactam..... 0.5gm (In additional Indication)	Treatment of infections due to aerobic Gram-negative organisms in adult patients with limited treatment options	14.10.2022
41.	Each actuation delivers: Indacaterol Maleate eq. to Indacaterol..... 75mcg Budesonide IP.... 200mcg	Indicated for treatment of patients with moderate to severe COPD.	21.10.2022
42.	Each actuation delivers: Vilanterol Trifenatate eq. to Vilanterol + Fluticasone Furoate (12.5mcg + 50mcg & 12.5mcg + 100mcg)	Indicated in the patients with persistent asthma aged 18 years and older.	21.10.2022
43.	Each uncoated bilayered tablet contains: Atorvastatin Calcium IP eq. to Atorvastatin 40mg + Clopidogrel Sulphate IP eq. to Clopidogrel 75mg (In additional Strength)	For the treatment of dyslipidemia associated with atherosclerotic arterial disease with risk of myocardial infarction, stroke or peripheral vascular disease.	31.10.2022

44.	Each capsule contains: Indacaterol Maleate eq. to Indacaterol + Budesonide IP (75mcg + 200mcg & 150mcg + 400mcg)	In patients with chronic obstructive pulmonary disease	31.10.2022
45.	Each Film Coated Tablet contains: Bisoprolol Fumarate IP + Telmisartan IP (2.5mg + 40mg & 5mg+40mg)	For the treatment of stage 1 and stage 2 hypertension	02.11.2022
46.	Each film coated bilayered tablets contains: Teneligliptin Hydrobromide Hydrate IP eq. to Teneligliptin + Metformin Hydrochloride IP (as sustained release) + Pioglitazone Hydrochloride IP (20mg + 500mg + 15mg & 20mg + 1000mg + 15mg)	As 3rd line treatment of type II diabetes mellitus when diet, exercise and the single agents and the second line therapy with two drugs do not result in adequate glycemic control	04.11.2022
47.	Each capsule contains: Mometasone Furoate eq. to 136mcg of Mometasone Furoate IP 160mcg + Glycopyrronium Bromide eq. to 46mcg of Glycopyrronium Ph. Eur. 63mcg + Indacaterol Acetate eq. to 114mcg of Indacaterol IH 173mcg	Indicated as a maintenance treatment of asthma in adult patients not adequately controlled with a maintenance combination of long acting beta 2 agonist and a high dose of an inhaled corticosteroid who experienced one or more asthma exacerbations in a previous year.	07.11.2022
48.	Each uncoated bilayered tablet contains: Desvenlafaxine Succinate USP eq. to Desvenlafaxine (as extended release form)50mg Clonazepam IP0.25mg (In additional Strength)	For the treatment of depression	07.11.2022
49.	FDC of Bempedoic Acid 180mg + Ezetimibe 10mg film coated tablet	It is indicated as an adjunct to diet and maximally tolerated statin therapy for the treatment of adults with heterozygous familial hypercholesterolemia or established atherosclerotic cardiovascular disease who required additional lowering of LDL C.	09.11.2022

50.	Each uncoated bilayered tablet contains: Vildagliptin 100mg (as sustained release) + Dapagliflozin Propanediol Monohydrate eq. to Dapagliflozin 10mg + Metformin Hydrochloride IP (as sustained release) 1000mg	For the treatment of patients with Type 2 Diabetes Mellitus	18.11.2022
51.	Vildagliptin IP (as sustained release) 100mg + Dapagliflozin Propanediol Monohydrate eq. to Dapagliflozin 10mg + Metformin Hydrochloride IP (as sustained release) 500mg film coated bilayered tablets (In additional Strength)	For the treatment of patients with Type 2 Diabetes Mellitus	18.11.2022
52.	Each 5ml oral liquid contains: Chlorpheniramine Maleate IP + Noscapine IP (2mg + 7mg & 4mg + 15mg)	For the treatment of dry, irritating cough associated with running nose	25.11.2022
53.	Zinc Sulphate Monohydrate IP + Sodium Citrate IP + Potassium Chloride IP + Sodium Chloride IP + Dextrose Anhydrous IP (0.011gm + 0.580gm + 0.300gm + 0.520gm + 2.700gm per 4.38gm sachet & 0.055gm + 2.90gm + 1.50gm + 2.60gm + 13.50gm per 21.9gm sachet	For oral rehydration in various etiology	25.11.2022
54.	Dutasteride IP + Silodosin JP (0.5mg + 4mg & 0.5mg + 8mg) uncoated bilayered tablets	For the treatment of the signs and symptoms of BPH in men with an enlarged prostate.	09.12.2022
55.	Pantoprazole Sodium (as enteric coated pellets) + Aspirin (as enteric coated pellets) (20mg + 81mg & 20mg + 150mg) hard gelatin capsules	Prevention of gastroduodenal damage in patients taking aspirin for secondary prevention of cardiovascular and cerebrovascular	13.12.2022
56.	Azilsartan Medoxomil + Amlodipine IP(40mg + 5mg & 80mg + 5mg) film coated tablets	For the treatment of stage 2 hypertension	15.12.2022
57.	Brimonidine Tartrate IP 1mg + Brinzolamide IP 10mg per ml ophthalmic suspension (In additional Strength)	It is indicated for patients with primary open-angle glaucoma or ocular hypertension.	16.12.2022

58.	Pregabalin + Duloxetine Hydrochloride IP eq. to Duloxetine (As gastro-resistant pellets) (75mg + 20mg & 50mg +10mg) Hard Gelatin Capsules	For the treatment of peripheral Neuropathic pain	16.12.2022
59.	Levodopa 200mg + Benserazide HCl eq. to Benserazide 50mg tablets	For the treatment of Parkinson's disease and Restless Legs Syndrome	16.12.2022

Note 1: It may be stated that the above list of FDCs is prepared as per the records available with the office of DCG (I). In case any inconsistency is observed, same may be brought to the notice of DCG (I) for necessary action.

Note 2: As per DCGI letter dated 23.09.2011, 04.04.2012 & 13.09.2013 regarding limiting of Paracetamol in prescription combination products, lowering of Paracetamol content to 325mg is applicable to the combinations of paracetamol with other analgesic/anti-inflammatory drugs.