

Shortcut of Linux Command

04 December 2024 14:01

Here's a list of **commonly used Linux commands** with their most useful **options** and descriptions:

File and Directory Management

Command	Option	Description
ls	-l	List files in long format (permissions, ownership, size).
	-a	Show hidden files.
	-h	Show sizes in human-readable format (e.g., KB, MB).
cd	..	Go up one directory level.
mkdir	-p	Create parent directories if they don't exist.
rm	-r	Recursively delete directories and their contents.
	-i	Prompt before every removal.
cp	-r	Copy directories recursively.
	-v	Show detailed output of the copy process.
mv	-v	Show detailed output of the move/rename process.
find	-name	Search files by name.
	-size	Search files by size (e.g., +100M for files >100MB).

File Viewing and Editing

Command	Option	Description
cat	-n	Number all lines in the output.
less	-N	Show line numbers while viewing.
head	-n	Display the first <i>n</i> lines (e.g., head -n 10).
tail	-n	Display the last <i>n</i> lines.
	-f	Continuously watch a file for updates (e.g., logs).
grep	-i	Perform a case-insensitive search.
	-r	Search recursively in directories.
	-v	Invert the match (show lines that don't match).

Process Management

Command	Option	Description
ps	-aux	Show all running processes with detailed info.
top	-d [seconds]	Refresh at specified intervals (default is 3 seconds).
	-u [user]	Show processes for a specific user.
kill	-9	Forcefully terminate a process (e.g., kill -9 PID).
pkill	-f	Match full command name when killing processes.

Disk and Memory Usage

Command	Option	Description
df	-h	Show disk usage in human-readable format.
	-T	Show the filesystem type (e.g., ext4, xfs).
du	-h	Display sizes in human-readable format.
	-s	Show a summary of the directory size.
free	-h	Show memory usage in human-readable format.

Networking

Command	Option	Description
ping	-c [count]	Limit the number of pings (e.g., ping -c 4).
netstat	-tuln	Show listening ports and associated services.
traceroute	[host]	Trace the route packets take to a network host.
curl	-O	Download a file from a URL.
	-I	Fetch HTTP headers only.
	-L	Follow redirects.

Archiving and Compression

Command	Option	Description
tar	-cvf [file.tar]	Create a tar archive.
	-xvf [file.tar]	Extract a tar archive.
	-z	Compress or decompress with gzip.
gzip	[file]	Compress a file.
	-d	Decompress a file.
zip	-r [file.zip] [dir]	Recursively compress a directory into a zip file.
unzip	-l	List contents of a zip file.

User Management

Command	Option	Description
who		Show logged-in users.
whoami		Show the current logged-in user.
id		Display user ID (UID) and group ID (GID).
useradd	-m	Create a home directory for the new user.
passwd		Set or change a user's password.

Package Management

Command	Option	Description
apt	update	Update the list of available packages.
	upgrade	Upgrade all installed packages.
	install [package]	Install a package.
yum	update	Update all packages on Red Hat-based systems.

	install [package]	Install a package.
--	-------------------	--------------------

Keyboard Shortcuts

Shortcut	Action
Ctrl + C	Terminate the current command.
Ctrl + Z	Suspend the current command.
Ctrl + L	Clear the terminal screen.
Ctrl + R	Search command history interactively.
!!	Run the last command.
! <command>	Run the most recent invocation of a specific command.
Tab	Auto-complete commands and file names.

Disk and Filesystem Management

Command	Option	Description
df	-h	Display disk usage in human-readable format.
	-T	Show filesystem types.
du	-h	Show sizes in human-readable format.
	-s	Show a summary of the directory size.
lsblk		Display block device information.
blkid		Show UUID and filesystem type of devices.
mount	-t [type] [device] [dir]	Mount a filesystem of a specific type.
umount		Unmount a device or directory.

User and Permission Management

Command	Option	Description
chmod	[permissions] [file]	Change file permissions (e.g., chmod 755 file).
	-R	Apply changes recursively.
chown	[owner] [file]	Change the owner of a file.
	[owner]:[group]	Change both owner and group.
useradd	-m	Create a home directory for the new user.
	-s [shell]	Specify the shell for the user.
passwd		Set or change a user's password.

Archiving and Compression

Command	Option	Description
tar	-cvf [file.tar] [dir]	Create an uncompressed tar archive.
	-xvf [file.tar]	Extract a tar archive.
	-czvf [file.tar.gz]	Create a gzip-compressed tarball.
zip	-r [file.zip] [dir]	Compress a directory into a zip file.

unzip	-l	List the contents of a zip file.
gzip		Compress a file.
	-d [file.gz]	Decompress a file.

Package Management

Command	Option	Description
apt	update	Update the list of available packages.
	upgrade	Upgrade all installed packages.
	install [package]	Install a package.
yum	install [package]	Install a package (RedHat/CentOS).
	update	Update all installed packages.
snap	install [package]	Install a Snap package.

Utilities and Shortcuts

Command	Option/Shortcut	Description
history		View command history.
!!		Run the last command.
clear		Clear the terminal screen.
alias	[name]='[command]'	Create a shortcut for a command.
Ctrl + C		Terminate a running command.
Ctrl + Z		Suspend a running command.
Ctrl + R		Search command history interactively.