

Python String Revision Chart

This revision sheet covers Python string properties, built-in functions, methods, and operations with simple examples and outputs.[cite:32][cite:42][cite:43][cite:49]

String chart

Section	Number	Topic	Explanation	Example	Output
Properties	1	Syntax	String is written inside single quotes ' ' or double quotes " ". [cite:32]	<code>s = "Python"</code>	Python
Properties	2	Type	String is immutable, so its characters cannot be changed directly after creation. [cite:32] [cite:39]	<code>s = "cat" then s[0] = "b"</code>	Error
Properties	3	Ordered	String keeps character order, so position matters. [cite:32]	<code>"Python"[0]</code>	'P'
Properties	4	Indexing	One character can be accessed using an index number. [cite:32]	<code>s = "hello" print(s[1])</code>	e
Properties	5	Slicing	Part of a string can be taken using start and end index. [cite:32]	<code>s = "python" print(s[1:4])</code>	yth

Section	Number	Topic	Explanation	Example	Output
Properties	6	Repetition allowed	A string can be repeated using <code>*</code> . [cite:42]	<code>print("hi" * 3)</code>	hihihi
Properties	7	Concatenation allowed	Two strings can be joined using <code>+</code> . [cite:42]	<code>print("good" + " morning")</code>	good morning
Built-in Function	1	<code>len()</code>	Returns total number of characters. [cite:43]	<code>print(len("hello"))</code>	5
Built-in Function	2	<code>min()</code>	Returns smallest character in alphabetic or ASCII order. [cite:43]	<code>print(min("abc"))</code>	a
Built-in Function	3	<code>max()</code>	Returns largest character in alphabetic or ASCII order. [cite:43]	<code>print(max("abc"))</code>	c
Built-in Function	4	<code>sorted()</code>	Returns characters in sorted list form. [cite:43]	<code>print(sorted("cab"))</code>	['a', 'b', 'c']
Built-in Function	5	<code>reversed()</code>	Returns a reverse iterator, often converted to a list or joined string. [cite:43]	<code>print(list(reversed("abc")))</code>	['c', 'b', 'a']
Built-in Function	6	<code>in</code>	Checks whether a character or word exists in the string. [cite:43]	<code>print("py" in "python")</code>	True

Section	Number	Topic	Explanation	Example	Output
Built-in Function	7	not in	Checks whether a character or word does not exist in the string. [cite:43]	<code>print("z" not in "python")</code>	True
Method	1	<code>upper()</code>	Converts all letters to uppercase. [cite:49]	<code>print("hello".upper())</code>	HELLO
Method	2	<code>lower()</code>	Converts all letters to lowercase. [cite:49]	<code>print("HELLO".lower())</code>	hello
Method	3	<code>title()</code>	Makes the first letter of each word capital. [cite:49]	<code>print("hello world".title())</code>	Hello World
Method	4	<code>capitalize()</code>	Makes only the first letter capital. [cite:49]	<code>print("python".capitalize())</code>	Python
Method	5	<code>count()</code>	Counts how many times a character or word appears. [cite:49]	<code>print("banana".count("a"))</code>	3
Method	6	<code>find()</code>	Gives the first position of a character or word; if not found, it returns -1.[cite:49]	<code>print("python".find("t"))</code>	2
Method	7	<code>index()</code>	Works like <code>find()</code> but raises an error if the item is missing. [cite:49]	<code>print("python".index("t"))</code>	2

Section	Number	Topic	Explanation	Example	Output
Method	8	<code>replace()</code>	Replaces old text with new text. [cite:49]	<code>print("I like tea".replace("tea", "coffee"))</code>	I like coffee
Method	9	<code>split()</code>	Breaks the string into a list.[cite:49]	<code>print("a b c".split())</code>	['a', 'b', 'c']
Method	10	<code>strip()</code>	Removes spaces from both sides. [cite:49]	<code>print(" hello ".strip())</code>	hello
Method	11	<code>lstrip()</code>	Removes spaces from the left side only. [cite:49]	<code>print(" hello ".lstrip())</code>	hello
Method	12	<code>rstrip()</code>	Removes spaces from the right side only. [cite:49]	<code>print(" hello ".rstrip())</code>	hello
Method	13	<code>startswith()</code>	Checks whether the string starts with given text. [cite:49]	<code>print("python".startswith("py"))</code>	True
Method	14	<code>endswith()</code>	Checks whether the string ends with given text. [cite:49]	<code>print("python".endswith("on"))</code>	True
Operation	1	Concatenation +	Joins two strings. [cite:42]	<code>print("data" + "base")</code>	database
Operation	2	Repetition *	Repeats the string many times. [cite:42]	<code>print("ha" * 3)</code>	hahaha
Operation	3	Indexing []	Gets one character by position. [cite:42]	<code>print("python"[0])</code>	p

Section	Number	Topic	Explanation	Example	Output
Operation	4	Negative indexing	Gets characters from the end. [cite:42]	<code>print("python"[-1])</code>	n
Operation	5	Slicing [:]	Gets a part of the string. [cite:42]	<code>print("python"[1:5])</code>	ytho
Operation	6	Step slicing	Gets characters by skipping. [cite:42]	<code>print("python"[0:6:2])</code>	pto

Strip methods

- `strip()` removes spaces from both sides.[cite:49]
- `lstrip()` removes spaces only from the left side.[cite:49]
- `rstrip()` removes spaces only from the right side.[cite:49]