

Task 1: Deploy a Static Website on AWS S3 / Cloud Storage

Objective

The objective of this task is to deploy a static website using AWS S3 cloud storage and make it publicly accessible through a website URL.

Tools Used


AWS Management Console

Amazon S3

HTML/CSS Website Files


Step 1: Login to AWS Management Console

First, I logged into the AWS Management Console using my AWS account credentials. AWS provides various cloud services that help users deploy and manage applications over the internet.




Step 2: Create an S3 Bucket

I created a new S3 bucket, which acts as a storage container for website files.




Step 3: Upload Website Files

After creating the bucket, I uploaded the website files such as HTM and CSS into the bucket. These files contain the content and design of the website.




Step 4: Enable Static Website Hosting

I enabled the Static Website Hosting feature in the bucket properties. This feature allows Amazon S3 to host and serve website content directly to users through a web browser.



Step 5: Configure Public Access Permissions

By default, S3 buckets are private. To make the website accessible to everyone, I modified the bucket permissions and disabled the block public access settings.



Step 6: Add Bucket Policy


A bucket policy was added to grant read access to website files stored in the bucket.

Code Snippet of bucket Policy

```
{  
  
  "Version": "2012-10-17",  
  
  "Statement": [  
  
    {  
  
      "Sid": "PublicReadGetObject",  
  
      "Effect": "Allow",  
  
      "Principal": "*",  
  
      "Action": "s3:GetObject",  
  
      "Resource": "arn:aws:s3:::vaishnavi-cloud-task1/*"  
    }  
  ]  
}
```


The policy allows anyone on the internet to view and download the website files, which is necessary for hosting a public static website.

- **Version:** Specifies the policy language version.
- **Effect: Allow:** Grants permission.
- **Principal: "*":** Allows access to all users.
- **Action: "s3:GetObject":** Permits users to read objects stored in the bucket.
- **Resource:** Specifies all files inside the bucket vaishnavi-cloud-task1.




Step 7: Access the Website Using Endpoint URL

AWS generated a website endpoint URL after enabling static website hosting. I opened the URL in a browser and verified that the website was successfully displayed.



Website URL:

<http://vaishnavi-cloud-task1.s3-website-us-east-1.amazonaws.com>



Result

The static website was successfully deployed on Amazon S3 and was accessible through a public website URL.

Conclusion

This task helped me understand how cloud storage services can be used for website hosting. Amazon S3 provides a simple and cost-effective solution for hosting static websites without requiring a traditional web server.