

**Task 3: Create A Serverless Function (Aws Lambda / Cloud Function)**

**Intern Name: Vaishnavi Maddenapally**

**Internship: Cloud Computing Internship**

**Organization: Alfido Tech**

## TASK 3: CREATE A SERVERLESS FUNCTION (AWS LAMBDA / CLOUD FUNCTION)

### Objective


The objective of this task is to create a serverless function using AWS Lambda that returns a JSON response. The function is deployed without managing any servers and is exposed through a public Function URL.

### Tools Used

- AWS Management Console
- AWS Lambda
- Python 3.x
- AWS Function URL
- Web Browser


### Step 1: Open AWS Lambda Service

First, I logged in to the AWS Management Console and navigated to the AWS Lambda service. AWS Lambda allows developers to run code without provisioning or managing servers.



## Step 2: Create a New Lambda Function

A new Lambda function named "alfido-cloud-task3" was created using the Python runtime environment. The default execution role was used to provide the necessary permissions.



## Step 3: Python Code


The Lambda function was configured to return a JSON response containing internship and project information.

### Code Used:

```
import json


def lambda_handler(event, context):
    return {
        'statusCode': 200,
        'body': json.dumps({
            'status': 'Success',
            'project': 'AWS Lambda Serverless Function',
            'internship': 'Cloud Computing Internship - Alfido Tech',
            'intern': 'Vaishnavi Maddenapally',
            'technology': 'AWS Lambda, Python, Serverless Computing',
            'message': 'Function executed successfully and returned JSON response.',
            'timestamp': '2026-06-06'
```

})  
}




## Step 4: Test the Function

A test event named "testevent" was created and executed. The Lambda function ran successfully and returned the expected JSON output.




## Step 5: Configure Function URL

A public Function URL was configured for the Lambda function. Authentication was set to "NONE" so that the endpoint could be accessed publicly through a web browser.



## Step 6: Access the Endpoint URL

The generated Function URL was opened in a web browser. The Lambda function successfully returned a JSON response containing the project details.



## Output:

[ugofmmuaswh2fpqqzt3chvw2pm0oorui.lambda-url.us-east-1.on.aws](https://ugofmmuaswh2fpqqzt3chvw2pm0oorui.lambda-url.us-east-1.on.aws)

The AWS Lambda serverless function executed successfully and returned the following JSON response:

```
{  
  "status": "Success",  
  "project": "AWS Lambda Serverless Function",  
  "internship": "Cloud Computing Internship - Alfido Tech",  
  "intern": "Vaishnavi Maddenapally",  
  "technology": "AWS Lambda, Python, Serverless Computing",  
  "message": "Function executed successfully and returned JSON response.",  
  "timestamp": "2026-06-06"  
}
```

## Conclusion

This task provided practical experience with serverless computing using AWS Lambda. It demonstrated how cloud functions can execute code on demand without managing infrastructure and how APIs can return structured JSON responses through public endpoints.