



# Excel Dashboard


## 1. Blinkit Sales & Inventory Dashboard -



After applying filters:



## 2. Pivot Reports Dashboard –



## 3. Excel Calculated Columns used in dashboard:

1. Month =DATE(YEAR([@[Order\_Date]]),MONTH([@[Order\_Date]]),1)

2. Month Name =TEXT([@[Order\_Date]],"mmmmmmmm")

3. Year =YEAR([@[Order\_Date]])
4. Sales in Lakh =[@[Sales\_Amount]]/100000
5. Inventory Status  
=IF([@[Inventory\_Available]]<=[@[Reorder\_Level]],"Reorder Required",  
"Sufficient")

#### **4. Excel Calculations:**


1. Total Sales =SUM(tblBlinkit!K2:K501)
2. Total Orders =SUM(tblBlinkit!T2:T501)
3. Total Quantity =SUM(tblBlinkit!H2:H501)
4. Average Order Value =SUM(tblBlinkit!K2:K501)/SUM(tblBlinkit!T2:T501)
5. Average Rating =AVERAGE(tblBlinkit!L2:L501)
6. Reorder Required =COUNTIF(tblBlinkit!U2:U501,"Reorder Required")

# Power Bi Dashboard


## 1. Blinkit Dashboard Introduction Page -




## 2. KPI Dashboard –




## After applying Slicers/Filters to the KPI Dashboard –




## 3. Sales Trend Analysis –




After applying Slicers/Filters to Sales Trend Analysis Dashboard –



4. Sales Forecasting Analysis –



## After applying Slicers/Filters to Sales Forecasting Analysis Dashboard –



### 5. Power Bi Calculated columns used in dashboard:

- Day Type = IF(WEEKDAY('Blinkit\_Tableau\_Dataset'[Order\_Date], 2) <= 5, "Weekday", "Weekend")
- Month Number = YEAR('Blinkit\_Tableau\_Dataset'[Month Start]) \* 100 + MONTH('Blinkit\_Tableau\_Dataset'[Month Start])
- Month Start = DATE(YEAR('Blinkit\_Tableau\_Dataset'[Order\_Date]), MONTH('Blinkit\_Tableau\_Dataset'[Order\_Date]), 1)
- Month Year = FORMAT('Blinkit\_Tableau\_Dataset'[Order\_Date], "MMM-yy")
- Month Year Sort = YEAR('Blinkit\_Tableau\_Dataset'[Order\_Date]) \* 100 + MONTH('Blinkit\_Tableau\_Dataset'[Order\_Date])


## 6. Power Bi Measures used in dashboard:

1. Average Monthly Sales =  
`AVERAGEX(VALUES('Blinkit_Tableau_Dataset'[Month Start]),CALCULATE([Total Sales]))`
2. Average Monthly Sales Lakh = `DIVIDE([Average Monthly Sales], 100000)`
3. Average Order Value = `DIVIDE([Total Sales],[Total Orders])`
4. Average Rating = `AVERAGE('Blinkit_Tableau_Dataset'[Customer_Rating])`
5. Forecast Next Month =  
`AVERAGEX(TOPN(3,VALUES('Blinkit_Tableau_Dataset'[Month Start]),'Blinkit_Tableau_Dataset'[Month Start],DESC),CALCULATE([Total Sales]))`
6. Forecast Next Month Lakh = `DIVIDE([Forecast Next Month], 100000)`
7. Highest Monthly Sales = `MAXX(VALUES('Blinkit_Tableau_Dataset'[Month Start]),CALCULATE([Total Sales]))`
8. Highest Monthly Sales Lakh = `DIVIDE([Highest Monthly Sales], 100000)`
9. Low Stock Items =  
`CALCULATE(DISTINCTCOUNT('Blinkit_Tableau_Dataset'[Product]),'Blinkit_Tableau_Dataset'[Inventory_Status] = "Low Stock")`
10. Lowest Monthly Sales = `MINX(VALUES('Blinkit_Tableau_Dataset'[Month Start]),CALCULATE([Total Sales]))`
11. Lowest Monthly Sales Lakh = `DIVIDE([Lowest Monthly Sales], 100000)`
12. MoM Sales Growth % = `DIVIDE([Total Sales] - [Previous Month Sales], [Previous Month Sales])`


13. Out of Stock Items =  
CALCULATE(DISTINCTCOUNT('Blinkit\_Tableau\_Dataset'[Product]),'Blinkit\_Tableau\_Dataset'[Inventory\_Status] = "Out of Stock")
14. Previous Month Sales = CALCULATE([Total Sales],DATEADD('Blinkit\_Tableau\_Dataset'[Order\_Date], -1,MONTH))
15. Total Discount Amount = SUM('Blinkit\_Tableau\_Dataset'[Gross\_Sales]) - SUM('Blinkit\_Tableau\_Dataset'[Net\_Sales])
16. Total Inventory = SUM('Blinkit\_Tableau\_Dataset'[Inventory\_Available])
17. Total Orders = DISTINCTCOUNT('Blinkit\_Tableau\_Dataset'[Order\_ID])
18. Total Products = DISTINCTCOUNT('Blinkit\_Tableau\_Dataset'[Product])
19. Total Quantity Sold = SUM('Blinkit\_Tableau\_Dataset'[Quantity])
20. Total Sales = SUM('Blinkit\_Tableau\_Dataset'[Net\_Sales])
21. Total Sales Lakh = DIVIDE([Total Sales], 100000)

# Tableau Dashboard

## 1. Blinkit Sales & Inventory Dashboard –



## After applying Slicers/Filter to the Blinkit Sales & Inventory Dashboard –



## 2. Tableau Calculated Columns used in dashboard –

### 1. Average Customer Rating:

Average Customer R

×

`AVG([Customer Rating])`

The calculation is valid.2 Dependencies ▾

Apply

OK

### 2. Average Order Value:

Average Order Value

×

`SUM([Net Sales])/COUNTD([Order ID])`

The calculation is valid.2 Dependencies ▾

Apply

OK

### 3. Reorder Required:

Reorder Required

×

`IF [Inventory Available] <= [Reorder Level]  
THEN 1  
ELSE 0  
END`

The calculation is valid.2 Dependencies ▾

Apply

OK

#### 4. Sales Lakh:

Sales Lakh

×

SUM([Net Sales]) / 100000

▶

The calculation is valid.

6 Dependencies ▾

Apply

OK

#### 5. Total Orders:

Total Orders

×

COUNTD([Order ID])

▶

The calculation is valid.

2 Dependencies ▾

Apply

OK

#### 6. Total Quantity Sold:

Total Quantity Sold

×

SUM([Quantity])

▶

The calculation is valid.

2 Dependencies ▾

Apply

OK

## 7. Total Reorder Required:

Total Reorder Requir

×

SUM([Reorder Required])

▶

The calculation is valid.

1 Dependency ▾

Apply

OK

## 8. Total Sales:

Total Sales

×

SUM([Net Sales])

▶

The calculation is valid.

2 Dependencies ▾

Apply

OK