


Assignment no: 9

- First, open the htdocs folder of XAMPP in Command Prompt.
Path:C:\xampp\htdocs
- Run the following command in CMD to create a new Laravel project named pooja:
laravel new vaishnavi
- Select none for Starter Kit and 0 for Testing Framework.
- Select no for AI-assisted coding, choose mysql as the database, and select yes for default database migration.
- Select yes for ignore scripts option.
- Execute the following commands:
cd vaishnavi
composer run dev
- Open the browser and search
<http://localhost:8000>

```
Application ready in [vaishnavi]. You can start your local development using:
→ cd vaishnavi
→ composer run dev


New to Laravel? Check out our documentation. Build something amazing!

C:\xampp.php\htdocs>cd vaishnavi
C:\xampp.php\htdocs\vaishnavi>composer run dev
> Composer\Config::disableProcessTimeout
> npx concurrently -c "#93c5fd,#c4b5fd,#fdba74" "php artisan serve" "php artisan queue:listen"
[vite] > dev
[vite] > vite
[vite]
[queue] INFO Processing jobs from the [default] queue.
[vite]
VITE v7.3.3 ready in 419 ms
→ Local: http://localhost:5173/
→ Network: use --host to expose
[server] INFO Server running on [http://127.0.0.1:8000].
[server] Press Ctrl+C to stop the server
[server]
LARAVEL v12.59.0 plugin v2.1.0
→ APP_URL: http://localhost:8000
[server] 2026-05-16 23:53:17 / .....
0.11ms
[server] 2026-05-16 23:53:17 /favicon.ico .....
2.15ms
[server] 2026-05-16 23:53:17 .....
5m 2s
```



- Create a new view :
php artisan make:view home
- Open the web.php file and create a route for the home page.
- Open the home.blade.php file and add the required HTML code.
- Open the browser and search:

<http://localhost:8000/home>




The screenshot shows the Visual Studio Code editor with two tabs: 'web.php' and 'home.blade.php'. The 'home.blade.php' file is open, displaying the following HTML code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <h1>vaishnavi this is my home page</h1>
10 </body>
11 </html>
```

Below the editor, the terminal window shows the command 'php artisan make:view home' being executed. An information message states: 'View [C:\xampp.php\htdocs\vaishnavi\resources\views\home.blade.php] created successfully.'



- Create a new view :
php artisan make:view about
- Open the web.php file and create a route for the about page.
- Open the about.blade.php file and add the required HTML code.
- Open the browser and search:
<http://localhost:8000/about>




The screenshot shows the VS Code editor with the `about.blade.php` file open. The file contains the following HTML code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <h1>vaishnavi this is my about page</h1>
10 </body>
11 </html>
```

The terminal at the bottom shows the following commands and output:

```
PS C:\xampp.php\htdocs\vaishnavi> php artisan make:view home
[INFO] View [C:\xampp.php\htdocs\vaishnavi\resources\views\home.blade.php] created successfully.
PS C:\xampp.php\htdocs\vaishnavi> php artisan make:view about
[INFO] View [C:\xampp.php\htdocs\vaishnavi\resources\views\about.blade.php] created successfully.
PS C:\xampp.php\htdocs\vaishnavi>
```



vaishnavi this is my about page