

Python Loop MCQ Questions with Answers

1) What is the idiomatic way to create an infinite loop in Python?

- A) for (;;) :
- B) while True:
- C) loop:
- D) while 1 == 1:

Answer: B

2) When does the else block attached to a for or while loop execute in Python?

- A) Every time an iteration finishes.
- B) Only if the loop is terminated abruptly by a break statement.
- C) Only when the loop completes normally, without encountering a break.
- D) When the loop throws an exception.

Answer: C

3) What is the output of the following code? for char in "Hi": print(char * 2)

- A) HiiH
- B) HHii
- C) HH \n ii
- D) HiHi

Answer: C

4) What is the output of the following code?

- A) Done
- B) 1
- C) 0
- D) No output

Answer: D

5) In a standard for loop structure for(initialization; condition; increment/decrement), which part executes exactly once?

- A) Initialization
- B) Condition
- C) Increment/Decrement
- D) Both A and B

Answer: A

6) What happens when you attempt to iterate over a boolean value?

- A) It prints True.

- B) It prints 1.
- C) It throws a TypeError.
- D) It runs infinitely.

Answer: C

7) Trace this nested loop structure carefully. What is the final value of x?

- A) 0
- B) 1
- C) 2
- D) 4

Answer: A

8) Examine this chained comparison inside a while loop condition. What is printed?

- A) 2
- B) 3
- C) 5
- D) 0

Answer: C

9) What is the length of the string s after this loop completes?

- A) 3
- B) 4
- C) 6
- D) 8

Answer: D

10) How many times is x incremented?

- A) 5
- B) 3
- C) 2
- D) 0

Answer: B

11) What is the output of this multi-assignment execution?

- A) 2
- B) 3
- C) 5
- D) 4

Answer: C

12) What happens if a continue statement is triggered right before an else block on a while loop?

- A) Prints 2
- B) Prints 0
- C) Prints nothing (the continue bypasses the else)
- D) Throws a SyntaxError

Answer: B

13) Carefully trace the execution flow of these independent if statements. What is the final string?

- A) AABBB
- B) AABBBB
- C) AAAB
- D) AB

Answer: B

14) Trace this Bitwise XOR swap execution over multiple iterations. What gets printed?

- A) 5 3
- B) 3 5
- C) 0 0
- D) 8 2

Answer: A

15) What happens when you reassign the loop variable's data type dynamically inside the loop?

- A) 01 11 21
- B) 1 2 3
- C) 11 11 11
- D) Throws a TypeError: unsupported operand type(s) for +: 'int' and 'str'

Answer: A

16) How does Python handle the modulo operator with negative numbers in this loop?

- A) -0-10
- B) 010
- C) 0-10
- D) Throws a ValueError

Answer: B

17) Trace the execution of this continue statement within nested loops. What is the final value of x?

- A) 0
- B) 2

- C) 4
- D) 6

Answer: B

18) Trace the execution of this for loop involving string multiplication.

- A) 4
- B) 6
- C) 0
- D) 24

Answer: C

19) Examine this chained comparison inside a while loop condition. What is printed?

- A) 2
- B) 3
- C) 5
- D) 0

Answer: C

20) Trace the execution of this for-else construct. What is the output?

- A) Secure prints once.
- B) Secure prints twice.
- C) Nothing is printed.
- D) Throws a SyntaxError.

Answer: A