


WEEK1

2520030198


vaishnavi

K.


1) Create database :



2) select database:



3) create the books table:



4) create members table:

The screenshot shows the SQL Developer interface. The main query window contains the following SQL code:

```
1 CREATE DATABASE IF NOT EXISTS bookflow_bd;
2 USE bookflow_bd;
3 CREATE TABLE books(
4   book_id INT AUTO_INCREMENT PRIMARY KEY,
5   title VARCHAR(255) NOT NULL,
6   isbn VARCHAR(13) NOT NULL UNIQUE,
7   published_year INT,
8   CONSTRAINT chk_published_year CHECK (published_year<2027)
9 );
10
11 CREATE TABLE members(
12   member_id INT AUTO_INCREMENT PRIMARY KEY,
13   full_name VARCHAR(100) NOT NULL,
14   email VARCHAR(150) NOT NULL UNIQUE
15 );
```

The output window shows the execution results:

#	Time	Action	Message	Duration / Fetch
2	08:56:51	CREATE DATABASE IF NOT EXISTS bookflow_bd	1 row(s) affected, 1 warning(s): 1007 Can't create database 'bookflow_bd'; database ...	0.015 sec
3	08:57:26	CREATE DATABASE IF NOT EXISTS bookflow_bd	1 row(s) affected	0.062 sec
4	09:03:16	USE bookflow_bd	0 row(s) affected	0.000 sec
5	09:10:05	CREATE TABLE books(book_id INT AUTO_INCREMENT PRIMARY KEY, title VA...	0 row(s) affected	0.187 sec
6	09:16:19	CREATE TABLE members(member_id INT AUTO_INCREMENT PRIMARY KEY, fu...	0 row(s) affected	0.078 sec

5) Insert the table structure : DESCRIBE books:

The screenshot shows the SQL Developer interface. The main query window contains the following SQL code:

```
11 member_id INT AUTO_INCREMENT PRIMARY KEY,
12 full_name VARCHAR(100) NOT NULL,
13 email VARCHAR(150) NOT NULL UNIQUE
14 );
15 DESCRIBE books;
16
```

The result grid shows the structure of the 'books' table:

Field	Type	Null	Key	Default	Extra
book_id	int	NO	PRI	<u>NULL</u>	auto_increment
title	varchar(255)	NO		<u>NULL</u>	
isbn	varchar(13)	NO	UNI	<u>NULL</u>	
published_year	int	YES		<u>NULL</u>	

The output window shows the execution results:

#	Time	Action	Message	Duration / Fetch
5	09:10:05	CREATE TABLE books(book_id INT AUTO_INCREMENT PRIMARY KEY, title V...	0 row(s) affected	0.187 sec
6	09:16:19	CREATE TABLE members(member_id INT AUTO_INCREMENT PRIMARY KEY, f...	0 row(s) affected	0.078 sec
7	09:19:53	DESCRIBE memebms	Error Code: 1146. Table 'bookflow_bd.memebms' doesn't exist	0.015 sec
8	09:20:23	DESCRIBE memebms	Error Code: 1146. Table 'bookflow_bd.memebms' doesn't exist	0.000 sec
9	09:21:07	DESCRIBE books	4 row(s) returned	0.031 sec / 0.000 sec

DESCRIBE members:

14 ;

15 • DESCRIBE books;

16 • DESCRIBE members;

17

18

19

20

Result Grid

Field	Type	Null	Key	Default	Extra
member_id	int	NO	PRI		auto_increment
full_name	varchar(100)	NO			
email	varchar(150)	NO	UNI		

Result 2 x

Output

Action Output

#	Time	Action	Message
6	09:16:19	CREATE TABLE members(member_id INT AUTO_INCREMENT PRIMARY KEY, f...	0 row(s) affected
7	09:19:53	DESCRIBE memebms	Error Code: 1146. Table 'bookflow_
8	09:20:23	DESCRIBE memebms	Error Code: 1146. Table 'bookflow_
9	09:21:07	DESCRIBE books	4 row(s) returned
10	09:22:38	DESCRIBE members	3 row(s) returned

6) Insert 3 books:

Query 1

16 • DESCRIBE members;

17 • INSERT INTO books (title, isbn, published_year) VALUES

18 ('DBMS', '9087543213457', 1988),

19 ('JAVA', '9877894325134', 2008),

20 ('ML', '9805784321234', 2018);

21 • SELECT * FROM books;

22

Result Grid

book_id	title	isbn	published_year
1	JAVA	9875432135778	1988
2	DBMS	9904215412897	2008
3	ML	9087545455452	2018

books 7 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	09:22:38	DESCRIBE members	3 row(s) returned	0.015 sec / 0.000 sec
11	09:31:54	SELECT * FROM books LIMIT 0, 1000	0 row(s) returned	0.031 sec / 0.000 sec
12	09:33:10	SELECT * FROM books LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
13	09:34:18	SELECT * FROM books LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
14	09:35:24	SELECT * FROM books LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

7) Insert 3 members :

ViewQueryDatabaseServerToolsScriptingHelp

ENT

tr Status

t Connections

s and Privileges

is and System Variables

Export

Import/Restore

up / Shutdown

tr Logs

ons File

NCE

board

rmance Reports

ion Schemas

ect selected

Session

Query 1

Limit to 1000 rows

21 • SELECT * FROM books;

22 • INSERT INTO members (full_name, email) VALUES

23 ('vaishnavi', 'vaishnavi@example.com'),

24 ('likhitha', 'likhitha@example.com'),

25 ('sushma', 'sushma@example.com');

26 • SELECT * FROM members;

Result Grid

Filter Rows:

member_idfull_nameemail

1vaishnavivaishnavi@example.com

2likhithalikhitha@example.com

3sushmasushma@example.com

NULLNULLNULL

members 9 ×

ApplyRevertContext HelpSnippets

SQLAdditions

Automatic context help is disabled. Use toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 18	10:46:30	SELECT * FROM books LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000
✓ 19	10:51:05	SELECT * FROM members LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000
✓ 20	10:52:12	INSERT INTO members (full_name, email) VALUES ('vaishnavi', 'vaishnavi@examp...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
✓ 21	10:52:37	SELECT * FROM members LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000