# **Admission Management System**

**Team Members:** 

**Subject:** SL3 Assignment No. 6

(Mini Project)

47. Vaishnavi Pawar

**Batch:** C

44. Sumedha Bhagwat 46. Rutuja Awade

49. Sonal Jain


♣ SnapShots of Mini Project

Homepage


Header with Pic 1



## Effect of sliding photos: Pic 2




Pic 3




Section of home page which includes college news and Honourable Alumni's of college.


"Welcome to the Home Page of Wilson's College of engineering!" and "Wilson's College of Engineering presents you our Honourable Alumni!" has a marquee effect.



### Alumni Profile




#### Footer:




When clicked on the follow us icons it is directed to their respective social media pages.

For example when clicked on Facebook icon it is directed to the Facebook page as seen below:



When no entry is filled in the mail section and submitted:




# ❖ About Us Page

Effect of sliding photos: Pic 1





Pic 2




The sliding effect has more total of 5 pics which shows college campus.


Info regarding about the college with some campus pics.









Reviews by some students are shown on the page:




# ❖ Sign-In/ Up Page




## When Details are filled:



# When Email format is wrong: Pic 1: when '@' is not included




Pic 2: When '.com' is not included





When successfully signed up students need to register:

Here the name and mail id used during sign up are already filled while doing registration.




When all the details are filled:







Here reset button resets all the details filled.




# When successfully registered:




## When required field is not filled:



When the Mobile number is invalid:





After successfully registration it is redirected to Sign-In/Up Page Students can check their profiles after they login:




❖ After Students Login: Login Page

My profile contains their registration Details







Print Button prints their registration details:




### Feedback form:






After Feedback is successfully submitted:




After Successful feedback it is redirected to the my profile of the Student Profile.



After clicking on Logout it is redirected to Home Page of College

Admin is given the access to all the student database. Only Admin can delete or update the Student Database

❖ Admin Login Page




When Admin username or password is filled incorrectly:




- Admin Page
- ➤ Dashboard- Dashboard Page


Which shows the total number of enteries:




➤ Sign Up - Manage Sign up Page




When clicked on the 'x' icon in the action column which is 'Delete', we get following pop up:



When the data is successfully deleted:



Students – Manage Students Page



In the action column there are three icons:


Edit icon: which is used by Admin if there is a need to 'Update' the data of Student.


Eye icon: which is used to 'View' the details of Student.

Cross(x) icon: which is used by Admin to 'Delete' the data of Student.

When clicked on Edit icon:

➤ Edit-Student Page: Admin can Update






After successful update it is redirected to Manage Student Page.


### When clicked on Eye icon:

➤ View-Student Page: Admin can View the Details




Print button allows admin to print the details. Back button redirects to Manage Students page. When clicked on Cross (x) icon:


Manage-Student Page: Admin can Delete, will get the following pop up message after clicking on 'x'




After clicking ok the data is deleted:




> Feedback- Feedback from Students Page




When clicked on the 'x' icon in the action column which is 'Delete', we get following pop up:




After clicking ok the data is deleted:




> Student Search- Search Students Page




When searched for a student using Email Id or mobile no.:



When the record of the student is not found:



After deleting all the details of students the total count varies:



After clicking on Logout it is redirected to Home Page of College.

- **♣** Source Codes
- ❖ Homepage.html

```
<img src="images/WilsonLogo2.png" alt="Wilson logo" align="left" width=150px heig</pre>
ht=150px"></img>
           <div class="wrapper">
               <div class="logo">
                    <a href="#">Wilson's College of Engineering </a>
               <!--Nav Code-->
                   <a href="Homepage.html">Home</a>
                   <a href="aboutus.html">About Us</a>
                    <a href="p1.php">Sign-In/Up</a>
                   <a href="admin/adminlogin.php">Admin</a>
        </header>
        <!-- Slide Show -->
         <section>
           <img class="mySlides" src="images/colg2.png"</pre>
           style="width:100%">
           <img class="mySlides" src="images/colg4.png"</pre>
            style="width:100%">
           <img class="mySlides" src="images/colg3.jpg"</pre>
            style="width:100%">
         </section>
         <!--News Section Area-->
        <div class="content-area">
           <div class="wrapper">
               <div class="container">
                   <h2 class="text-
center"><marquee>Welcome to the Home Page of Wilson's College of Engineering!</marquee></h2>
        <h1 class="text-center"><strong>Wilson's College Latest News</strong></h1>
                   <div class="row">
                       <div class="col-md-4">
                            <div class="single-blog">
                               <span>Nov 2,2020</span>
                               <img src="images/comp.jpg" alt="pic">
                               <div class="deat">
                                   <span>#1</span>
                                   <h2><a href="#">Team Foxtech Success</a></h2>
        The group of seven computer engineering students (Team Foxtech) has entered the final round of
 the Techfair 2020 organized by Google and sponsored by Amazon. They have done an amazing job.
  It's a great achievement by our students. We wish everyone good wishes!
```

```
<a href="" class="read-more-btn">Read More</a>
         </div>
                      <div class="col-md-4">
                          <div class="single-blog">
                              <span>Nov 2,2020</span>
                             <img src="images/mech.jpg" alt="pic">
                             <div class="deat">
                                 <span>#2</span>
                                 <h2><a href="#">Welcome Prof. Steven Richardson</a></h2>
                                     The Mechanical Department welcomes Prof. Steven Richardson, who has is a graduate from the
Massachusetts Institute of technology.
               We welcome him to our university to take the Branch of mechanical engineering
of Wilcon College of Engineering to greater heights.
                                     <a href="" class="read-more-btn">Read More</a>
                          </div>
                      <div class="col-md-4">
                          <div class="single-blog">
                             <span>Nov 6,2020</span>
                              <img src="images/graduation2.jpg" alt="pic">
                             <div class="deat">
                                 <span>#3</span>
                                 <h2><a href="#">Placement Percentage Increased</a></h2>
                                     We are proud to say that The placement percentage
has Increased by 25% this year and the graduates have had a huge success in joining good compa
nies and working on their dream projects and under the guidance of their wanted mentors.
                                         There are more placement activities still on going
on our campus.
                                     <a href="" class="read-more-btn">Read More</a>
                          </div>
```

```
<h2 class="text-center-
1"><marquee>Wilson's College of Engineering presents you our Honourable Alumni!</marquee></h2>
                       <div class="col-md-4">
                           <div class="single-blog">
                               <img src="images/pic1.jpg" alt="pic">
                                  <h2><a href="#">Alumni Mr. Alexander Wickham</a></h2>
                                      Mr. Alexander Wickham, an Aerospace engineer, is a
n former student of our college. He is an valuable member of our alumni association and provid
es beneficial guidance to our students and helps them in any way possible. He works in NASA as
 a Aerospace engineer and has contributed in many projects.
                                      <a href="" class="read-more-btn">Read More</a>
                       <div class="col-md-4">
                           <div class="single-blog">
                               <img src="images/pic2.jpg" alt="pic">
                                  <h2><a href="#">Alumni Ms. Lily Smith</a></h2>
                                      Ms. Lilly Smith, is an alumni, and the youngest pr
ofessor in the department to date.
She's achieved a lot of credits and made a name for herself in the field by working and resear
ching for company MTech for last five years. She's worked with our last honourary Dean of the
department for few projects .
                                      <a href="" class="read-more-btn">Read More</a>
                       <div class="col-md-4">
                           <div class="single-blog">
                               <img src="images/pic3.jpg" alt="pic">
                                  <h2><a href="#">Novspark Pvt Ltd</a></h2>
                                      We are proud to have group of alumni, who've come
a long way since their college day assignments to big field tech projects. The company started
by 7 ex-
students together, Novaspark, a electronic gadget company that make electronics and bringing t
o life their own new ideas is a big pride to the college.
```

```
<a href="" class="read-more-btn">Read More</a>
                                       </div>
           </div>
<!--Footer Section-->
   <footer>
       <div class="footer-top">
           <div class="container">
               <div class="row">
                    <div class="col-md-3 col-sm-6 col-xs-12 segment-one">
                       <h2>About Us</h2>
                           We are an institution based on the principles of justice, knowledg
e and discipline.
                           The staff and the interpersonal interactions between the students
and the university college community is regarded at high priority to maintain the dignity of t
he establishment.
                       <div class="col-md-3 col-sm-6 col-xs-12 segment-two">
                       <h2>Contact Us</h2>
                       <div class="place">
                           <span class="fas fa-map-marker-</pre>
alt">5801 S Ellis Ave, Chicago, IL 60637, United States. <br></span>
                          </div>
                       <div class="phone">
                        <span class="fas fa-phone-alt">Toll free:1800 266 1515 No.:+089-
795432900 <br></span>
                       <div class="email">
                          <span class="fas fa-envelope">wilsoncollege@gmail.com</span>
                        </div>
                   </div>
                    <div class="col-md-3 col-sm-6 col-xs-12 segment-three">
                       <h2>Follow Us</h2>
                       Thank you for visiting! <br> For more information about our College
 visit our Social Media Handles.
                       <div class="social">
                           <a href="https://www.facebook.com"><span class="fab fa-facebook-</pre>
f"></span></a>
```

```
<a href="https://twitter.com"><span class="fab fa-</pre>
twitter"></span></a>
                           <a href="https://instagram.com"><span class="fab fa-</pre>
instagram"></span></a>
                           <a href="https://youtube.com"><span class="fab fa-</pre>
youtube"></span></a>
                       </div>
                   </div>
                   <div class="col-md-3 col-sm-6 col-xs-12 segment-four">
                       <h2>Our Newsletter</h2>
                       For latest news and updates suscribe to our Newsletter.
                       <form action="#">
                           <input type="email" placeholder="Email ID" name="mail" required>
                           <input type="submit" value="Send"></input>
                       </form>
                   </div>
       <b>Rights Reserved by &copy; WCOE 2020</b>
   </footer>
   <script>
       // Automatic Slideshow - change image every 3 seconds
       var myIndex = 0;
       carousel();
       function carousel() {
         var i;
         var x = document.getElementsByClassName("mySlides");
         for (i = 0; i < x.length; i++) {
           x[i].style.display = "none";
         myIndex++;
         if (myIndex > x.length) {myIndex = 1}
         x[myIndex-1].style.display = "block";
         setTimeout(carousel, 3000);
       </script>
(/body>
```

### ❖ aboutus.html

```
<!DOCTYPE html>
<html lang="en">
<title>About Us</title>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <link rel="stylesheet" href="css/bootstrap.css">
   <link rel="stylesheet" href="css/bootstrap.min.css">
   <link rel="stylesheet" href="css/hi.css" >
   <link rel="stylesheet" href="css/aboutus.css">
   <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
    <script src="https://kit.fontawesome.com/a076d05399.js"></script>
   <div class="box-area">
        <header>
            <div class="con2">
                <img src="images/WilsonLogo2.png" alt="Wilson logo" align="left" width=150px</pre>
height=150px></img>
                </div>
            <div class="wrapper">
                <div class="logo">
                    <a href="#">Wilson's College of Engineering </a>
                    <a href="Homepage.html">Home</a>
                    <a href="aboutus.html">About Us</a>
                    <a href="p1.php">Sign-In/Up</a>
                    <a href="admin/adminlogin.php">Admin</a>
        <!-- Slide Show -->
<section>
    <img class="mySlides" src="images/colg10.jpg"</pre>
   style="width:100%">
   <img class="mySlides" src="images/colg12.jpg"</pre>
   style="width:100%">
```

```
<img class="mySlides" src="images/colg11.jpg"</pre>
       style="width:100%">
       <img class="mySlides" src="images/lib.jpg"</pre>
       style="width:100%">
       <img class="mySlides" src="images/colg14.jpg"</pre>
       style="width:100%">
    </section>
               <div class="content-area">
 div class="about-wthree" id="about">
       <div class="container">
                        <div class="ab-w31-spa">
                                          <h1 class="title-w3-agileits title-black-wthree">About Our College</h1>
                                          <img src="images/colg7.jpg" class="img-</pre>
responsive" style="width:200px" alt="Campus Pic">
                                        w3ls">We are an institution based on the principles of justice, knowledge and discipline.
                                              The staff and the interpersonal interactions between the students and
the university college community is regarded at high priority to maintain the dignity of the e
stablishment.
                                        <br > All the eligible programmes have been accredited by the National Boa
rd of Accreditation (NBA). The Institute has been awarded 'A' grade by the Government of Mahar
ashtra (India). The Institute is an ISO 9001:2008 certified institute.
                                              <br> <img src="images/colg6.jpg" class="img-</pre>
responsive" style="width:200px" alt="Campus Pic">
w3ls">Wilson's College of Engineering had been an institute welcoming students from all sides
of the globe and believes in diversity in not only students and staff but also in the curricul
um it provides.
<pr> Students with their talents and academics scores have made the institute a pride of their
 state. <br >> Since 1945, we've come across many batches of students and have been delivering s
uccess and prestige throughout all these years.
                                              <br> <br> <br> <br> <br> <br> <br> <br/> <
                                                     <img src="images/colg9.jpg" class="img-</pre>
responsive" style="width:200px" alt="Campus Pic"><span> Academic Areas</span>
                                                     <br><br><br><br>
                                                     Under the guidance of renowned administrators and faculty members
in four departments, students have opportunities to pursue or advance careers in teaching, edu
cational administration, higher education, research, policymaking, student affairs, rehabilita
tion counseling, school psychology, kinesiology and athletic training.
                                                     <img src="images/colg0.jpeg" class="img-</pre>
responsive" style="width:200px" alt="Campus Pic">
                                                     <span> Key Priorities</span>
```

```
<br><br><br><br></pr>
                           The College of Education has established a reputation for excellen
ce and visionary thinking in its efforts to improve teaching and learning across our nation an
d world, particularly within the contexts of urban and global education. The faculty remains c
ommitted to addressing the educational and physical needs of all learners across the life span
 and to working closely with educators, leaders and policymakers in the field.
                           <img src="images/colg8.jpg" class="img-</pre>
responsive" style="width:200px" alt="Campus Pic">
                           <span> Why Choose WCOE ?</span>
                           <br> <br>>
                           Innovative teacher education programs, outstanding faculty, relati
onships with practicing educators and strong research opportunities make Wilson's College of E
ngineering a dynamic place for learning to teach and to contribute to the fields of education
and kinesiology. The college is proud to claim more than 57,000 alumni, each touching lives in
their own way around the world.
                                           <div class="w3ls-info-about">
      <h4>You'll love all the amenities we offer!</h4>
      <h4 style="color: blue;">Discover the growth of passion in yourself. </h4>
                                          </div>
        <div class="clearfix"> </div>
</div>
<h1>Reviews</h1>
<div class="container">
 <img src="images/boy1.jpg" alt="Avatar" style="width:110px">
 <span>Chris Fox.</span> CEO at Mighty Schools.
  Best College of all Time. Learned a lot from here. Very Proud!
<div class="container">
 <img src="images/boy2.jpg" alt="Avatar" style="width:110px">
 <span>Dean Castle</span> CEO at Company.
 Amazing Staff. A dream college one can think of!!
</div>
<footer>
   <b>Rights Reserved by &copy; WCOE 2020</b>
```

</footer>

<script>

```
// Automatic Slideshow - change image every 3 seconds
var myIndex = 0;
carousel();
    function carousel() {
    var i;
    var x = document.getElementsByClassName("mySlides");
    for (i = 0; i < x.length; i++) {
        x[i].style.display = "none";
    }
    myIndex++;
    if (myIndex > x.length) {myIndex = 1}
    x[myIndex-1].style.display = "block";
    setTimeout(carousel, 3000);
    }
    </script>
</body>
</html>
```

#### p1.php

```
<!DOCTYPE html>
        <title>Sign up</title>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
        <link rel="stylesheet" type="text/css" href="css/style.css">
        <script src="https://kit.fontawesome.com/a076d05399.js"></script>
        <script>
        function email_check(){
            var email=document.getElementById("emailid").value;
            var email_regx=/^\w+@[a-zA-Z]+?\.[a-zA-Z]{2,3}$/;
            if(email_regx.test(email) == false)
                alert("Not Valid Email");
                document.getElementById("emailid").focus();
        function check_Alpha(){
            var fname=document.getElementById("fname").value;
            var lname=document.getElementById("lname").value;
            var regex = /^[a-zA-Z]+$/;
                        if(regex.test(fname) == false){
```

```
alert("First Name must be in alphabets only");
               document.getElementById("fname").focus();
               return false;
            if(regex.test(lname) == false){
               alert("Last Name must be in alphabets only");
               document.getElementById("lname").focus();
               return false;
        </script>
        <header>
            <div class="mainclass">
                <div class="left">
                    <img src="images/usericon.png" width="100px" height="100px">
                    <h2>Sign In</h2>
                    <form action="validation.php" method="post">
                            <input type="text" name="email" id="email" placeholder="&#xf0e0;</pre>
 E-mail" class="placeicon" required="true">
                        </div>
     <input type="Password" name="password" id="password" placeholder="&#xf023; Password" au</pre>
tocomplete="off" class="placeicon" required="true">
          <button type="submit" name="submit" value="Submit"> Sign In </button>
                    </form>
                </div>
                <div class="right">
                    <h2>Sign Up</h2>
                    <form name="myForm" action="registration.php" method="post" onSubmit="ret</pre>
urn check_Alpha()">
                        <input type="text" name="fname" id="fname" placeholder="&#xf007;</pre>
st Name" autocomplete="off" class="placeicon" required="true">
                        <input type="text" name="lname" id="lname" placeholder="&#xf007;</pre>
t Name" autocomplete="off" class="placeicon" required="true">
                    </div>
```

#### db1.php

```
session_start();
$con = mysqli_connect('localhost','root','') or die("can not connect to database.");
if($con){
     echo "connection successful";
else{
     echo "no connection";
mysqli_select_db($con, 'schoolmanagement');
$fname = $_POST['fname'];
$mname = $_POST['mname'];
$1name = $_POST['lname'];
$gender = $_POST['gender'];
$dob = $_POST['dob'];
$bgroup = $_POST['bgroup'];
$gname = $_POST['gname'];
$ocp = $_POST['ocp'];
$income = $_POST['income'];
$category = $_POST['category'];
$ph = $_POST['ph'];
$nation = $_POST['nation'];
$mobno = $_POST['mobno'];
$email = $_POST['email'];
$country = $_POST['country'];
$state = $_POST['state'];
```

```
$city = $_POST['city'];
$padd = $_POST['padd'];
$cadd = $_POST['cadd'];
$board1 = $ POST['board1'];
$board2 = $_POST['board2'];
$percent = $_POST['percent'];
$percent1 = $_POST['percent1'];
$pyear1 = $_POST['pyear1'];
$pyear2 = $_POST['pyear2'];
     $q = "select * from signin where email = '$email' or Number = '$mobno';";
          $reg=rand();
          $_SESSION['fname'] = $fname;
      $query = "INSERT INTO registration (fname, mname, lname, gender,dob,bgroup, gname, ocp,
income, category, pchal, nationality, mobno, emailid, country, state, dist, padd, cadd, board,
board1,percent,percent1,pyear,yop1)
                   VALUES('$fname','$mname','$lname','$gender','$dob','$bgroup','$gname','$ocp
 ,'$income','$category','$ph', '$nation','$mobno','$email','$country','$state','$city','$padd'
 '$cadd','$board1','$board2','$percent','$percent1','$pyear1','$pyear2');";
         $qy = mysqli_query($con,$query);
         if(\$qy!=0){
          header('location:p1.php');
```

## displayinfo.php

```
rel="stylesheet" type="text/css">
      <div id="app">
<?php include('navbar.php');?>
<div id="page-wrapper">
         <div class="row">
         <div class="col-lg-12">
<section id="page-title">
<div class="row">
<div class="col-sm-8">
<h2 class="over-title margin-bottom-15">Welcome <?php echo $_SESSION['email']; ?> </h2>
</div>
</section>
<div class="container-fluid container-fullw bg-white">
<div class="row">
<div class="col-md-12">
$email= $_SESSION['email'];
mysqli_select_db($con,'schoolmanagement');
$qy = "select * from registration where emailid = '$email' ;";
$query=mysqli_query($con,$qy);
$cnt=1;
while ($row=mysqli_fetch_assoc($query)) {
Personal Details
First Name
  <?php echo $row['fname'];?>
  Middle Name
  <?php echo $row['mname'];?>
Last Name
  <?php echo $row['lname'];?>
  Gender
  <?php echo $row['gender'];?>
```

```
DOB
 <?php echo $row['dob'];?>
  Blood Group
  <?php echo $row['bgroup'];?>
 Guardian Name
 <?php echo $row['gname'];?>
 Occupation Name
 <?php echo $row['ocp'];?>
 Family Income
 <?php echo $row['income'];?>
 Category
 <?php echo $row['category'];?>
  Physically Challenged
 <?php echo $row['pchal'];?>
 Nationality
 <?php echo $row['nationality'];?>
Contact Details</d>
 Mobile Number
 <?php echo $row['mobno'];?>
 Email ID
 <?php echo $row['emailid'];?>
Country
 <?php echo $row['country'];?>
 State
 <?php echo $row['state'];?>
  City
  <?php echo $row['dist'];?>
 Patient Address
```

```
<?php echo $row['padd'];?>
Correspondence Address
   <?php echo $row['cadd'];?>
Academics Details
Board
  <?php echo $row['board'];?>
  Board
  <?php echo $row['board1'];?>
  Percentage
  <?php echo $row['percent'];?>
  Percentage
  <?php echo $row['percent1'];?>
  Year of Passing
  <?php echo $row['pyear'];?>
  Year of Passing
   <?php echo $row['yop1'];?>
<?php }?>
<a href="#"><input type="submit" class="btn btn-</pre>
primary" name="submit" value="Print" onClick="window.print()"></button> </a>
</div>
</div>
</div>
</div>
</div>
</div>
      <script src="vendor/jquery/jquery.min.js"></script>
      <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
      <script src="vendor/modernizr/modernizr.js"></script>
      <script src="vendor/jquery-cookie/jquery.cookie.js"></script>
      <script src="vendor/perfect-scrollbar/perfect-scrollbar.min.js"></script>
      <script src="vendor/switchery/switchery.min.js"></script>
      <script src="vendor/maskedinput/jquery.maskedinput.min.js"></script>
```

#### feedback.php

```
transition: 0.5s ease;
        Letter-spacing: 2px;
        font-weight: bold;
        font-size: 18px;
</style>
<body>
<div class="container">
<div class="col-md-6">
<img src="https://media.istockphoto.com/vectors/school-background-with-scribbles-and-coloured-</pre>
pencils-vector-vector-
id886199288?k=6&m=886199288&s=612x612&w=0&h=yOk7g1IHBzDaM4OHhKIaNs9nPSJef-
RONMYiYbWTANM=" width="100%" height="750px">
<div class="carousel-caption">
        <h1>Admission Process</h1>
     <h2>We would love to hear your thoughts, suggestions, concerns or problems with anything so
we can improve!</h2>
</div>
</div>
<div class="col-md-6"></div>
<img src="http://www.unidocs.co.uk/images/pages/feedback.jpg" width="50%" height="250px">
<div class="row">
<form method="post" action="feedbackdb.php">
<div class="col-md-6">
<input type="text" name="fname" placeholder="First Name*" class="form-control form-</pre>
group" required="">
</div>
<div class="col-md-6">
     <input type="text" name="lname" placeholder="Last Name*" class="form-control form-</pre>
group" required="">
</div>
<div class="col-md-6">
     <input type="text" name="email" placeholder="Email*" class="form-control form-</pre>
group" required="">
</div>
<br>
<label>School's Reputation*</lable>
<select class="form-control" name="reputation" required="">
```

```
<option>Excellent</option>
     <option>Good</option>
     <option>Average</option>
     <option>Bad</option>
</select>
<br>
<div class="col-md-6">
<lable>How would you rate our school's addmission process(out of 5)?</label>
<select class="form-control" name="addprocess">
<option>5</option>
<option>4</option>
<option>3</option>
<option>2</option>
<option>1</option>
</select>
</div>
<br>
<label>How would you rate our school's achievement(Description)?</label>
<input type="text" name="achievement" class="form-</pre>
control" placeholder="Description" style="height: 60px;">
<br>
<label>What is your opinion about our addmission staff?</label>
<div class="row">
     <div class="col-md-6">
     <select class="form-control" name="staff">
         <option>Excellent</option>
         <option>Good</option>
         <option>Average</option>
         <option>Bad</option>
   </select>
   </div>
   <button class="btn btn-success btn-</pre>
primary" onClick="return confirm('Feedback Successfully Given')"class="btn btn-
transparent btn-xs tooltips" tooltip-placement="top" tooltip="Remove"><i class="fa fa-
times fa fa-white"></i>Submit</button>
</div>
</form>
</div>
</body>
</html>
```

# ❖ feedbackdb.php

```
session_start();
$con = mysqli_connect('localhost','root','') or die("can not connect to database.");
if($con){
    echo "connection successful";
else{
    echo "no connection";
mysqli_select_db($con, 'schoolmanagement');
$fname = $_POST['fname'];
$1name = $_POST['lname'];
$email = $_POST['email'];
$reputation = $_POST['reputation'];
$addprocess = $_POST['addprocess'];
$achievement = $_POST['achievement'];
$staff = $_POST['staff'];
   $q = "select * from feedback where emailid = '$email';";
   $result = mysqli_query($con, $q);
   $num = mysqli_num_rows($result);
   if($num==1) {
        echo "You have already given your feedback";
   else {
       $_SESSION['email'] = $email;
        $_SESSION['fname'] = $fname;
        $_SESSION['lname'] = $lname;
        $qy = "insert into feedback(fname, lname, emailid,reputation,addprocess,achievement,st
aff ) values ('$fname', '$lname', '$email', '$reputation', '$addprocess', '$achievement', '$sta
ff');" or die("can not insert data into database. ".mysqli_error($con));
        mysqli_query($con, $qy);
        header('location:displayinfo.php');
```

### ❖ index.php

```
<?php
header('location:Homepage.html');</pre>
```

# logout.php

```
<?php
session_start();
session_destroy();
header('location:Homepage.html');
?>
```

### leftbar.php

```
<nav class="navbar navbar-default navbar-static-top" role="navigation"</pre>
           style="margin-bottom: 0">
           <div class="navbar-header">
               <button type="button" class="navbar-toggle" data-toggle="collapse"</pre>
                   data-target=".navbar-collapse">
                   <span class="sr-only">Toggle navigation</span> <span</pre>
                       class="icon-bar"></span> <span class="icon-bar"></span> <span</pre>
                       class="icon-bar"></span>
               </button>
               <a class="navbar-brand" href="index.html">Student Management System</a>
           </div>
                        <div class="navbar-default sidebar" role="navigation">
               <div class="sidebar-nav navbar-collapse">
                   <a href="register-1.php"><i class="fa fa-bar-chart-o fa-</pre>
fw"></i>Regsiter<span class="fa arrow"></span></a>
                 </div>
```

### navbar.php

```
class="icon-bar"></span> <span class="icon-bar"></span> <span</pre>
                      class="icon-bar"></span>
               </button>
               <a class="navbar-brand" href="index.html">Student Management System</a>
                       <div class="navbar-default sidebar" role="navigation">
               <div class="sidebar-nav navbar-collapse">
                   <a href="displayinfo.php"><i class="fa fa-bar-chart-o fa-
fw"></i> My profile<span class="fa arrow"></a>
                      <a href="feedback.php"><i class="fa fa-bar-chart-o fa-</pre>
fw"></i>Feedback<span class="fa arrow"></span></a>
                      <a href="logout.php"><i class="fa fa-bar-chart-o fa-</pre>
fw"></i>Logout<span class="fa arrow"></span></a>
                      </div>
```

### register-1.php

```
<?php
session_start ();
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="">
<meta name="author" content="">
<meta name="author" content="">
<title>register</title>
link href="bower_components/bootstrap/dist/css/bootstrap.min.css"
    rel="stylesheet">
link href="bower_components/metisMenu/dist/metisMenu.min.css"
    rel="stylesheet">
```

```
<link href="dist/css/sb-admin-2.css" rel="stylesheet">
<link href="bower components/font-awesome/css/font-awesome.min.css"</pre>
    rel="stylesheet" type="text/css">
<script type="text/javascript">
    function check_Alpha(){
            var num=document.getElementById("mobno").value;
            var regex = /^[a-zA-Z]+$/;
            var regex num = /^{d{10}};
            if(regex_num.test(num)== false){
               alert("Invalid number");
               document.getElementById("mobno").focus();
               return false;
</script>
   <div id="app">
<form action="db1.php" method="post" onSubmit="return check_Alpha()">
   <div id="wrapper">
    <?php include('leftbar.php');?>
        <div id="page-wrapper">
           <div class="row">
           <div class="col-lg-12">
            <div class="panel panel-default">
            <div class="panel-heading">Personal Informations</div>
            <div class="panel-body">
            <div class="row">
            <div class="col-lg-12">
            <div class="form-group">
            <div class="col-lg-2">
            <label>First Name</label>
            <div class="col-lg-4">
            <input class="form-</pre>
control" name="fname" value="<?php echo $_SESSION['fname'];?>" readonly="yes">
            <div class="col-lg-2">
            <label>Middle Name</label>
            <div class="col-lg-4">
            <input class="form-control" name="mname" required="required" pattern="[A-Za-z]+$">
```

```
</div>
            <br><br><br>>
        <div class="form-group">
            <div class="col-lg-2">
            <label>Last Name
            <div class="col-lg-4">
            <input class="form-</pre>
control" name="lname" value="<?php echo $_SESSION['lname'];?>" readonly="yes">
            </div>
            <div class="col-lg-2">
            <label>Gender</label>
            <div class="col-lg-4">
         <input type="radio" name="gender" id="male" value="Male"> &nbsp; Male &nbsp;
         <input type="radio" name="gender" id="female" value="Female"> &nbsp; Female &nbsp;
         <input type="radio" name="gender" id="other" value="other"> &nbsp; Other &nbsp;
            </div>
    <br><br><br>>
            <div class="form-group">
                    <div class="col-lg-2">
                        <label>Date Of Birth</label>
                    <div class="col-lg-4">
                        <input class="form-</pre>
control" type="date" name="dob" required="required">
                    </div>
                     <div class="col-lg-2">
                        <label>Blood Group</label>
                    <div class="col-lg-4">
                    <select class="form-</pre>
control" name="bgroup" id="bgroup" required="required" >
                        <option VALUE="">SELECT</option>
                        <option VALUE="A+">A+</option>
                        <option VALUE="B+">B+</option>
                        <option VALUE="AB+">Ab+</option>
                        <option VALUE="0+">0+</option>
                        <option VALUE="A-">A-</option>
                        <option VALUE="B-">B-</option>
                        <option VALUE="AB-">AB-</option>
                        <option VALUE="0-">0-</option>
```

```
</select>
<br><br><br>>
        <div class="form-group">
        <div class="col-lg-2">
       <label>Guardian Name
        <div class="col-lg-4">
        <input class="form-control" name="gname" required="required" pattern="[A-Za-z]+$">
        <div class="col-lg-2">
       <label>Occupation</label>
        <div class="col-lg-4">
        <input class="form-control" name="ocp" id="ocp" required="required">
        <br><br><br>>
        <div class="form-group">
        <div class="col-lg-2">
        <label>Family Income</label>
        </div>
       <div class="col-lg-4">
        <select class="form-control" name="income" id="income"required="required" >
    <option VALUE="">SELECT</option>
    <option VALUE="2000000">200000</option>
    <option value="500000">500000</option>
    <option value="700000">700000</option>
       </select>
       </div>
        <div class="col-lg-2">
       <label>Category</label>
        </div>
       <div class="col-lg-4">
        <select class="form-control" name="category" id="category" required="required" >
    <option VALUE="">SELECT</option>
    <option VALUE="general">General</option>
    <option value="obc">OBC</option>
   <option value="sc">SC</option>
   <option value="st">ST</option>
   <option value="other">Other</option>
   </select>
```

```
<br><br><br>>
            <div class="form-group">
            <div class="col-lg-2">
            <label>Physically Challenged</label>
            </div>
            <div class="col-lg-4">
            <select class="form-control" name="ph" id="ph"required="required" >
        <option VALUE="">SELECT</option>
        <option VALUE="yes">Yes</option>
        <option value="no">No</option>
         </select>
            <div class="col-lg-2">
            <label>Nationality</label>
            </div>
            <div class="col-lg-4">
            <input class="form-control" name="nation" id="nation" pattern="[A-Za-z]+$">
            </div>
            <br><br><br>>
            </div>
            <br><br><br>>
        </div>
        </div>
        </div>
        <div class="row">
            <div class="col-lg-12">
            <div class="panel panel-default">
            <div class="panel-heading">Contact Informations</div>
            <div class="panel-body">
            <div class="row">
            <div class="col-lg-12">
            <div class="form-group">
            <div class="col-lg-2">
            <label>Mobile Number</label>
            </div>
            <div class="col-lg-4">
            <input class="form-</pre>
control" type="number" name="mobno" id="mobno" required="required" maxlength="10">
```

```
<div class="col-lg-2">
            <label>Email Id</label>
            <div class="col-lg-4">
            <input class="form-</pre>
control" type="email" name="email" value="<?php echo $_SESSION['email'];?>" readonly="yes">
            </div>
            </div>
            <br><br><br>>
        <div class="form-group">
           <div class="col-lg-2">
            <label>Country</label>
            </div>
            <div class="col-lg-4">
                <input class="form-</pre>
control" type="text" name="country" id="country" pattern="[A-Za-z]+$" required="required">
            <div class="col-lg-2">
            <label>State</label>
            </div>
            <div class="col-lg-4">
                <input class="form-control" type="text" name="state" id="state" pattern="[A-</pre>
Za-z]+$" required="required">
            </div>
   <div class="form-group">
            <div class="col-lg-2">
            <label>City</label>
            </div>
            <div class="col-lg-4">
                <input class="form-control" type="text" name="city" id="dist" pattern="[A-Za-</pre>
z]+$" required="required">
            <div class="col-lg-2">
            <label>Permanent Address</label>
```

```
<div class="col-lg-4">
     <textarea class="form-control" rows="3" name="padd" id="padd"></textarea>
     </div>
     </div>
     <br><br><br>>
     <div class="form-group">
     <div class="col-lg-2">
     <label>Correspondence Address</label>
     </div>
     <div class="col-lg-4">
<textarea class="form-control" rows="3" name="cadd" id="cadd"></textarea>
     </div>
     <br><br><br>>
     <br><br><br>>
 </div>
 </div>
 </div>
 <div class="row">
     <div class="col-lg-12">
     <div class="panel panel-default">
     <div class="panel-heading">Academic Informations</div>
     <div class="panel-body">
     <div class="row">
     <div class="col-lg-12">
     <div class="form-group">
     <div class="panel panel-default">
                           <div class="panel-body">
                   <div class="table-responsive">
                       <div class="col-lg-6">
        Board</label>
     </div>
     <div class="col-lg-6">
        Percentage
     </div>
```

```
<div class="col-lg-6">
               Year Of Passing
          </div>
          </thead>
               <div class="col-lg-6">
               <input class="form-control" type="text" name="board1">
               </div>
               <div class="col-lg-6">
          <input class="form-control" type="number" name="percent" >
          </div>
          <div class="col-lg-6">
          <input class="form-control" type="text" name="pyear1" >
          </div>
               <div class="col-lg-6">
               <input class="form-control" type="text" name="board2" >
               </div>
               <div class="col-lg-6">
          <input class="form-control" type="number" name="percent1" >
          </div>
          <div class="col-lg-6">
          <input class="form-control" type="text" name="pyear2" >
          </div>
               </div>
                 </div>
          </div>
          <br><br><br>>
          <br><br><br>>
          <br><br><br>>
   Note: Enter detail's correctly once filled can't be changed by the
students. <br> If filled incorrectly contact the student section for updating!
   <div class="form-group">
   <div class="col-lg-4">
```

```
</div>
   <div class="col-lg-6"><br><br>
    <input type="reset" class="btn btn-primary" name="reset" value="reset"></button>
         
    <input type="submit" class="btn btn-</pre>
primary"onClick="return confirm('Successfully registered!')" class="btn btn-transparent btn-
xs tooltips" tooltip-placement="top" name="submit" value="submit"></button>
   </div>
   </div>
   </div>
       </div>
    </div>
       </div>
       </div>
    </form>
   </div>
   <script src="../bower_components/jquery/dist/jquery.min.js"</pre>
        type="text/javascript"></script>
    <script src="../bower_components/bootstrap/dist/js/bootstrap.min.js"</pre>
        type="text/javascript"></script>
   <script src="../bower_components/metisMenu/dist/metisMenu.min.js"</pre>
       type="text/javascript"></script>
   <script src="../dist/js/sb-admin-2.js" type="text/javascript"></script>
</body>
```

## registration.php

```
<?php
session_start();
$con = mysqli_connect('localhost','root','') or die("can not connect to database.");
if($con){
    echo "connection successful";
}
else{
    echo "no connection";
}</pre>
```

```
mysqli_select_db($con, 'schoolmanagement');
$fname = $_POST['fname'];
$1name = $_POST['lname'];
$email = $_POST['emailid'];
$pass = md5($_POST['password']);
    $q = "select * from signin where email = '$email';";
    $result = mysqli_query($con, $q);
   $num = mysqli_num_rows($result);
   if($num==1) {
        echo "<script>alert('Account already exist')</script>";
   else {
        $_SESSION['email'] = $email;
        $_SESSION['fname'] = $fname;
        $_SESSION['lname'] = $lname;
        $qy = "insert into signin(fname, lname, email, password) values ('$fname', '$lname', '
$email', '$pass');" or die("can not insert data into database. ".mysqli_error($con));
       mysqli_query($con, $qy);
        header('location:register-1.php');
```

### validation.php

```
<?php
    session_start();
$con = mysqli_connect('localhost','root','');
if($con) {
        mysqli_select_db($con, 'schoolmanagement');
    $email = $_POST['email'];
    $pass = md5($_POST['password']);
    $q = "select * from signin where email = '$email' && password = '$pass'; ";
    $result = mysqli_query($con, $q);
    $num = mysqli_num_rows($result);
    if($num==1){
        $_SESSION['email'] = $email;
        echo "<script>alert('Login successful')</script>";
        header('location:displayinfo.php');
    }
    else{
        echo "<script>alert('Need to signup')</script>";
}
```

```
}
else {
    echo "<script>alert('No connection')</script>";
}
?>
```

#### Database.php

```
class Database {
   private $_connection;
   private static $_instance; //The single instance
   private $_host = "localhost";
   private $_username = "root";
   private $_password = "";
   private $_database = "schoolmanagement";
   public static function getInstance() {
        if(!self::$_instance) { // If no instance then make one
            self::$_instance = new self();
        return self::$_instance;
    // Constructor
    public function __construct() {
        $this->_connection = new mysqli($this->_host, $this->_username, $this-
>_password, $this->_database);
        if(mysqli_connect_error()) {
            trigger_error("Failed to conencto to MySQL: " . mysqli_connect_error(),
                 E_USER_ERROR);
   // Magic method clone is empty to prevent duplication of connection
   private function __clone() { }
   public function getConnection() {
        return $this->_connection;
```

# DbFunction.php

```
require('Database.php');
 class DbFunction{
function register($fname,$mname,$lname,$gender,$bod,$bgroup,$gname,$ocp,$income,$category,$ph,
                 $nation,$mobno,$email,$country,$state,$city,$padd,$cadd,$board1,$board2,$rol
11,$roll2,
                  $pyear1,$pyear2){
                  $db = Database::getInstance();
                   $mysqli = $db->getConnection();
  $query = "INSERT INTO `registration` (`fname`, `mname`, `lname`, `gender`, 'dob', 'bgroup',
gname`, `ocp`,
                    `income`, `category`, `pchal`, `nationality`, `mobno`, `emailid`, `countr
                    padd`, `cadd`, `board`, `percent`, `percent1`, `pyear`, `yop1`)
                  $reg=rand();
                  $stmt= $mysqli->prepare($query);
                   if(false===$stmt){
                  trigger_error("Error in query: ");
               else{
           $stmt->bind_param('sssssssssssssssssssss',
                   $fname,$mname,$lname,$gender,$dob,$bgroup,$gname,$ocp,$income,$category,$p
h,$nation,$mobno,
                   $email,$country,$state,$city,$padd,$cadd,$board1,$board2,$percent,$percent
1,$pyear1,$pyear2,$reg);
           $stmt->execute();
           echo "<script>alert('Successfully Registered , your registration number is $reg')
/script>";
           header('location:p1.php');
```

- Admin Page sorce codes:
- dbconnectionadmin.php

```
<?php
require('Database.php');
$con=mysqli_connect("Localhost", "root", "", "schoolmanagement");
if(mysqli_connect_errno()){
echo "Connection Fail".mysqli_connect_error();</pre>
```

```
}
?>
```

## config.php

```
<?php
$con=mysqli_connect("Localhost", "root", "", "schoolmanagement");
if(mysqli_connect_errno()){
echo "Connection Fail".mysqli_connect_error();
}
}</pre>
```

## header.php

```
<?php error_reporting(0);?>
<header class="navbar navbar-default navbar-static-top">
                    <div class="navbar-header">
                        <a href="#" class="sidebar-mobile-toggler pull-left hidden-md hidden-</pre>
lg" class="btn btn-navbar sidebar-toggle" data-toggle-class="app-slide-off" data-toggle-
target="#app" data-toggle-click-outside="#sidebar">
                            <i class="ti-align-justify"></i></i>
                        <a class="navbar-brand" href="#">
                            <h2 style="padding-top:20%; color:#fff "><b>Admin</b></h2>
                        <a href="#" class="sidebar-toggler pull-right visible-md visible-</pre>
lg" data-toggle-class="app-sidebar-closed" data-toggle-target="#app">
                            <i class="ti-align-justify"></i></i>
                        <a class="pull-right menu-toggler visible-xs-block" id="menu-</pre>
toggler" data-toggle="collapse" href=".navbar-collapse">
                            <span class="sr-only">Toggle navigation</span>
                            <i class="ti-view-grid"></i></i>
                    <div class="navbar-collapse collapse">
                        style="padding-top:2%">
                                <h2>Student Management System</h2>
                            <div class="close-handle visible-xs-block menu-toggler" data-</pre>
toggle="collapse" href=".navbar-collapse">
                            <div class="arrow-left"></div>
```

### ❖ sidebar.php

```
<div class="sidebar app-aside" id="sidebar">
              <div class="sidebar-container perfect-scrollbar">
                      <a href="dashboard.php">
                                 <div class="item-content">
                                     <div class="item-media">
                                         <i class="ti-home"></i></i>
                                     </div>
                                     <div class="item-inner">
                                         <span class="title"> Dashboard </span>
                                     </div>
                                 </div>
                              <a href="javascript:void(0)">
                                 <div class="item-content">
                                     <div class="item-media">
                                         <i class="ti-user"></i></i>
                                     </div>
                                     <div class="item-inner">
                                         <span class="title"> Sign up </span><i class="icon</pre>
-arrow"></i>
                              </a>
                             <a href="manage-users.php">
                                         <span class="title"> Manage Signup </span>
                                     </a>
```

```
<a href="javascript:void(0)">
                                  <div class="item-content">
                                      <div class="item-media">
                                          <i class="ti-user"></i></i>
                                      </div>
                                      <div class="item-inner">
                                          <span class="title"> Students </span><i class="ico"</pre>
n-arrow"></i>
                                      </div>
                                  </div>
                              </a>
                              <a href="manage-student.php">
                                          <span class="title"> Manage Students </span>
                                      </a>
                                  <a href="javascript:void(0)">
                                  <div class="item-content">
                                      <div class="item-media">
                                          <i class="ti-files"></i></i>
                                      <div class="item-inner">
                                          <span class="title"> Feedback </span><i class="ico"</pre>
n-arrow"></i>
                                      </div>
                                  </div>
                              </a>
                              <a href="feedback.php">
                                          <span class="title"> Student Feedback </span>
                                      </a>
                                  <a href="student-search.php">
                                  <div class="item-content">
                                      <div class="item-media">
                                          <i class="ti-search"></i></i>
                                     </div>
```

```
<div class="item-inner">
                               <span class="title"> Student Search </span>
                           </div>
                       </div>
                   </a>
               <a href="logout.php">
                       <div class="item-content">
                           <div class="item-media">
                               <i class="ti-home"></i></i>
                           </div>
                           <div class="item-inner">
                               <span class="title"> Logout</span>
                           </div>
                       </div>
                   </a>
               </div>
```

# adminlogin.php

```
session_start ();
include('dbconnectionadmin.php');

if(isset($_POST['login']))
    {
        $uname=$_POST['username'];
        $Password=$_POST['Password'];
        $query=mysqli_query($con,"select ID from tbladmin where AdminuserName='$uname' && Password='$Password' ");
        $ret=mysqli_fetch_array($query);
        if($ret>0){
        $_SESSION['aid']=$ret['ID'];
        header('location:dashboard.php');
    }
     else{
        echo "<script>alert('Invalid Details')</script>";
    }
}
```

```
<!DOCTYPE html>
<html lang="en">
 <title>Admin Login</title>
 <link rel="stylesheet" href="bootstrap.css">
 <link rel="stylesheet" href="bootstrap.min.css">
 <link rel="stylesheet" href="hi.css" >
 <link href="bower_components/font-awesome/css/font-</pre>
awesome.min.css" rel="stylesheet" type="text/css">
 <link href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600,60</pre>
0i,700,700i,800,800i,900,900i" rel="stylesheet">
  <link rel="stylesheet" type="text/css" href="login.css">
<body class="bg-gradient-primary">
<header>
 <h2 align="center" style="font-size: 50px; padding-top: 3%">Admin Login Page</h2>
 <div class="mainclass">
                    <h1 class="h4 text-gray-900 mb-4">Admin login!</h1>
                  <form class="user" method="post" action="">
                    <div class="form-group">
                      <input type="test" id="username" name="username" aria-</pre>
describedby="emailHelp" required="true" placeholder="Enter username..">
                    <div class="form-group">
                      <input type="password" id="Password" name="Password" placeholder="Passwo</pre>
rd" required="true">
   <button type="submit" name="login" value="login">login
                  </form>
                </div>
  <script src="bower_components/jquery/dist/jquery.min.js"></script>
  <script src="bower_components/bootstrap/dist/js/bootstrap.min.js"></script>
  </header>
 /body>
```

# check\_availability.php

```
require_once("include/config.php");
if(!empty($_POST["emailid"])) {
    $email= $_POST["emailid"];

    $result =mysqli_query($con,"SELECT docEmail FROM doctors WHERE docEmail='$email'");
    $count=mysqli_num_rows($result);
if($count>0)
{
    echo "<span style='color:red'> Email already exists .</span>";
    echo "<script>$('#submit').prop('disabled',true);</script>";
} else{
    echo "<span style='color:green'> Email available for Registration .</span>";
echo "<script>$('#submit').prop('disabled',false);</script>";
}
}
}
}
}
```

## dashboard.php

```
session_start();
error_reporting(0);
include('include/config.php');
if(isset($_POST['login']))
    $uname=$_POST['username'];
    $Password=$_POST['Password'];
    $query=mysqli_query($con,"select ID from tbladmin where AdminuserName='$uname' && Passwor
d='$Password' ");
   $ret=mysqli_fetch_array($query);
   if($ret>0){
     $_SESSION['aid']=$ret['ID'];
    header('location:dashboard.php');
   else{
      echo "Invalid Details";
<!DOCTYPE html>
<html lang="en">
       <title>Admin | Dashboard</title>
```

```
<link href="http://fonts.googleapis.com/css?family=Lato:300,400,400italic,600,700|Rale</pre>
way:300,400,500,600,700|Crete+Round:400italic" rel="stylesheet" type="text/css" />
        <link rel="stylesheet" href="vendor/bootstrap/css/bootstrap.min.css">
        <link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
        <link rel="stylesheet" href="vendor/themify-icons/themify-icons.min.css">
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
        <link href="vendor/animate.css/animate.min.css" rel="stylesheet" media="screen">
        <link href="vendor/perfect-scrollbar/perfect-</pre>
scrollbar.min.css" rel="stylesheet" media="screen">
        <link href="vendor/switchery/switchery.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-touchspin/jquery.bootstrap-</pre>
touchspin.min.css" rel="stylesheet" media="screen">
        <link href="vendor/select2/select2.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-datepicker/bootstrap-</pre>
datepicker3.standalone.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-timepicker/bootstrap-</pre>
timepicker.min.css" rel="stylesheet" media="screen">
        <link rel="stylesheet" href="assets/css/styles.css">
        <link rel="stylesheet" href="assets/css/plugins.css">
        <link rel="stylesheet" href="assets/css/themes/theme-1.css" id="skin color" />
        <div id="app">
<?php include('include/sidebar.php');?>
            <div class="app-content">
                        <?php include('include/header.php');?>
                <div class="main-content" >
                    <div class="wrap-content container" id="container">
                        <section id="page-title">
                            <div class="row">
                                <div class="col-sm-8">
                                     <h1 class="mainTitle">Admin | Dashboard</h1>
                        </section>
                            <div class="container-fluid container-fullw bg-white">
                            <div class="row">
                                <div class="col-sm-4">
                                     <div class="panel panel-white no-radius text-center">
                                         <div class="panel-body">
                                             <span class="fa-stack fa-2x"> <i class="fa fa-</pre>
square fa-stack-2x text-primary" ></i> <i class="fa fa-address-book fa-stack-1x fa-
inverse"></i> </span>
```

```
<h2 class="StepTitle">Manage Sign up</h2>
                                           <a href="manage-users.php">
                                               <?php $result = mysqli_query($con, "SELECT * FR</pre>
OM signin ");
$num_rows = mysqli_num_rows($result);
                                           Total Users :<?php echo htmlentities($num_rows);</pre>
                                               </a>
                     <div class="col-sm-4">
                                   <div class="panel panel-white no-radius text-center">
                                       <div class="panel-body">
                                           <span class="fa-stack fa-2x"> <i class="fa fa-</pre>
square fa-stack-2x text-primary"></i> <i class="fa fa-address-book fa-stack-1x fa-
inverse"></i> </span>
                                           <h2 class="StepTitle">Manage Students</h2>
                                           <a href="manage-student.php">
<?php $result = mysqli_query($con, "SELECT * FROM registration ");</pre>
$num_rows = mysqli_num_rows($result);
Total Students:<?php echo htmlentities($num_rows);</pre>
</a>
                               </div>
           <div class="col-sm-4">
                                   <div class="panel panel-white no-radius text-center">
                                       <div class="panel-body">
                                       <span class="fa-stack fa-2x"> <i class="fa fa-</pre>
square fa-stack-2x text-primary"></i> <i class="fa fa-envelope-open fa-stack-1x fa-
inverse"></i> </span>
```

```
<h2 class="StepTitle"> Feedbacks</h2>
                                          <a href="book-appointment.php">
                                                 <a href="feedback.php">
$sql= mysqli_query($con,"SELECT * FROM feedback ");
$num_rows22 = mysqli_num_rows($sql);
                                         Total New Queries :<?php echo htmlentities($num_ro
ws22); ?>
                                              </a>
                                      </div>
                                  </div>
                              </div>
                              <div class="col-sm-4">
                                  <div class="panel panel-white no-radius text-center">
                                      <div class="panel-body">
                                          <span class="fa-stack fa-2x"> <i class="fa fa-</pre>
square fa-stack-2x text-primary"></i> <i class="fa fa-search fa-stack-1x fa-
inverse"></i> </span>
                                         <h2 class="StepTitle">Search Students</h2>
                                          <a href="student-search.php">
<?php $result = mysqli_query($con, "SELECT * FROM registration ");</pre>
$num_rows = mysqli_num_rows($result);
Total Students:<?php echo htmlentities($num_rows);</pre>
                                     </div>
                              </div>
                  </div>
           </div>
```

```
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="vendor/modernizr/modernizr.js"></script>
<script src="vendor/jquery-cookie/jquery.cookie.js"></script>
<script src="vendor/perfect-scrollbar/perfect-scrollbar.min.js"></script>
<script src="vendor/switchery/switchery.min.js"></script>
<script src="vendor/maskedinput/jquery.maskedinput.min.js"></script>
<script src="vendor/bootstrap-touchspin/jquery.bootstrap-touchspin.min.js"></script>
<script src="vendor/autosize/autosize.min.js"></script>
<script src="vendor/selectFx/classie.js"></script>
<script src="vendor/selectFx/selectFx.js"></script>
<script src="vendor/select2/select2.min.js"></script>
<script src="vendor/bootstrap-datepicker/bootstrap-datepicker.min.js"></script>
<script src="vendor/bootstrap-timepicker/bootstrap-timepicker.min.js"></script>
<script src="assets/js/main.js"></script>
<script src="assets/js/form-elements.js"></script>
   jQuery(document).ready(function() {
        Main.init();
        FormElements.init();
   });
</script>
```

### edit-student.php

```
<link href="vendor/perfect-scrollbar/perfect-</pre>
scrollbar.min.css" rel="stylesheet" media="screen">
        <link href="vendor/switchery/switchery.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-touchspin/jquery.bootstrap-</pre>
touchspin.min.css" rel="stylesheet" media="screen">
        <link href="vendor/select2/select2.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-datepicker/bootstrap-</pre>
datepicker3.standalone.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-timepicker/bootstrap-</pre>
timepicker.min.css" rel="stylesheet" media="screen">
        <link rel="stylesheet" href="assets/css/styles.css">
        <link rel="stylesheet" href="assets/css/plugins.css">
        <link rel="stylesheet" href="assets/css/themes/theme-1.css" id="skin_color" />
        <link href="bower_components/bootstrap/dist/css/bootstrap.min.css" rel="stylesheet">
        <link href="bower_components/metisMenu/dist/metisMenu.min.css" rel="stylesheet">
        <link href="dist/css/sb-admin-2.css" rel="stylesheet">
        <link href="bower_components/font-awesome/css/font-</pre>
awesome.min.css" rel="stylesheet" type="text/css">
        <script>
        function email_check(){
            var email=document.getElementById("email").value;
            var email regx=/^\w+@[a-zA-Z]+?\.[a-zA-Z]{2,3}$/;
            if(email_regx.test(email) == false)
                alert("Not Valid Email");
                document.getElementById("email").focus();
        function check Alpha(){
            var num=document.getElementById("mobno").value;
            var regex = /^[a-zA-Z]+$/;
            var regex num = /^{d{10}};
            if(regex_num.test(num)== false){
               alert("Invalid number");
               document.getElementById("mobno").focus();
               return false;
        </script>
<form method="post" action="update.php" onSubmit="return check Alpha()">
```

```
$vid=$_GET['viewid'];
   $_SESSION['id']= $vid;
    $ret=mysqli_query($con,"select * from registration where ID='$vid'");
$cnt=1;
while ($row=mysqli_fetch_array($ret)) {
<div id="app">
<?php include('include/sidebar.php');?>
<div class="app-content">
<?php include('include/header.php');?>
<div class="main-content" >
<div class="wrap-content container" id="container">
    <div id="wrapper">
    <!--left !-->
<div id="page-wrapper">
            <div class="row">
            <div class="col-lg-12">
            <div class="panel panel-default">
            <div class="panel-heading">Personal Informations</div>
            <div class="panel-body">
            <div class="row">
            <div class="col-lg-12">
            <div class="form-group">
            <div class="col-lg-2">
            <label>First Name</label>
            <div class="col-lg-4">
            <input class="form-</pre>
control" name="fname" value="<?php echo $row['fname'];?>" pattern="[A-Za-z]+$">
            </div>
            <div class="col-lg-2">
            <label>Middle Name</label>
            <div class="col-lg-4">
            <input class="form-</pre>
control" name="mname" value="<?php echo $row['mname'];?>" pattern="[A-Za-z]+$">
            </div>
            <br><br><br>>
```

```
<div class="form-group">
           <div class="col-lg-2">
            <label>Last Name</label>
            <div class="col-lg-4">
            <input class="form-</pre>
control" name="lname" value="<?php echo $row['lname'];?>" pattern="[A-Za-z]+$">
            </div>
            <div class="col-lg-2">
            <label>Gender</label>
            </div>
            <div class="col-lg-4">
         <input type="radio" name="gender" id="male" value="Male" <?php echo ($row['gender']==</pre>
"Male")?'checked':'' ?> >   Male  
         <input type="radio" name="gender" id="female" value="Female" <?php echo ($row['gende")</pre>
r']=="female")?'checked':'' ?> >   Female  
         <input type="radio" name="gender" id="other" value="other" <?php echo ($row['gender'</pre>
]=="other")?'checked':'' ?> >   Other  
            <div class="form-group">
                    <div class="col-lg-2">
                        <label>Date Of Birth</label>
                    </div>
                    <div class="col-lg-4">
                        <input class="form-</pre>
control" type="date" name="dob" value="<?php echo $row['dob'];?>" required="required">
                     <div class="col-lg-2">
                        <label>Blood Group</label>
                    </div>
                    <div class="col-lg-4">
                    <select class="form-</pre>
control" name="bgroup" id="bgroup" required="required" >
                        <option VALUE="">SELECT</option>
                        <option VALUE="A+" <?php if($row['bgroup']=="A+") echo "selected"; ?>
>A+</option>
                        <option VALUE="B+" <?php if($row['bgroup']=="B+") echo "selected";?> >
B+</option>
                        <option VALUE="AB+" <?php if($row['bgroup']=="AB+") echo "selected";?>
>Ab+</option>
```

```
<option VALUE="0+" <?php if($row['bgroup']=="0+") echo "selected";?> >
O+</option>
                         <option VALUE="A-" <?php if($row['bgroup']=="A-</pre>
") echo "selected";?> >A-</option>
                         <option VALUE="B-" <?php if($row['bgroup']=="B-</pre>
") echo "selected";?> >B-</option>
                        <option VALUE="AB-" <?php if($row['bgroup']=="AB-</pre>
") echo "selected";?> >AB-</option>
                         <option VALUE="0-" <?php if($row['bgroup']=="0-</pre>
") echo "selected";?> >0-</option>
                   </select>
                    </div>
            </div>
            <div class="form-group">
             <div class="col-lg-2">
            <label>Guardian Name</label>
            </div>
            <div class="col-lg-4">
            <input class="form-</pre>
control" name="gname" value="<?php echo $row['gname'];?>" required="required" pattern="[A-
Za-z]+$">
            </div>
             <div class="col-lg-2">
            <label>Occupation</label>
            </div>
            <div class="col-lg-4">
            <input class="form-</pre>
control" name="ocp" id="ocp" value="<?php echo $row['ocp'];?>" required="required" pattern=
'[A-Za-z]+$">
            </div>
            </div>
            <br><br><br>>
            <div class="form-group">
             <div class="col-lg-2">
            <label>Family Income</label>
            </div>
            <div class="col-lg-4">
```

```
<select class="form-control" name="income" id="income"required="required" >
        <option VALUE="">SELECT</option>
       <option VALUE="200000" <?php if($row['income']=="200000") echo "selected"; ?> >200000<</pre>
/option>
       <option value="500000" <?php if($row['income']=="500000") echo "selected"; ?> >500000
option>
       <option value="700000" <?php if($row['income']=="700000") echo "selected"; ?> >700000
/option>
      </select>
           </div>
            <div class="col-lg-2">
           <label>Category</label>
           <div class="col-lg-4">
            <select class="form-control" name="category" id="category" required="required" >
        <option VALUE="">SELECT</option>
        <option VALUE="general" <?php if($row['category']=="general") echo "selected"; ?> >Ge
neral</option>
        <option value="obc" <?php if($row['category']=="obc") echo "selected"; ?> >OBC</optio</pre>
        <option value="sc" <?php if($row['category']=="sc") echo "selected"; ?> >SC</option>
        <option value="st" <?php if($row['category']=="st") echo "selected"; ?> >ST</option>
       <option value="other" <?php if($row['category']=="other") echo "selected"; ?> >Other
option>
       </select>
           </div>
           <br><br><br>>
            <div class="form-group">
            <div class="col-lg-2">
            <label>Physically Challenged</label>
           </div>
           <div class="col-lg-4">
            <select class="form-control" name="ph" id="ph"required="required" >
        <option VALUE="">SELECT</option>
        <option VALUE="yes" <?php if($row['pchal']=="yes") echo "selected"; ?> >Yes</option>
       <option value="no" <?php if($row['pchal']=="no") echo "selected"; ?> >No</option>
       </select>
            </div>
            <div class="col-lg-2">
```

```
<label>Nationality</label>
            <div class="col-lg-4">
            <input class="form-</pre>
control" name="nation" id="nation" value="<?php echo $row['nationality'];?>" required="requi
red" pattern="[A-Za-z]+$">
            </div>
            </div>
            <br><br><br>>
            </div>
            <br><br><br>>
        </div>
        </div>
        </div>
        </div>
        <div class="row">
            <div class="col-lg-12">
            <div class="panel panel-default">
            <div class="panel-heading">Contact Informations</div>
            <div class="panel-body">
            <div class="row">
            <div class="col-lg-12">
            <div class="form-group">
            <div class="col-lg-2">
            <label>Mobile Number</label>
            <div class="col-lg-4">
            <input class="form-</pre>
control" type="number" name="mobno" id="mobno" value="<?php echo $row['mobno'];?>" required="
required" maxlength="10">
             <div class="col-lg-2">
            <label>Email Id</label>
            </div>
            <div class="col-lg-4">
            <input class="form-</pre>
control" type="email" name="email" id="email" value="<?php echo $row['emailid'];?>" onblur="e
mail_check()" required="required">
            </div>
```

```
<br><br><br>>
        <div class="form-group">
           <div class="col-lg-2">
           <label>Country</label>
           </div>
           <div class="col-lg-4">
                <input class="form-</pre>
control" type="text" name="country" id="country" value="<?php echo $row['country'];?>" requi
red="required" pattern="[A-Za-z]+$">
           </div>
            <div class="col-lg-2">
           <label>State</label>
           </div>
           <div class="col-lg-4">
                <input class="form-</pre>
control" type="text" name="state" id="state" value="<?php echo $row['state'];?>" required="r
equired" pattern="[A-Za-z]+$">
           </div>
           </div>
   <div class="form-group">
            <div class="col-lg-2">
           <label>City</label>
           </div>
           <div class="col-lg-4">
               <input class="form-</pre>
control" type="text" name="city" id="dist" value="<?php echo $row['dist'];?>" required="requ
ired" pattern="[A-Za-z]+$">
           </div>
            <div class="col-lg-2">
           <label>Permanent Address</label>
           <div class="col-lg-4">
           <textarea class="form-
control" rows="3" name="padd" id="padd" ><?php echo $row['padd'];?></textarea>
```

```
<br><br><br>>
           <div class="form-group">
           <div class="col-lg-2">
          <label>Correspondence Address</label>
          </div>
          <div class="col-lg-4">
     <textarea class="form-
control" rows="3" name="cadd" id="cadd" ><?php echo $row['cadd'];?></textarea>
          </div>
          </div>
          <br><br><br>>
          </div>
          <br><br><br>>
      </div>
      </div>
      </div>
      </div>
       </div>
       <div class="row">
          <div class="col-lg-12">
          <div class="panel panel-default">
          <div class="panel-heading">Academic Informations</div>
          <div class="panel-body">
          <div class="row">
          <div class="col-lg-12">
          <div class="form-group">
          <div class="panel panel-default">
          <!-- /.panel-heading -->
                     <div class="panel-body">
                         <div class="table-responsive">
                            <div class="col-lg-6">
             Board</label>
          </div>
          <div class="col-lg-6">
             Percentage
            <div class="col-lg-6">
```

```
    Year Of Passing
           </div>
                                  </thead>
                 <div class="col-lg-6">
                 <input class="form-</pre>
control" type="text" name="board1" value="<?php echo $row['board'];?>" >
                 <div class="col-lg-6">
           <input class="form-</pre>
control" type="number" name="percent" value="<?php echo $row['percent'];?>" >
           </div>
           <div class="col-lg-6">
           <input class="form-</pre>
control" type="text" name="pyear1" value="<?php echo $row['pyear'];?>" >
                 <div class="col-lg-6">
                 <input class="form-</pre>
control" type="text" name="board2" value="<?php echo $row['board1'];?>" >
                 <div class="col-lg-6">
           <input class="form-</pre>
control" type="number" name="percent1" value="<?php echo $row['percent1'];?>" >
           </div>
           <div class="col-lg-6">
           <input class="form-</pre>
control" type="text" name="pyear2" value="<?php echo $row['yop1'];?>" >
                 </div>
           <br><br><br>>
         </div>
```

```
<div class="form-group">
   <div class="col-lg-4">
   </div>
   <div class="col-lg-6">
   <input type="submit" class="btn btn-primary" name="submit" value="update"></button>
   </div>
   </div>
   </div>
            </div>
       </div>
   </div>
</div>
</div>
</div>
</div>
<?php } ?>
</form>
   <script src="../bower_components/jquery/dist/jquery.min.js"</pre>
        type="text/javascript"></script>
   <script src="../bower_components/bootstrap/dist/js/bootstrap.min.js"</pre>
        type="text/javascript"></script>
   <script src="../bower_components/metisMenu/dist/metisMenu.min.js"</pre>
        type="text/javascript"></script>
   <script src=".../dist/js/sb-admin-2.js" type="text/javascript"></script>
(/body>
```

# feedback.php

```
<?php
session_start();
error_reporting(0);
include('include/config.php');
if(isset($_POST['login']))
    {
        $uname=$_POST['username'];
        $Password=$_POST['Password'];
        $query=mysqli_query($con,"select ID from tbladmin where AdminuserName='$uname' && Password='$Password' ");
        $ret=mysqli_fetch_array($query);</pre>
```

```
if($ret>0){
      $ SESSION['aid']=$ret['ID'];
    header('location:dashboard.php');
   else{
      echo "Invalid Details";
if(isset($ GET['del']))
                  mysqli_query($con,"delete from feedback where id = '".$_GET['id']."'");
                  $ SESSION['msg']="data deleted !!";
<!DOCTYPE html>
<html lang="en">
        <title>Admin | Feedback from Students</title>
        <link href="http://fonts.googleapis.com/css?family=Lato:300,400,400italic,600,700|Rale</pre>
way:300,400,500,600,700|Crete+Round:400italic" rel="stylesheet" type="text/css" />
        <link rel="stylesheet" href="vendor/bootstrap/css/bootstrap.min.css">
        <link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
        <link rel="stylesheet" href="vendor/themify-icons/themify-icons.min.css">
        <link href="vendor/animate.css/animate.min.css" rel="stylesheet" media="screen">
        <link href="vendor/perfect-scrollbar/perfect-</pre>
scrollbar.min.css" rel="stylesheet" media="screen">
        <link href="vendor/switchery/switchery.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-touchspin/jquery.bootstrap-</pre>
touchspin.min.css" rel="stylesheet" media="screen">
        <link href="vendor/select2/select2.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-datepicker/bootstrap-</pre>
datepicker3.standalone.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-timepicker/bootstrap-</pre>
timepicker.min.css" rel="stylesheet" media="screen">
        <link rel="stylesheet" href="assets/css/styles.css">
        <link rel="stylesheet" href="assets/css/plugins.css">
        <link rel="stylesheet" href="assets/css/themes/theme-1.css" id="skin_color" />
        <div id="app">
<?php include('include/sidebar.php');?>
            <div class="app-content">
                        <?php include('include/header.php');?>
                <div class="main-content" >
```

```
<div class="wrap-content container" id="container">
                   <section id="page-title">
                      <div class="row">
                         <div class="col-sm-8">
                            <h1 class="mainTitle">Admin | Feedback from Students</h1>
                         </div>
                      </div>
                   </section>
                   <div class="container-fluid container-fullw bg-white">
                            <div class="row">
                         <div class="col-md-12">
                            <h5 class="over-title margin-bottom-15"><span class="text-</pre>
bold">Feedback from Students</span></h5>
                            #
                                      First Name
                                      Last Name
                                      Email
                                      Reputation 
                                      Rating 
                                      Achievements
                                      Staff 
                                      Action
                               </thead>
$sql=mysqli_query($con,"select * from feedback");
$cnt=1;
while($row=mysqli_fetch_array($sql))
                                      <?php echo $cnt;?>.
                                      <td class="hidden-
xs"><?php echo $row['fname'];?>
                                      <td class="hidden-
xs"><?php echo $row['lname'];?>
                                      <?php echo $row['emailid'];?>
                                      <?php echo $row['reputation'];?>
                                      <?php echo $row['addprocess'];?>
                                      <?php echo $row['achievement'];?>
```

```
<?php echo $row['staff'];?>
                                               <a href="feedback.php?id=<?php echo $row['id']?>&del=delete" onCli
ck="return confirm('Are you sure you want to delete?')"class="btn btn-transparent btn-
xs tooltips" tooltip-placement="top" tooltip="Remove"><i class="fa fa-times fa fa-
white"></i>></a>
                                               <?php
$cnt=$cnt+1;
                                   </div>
           </div>
        <script src="vendor/jquery/jquery.min.js"></script>
       <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
        <script src="vendor/modernizr/modernizr.js"></script>
       <script src="vendor/jquery-cookie/jquery.cookie.js"></script>
       <script src="vendor/perfect-scrollbar/perfect-scrollbar.min.js"></script>
        <script src="vendor/switchery/switchery.min.js"></script>
       <script src="vendor/maskedinput/jquery.maskedinput.min.js"></script>
       <script src="vendor/bootstrap-touchspin/jquery.bootstrap-touchspin.min.js"></script>
        <script src="vendor/autosize/autosize.min.js"></script>
        <script src="vendor/selectFx/classie.js"></script>
       <script src="vendor/selectFx/selectFx.js"></script>
       <script src="vendor/select2/select2.min.js"></script>
        <script src="vendor/bootstrap-datepicker/bootstrap-datepicker.min.js"></script>
       <script src="vendor/bootstrap-timepicker/bootstrap-timepicker.min.js"></script>
       <script src="assets/js/main.js"></script>
        <script src="assets/js/form-elements.js"></script>
       <script>
           jQuery(document).ready(function() {
               Main.init();
               FormElements.init();
           });
        </script>
```

```
</body>
</html>
```

## manage-student.php

```
session_start();
error_reporting(0);
include('include/config.php');
if(isset($_POST['login']))
    $uname=$_POST['username'];
    $Password=$_POST['Password'];
    $query=mysqli_query($con,"select ID from tbladmin where AdminuserName='$uname' && Passwor
d='$Password' ");
    $ret=mysqli_fetch_array($query);
   if($ret>0){
      $ SESSION['aid']=$ret['ID'];
    header('location:dashboard.php');
    else{
      echo "Invalid Details";
  if(isset($_GET['del']))
                  mysqli_query($con,"delete from registration where id = '".$_GET['id']."'");
                  $_SESSION['msg']="data deleted !!";
<!DOCTYPE html>
<html lang="en">
        <title>Admin | Manage Students</title>
        <link href="http://fonts.googleapis.com/css?family=Lato:300,400,400italic,600,700|Rale</pre>
way:300,400,500,600,700|Crete+Round:400italic" rel="stylesheet" type="text/css" />
        <link rel="stylesheet" href="vendor/bootstrap/css/bootstrap.min.css">
        <link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
        <link rel="stylesheet" href="vendor/themify-icons/themify-icons.min.css">
        <link href="vendor/animate.css/animate.min.css" rel="stylesheet" media="screen">
        <link href="vendor/perfect-scrollbar/perfect-</pre>
scrollbar.min.css" rel="stylesheet" media="screen">
        <link href="vendor/switchery/switchery.min.css" rel="stylesheet" media="screen">
```

```
<link href="vendor/bootstrap-touchspin/jquery.bootstrap-</pre>
touchspin.min.css" rel="stylesheet" media="screen">
       <link href="vendor/select2/select2.min.css" rel="stylesheet" media="screen">
       <link href="vendor/bootstrap-datepicker/bootstrap-</pre>
datepicker3.standalone.min.css" rel="stylesheet" media="screen">
       <link href="vendor/bootstrap-timepicker/bootstrap-</pre>
timepicker.min.css" rel="stylesheet" media="screen">
       <link rel="stylesheet" href="assets/css/styles.css">
       <link rel="stylesheet" href="assets/css/plugins.css">
       <link rel="stylesheet" href="assets/css/themes/theme-1.css" id="skin_color" />
       <div id="app">
<?php include('include/sidebar.php');?>
<div class="app-content">
<?php include('include/header.php');?>
<div class="main-content" >
<div class="wrap-content container" id="container">
<section id="page-title">
<div class="row">
<div class="col-sm-8">
<h1 class="mainTitle">Admin | Manage Students</h1>
</div>
</section>
<div class="container-fluid container-fullw bg-white">
<div class="row">
<div class="col-md-12">
<h5 class="over-title margin-bottom-15"> <span class="text-bold">Manage Students</span></h5>
#
First Name
Middle Name
Last Name
Contact Number
Email
Gender 
Action
</thead>
$sql=mysqli_query($con,"select * from registration");
```

```
$cnt=1;
while($row=mysqli fetch array($sql))
<?php echo $cnt;?>.
<?php echo $row['fname'];?>
<?php echo $row['mname'];?>
<?php echo $row['lname'];?>
<?php echo $row['mobno'];?>
<?php echo $row['emailid'];?>
<?php echo $row['gender'];?>
<a href="edit-student.php?viewid=<?php echo $row['id'];?>"><i class="fa fa-edit"></i></a>
<a href="view-student.php?viewid=<?php echo $row['id'];?>"><i class="fa fa-eye"></i></a>
<a href="manage-
student.php?id=<?php echo $row['id']?>&del=delete" onClick="return confirm('Are you sure you w
ant to delete?')"class="btn btn-transparent btn-xs tooltips" tooltip-
placement="top" tooltip="Remove"><i class="fa fa-times fa fa-white"></i></a>
<?php
$cnt=$cnt+1;
}?>
</div>
</div>
</div>
</div>
</div>
       <script src="vendor/jquery/jquery.min.js"></script>
       <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
       <script src="vendor/modernizr/modernizr.js"></script>
       <script src="vendor/jquery-cookie/jquery.cookie.js"></script>
       <script src="vendor/perfect-scrollbar/perfect-scrollbar.min.js"></script>
       <script src="vendor/switchery/switchery.min.js"></script>
       <script src="vendor/maskedinput/jquery.maskedinput.min.js"></script>
       <script src="vendor/bootstrap-touchspin/jquery.bootstrap-touchspin.min.js"></script>
       <script src="vendor/autosize/autosize.min.js"></script>
       <script src="vendor/selectFx/classie.js"></script>
       <script src="vendor/selectFx/selectFx.js"></script>
       <script src="vendor/select2/select2.min.js"></script>
```

#### manage-users.php

```
<?php
session_start();
error_reporting(0);
include('include/config.php');
if(isset($_POST['login']))
   $uname=$_POST['username'];
    $Password=$_POST['Password'];
    $query=mysqli_query($con,"select ID from tbladmin where AdminuserName='$uname' && Passwor
d='$Password' ");
   $ret=mysqli_fetch_array($query);
   if($ret>0){
     $_SESSION['aid']=$ret['ID'];
    header('location:dashboard.php');
   else{
      echo "Invalid Details";
if(isset($_GET['del']))
                  mysqli_query($con, "delete from signin where id = '".$_GET['id']."';");
                  $_SESSION['msg']="data deleted !!";
<!DOCTYPE html>
<html lang="en">
```

```
<title>Admin | Manage Sign up</title>
        <link href="http://fonts.googleapis.com/css?family=Lato:300,400,400italic,600,700|Rale</pre>
way:300,400,500,600,700|Crete+Round:400italic" rel="stylesheet" type="text/css" />
        <link rel="stylesheet" href="vendor/bootstrap/css/bootstrap.min.css">
       <link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
       <link rel="stylesheet" href="vendor/themify-icons/themify-icons.min.css">
        <link href="vendor/animate.css/animate.min.css" rel="stylesheet" media="screen">
        <link href="vendor/perfect-scrollbar/perfect-</pre>
scrollbar.min.css" rel="stylesheet" media="screen">
        <link href="vendor/switchery/switchery.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-touchspin/jquery.bootstrap-</pre>
touchspin.min.css" rel="stylesheet" media="screen">
        <link href="vendor/select2/select2.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-datepicker/bootstrap-</pre>
datepicker3.standalone.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-timepicker/bootstrap-</pre>
timepicker.min.css" rel="stylesheet" media="screen">
        <link rel="stylesheet" href="assets/css/styles.css">
        <link rel="stylesheet" href="assets/css/plugins.css">
        <link rel="stylesheet" href="assets/css/themes/theme-1.css" id="skin_color" />
       <div id="app">
<?php include('include/sidebar.php');?>
           <div class="app-content">
                        <?php include('include/header.php');?>
               <div class="main-content" >
                    <div class="wrap-content container" id="container">
                        <section id="page-title">
                           <div class="row">
                                <div class="col-sm-8">
                                    <h1 class="mainTitle">Admin | Manage Sign up</h1>
                            </div>
                        </section>
                        <div class="container-fluid container-fullw bg-white">
                                    <div class="row">
                                <div class="col-md-12">
                                    <h5 class="over-title margin-bottom-15"><span class="text-</pre>
bold">Manage Sign-up Users
                                    <?php echo htmlentities($_SESSION['m</pre>
sg']);?>
                               <?php echo htmlentities($ SESSION['msg']="");?>
```

```
#
                                      First Name
                                      Last Name
                                      Email 
                                      Action
                                  <?php
$sql=mysqli_query($con, "select * from signin");
$cnt=1;
while($row=mysqli_fetch_array($sql))
                                     <?php echo $cnt;?>.
                                      <td class="hidden-
xs"><?php echo $row['fname'];?>
                                      <td class="hidden-
xs"><?php echo $row['lname'];?>
                                      <?php echo $row['email'];?>
                                      <div class="visible-md visible-lg hidden-
sm hidden-xs">
  <a href="manage-
users.php?id=<?php echo $row['id']?>&del=delete" onClick="return confirm('Are you sure you wan
t to delete?')"class="btn btn-transparent btn-xs tooltips" tooltip-
placement="top" tooltip="Remove"><i class="fa fa-times fa fa-white"></i></a>
                                  <?php
$cnt=$cnt+1;
                            </div>
                        </div>
```

```
</div>
       </div>
       <script src="vendor/jquery/jquery.min.js"></script>
       <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
        <script src="vendor/modernizr/modernizr.js"></script>
       <script src="vendor/jquery-cookie/jquery.cookie.js"></script>
       <script src="vendor/perfect-scrollbar/perfect-scrollbar.min.js"></script>
       <script src="vendor/switchery/switchery.min.js"></script>
        <script src="vendor/maskedinput/jquery.maskedinput.min.js"></script>
        <script src="vendor/bootstrap-touchspin/jquery.bootstrap-touchspin.min.js"></script>
       <script src="vendor/autosize/autosize.min.js"></script>
        <script src="vendor/selectFx/classie.js"></script>
       <script src="vendor/selectFx/selectFx.js"></script>
       <script src="vendor/select2/select2.min.js"></script>
        <script src="vendor/bootstrap-datepicker/bootstrap-datepicker.min.js"></script>
        <script src="vendor/bootstrap-timepicker/bootstrap-</pre>
timepicker.min.js"></script>
        <script src="assets/js/main.js"></script>
       <script src="assets/js/form-elements.js"></script>
        <script>
            jQuery(document).ready(function() {
                Main.init();
                FormElements.init();
           });
        </script>
    </body>
```

## student-search.php

```
<?php
session_start();
error_reporting(0);
include('include/config.php');
if(isset($_POST['login']))
    {
        $uname=$_POST['username'];
        $Password=$_POST['Password'];
        $query=mysqli_query($con,"select ID from tbladmin where AdminuserName='$uname' && Password='$Password' ");</pre>
```

```
$ret=mysqli_fetch_array($query);
   if($ret>0){
      $_SESSION['aid']=$ret['ID'];
    header('location:dashboard.php');
   else{
     echo "Invalid Details";
<!DOCTYPE html>
<html lang="en">
        <title>Admin | Search Students</title>
        <link href="http://fonts.googleapis.com/css?family=Lato:300,400,400italic,600,700|Rale</pre>
way:300,400,500,600,700|Crete+Round:400italic" rel="stylesheet" type="text/css" />
        <link rel="stylesheet" href="vendor/bootstrap/css/bootstrap.min.css">
        <link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
        <link rel="stylesheet" href="vendor/themify-icons/themify-icons.min.css">
        <link href="vendor/animate.css/animate.min.css" rel="stylesheet" media="screen">
        <link href="vendor/perfect-scrollbar/perfect-</pre>
scrollbar.min.css" rel="stylesheet" media="screen">
        <link href="vendor/switchery/switchery.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-touchspin/jquery.bootstrap-</pre>
touchspin.min.css" rel="stylesheet" media="screen">
        <link href="vendor/select2/select2.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-datepicker/bootstrap-</pre>
datepicker3.standalone.min.css" rel="stylesheet" media="screen">
        <link href="vendor/bootstrap-timepicker/bootstrap-</pre>
timepicker.min.css" rel="stylesheet" media="screen">
        <link rel="stylesheet" href="assets/css/styles.css">
        <link rel="stylesheet" href="assets/css/plugins.css">
        <link rel="stylesheet" href="assets/css/themes/theme-1.css" id="skin color" />
        <div id="app">
<?php include('include/sidebar.php');?>
<div class="app-content">
<?php include('include/header.php');?>
<div class="main-content" >
<div class="wrap-content container" id="container">
<section id="page-title">
<div class="row">
<div class="col-sm-8">
```

```
<h1 class="mainTitle">Admin | Search Students</h1>
</div>
</section>
<div class="container-fluid container-fullw bg-white">
<div class="row">
<div class="col-md-12">
   <form role="form" method="post" name="search">
<div class="form-group">
<label for="doctorname">
<span class="text-bold">Search by Email ID / Mobile No.
<input type="text" name="searchdata" id="searchdata" class="form-</pre>
control" value="" required='true'>
</div>
<button type="submit" name="search" id="submit" class="btn btn-o btn-primary">
Search
</button>
</form>
<?php
if(isset($_POST['search']))
$sdata=$_POST['searchdata'];
 <h4 align="center">Result against "<?php echo $sdata;?>"</h4>
#
First Name
Middle Name
Last Name
Contact Number
Email
Gender 
Action
</thead>
<?php
```

```
$sql=mysqli_query($con,"select * from registration where emailid like '%$sdata%'|| mobno like
'%$sdata%'");
$num=mysqli_num_rows($sql);
if($num>0){
$cnt=1;
while($row=mysqli_fetch_array($sql))
<?php echo $cnt;?>.
<?php echo $row['fname'];?>
<?php echo $row['mname'];?>
<?php echo $row['lname'];?>
<?php echo $row['mobno'];?>
<?php echo $row['emailid'];?>
<?php echo $row['gender'];?>
<a href="edit-student.php?viewid=<?php echo $row['id'];?>"><i class="fa fa-edit"></i></a>
<a href="view-student.php?viewid=<?php echo $row['id'];?>"><i class="fa fa-eye"></i></a>
<a href="manage-
student.php?id=<?php echo $row['id']?>&del=delete" onClick="return confirm('Are you sure you w
ant to delete?')"class="btn btn-transparent btn-xs tooltips" tooltip-
placement="top" tooltip="Remove"><i class="fa fa-times fa fa-white"></i></a>
$cnt=$cnt+1;
} } else { ?>
    No record found against this search
 <?php } }?>
</div>
</div>
</div>
</div
       <script src="vendor/jquery/jquery.min.js"></script>
       <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
```

```
<script src="vendor/modernizr/modernizr.js"></script>
   <script src="vendor/jquery-cookie/jquery.cookie.js"></script>
   <script src="vendor/perfect-scrollbar/perfect-scrollbar.min.js"></script>
   <script src="vendor/switchery/switchery.min.js"></script>
   <script src="vendor/maskedinput/jquery.maskedinput.min.js"></script>
   <script src="vendor/bootstrap-touchspin/jquery.bootstrap-touchspin.min.js"></script>
   <script src="vendor/autosize/autosize.min.js"></script>
   <script src="vendor/selectFx/classie.js"></script>
   <script src="vendor/selectFx/selectFx.js"></script>
   <script src="vendor/select2/select2.min.js"></script>
   <script src="vendor/bootstrap-datepicker/bootstrap-datepicker.min.js"></script>
   <script src="vendor/bootstrap-timepicker/bootstrap-timepicker.min.js"></script>
   <script src="assets/js/main.js"></script>
   <script src="assets/js/form-elements.js"></script>
   <script>
       jQuery(document).ready(function() {
           Main.init();
           FormElements.init();
       });
   </script>
</body>
```

## update.php

```
session_start();
$con = mysqli_connect('localhost','root','') or die("can not connect to database.");
if($con){
      echo "connection successful";
else{
      echo "no connection";
mysqli_select_db($con, 'schoolmanagement');
$fname = $_POST['fname'];
$mname = $_POST['mname'];
$lname = $_POST['lname'];
$gender = $_POST['gender'];
$dob = $_POST['dob'];
$bgroup = $_POST['bgroup'];
$gname = $_POST['gname'];
$ocp = $_POST['ocp'];
$income = $_POST['income'];
```

```
$category = $_POST['category'];
$ph = $_POST['ph'];
$nation = $_POST['nation'];
$mobno = $ POST['mobno'];
$email = $_POST['email'];
$country = $_POST['country'];
$state = $ POST['state'];
$city = $_POST['city'];
$padd = $ POST['padd'];
$cadd = $_POST['cadd'];
$board1 = $_POST['board1'];
$board2 = $_POST['board2'];
$percent = $_POST['percent'];
$percent1 = $ POST['percent1'];
$pyear1 = $_POST['pyear1'];
$pyear2 = $_POST['pyear2'];
        $query= "UPDATE registration SET fname='$fname', mname='$mname', lname='$lname', gende
r='$gender',dob='$dob',bgroup='$bgroup', gname='$gname', ocp='$ocp',income='$income', category
='$category', pchal='$ph', nationality='$nation', mobno='$mobno', emailid='$email', country='$
country', state='$state', dist='$city', padd='$padd', cadd='$cadd', board='$board1', board1='$
board2',percent='$percent',percent1='$percent1',pyear='$pyear1',yop1='$pyear2' WHERE id= $_SES
SION[id];";
         $qy = mysqli_query($con,$query);
         if($qy!=0){
          header('location:manage-student.php');
```

#### view-student.php

```
<link rel="stylesheet" href="vendor/themify-icons/themify-icons.min.css">
       <link href="vendor/animate.css/animate.min.css" rel="stylesheet" media="screen">
       <link href="vendor/perfect-scrollbar/perfect-</pre>
scrollbar.min.css" rel="stylesheet" media="screen">
       <link href="vendor/switchery/switchery.min.css" rel="stylesheet" media="screen">
       <link href="vendor/bootstrap-touchspin/jquery.bootstrap-</pre>
touchspin.min.css" rel="stylesheet" media="screen">
       <link href="vendor/select2/select2.min.css" rel="stylesheet" media="screen">
       <link href="vendor/bootstrap-datepicker/bootstrap-</pre>
datepicker3.standalone.min.css" rel="stylesheet" media="screen">
       <link href="vendor/bootstrap-timepicker/bootstrap-</pre>
timepicker.min.css" rel="stylesheet" media="screen">
       <link rel="stylesheet" href="assets/css/styles.css">
       <link rel="stylesheet" href="assets/css/plugins.css">
       <link rel="stylesheet" href="assets/css/themes/theme-1.css" id="skin_color" />
       <div id="app">
<?php include('include/sidebar.php');?>
<div class="app-content">
<?php include('include/header.php');?>
<div class="main-content" >
<div class="wrap-content container" id="container">
<section id="page-title">
<div class="row">
<div class="col-sm-8">
<h1 class="mainTitle">Admin | View Students</h1>
</div>
</section>
<div class="container-fluid container-fullw bg-white">
<div class="row">
<div class="col-md-12">
<h5 class="over-title margin-bottom-15"><span class="text-bold"> View Students</span></h5>
                             $vid=$ GET['viewid'];
                             $ret=mysqli_query($con,"select * from registration where ID='$v
id'");
$cnt=1;
while ($row=mysqli_fetch_array($ret)) {
Personal Details
```

```
First Name
 <?php echo $row['fname'];?>
  Middle Name
 <?php echo $row['mname'];?>
 Last Name
 <?php echo $row['lname'];?>
 Gender
 <?php echo $row['gender'];?>
DOB
 <?php echo $row['dob'];?>
 Blood Group
 <?php echo $row['bgroup'];?>
 Guardian Name
 <?php echo $row['gname'];?>
 Occupation Name
 <?php echo $row['ocp'];?>
Family Income
  <?php echo $row['income'];?>
 Category
 <?php echo $row['category'];?>
Physically Challenged
 <?php echo $row['pchal'];?>
 Nationality
 <?php echo $row['nationality'];?>
Mobile Number
```

```
<?php echo $row['mobno'];?>
  Email ID
  <?php echo $row['emailid'];?>
  Country
  <?php echo $row['country'];?>
  State
  <?php echo $row['state'];?>
  City
  <?php echo $row['dist'];?>
  Patient Address
  <?php echo $row['padd'];?>
  Correspondence Address
  <?php echo $row['cadd'];?>
Academics Details
  Board
  <?php echo $row['board'];?>
  Board
  <?php echo $row['board1'];?>
  Percentage
  <?php echo $row['percent'];?>
  Percentage
  <?php echo $row['percent1'];?>
  Year of Passing
  <?php echo $row['pyear'];?>
  Year of Passing
  <?php echo $row['yop1'];?>
<?php }?>
```

```
<a href="manage-student.php"><input type="submit" class="btn btn-</pre>
primary" name="submit" value="Back"></button> </a>
<a href="#"><input type="submit" class="btn btn-</pre>
primary" name="submit" value="Print" onClick="window.print()"></button> </a>
</div>
</div>
</div>
</div>
</div>
 /div>
</div>
        <script src="vendor/jquery/jquery.min.js"></script>
        <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
        <script src="vendor/modernizr/modernizr.js"></script>
        <script src="vendor/jquery-cookie/jquery.cookie.js"></script>
        <script src="vendor/perfect-scrollbar/perfect-scrollbar.min.js"></script>
        <script src="vendor/switchery/switchery.min.js"></script>
        <script src="vendor/maskedinput/jquery.maskedinput.min.js"></script>
        <script src="vendor/bootstrap-touchspin/jquery.bootstrap-touchspin.min.js"></script>
        <script src="vendor/autosize/autosize.min.js"></script>
        <script src="vendor/selectFx/classie.js"></script>
        <script src="vendor/selectFx/selectFx.js"></script>
        <script src="vendor/select2/select2.min.js"></script>
        <script src="vendor/bootstrap-datepicker/bootstrap-datepicker.min.js"></script>
        <script src="vendor/bootstrap-timepicker/bootstrap-timepicker.min.js"></script>
        <script src="assets/js/main.js"></script>
        <script src="assets/js/form-elements.js"></script>
        <script>
            jQuery(document).ready(function() {
                Main.init();
                FormElements.init();
            });
        </script>
```

♣ CSS Codes:

❖ login.css

```
margin: 0;
   padding: 0;
   box-sizing: border-box;
   font-family: sans-serif;
   font-weight: normal;
   font-size: 16px;
   text-align: center;
   color: white;
header{
   height: 100vh;
   width: 100%;
   background-image: linear-
gradient(rgba(0,0,0,0.6),rgba(0,0,0,0.6)), url(../images/book.jpeg);
    background-repeat: no-repeat;
   background-size: 100% 100%;
   position: relative;
.mainclass{
   width: 500px;
   height: 400px;
   position: absolute;
   top:50%;
   left:50%;
   background: white;
   transform: translate(-50%,-50%);
   background: linear-gradient(rgba(0,0,0,0.6),rgba(0,0,0,0.6)) transparent;
   text-align: center;
   display: block;
   overflow: hidden;
.mainclass h1{
   font-size: 30px;
   /*font-weight: lighter;*/
   border-bottom: 5px solid #2ee8a4;
   padding: 10px 0 10px 0px;
   margin: 10px 150px 10px 150px;
.mainclass input{
   align-items: center;
   margin: 20px;
   padding: 6px;
   width: 70%;
   background: white;
```

```
outline: none;
button{
   width: 30%;
   color: black;
   padding: 10px;
   margin-top: 20px
   border-radius: 20px;
   font-size: 1rem;
   cursor: pointer;
   background-color : #2ee8a4;
   outline: none;
button:hover {
 background-color: #16a671;
 text-decoration: none;
.left img{
   margin-top: 10px;
   border-radius: 100%;
```

#### hi.css

```
#{
    margin: 0;
    padding: 0;
    color: #000000;
    box-sizing: border-box;
    font-family: sans-serif;
}

body{
    text-align: center;
}

.wrapper{
    width: 1170px;
    margin: 0 auto;
}

/*Header CSS Code*/
header{
    height: 100 px;
```

```
background: #000000;
   width: 100%;
   z-index: 12;
   position: fixed;
.logo{
   width: 50%;
   float: left;
   line-height: 50px;
   margin-top: 50px;
.logo a{
   text-decoration: none;
   font-size: 30px;
   font-family:sans-serif;
   color: #fff;
   letter-spacing: 5px;
nav{
   float: right;
   line-height: 50px;
   margin-top: 50px;
nav a{
   text-decoration: none;
   font-family:sans-serif;
   letter-spacing: 4px;
   font-size: 20px;
   margin: 0 10px;
   color: rgb(255, 255, 255);
.content-area{
   width: 100%;
   position: relative;
   top: 450 px;
   background: #DDD;
   height: 1500PX;
```

```
.content-area H{
   font-family: bigmoodlrtitling;
   letter-spacing: 4px;
   padding-top: 30px;
   font-size:40px;
   margin: 0;
.content-area p{
   padding: 2% 0;
   font-family: merienda;
   line-height: 30px;
.text-center marquee{
   color:rgb(25, 155, 43);
.text-center-1 marquee{
color: purple;
.single-blog
   box-shadow: 0px 0px 20px 1px rgba(0, 0, 0, 0.2);
   padding: 10px;
   margin-top: 30px;
   background-color: #fff;
.single-blog img{
   width: 100%;
.blog-meta{
   font-size: 14px;
   margin-bottom: 2px;
.single-blog span{
   float: right;
   font-size: 18px;
   font-family: sans-serif;
   color: rgb(15, 46, 184);
```

```
.blog-text{
   font-size: 20px;
   text-align: justify;
   font-family: sans-serif;
.single-blog h2{
   margin-top: 10px;
   font-size: 20px;
   font-family: sans-serif;
   color: #007bff;
.single-blog h2 a{
   text-decoration: none ;
.deat{
   background: #f89406 none repeat scroll 0 0;
   height: 60px;
   left: 0;
   position: absolute;
   text-align: center;
   top: 0;
   width: 60px;
   padding: 10px;
.deat span{
   display: block;
   color: white;
   font-weight: 700;
   font-size: 30px;
.read-more-btn{
   background-image: linear-gradient(to right, #ff450d, #ecd820);
   padding: 5px 12px 8px;
   border-radius:20px ;
   line-height: 20px;
   font-size: 16px;
   color: rgb(0, 0, 0);
   border: none !important;
```

```
.read-more-btn:hover{
    background-image: linear-gradient(to right, #9009ff, rgb(6, 207, 243));
   padding: 5px 12px 8px;
   text-decoration: none;
   color: #fff;
.footer-top{
background: #111;
padding: 40px 0;
.footer-top p{
    color: #999999;
    line-height: 25px;
.footer-top h2, h3{
   color: #fff;
   font-size: 18px;
.segment-one h2{
   font-family: sans-serif;
   color: #fff;
   text-transform: uppercase;
   font-size: 20px;
   letter-spacing: 3px;
   word-spacing: 10px;
   margin:10px 0;
.segment-one h2:before{
   content: '|';
   font-family: sans-serif;
   color: #c65039;
   padding-right: 10px;
.segment-one p {
   text-align: left;
    font-family:sans-serif;
   font-size: 20px;
```

```
line-height: 25px;
.segment-two h2{
   font-family: sans-serif;
   color: #fff;
   text-transform: uppercase;
   font-size: 20px;
.segment-two h2:before{
   content: '|';
   font-family: sans-serif;
   color: #c65039;
   padding-right: 10px;
.segment-two span p {
   margin: 0px;
   text-align: left;
   font-family:sans-serif;
   font-size: 18px;
   line-height: 25px;
.segment-two span{
   line-height: 20px;
   text-align: left;
   font-size: 22px;
   color: rgb(86, 219, 236);
.segment-three h2{
   font-family: sans-serif;
   color: #fff;
  text-transform: uppercase;
  font-size: 20px;
.segment-three h2:before{
   content: '|';
   font-family: sans-serif;
   color: #c65039;
   padding-right: 10px;
```

```
.segment-three p {
   text-align: left;
   font-family:sans-serif;
   font-size: 20px;
   line-height: 25px;
.segment-three .social{
   margin: 20px 0 0 0;
.segment-three .social a span{
   height: 40px;
   width: 40px;
   background: rgb(0, 0, 0);
   line-height: 40px;
   text-align: center;
   font-size: 25px;
   color: rgb(86, 219, 236);
   border-radius: 15px;
   transition: 0.3s;
.segment-three .social a span:hover{
   background: #f12020;
.segment-four h2{
   font-family: sans-serif;
   color: #fff;
   text-transform: uppercase;
   font-size: 20px;
.segment-four h2:before{
   content: '|';
   font-family: sans-serif;
   color: #c65039;
   padding-right: 10px;
.segment-four p {
   margin-top: 5px;
   text-align: left;
```

```
font-family:sans-serif;
  font-size: 20px;
  line-height: 25px;
}

.segment-four form input[type=submit]{
  background: #c65039;
  border: none;
  padding: 3px 5px;
  margin-left: -5px;
  color: #fff;
  text-transform: uppercase;
}
.footer-bottom-text{
   text-align: center;
  background: rgb(87, 85, 85);
  line-height: 30px;
}
```

#### ❖ aboutus.css

```
.container {
   border: 2px solid #ccc;
   background-color: #eee;
   border-radius: 5px;
   padding: 16px;
 .container::after {
   content: "";
  clear: both;
   display: table;
 .container img {
  float: left;
   margin-right: 20px;
   border-radius: 50%;
 .container span {
   font-size: 60px;
   margin-right: 15px;
 .container p{
     font-size: 20px;
```

```
@media (max-width: 500px) {
    .container {
        text-align: center;
    }
    .container img {
        margin: auto;
        float: none;
        display: block;
    }
}
.container .ab-w3l-spa .about-para-w3ls span{
        color: rgb(148, 19, 235);
        font-size: 40px;
        margin-right: 15px;
}
```

## style.css

```
margin: 0;
   padding: 0;
   box-sizing: border-box;
   font-family: sans-serif;
   font-weight: normal;
   font-size: 16px;
   text-align: center;
   color: white;
header{
   height: 100vh;
   width: 100%;
   background-image: linear-gradient(rgba(0,0,0,0.6),rgba(0,0,0,0.6)), url(img4.jpg);
   background-repeat: no-repeat;
   background-size: 100% 100%;
   position: relative;
.placeicon{
    font-family: fontawesome;
.mainclass{
   width: 1000px;
   height: 500px;
```

```
position: absolute;
   top:50%;
   left:50%;
   transform: translate(-50%,-50%);
   display: flex;
   display: -ms-flexbox;
.left{
   flex: 50%;
   height: 500px;
   margin: 10px;
   background: linear-gradient(rgba(0,0,0,0.3),rgba(0,0,0,0.6)) transparent;
   overflow: hidden;
.right{
   flex: 50%;
   height: 500px;
   margin: 10px;
   background: linear-gradient(rgba(0,0,0,0.3),rgba(0,0,0,0.6)) transparent;
   overflow: hidden;
.left h2, .right h2{
   font-size: 30px;
   border-bottom: 5px solid #2ee8a4;
   padding: 10px 0 10px 0px;
   margin: 10px 150px 10px 150px;
.left input, .right input{
   margin: 20px;
   padding: 6px;
   width: 80%;
   background: white;
   outline: none;
   border-radius: 20px;
   color: black;
.left button, .right button{
   width: 30%;
   color: black;
   padding: 10px;
   margin-top: 20px;
   border-radius: 20px;
   font-size: 1rem;
   cursor: pointer;
   background-color: #2ee8a4;
```

```
outline: none;
}
.left button:hover, .right button:hover {
  background-color: #16a671;
  text-decoration: none;
}
.left img{
  margin-top: 10px;
  border-radius: 100%;
}
```

bootstrap.css and bootstrap.min.css are also used which are huge files so not included here.