

```
/*
Experiment No. : 15
Statement : To send data from ESP8266 Witty Cloud
Development Board on ThingSpeak cloud.

Date of Exp. : xx/xx/yyyy
Author : Vaishnavi Rathi (A-19)
*/
```

```
#include <ESP8266WiFi.h>
#include <ThingSpeak.h>

#define led 2
#define red 15
#define green 12
#define blue 13
#define ldr A0

WiFiClient client;

long myChannelNumber=2477931;

const char myWriteAPIKey[]="YJKIPGQ6IRDAOYZM";

void setup() {
    pinMode(led, OUTPUT);
    pinMode(red, OUTPUT);
    pinMode(green, OUTPUT);
```

```

pinMode(blue, OUTPUT);

Serial.begin(9600);

WiFi.begin("Jain", "jainansh1");


while(WiFi.status() != WL_CONNECTED) {
    Serial.print('.');
    delay(200);
}


Serial.println();
Serial.println("Witty board connected!");
Serial.println(WiFi.localIP());
ThingSpeak.begin(client);

}

void loop() {
    int value = analogRead(ldr);
    Serial.println(value);
    ThingSpeak.writeField(myChannelNumber, 1, value, myWriteAPIKey);
    delay(2000);
}

```





COM9

```
207  
213  
206  
205  
17  
9  
15  
17  
207  
210  
197  
29  
29  
14  
50
```

Autoscroll  Show timestamp When present, scroll bar will not work. Would you like to turn off? Newline 9600 baud Clear output

