
Code written

```c
#include <stdio.h>

int main() {
int l, r, k;
// Read l, r, and k from standard input
if (scanf("%d %d %d", &l, &r, &k) != 3) {
return 0;
}
int count = 0;
// Iterate from l to r and check divisibility by k
for (int i = l; i <= r; i++) {
if (i % k == 0) {
count++;
}
}
// Print the final count
printf("%d\n", count);
return 0;
}
```

Link

https://www.hackerearth.com/practice/basic-programming/input-output/basics-of-input-output/practice-problems/algorithm/count-divisors/


hackerearth
Dashboard
Learn
Practice
AI Interviews
Compete
Jobs
VibeCode Arena
Resume Builder
Leaderboard
Profile
Theme
Feedback
Support
12/18 Count Divisors
Back
Submit
00:00:00
Description
Editorial
Submissions
Similar Problems
Count Divisors
3.9 (1589 votes)
Easy
88.0% success
181,443 attempts
1s time
256MB memory
1024KB max code
You have been given 3 integers - l, r and k. Find how many numbers between l and r (both inclusive) are divisible by k. You do not need to print these numbers, you just have to find their count.
Input Format
The first and only line of input contains 3 space separated integers l, r and k.
Output Format
Print the required answer on a single line.
Constraints
1 ≤ l ≤ r ≤ 1000
1 ≤ k ≤ 1000
Examples
Input
1 10 1
C
#include <stdio.h>
int main() {
int l, r, k;
// Read l, r, and k from standard input
if (scanf("%d %d %d", &l, &r, &k) != 3) {
return 0;
}
int count = 0;
// Iterate from l to r and check divisibility by k
for (int i = l; i <= r; i++) {
if (i % k == 0) {
count++;
}
}
// Print the final count
printf("%d\n", count);
return 0;
}
Results
Test against custom input
Accepted
Refer judge environment