
Code written

```
class Solution {
public:
int reverse(int x) {
int reversed_num = 0;
while (x != 0) {
int digit = x % 10;
x /= 10;
// Check for overflow before multiplying by 10 and adding the digit
if (reversed_num > INT_MAX / 10 || (reversed_num == INT_MAX / 10 && digit > 7)) {
return 0;
}
// Check for underflow
if (reversed_num < INT_MIN / 10 || (reversed_num == INT_MIN / 10 && digit < -8)) {
return 0;
}
reversed_num = reversed_num * 10 + digit;
}
return reversed_num;


}
};
```

Link

https://leetcode.com/problems/reverse-integer/


Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 1046 / 1046 testcases passed
rAWzueUL1U submitted at Nov 10, 2026 12:28
Analysis
Solution
Save 41%
Big Diwali Dhamaka
Unlock the Full Experience with Premium for ₹583.25/mo — Ends Nov 8!
Runtime
2 ms | Beats 48.74%
Memory
8.36 MB | Beats 96.15%
60%
40%
20%
0%
1ms
2ms
3ms
4ms
Code | C++
1 class Solution {
2 public:
3 int reverse(int x) {
4 int reversed_num = 0;
5
6 while (x != 0) {
Code
C++
Auto
1 class Solution {
2 public:
3 int reverse(int x) {
4 int reversed_num = 0;
5
6 while (x != 0) {
7 int digit = x % 10;
8 x /= 10;
9
10 // Check for overflow before multiplying by 10 and adding the digit
11 if (reversed_num > INT_MAX / 10 || (reversed_num == INT_MAX / 10 && digit > 7)) {
12 return 0;
13 }
14 // Check for underflow
15 if (reversed_num < INT_MIN / 10 || (reversed_num == INT_MIN / 10 && digit < -8)) {
16 return 0;
17 }
18
19 reversed_num = reversed_num * 10 + digit;
20 }
21
22 return reversed_num;
23
24 }
25 };
Saved
Ln 25, Col 3
Testcase
Test Result