```sql
-- 2. Write a SQL statement to create a simple table countries including columns country_id, count
CREATE TABLE IF NOT EXISTS countries (
    country_id VARCHAR(10),
    country_name VARCHAR(50),
    region_id DECIMAL(10,0)
);
select* from countries;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

country_id	country_name	region_id

Result Grid

```
16  -- 3. Write a SQL statement to create the structure of a table dup_countries similar to countries.
17  CREATE TABLE dup_countries LIKE countries;
18  select*from dup_countries;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

country_id	country_name	region_id

Result Grid

```
36  -- 4. Write a  statement to create a duplicate copy of countries table including structure and dat
37  CREATE TABLE dup_countries AS SELECT * FROM countries;
38  select *from dup_countries;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	country_id	country_name	region_id

Result Grid

```
41  -- 5. Write a  statement to create a table countries set a constraint NULL.
42  CREATE TABLE countries (
43      country_id VARCHAR(10) NULL,
44      country_name VARCHAR(50) NULL,
45      region_id DECIMAL(10,0) NULL
46  );
47  select*from countries;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	country_id	country_name	region_id

```sql
-- 6. Write a  statement to create a table named jobs including columns job_id, job_title, min_sal
CREATE TABLE jobs (
    job_id VARCHAR(10) NOT NULL,
    job_title VARCHAR(35) NOT NULL,
    min_salary DECIMAL(6,0),
    max_salary DECIMAL(6,0),
    CHECK (max_salary <= 25000)
);
select*from jobs;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

job_id	job_title	min_salary	max_salary

```sql
-- 7. Write a  statement to create a table named countries including columns country_id, country_n
CREATE TABLE countries (
    country_id VARCHAR(10),
    country_name VARCHAR(50) CHECK (country_name IN ('Italy', 'India', 'China')),
    region_id DECIMAL(10,0)
);
select*from countries;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

country_id	country_name	region_id

Result Grid

```
78    /* 9. Write a  statement to create a table named countries including columns country_id, country_n
79    CREATE TABLE countries (
80        country_id VARCHAR(10) NOT NULL UNIQUE,
81        country_name VARCHAR(50),
82        region_id DECIMAL(10,0)
83    );
84    select*from countries;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

country_id	country_name	region_id
NULL	NULL	NULL

Result Grid

```sql
-- 10. Write a  statement to create a table named jobs including columns job_id, job_title, min_sa
CREATE TABLE jobs (
    job_id VARCHAR(10) NOT NULL,
    job_title VARCHAR(35) DEFAULT ' ',
    min_salary DECIMAL(6,0) DEFAULT 8000,
    max_salary DECIMAL(6,0) DEFAULT NULL
);
select*from jobs;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

job_id	job_title	min_salary	max_salary

Result Grid

```
97    -- 11. Write a  statement to create a table named countries including columns country_id, country_
98    CREATE TABLE countries (
99        country_id VARCHAR(10) NOT NULL PRIMARY KEY,
100       country_name VARCHAR(50),
101       region_id DECIMAL(10,0)
102   );
103   select*from countries;
104
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

country_id	country_name	region_id
NULL	NULL	NULL

Result Grid

```sql
-- 12. Write a  statement to create a table countries including columns country_id, country_name a
CREATE TABLE countries (
    country_id INT NOT NULL AUTO_INCREMENT PRIMARY KEY,
    country_name VARCHAR(50),
    region_id DECIMAL(10,0)
);
select*from countries;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

country_id	country_name	region_id
NULL	NULL	NULL

Result Grid

```
114     -- 13. Write a  statement to create a table countries including columns country_id, country_name a
115 ●   CREATE TABLE countries (
116         country_id VARCHAR(10),
117         country_name VARCHAR(50),
118         region_id DECIMAL(10,0),
119         UNIQUE (country_id, region_id)
120     );
121 ●   select*from countries;
122
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

country_id	country_name	region_id

Result Grid

```sql
-- 14. Write a  statement to create a table job_history including columns employee_id, start_date,
CREATE TABLE job_history (
    employee_id DECIMAL(6,0) NOT NULL,
    start_date DATE NOT NULL,
    end_date DATE NOT NULL,
    job_id VARCHAR(10) NOT NULL,
    department_id DECIMAL(4,0) NOT NULL,
    PRIMARY KEY (employee_id, start_date),
    FOREIGN KEY (job_id) REFERENCES jobs(JOB_ID)
);
SELECT*FROM job_history;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

employee_id	start_date	end_date	job_id	department_id
NULL	NULL	NULL	NULL	NULL

Result Grid

```sql
/* 15. Write a  statement to create a table employees including columns employee_id, first_name, last_name, email, phone_n
CREATE TABLE employees (
    employee_id DECIMAL(6,0) UNIQUE,
    first_name VARCHAR(20),
    last_name VARCHAR(25),
    email VARCHAR(25),
    phone_number VARCHAR(20),
    hire_date DATE,
    job_id VARCHAR(10),
    salary DECIMAL(8,2),
    commission DECIMAL(4,2),
    manager_id DECIMAL(6,0),
    department_id DECIMAL(4,0),

    FOREIGN KEY (department_id, manager_id)
    REFERENCES departments (department_id, manager_id));
SELECT *FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

employee_id	first_name	last_name	email	phone_number	hire_date	job_id	salary	commission	manager_id	department_id

Result Grid

```sql
-- 16. Write a  statement to create a table employees including columns employee_id, first_name, last_name, email, phone_n
CREATE TABLE employees (
    employee_id DECIMAL(6,0) NOT NULL PRIMARY KEY,
    first_name VARCHAR(20),
    last_name VARCHAR(25) NOT NULL,
    email VARCHAR(25) NOT NULL,
    phone_number VARCHAR(20),
    hire_date DATE NOT NULL,
    job_id VARCHAR(10) NOT NULL,
    salary DECIMAL(8,2),
    commission DECIMAL(2,2),
    manager_id DECIMAL(6,0),
    department_id DECIMAL(4,0),
    FOREIGN KEY (department_id) REFERENCES departments(DEPARTMENT_ID),
    FOREIGN KEY (job_id) REFERENCES jobs(JOB_ID)
) ENGINE=InnoDB;
SELECT*FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

employee_id	first_name	last_name	email	phone_number	hire_date	job_id	salary	commission	manager_id	department_id
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

```sql
-- 17. Write a  statement to create a table employees including columns employee_id, first_name, last_name, job_id, salary
CREATE TABLE employees (
    employee_id INT NOT NULL PRIMARY KEY,
    first_name VARCHAR(20),
    last_name VARCHAR(25) NOT NULL,
    job_id VARCHAR(50) NOT NULL,
    salary DECIMAL(8,2),
    FOREIGN KEY (job_id) REFERENCES jobs(JOB_ID)
        ON UPDATE CASCADE
        ON DELETE RESTRICT
) ENGINE=InnoDB;
SELECT*FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

employee_id	first_name	last_name	job_id	salary
NULL	NULL	NULL	NULL	NULL

```sql
-- 18. Write a  statement to create a table employees including columns employee_id, first_name, last_name, job_id, salary
CREATE TABLE employees (
    employee_id INT NOT NULL PRIMARY KEY,
    first_name VARCHAR(20),
    last_name VARCHAR(25) NOT NULL,
    job_id VARCHAR(50) NOT NULL,
    salary DECIMAL(8,2),
    FOREIGN KEY (job_id) REFERENCES jobs(JOB_ID)
        ON DELETE CASCADE
        ON UPDATE RESTRICT
) ENGINE=InnoDB;
SELECT*FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

	employee_id	first_name	last_name	job_id	salary
*	NULL	NULL	NULL	NULL	NULL

Result Grid

```sql
-- 19. Write a  statement to create a table employees including columns employee_id, first_name, last_name, job_id, salary
CREATE TABLE employees (
    employee_id INT NOT NULL PRIMARY KEY,
    first_name VARCHAR(20),
    last_name VARCHAR(25) NOT NULL,
    job_id VARCHAR(50) DEFAULT NULL,S
    salary DECIMAL(8,2),
    FOREIGN KEY (job_id) REFERENCES jobs(JOB_ID)
        ON DELETE SET NULL
        ON UPDATE SET NULL
) ENGINE=InnoDB;
SELECT*FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

employee_id	first_name	last_name	job_id	salary
NULL	NULL	NULL	NULL	NULL

Result Grid

```sql
-- 20. Write a  statement to create a table employees including columns employee_id, first_name, last_name, job_id, salary
CREATE TABLE employees (
    employee_id INT NOT NULL PRIMARY KEY,
    first_name VARCHAR(20),
    last_name VARCHAR(25) NOT NULL,
    job_id VARCHAR(50) NOT NULL,
    salary DECIMAL(8,2),
    FOREIGN KEY (job_id) REFERENCES jobs(JOB_ID)
        ON DELETE NO ACTION
        ON UPDATE NO ACTION
) ENGINE=InnoDB;
SELECT*FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

employee_id	first_name	last_name	job_id	salary
NULL	NULL	NULL	NULL	NULL

Result Grid

```
/*-- 8. Write a  statement to create a table named job_histry including columns employee_id, start_date, end_date, job_id
CREATE TABLE job_histry (
    employee_id INT,
    start_date DATE,
    end_date VARCHAR(10),
    job_id VARCHAR(10),
    department_id INT,
    CHECK (end_date REGEXP '^[0-9]{2}/[0-9]{2}/[0-9]{4}$')
);
```

sult Grid | Filter Rows: | Export: | Wrap Cell Content:

employee_id	start_date	end_date	job_id	department_id

Result Grid

```
2  USE db;
3  /* Q1 */
4  CREATE TABLE COUNTRIES(
5  COUNTRY_ID INT,
6  COUNTRY_NAME VARCHAR(50),
7  REGION_ID INT);
8  select *from countries;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	COUNTRY_ID	COUNTRY_NAME	REGION_ID