```
#include <stdio.h>
void swap(int *xp, int *yp)
    int temp = *xp;
    *xp = *yp;
    *yp = temp;
void selectionSort(int arr[], int n)
    int i, j, min_idx;
    for (i = 0; i < n-1; i++)
        min_idx = i;
        for (j = i+1; j < n; j++)
        if (arr[j] < arr[min_idx])</pre>
            min_idx = j;
        if(min_idx != i)
            swap(&arr[min_idx], &arr[i]);
void printArray(int arr[], int size)
    for (i=0; i < size; i++)
        printf("%d ", arr[i]);
    printf("\n");
int main()
    int arr[] = {64, 25, 12, 22, 11};
    int n = sizeof(arr)/sizeof(arr[0]);
    selectionSort(arr, n);
    printf("Sorted array: \n");
    printArray(arr, n);
    return 0;
```

Output:

```
Sorted array:
11 12 22 25 64
PS C:\Users\vaishnavi\Desktop>
```

Bubble sort:

```
^{\prime}/ C program for implementation of Bubble sort
#include <stdio.h>
void swap(int* xp, int* yp)
    int temp = *xp;
    *xp = *yp;
    *yp = temp;
void bubbleSort(int arr[], int n)
    for (i = 0; i < n - 1; i++)
        for (j = 0; j < n - i - 1; j++)
            if (arr[j] > arr[j + 1])
                swap(&arr[j], &arr[j + 1]);
void printArray(int arr[], int size)
    for (i = 0; i < size; i++)
        printf("%d ", arr[i]);
    printf("\n");
int main()
    int arr[] = { 5, 1, 4, 2, 8 };
    int n = sizeof(arr) / sizeof(arr[0]);
```

```
bubbleSort(arr, n);
printf("Sorted array: \n");
printArray(arr, n);
return 0;
}
```

Output:

```
Sorted array:
1 2 4 5 8
PS C:\Users\vaishnavi\Desktop> [
```

Insertion Sort

```
#include <math.h>
#include <stdio.h>
void insertionSort(int arr[], int n)
    int i, key, j;
    for (i = 1; i < n; i++) {
        key = arr[i];
        j = i - 1;
        while (j \ge 0 \&\& arr[j] > key) {
            arr[j + 1] = arr[j];
            j = j - 1;
        arr[j + 1] = key;
void printArray(int arr[], int n)
    for (i = 0; i < n; i++)
        printf("%d ", arr[i]);
    printf("\n");
```

```
/* Driver program to test insertion sort */
int main()
{
    int arr[] = { 12, 11, 13, 5, 6 };
    int n = sizeof(arr) / sizeof(arr[0]);

    insertionSort(arr, n);
    printArray(arr, n);

    return 0;
}
```

Output:

```
PS C:\Users\vaishnavi> cd "c:\Users\vaishnavi\Desktop\" ; if ($?) 5 6 11 12 13
PS C:\Users\vaishnavi\Desktop> []
```