Lesson 13

Android
Multi-Threading

Victor Matos

Cleveland State University

Notes are based on:
Android Developers
http://developer.android.com/index.html

Multi-Threading

## Threads   http://developer.android.com/reference/java/lang/Thread.html

1. A Thread is a **concurrent** unit of execution.

2. Each thread has its own call **stack**. The call stack is used on method calling, parameter passing, and storage for the called method's local variables.

3. Each virtual machine instance has at least one **main thread** .

4. Threads in the same VM interact and synchronize by the use of **shared objects** and **monitors** associated with these objects.

2

Multi-Threading

Process 2 (Dalvik Virtual Machine 2)

Process 1 (Dalvik Virtual Machine 1)

Common memory resources

Common memory resources

Main thread

main thread

Thread-2

Thread-1

3

Multi-Threading

Threads http://developer.android.com/reference/java/lang/Thread.html

There are basically two main ways of having a **Thread** execute application code.

1. Create a new class that *extends* **Thread** and override its **run()** method.

```
MyThread t = new MyThread();
t.start();
```

2. Create a new **Thread** instance passing to it a **Runnable** object.

```
Runnable myRunnable1 = new MyRunnableClass();
Thread t1 = new Thread(myRunnable1);
t1.start();
```

In both cases, the **start()** method must be called to actually execute the new Thread.

4

Multi-Threading

Threads http://developer.android.com/reference/java/lang/Thread.html

Example1. Creating two threads using different programming styles.

Main Thread

```java
public class MainActivity extends Activity {
@Override
    public void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        Runnable myRunnable1 = new MyRunnableClass();
        Thread t1 = new Thread(myRunnable1);
        t1.start();

        MyThread t = new MyThread();
        t.start();

    }//onCreate
```

5

Multi-Threading

Threads http://developer.android.com/reference/java/lang/Thread.html

Example1. Creating two threads using different programming styles.

MyRunnable Class

```java
public class MyRunnableClass implements Runnable {
  @Override
  public void run() {
    try {
      for (int i = 100; i < 105; i++){
        Thread.sleep(1000);
        Log.e("<<runnable>>", "runnable talking: " + i);
      }
    } catch (InterruptedException e) {
      e.printStackTrace();
    }

  }//run

}//class
```

Multi-Threading

Threads

Example1. Creating two threads using different programming styles.

MyThread Class

```java
public class MyThread extends Thread{

  @Override
  public void run() {
    super.run();
    try {
      for(int i=0; i<5; i++){
        Thread.sleep(1000);
        Log.e("[[thread]]", "Thread talking: " + i);
      }
    } catch (InterruptedException e) {
      // TODO Auto-generated catch block
      e.printStackTrace();
    }
  }//run
}//class
```

- PlayWithThreads
  - src
    - com.example.playwiththreads
      - MainActivity.java
      - MyRunnableClass.java
      - MyThread.java
  - gen [Generated Java Files]
  - Android 4.1
  - Android Dependencies
  - assets
  - bin
  - libs
  - res

Multi-Threading

Threads

Example1. Creating two threads using different programming styles.

	LogCat ⊠						
I	11-02 16:28:5...	247	247	com.androi...	Choreographer	Skipped 43 frames! The ts main thread.	
E	11 02 16:28:5...	828	843	com.exampl...	<<runnable>>	runnable talking: 100	
E	11-02 16:28:5...	828	844	com.exampl...	[[thread]]	thread talking: 0	
E	11-02 16:28:5...	828	844	com.exampl...	[[thread]]	thread talking: 1	
E	11-02 16:28:5...	828	843	com.exampl...	<<runnable>>	runnable talking: 101	
E	11-02 16:28:5...	828	844	com.exampl...	[[thread]]	thread talking: 2	
E	11-02 16:28:5...	828	843	com.exampl...	<<runnable>>	runnable talking: 102	
E	11-02 16:28:5...	828	844	com.exampl...	[[thread]]	thread talking: 3	
E	11-02 16:28:5...	828	843	com.exampl...	<<runnable>>	runnable talking: 103	
E	11-02 16:28:5...	828	843	com.exampl...	<<runnable>>	runnable talking: 104	
E	11-02 16:28:5...	828	844	com.exampl...	[[thread]]	thread talking: 4	

Interleaved execution

8

Multi-Threading

## Advantages of Multi-Threading

1. Threads **share** the process' **resources** but are able to execute independently.

2. Applications **responsibilities** can be **separated**
   - main thread runs UI, and
   - slow tasks are sent to background threads.

3. Threading provides an useful abstraction of **concurrent** execution.

4. A multithreaded program operates *faster* on computer systems that have *multiple CPUs.*

9

Multi-Threading

Disadvantages of Multi-Threading

1. Code tends to be more **complex**

2. Need to detect, avoid, resolve **deadlocks**

A1

A3

A2

A1	A2
Waiting for A2 to finish	Waiting for A1 to finish

10

Multi-Threading

Android's Approach to Slow Activities

Problem: An application may involve a time-consuming operation.
Goal: We want the **UI** to be responsive to the user in spite of heavy load.
Solution: Android offers two ways for dealing with this scenario:

1. Do expensive operations in a background *service*, using *notifications* to inform users about next step

2. Do the slow work in a *background thread*.

Using Threads: Interaction between Android threads is accomplished using
  (a) a main thread *Handler* object and
  (b) posting *Runnable* objects to the main view.

11

Multi-Threading

Handler Class
http://developer.android.com/reference/android/os/Handler.html

• The *main thread* runs a *message queue* that takes care of managing the interaction between top-level application objects (activities, intent receivers, etc) and any windows they create.

• You can create your own **secondary threads**, and communicate back with the main application thread through a user-defined **Handler**.

• *Your new Handler is bound to the message queue of the thread in which it is created.*

• The Handler will deliver *messages* and *runnables* to that message queue and execute them as they come out of the message queue.

12

Multi-Threading

Handler Class
http://developer.android.com/reference/android/os/Handler.html

There are two main uses for a **Handler**:

(1) to schedule *messages* and *runnables* to be executed as some point in the future; and

(2) to enqueue an action to be performed on another thread

Main Thread

Message Queue
message1
message2
runnable1
message3
runnabl2

Activitty

Receiver

Thread

13

Multi-Threading

Threads and UI

Warning

**Background threads are not allowed to interact with the UI.**

- Only the main process can access the (main) activity's view.

- (Global) class variables can be seen and updated in the threads

14

Multi-Threading

Observation:

- Typically the main UI thread sets a handler to get messages from the worker threads; however *each worker thread could also define its own handler.*

- A handler in the worker thread creates a local message-queue which could be used to receive messages from other threads (including main).


15

Multi-Threading

Handler's MessageQueue

1. A secondary thread that wants to communicate with the main thread must request a message **token** using the *obtainMessage*() method.

2. Once obtained, the background thread can fill data into the message **token** and attach it to the Handler's **message queue** using the *sendMessage*() method.

3. The Handler uses the *handleMessage*() method to continuously attend new messages arriving to the main thread.

4. A **message** extracted from the process' queue can either return some **data** to the main process or request the **execution** of runnable objects through the *post*() method.

16

Multi-Threading

Handler
handleMessage

Message Queue	Free Tokens

MAIN THREAD

Runnable r1

Runnable r2

View
Code
Stack
Memory

What 1	Data Some object

.sendMessage()

.sendMessage(msg)

.obtainMessage()

.post(r1)
.postAtFrontOfQueue(…)

What 2	Data Some object

Background Thread 1

.obtainMessage()

Background Thread 2

17

Multi-Threading
Using Messages

Main Thread	Background Thread
| ```
...
Handler myHandler = new Handler() {

  @Override
  public void handleMessage(Message msg) {

    // do something with the message...
    // update GUI if needed!
    ...
  }//handleMessage

};//myHandler

...
``` | ```
...
Thread backgJob = new Thread (new Runnable (){

  @Override
  public void run() {
   //...do some busy work here ...
   //get a token to be added to
   //the main's message queue
   Message msg = myHandler.obtainMessage();
    ...
   //deliver message to the
   //main's message-queue
   myHandler.sendMessage(msg);
   }//run

});//Thread

//this call executes the parallel thread
backgroundJob.start();
...
``` |

18

Multi-Threading

Main Thread	Background Thread
| ```
...
Handler     myHandler = new Handler();
@Override
public void onCreate(
        Bundle savedInstanceState) {
 ...
 Thread myThread1 =
        new Thread(backgroundTask,
                   "backAlias1");
 myThread1.start();

}//onCreate

...
//this is the foreground runnable
private Runnable foregroundTask
   = new Runnable() {
  @Override
  public void run() {
   // work on the UI if needed
}
...
``` | ```
// this is the "Runnable" object
// that executes the background thread

private Runnable backgroundTask
                  = new Runnable () {
  @Override
  public void run() {
    ... Do some background work here
     myHandler.post(foregroundTask);

  }//run

};//backgroundTask
``` |

19

Multi-Threading

Messages

To send a Message to a Handler, the thread must first invoke obtainMessage() to get the Message object out of the pool.

There are a few forms of **obtainMessage()**, allowing you to just create an empty Message object, or messages holding arguments

Example

```
//  thread 1 produces some local data
String localData = "Greetings from thread 1";

//  thread 1 requests a message & adds localData to it
Message mgs = myHandler.obtainMessage (1, localData);
```

20

Multi-Threading

sendMessage Methods

You deliver the message using one of the **sendMessage...()** family of methods, such as ...

• **sendMessage**() puts the message at the end of the queue immediately

• **sendMessageAtFrontOfQueue**() puts the message at the front of the queue
immediately (versus the back, as is the default), so your message takes priority over all others

• **sendMessageAtTime**() puts the message on the queue at the stated time, expressed in the form of milliseconds based on system uptime (SystemClock.uptimeMillis())

• **sendMessageDelayed**() puts the message on the queue after a delay, expressed in milliseconds

21

Multi-Threading

Processing Messages

To process messages sent by the background threads, your Handler needs to implement the listener

handleMessage(Message msg **)**

which will be called with each message (msg) that appears on the message queue.

There, the handler can update the UI as needed. However, it should still do that work quickly, as other UI work is suspended until the Handler is done.

22

Multi-Threading

Example 2. Progress Bar – Using Message Passing   Layout 1/2

The main thread displays a horizontal and a circular *progress bar widget* showing the progress of a slow background operation. Some random data is periodically sent from the background thread and the messages are displayed in the main view.

```xml
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#44ffff00"
    android:orientation="vertical"
    android:padding="4dp" >

    <TextView
        android:id="@+id/txtWorkProgress"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:padding="10dp"
        android:text="Working ...."
        android:textSize="18sp"
        android:textStyle="bold" />

    <ProgressBar
        android:id="@+id/progress1"
        style="?android:attr/progressBarStyleHorizontal"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />

    <ProgressBar
        android:id="@+id/progress2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content" />
```

ThreadsMessages

Working...14

returned from thread...
returned value: Data-1-45
returned value: Data-2-96
returned value: Data-3-56
returned value: Data-4-15
returned value: Data-5-9
returned value: Data-6-8
returned value: Data-7-74

23

Multi-Threading

Example 2. Progress Bar – Using Message Passing   Layout 2/2

The main thread displays a horizontal and a circular *progress bar widget* showing the progress of a slow background operation. Some random data is periodically sent from the background thread and the messages are displayed in the main view.

```xml
    <ScrollView
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >

        <TextView
            android:id="@+id/txtReturnedValues"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:layout_margin="7dp"
            android:background="#ff0000ff"
            android:padding="4dp "
            android:text="returned from thread..."
            android:textColor="@android:color/white"
            android:textSize="14sp" />
    </ScrollView>

</LinearLayout>
```

ThreadsMessages

Done

returned from thread...
returned value: Data-1-45
returned value: Data-2-96
returned value: Data-3-56
returned value: Data-4-15
returned value: Data-5-9
returned value: Data-6-8
returned value: Data-7-74
returned value: Data-8-94
returned value: Data-9-89
returned value: Data-10-82
returned value: Data-11-93
returned value: Data-12-63
returned value: Data-13-16
returned value: Data-14-83
returned value: Data-15-33
Done
back thread has been stopped

24

Multi-Threading

Example 2. Progress Bar – Using Message Passing

The main thread displays a horizontal and a circular *progress bar widget* showing the progress of a slow background operation. Some random data is periodically sent from the background thread and the messages are displayed in the main view.

```java
public class ThreadsMessages extends Activity {

    ProgressBar bar1;
    ProgressBar bar2;

    TextView msgWorking;
    TextView msgReturned;

    // this is a control var used by backg. threads
    boolean isRunning = false;

    // lifetime (in seconds) for background thread
    final int MAX_SEC = 30;

    //String globalStrTest = "global value seen by all threads ";
    int globalIntTest = 0;
```

25

Multi-Threading

Example 2. Progress Bar – Using Message Passing

```java
Handler handler = new Handler() {
    @Override
    public void handleMessage(Message msg) {

        String returnedValue = (String)msg.obj;

        //do something with the value sent by the background thread here
        msgReturned.append("\n returned value: " + returnedValue );

        bar1.incrementProgressBy(2);

        //testing early termination
        if (bar1.getProgress() == MAX_SEC){
            msgReturned.append(" \nDone \n back thread has been stopped");
            isRunning = false;
        }

        if (bar1.getProgress() == bar1.getMax()){
            msgWorking.setText("Done");
            bar1.setVisibility(View.INVISIBLE);
            bar2.setVisibility(View.INVISIBLE);
        }
        else {
            msgWorking.setText("Working..." + bar1.getProgress() );
        }
    }
}; //handler
```

26

Multi-Threading

Example 2. Progress Bar – Using Message Passing

Activity 3/5

```java
    @Override
    public void onCreate(Bundle icicle) {
        super.onCreate(icicle);
        setContentView(R.layout.main);

→       bar1 = (ProgressBar) findViewById(R.id.progress1);
        bar1.setProgress(0);
        bar1.setMax(MAX_SEC);

        bar2 = (ProgressBar) findViewById(R.id.progress2);

        msgWorking = (TextView)findViewById(R.id.txtWorkProgress);
        msgReturned = (TextView)findViewById(R.id.txtReturnedValues);

        //globalStrTest += "XXX"; // slightly change the global string
        globalIntTest = 1;

    }//onCreate
```

27

Multi-Threading

Example 2. Progress Bar – Using Message Passing

Activity 4/5

```java
    public void onStart() {
        super.onStart();
        // this code creates the background activity where busy work is done
        Thread background = new Thread(new Runnable() {
            public void run() {
                try {
                    for (int i = 0; i < MAX_SEC && isRunning; i++) {
                        //try a Toast method here (it will not work!)
                        //fake busy busy work here
→                       Thread.sleep(1000);  //one second at a time

                        // this is a locally generated value between 0-100
                        Random rnd = new Random();
                        int localData = (int) rnd.nextInt(101);
                        //we can see and change (global) class variables
                        String data = "Data-" + globalIntTest + "-" + localData;
                        globalIntTest++;
                        //request a message token and put some data in it
→                       Message msg = handler.obtainMessage(1, (String)data);

                        // if thread is still alive send the message
                        if (isRunning) {
→                           handler.sendMessage(msg);
                        }
                    }
                }
```

28

Multi-Threading

Example 2. Progress Bar – Using Message Passing

```
catch (Throwable t) {
        // just end the background thread
        isRunning = false;
        }
    }
  });// Tread

    isRunning = true;
    background.start();

  }//onStart


  public void onStop() {
     super.onStop();
     isRunning = false;
  }//onStop
}//class
```


29

Multi-Threading

Example 3. Using Handler post(...) Method

We will try the same problem presented earlier (a slow background task and a responsive foreground UI) this time using the **posting mechanism** to execute foreground *runnables*.

Images obtained from a GingerBread based emulator

30

Multi-Threading
Example 3. Using Handler post(...) Method

We will try the same problem presented earlier (a slow background task and a responsive foreground UI) this time using the **posting mechanism** to execute foreground *runnables*.

Images obtained from an IceCream 4.x based device

31

Multi-Threading
Example 3. Using post - layout: **main.xml**


```xml
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#22002222"
    android:orientation="vertical"
    android:padding="6dp" >

    <TextView
        android:id="@+id/lblTopCaption"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:padding="2dp"
        android:text=
            "Some important data is been collected now. Patience please..." />

    <ProgressBar
        android:id="@+id/myBarHor"
        style="?android:attr/progressBarStyleHorizontal"
        android:layout_width="match_parent"
        android:layout_height="30dp" />

    <ProgressBar
        android:id="@+id/myBarCir"
        style="?android:attr/progressBarStyleLarge"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content" />
```

32

Multi-Threading

Example 3. Using post - layout: **main.xml**

```xml
    <EditText
        android:id="@+id/txtBox1"
        android:layout_width="match_parent"
        android:layout_height="78dp"
        android:layout_margin="10dp"
        android:background="#ffffffff"
        android:textSize="18sp" />

    <Button
        android:id="@+id/btnDoSomething"
        android:layout_width="170dp"
        android:layout_height="wrap_content"
        android:layout_marginLeft="20dp"
        android:layout_marginTop="10dp"
        android:padding="4dp"
        android:text=" Type Something Then click me! " />

    <Button
        android:id="@+id/btnDoItAgain"
        android:layout_width="170dp"
        android:layout_height="wrap_content"
        android:layout_marginLeft="20dp"
        android:padding="4dp"
        android:text=" Do it Again! " />

</LinearLayout>
```

33

Multi-Threading

Example 3. Using post - Main Activity   1/5

```java
public class ThreadsPosting extends Activity {
    ProgressBar myBarHorizontal;
    ProgressBar myBarCircular;

    TextView lblTopCaption;
    EditText txtDataBox;
    Button btnDoSomething;
    Button btnDoItAgain;
    int progressStep = 5;

    int globalVar = 0;
    int accum = 0;

    long startingMills = System.currentTimeMillis();
    boolean isRunning = false;
    String PATIENCE = "Some important data is being collected now. "
        + "\nPlease be patient...wait... ";

    Handler myHandler = new Handler();

    @Override
    public void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.main);

        lblTopCaption = (TextView) indViewById(R.id.lblTopCaption);
```

34

Multi-Threading

Example 3. Using post - Main Activity   2/5

```java
    myBarHorizontal = (ProgressBar) findViewById(R.id.myBarHor);
    myBarCircular = (ProgressBar) findViewById(R.id.myBarCir);

    txtDataBox = (EditText) findViewById(R.id.txtBox1);
    txtDataBox.setHint(" Foreground distraction\n Enter some data here...");

    btnDoItAgain = (Button) findViewById(R.id.btnDoItAgain);
    btnDoItAgain.setOnClickListener(new OnClickListener() {
        @Override
        public void onClick(View v) {
            onStart();
        }// onClick
    });// setOnClickListener

    btnDoSomething = (Button) findViewById(R.id.btnDoSomething);
    btnDoSomething.setOnClickListener(new OnClickListener() {
        @Override
        public void onClick(View v) {
            Editable text = txtDataBox.getText();
            Toast.makeText(getBaseContext(), "You said >> \n" + text, 1).show();
        }// onClick
    });// setOnClickListener

}// onCreate
```

35

Multi-Threading

Example 3. Using post - Main Activity   3/5

```java
    @Override
    protected void onStart() {
        super.onStart();
        // prepare UI components
        txtDataBox.setText("");
        btnDoItAgain.setEnabled(false);

        // reset and show progress bars
        accum = 0;
        myBarHorizontal.setMax(100);
        myBarHorizontal.setProgress(0);
        myBarHorizontal.setVisibility(View.VISIBLE);
        myBarCircular.setVisibility(View.VISIBLE);

        // create background thread were the busy work will be done
        Thread myBackgroundThread = new Thread( backgroundTask, "backAlias1" );
        myBackgroundThread.start();

    }
```

36

Multi-Threading

Example 3. Using post - Main Activity   3/5

```java
@Override
protected void onStart() {
    super.onStart();
    // prepare UI components
    txtDataBox.setText("");
    btnDoItAgain.setEnabled(false);

    // reset and show progress bars
    accum = 0;
    myBarHorizontal.setMax(100);
    myBarHorizontal.setProgress(0);
    myBarHorizontal.setVisibility(View.VISIBLE);
    myBarCircular.setVisibility(View.VISIBLE);

    // create background thread were the busy work will be done
    Thread myBackgroundThread = new Thread( backgroundTask, "backAlias1" );
    myBackgroundThread.start();

}
```

37

Multi-Threading

Example 3. Using post - Main Activity   4/5

```java
// FOREGROUND
// this foreground Runnable works on behave of the background thread
// updating the main UI which is unreachable to it
private Runnable foregroundRunnable = new Runnable() {
    @Override
    public void run() {
        try {
            // update UI, observe globalVar is changed in back thread
            lblTopCaption.setText( PATIENCE
                            + "\nPct progress: " + accum
                            + "  globalVar: " + globalVar);

            // advance ProgressBar
            myBarHorizontal.incrementProgressBy(progressStep);
            accum += progressStep;

            // are we done yet?
            if (accum >= myBarHorizontal.getMax()) {
                lblTopCaption.setText("Background work is OVER!");
                myBarHorizontal.setVisibility(View.INVISIBLE);
                myBarCircular.setVisibility(View.INVISIBLE);
                btnDoItAgain.setEnabled(true);
            }
        } catch (Exception e) {
            Log.e("<<foregroundTask>>", e.getMessage());
        }
    }
}; // foregroundTask
```

Foreground runnable is defined but not started !

Background thread will requests its execution later

38

Multi-Threading

Example 3. Using post - Main Activity   5/5

```
// BACKGROUND
// this is the back runnable that executes the slow work

private Runnable backgroundTask = new Runnable() {
    @Override
    public void run() {
        // busy work goes here...
        try {
            for (int n = 0; n < 20; n++) {
                // this simulates 1 sec. of busy activity
                Thread.sleep(1000);
                // change a global variable from here...
                globalVar++;
                // try: next two UI operations should NOT work
                // Toast.makeText(getApplication(), "Hi ", 1).show();
                // txtDataBox.setText("Hi ");

                // wake up foregroundRunnable delegate to speak for you
                myHandler.post(foregroundRunnable);
            }
        } catch (InterruptedException e) {
            Log.e("<<foregroundTask>>", e.getMessage());
        }

    }// run
};// backgroundTask

}// ThreadsPosting
```

Tell foreground runnable to do something for us…

39

Multi-Threading

Using the AsyncTask class

Wait
Some SLOW job is been done…

1. The **AsyncTask** class allows to perform background operations and publish results on the UI thread without having to manipulate threads and/or handlers.

2. An asynchronous task is defined by a computation that runs on a background thread and whose result is published on the UI thread.

3. An asynchronous task is defined by

3 Generic Types	4 Main States	1 Auxiliary Method
Params, **Progress,** **Result**	**onPreExecute,** **doInBackground,** **onProgressUpdate** **onPostExecute.**	**publishProgress**

40

Multi-Threading

`AsyncTask <Params, Progress, Result>`

Wait
Some SLOW job is been done...

AsyncTask's generic types	
Params:	the type of the input parameters sent to the task at execution.
Progress:	the type of the progress units published during the background computation.
Result:	the type of the result of the background computation.

Not all types are always used by an asynchronous task. To mark a type as unused, simply use the type **Void**

Note:
Syntax "**String ...**"   indicates (Varargs) array of String values, similar to "**String[]**"

41

Multi-Threading

Using the AsyncTask class

Wait
Some SLOW job is been done...

```
private class VerySlowTask extends AsyncTask<String, Long, Void> {

    // Begin - can use UI thread here
1   protected void onPreExecute() {

    }

    // this is the SLOW background thread taking care of heavy tasks
    // cannot directly change UI
2   protected Void doInBackground(final String... args) {
    ... publishProgress((Long) someLongValue);
    }

    // periodic updates - it is OK to change UI
    @Override
3   protected void onProgressUpdate(Long... value) {

    }

    // End - can use UI thread here
4   protected void onPostExecute(final Void unused) {

    }
}
```

2

Multi-Threading

| AsyncTask's methods |
| --- |
| **onPreExecute(),** invoked on the UI thread immediately after the task is executed. This step is normally used to setup the task, for instance by showing a progress bar in the user interface. |
| **doInBackground(Params...),** invoked on the background thread immediately after *onPreExecute*() finishes executing. This step is used to perform background computation that can take a long time. The parameters of the asynchronous task are passed to this step. The result of the computation must be returned by this step and will be passed back to the last step. This step can also use *publishProgress(Progress...)* to publish one or more units of progress. These values are published on the UI thread, in the *onProgressUpdate(Progress...)* step. |
| **onProgressUpdate(Progress...),** invoked on the UI thread after a call to *publishProgress(Progress...)*. The timing of the execution is undefined. This method is used to display any form of progress in the user interface while the background computation is still executing. For instance, it can be used to animate a progress bar or show logs in a text field. |
| **onPostExecute(Result),** invoked on the UI thread after the background computation finishes. The result of the background computation is passed to this step as a parameter. |

43

Multi-Threading

Example 4: Using the AsyncTask class

The main task invokes an AsyncTask to do some slow job. The AsyncTask methods do the required computation and periodically update the main's UI. In our the example the background activity negotiates the writing of the lines in the text box, and also controls the circular progress bar.

44

Multi-Threading

Example 4: Using the AsyncTask class

```java
public class Main extends Activity {
Button btnSlowWork;
Button btnQuickWork;
EditText txtMsg;
Long  startingMillis;

@Override
public void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.main);
    txtMsg = (EditText) findViewById(R.id.EditText01);

    // slow work...for example: delete all data from a database
    btnSlowWork = (Button) findViewById(R.id.Button01);
    this.btnSlowWork.setOnClickListener(new OnClickListener() {
        public void onClick(final View v) {
            new VerySlowTask().execute();
        }
    });

    btnQuickWork = (Button) findViewById(R.id.Button02);
    // delete all data from database (when delete button is clicked)
    this.btnQuickWork.setOnClickListener(new OnClickListener() {
        public void onClick(final View v) {
            txtMsg.setText((new Date()).toString());
        }
    });
}// onCreate
```


Multi-Threading

Example 4: Using the AsyncTask class

```java
private class VerySlowTask extends AsyncTask <String, Long, Void> {

    private final ProgressDialog dialog = new ProgressDialog(Main.this);

    // can use UI thread here
    protected void onPreExecute() {
        startingMillis = System.currentTimeMillis();
        txtMsg.setText("Start Time: " + startingMillis);
        this.dialog.setMessage("Wait\nSome SLOW job is being done...");
        this.dialog.show();
    }

    // automatically done on worker thread (separate from UI thread)
    protected Void doInBackground(final String... args) {
      try {
          // simulate here the slow activity
          for (Long i = 0L; i < 3L; i++) {
              Thread.sleep(2000);
              publishProgress((Long)i);
              }
      } catch (InterruptedException e) {
              Log.v("slow-job interrupted", e.getMessage())
      }
      return null;
    }
```

46

Multi-Threading

Example 4: Using the AsyncTask class

```java
    // periodic updates - it is OK to change UI
    @Override
    protected void onProgressUpdate(Long... value) {
        super.onProgressUpdate(value);

        txtMsg.append("\nworking..." + value[0]);
    }

    // can use UI thread here
    protected void onPostExecute(final Void unused) {

        if (this.dialog.isShowing()) {
            this.dialog.dismiss();
        }

        // cleaning-up, all done
        txtMsg.append("\nEnd Time:"
                + (System.currentTimeMillis()-startingMillis)/1000);
        txtMsg.append("\ndone!");
    }

}//AsyncTask

}// Main
```

47

Multi-Threading

Example 4: Using the AsyncTask class

```xml
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="fill_parent"
    android:layout_height="fill_parent"
    android:orientation="vertical" >

    <EditText
        android:id="@+id/EditText01"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_margin="7dx" />

    <Button
        android:id="@+id/Button01"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_margin="7dx"
        android:text="Do some SLOW work" />

    <Button
        android:id="@+id/Button02"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_margin="7dx"
        android:text="Do some QUICK work" />

</LinearLayout>
```

48

Multi-Threading

Questions