Example #5, cont

$$L(5) = \frac{K}{5(5+1)(5+2)}$$


# High Gain Instability

Since this example has Asymptotes in RHH, WE can see the CL system will be unstable for sufficiently high gains K.

Whether this is a problem or not depends on the gain we want/need to get the desired CL poles

T(s) is not automatically unstable b/c the root locus branches in RHP!

Such a locus only tells us Tis) will be unstable for some values of K.




Unstable for K>Kcrit

$$L(s) = \frac{K(s+3)}{(s+1)(s+2)}$$

- => One branch ends at -3 (OL Zero). One branch goes to oo along asymptote == 180° (negative real Axis)
- => Segments of branches (ie on real Axis:


Example #6, cont



$$\frac{\mathcal{E}_{xample} \# 7}{\mathsf{K}(s+2)}$$

$$\mathsf{L}(s) = \frac{\mathsf{K}(s+2)}{\mathsf{S}(s-2)}$$


Similar analysis to above



#### Example #

This is where we originally started our investigation


with 
$$H(s)=K$$
,  $L(s)=\frac{K}{s^2(s+1)}$ 



### Example #

This is where we originally started our investigation

$$L(s) = \frac{K}{s^2(s+1)}$$



#### With instead H(s) = K(s-z)

$$\sigma_{a} = \frac{1}{2}(1+2) > \emptyset$$
 =>  $\sigma_{a} < \emptyset$ 

So, with HLS) = K(s-2) we can stabilize the system as long As 121<1 (which would agree with a Nyquist/phase margin analysis)

But we would have to accept a real pole > -1, and moreover this pole would not be dominant

An implementable compensator which could allow a real dominant CL pole near -2 would be

$$H(s) = \left\{ \left[ \frac{(s+1)^2}{(s-p)^2} \right] \right\}$$


which has an interesting locus (next page)

$$L(s) = \frac{K(s+1)}{s^{2}(s-p)^{2}}$$

$$P$$
Beak
aut

$$CL \text{ poles for } K_{1} > 0$$

$$CL \text{ poles for } K_{2} > K_{1}$$



## Comments on root locus method

- => Rules are not deterministive; there may be many locus
  Shapes consistent with ca/cu/ations (athough Matlab
  rlocus command will show you an exact plot).
- => Cannot adapt method to account for effects of time delay
- => Can adapt method only for very simple Kinds of robustness analysis.
- => Boole/Nyquist methods preferred in professional practice.
- => But root locus does provide useful additional
  Insights which are not available using freq. methods
- => Familiarity with both gives "best of both worlds"