Introduction

Liver diseases avents the normal function of the liver, futarity due to the large amount of alcohol consumption liver disease arises. Early prediction of ziver disease using classification algorithms is an efficacious task that can help the doctors to diagnose the disease within a short duration of time. Discovering the existence of liver disease at an early stage is a complex task for the doctors. The main objective of this paper is to analyse the parameters of various classification algorithms and compare their predictive accuracies so as to find out the best classifier for determining the liver disease. This paper focuses on the related works of various authors on liver disease such that algorithms were implemented using Weisa tool that is a machine learning offware written in Java Various attributes that are essential in their disease were examined and the dataset of liver patients were also evaluated. This paper compares various classification algorithms such as Random Forest, Logistic Regression and Separation Algorithm with an aim to identify the best lecturings.

Based on this study, Random Forest with the highest accuracy outperformed the other algorithms and can be further utilised in the prediction of liver disease-recommended.

Liver Patient Prediction

Age:	Gender:
	Enter 0 as male, 1 as female
Total_Bilirubin:	Direct_Bilirubin:
Alkaline_Phosphotase:	Alamine_Aminotransferase:
Aspartate_Aminotransferase;	Total_Protiens:
Albumin:	Albumin_and_Globulin_Ratio:
Predict	

Liver Patient Prediction

You have a liver desease problem, You must and should consult a doctor. Take care