SynthImmunol_NMU

Notebook

No.<u>1</u>

Time: 2024.08.03-2024.08.07

1. Experiment: Determinate Binding Sites

2. Time: 2024.08.03-2024.08.07

3. Member: Xudong Tang, Yang Jin, Binxuan Zhang, Kaiqing Zhang, Xuantong Liu

4. Method:

Through reference research, we identified the native binding sites for IL-2 receptor subunits β and γ as the active sites.

5. Result:

Table.1 Native binding sites for IL-2 receptor subunits β and γ as the active sites

Interleukin-2 subunits	Sequence
Interleukin-2 receptor alpha chain	MDSYLLMWGLLTFIMVPGCQAELCDDDPPEIPHATFKAMAYKEGTMLNCECKRGFRRIKSGSLYMLC
	TGNSSHSSWDNQCQCTSSATRNTTKQVTPQPEEQKERKTTEMQSPMQPVDQASLPGHCREPPPWENE
	A TERIYHFVVGQMVYYQCVQGYRALHRGPAESVCKMTHGKTRWTQPQLICTGEMETSQFPGEEKPQ
	A SPEGRPE SETS CLVTTTDFQIQTEMA AT METSIFTTEY QVAVAGCVFLLISVLLLSGLTWQRRQRKSRR
	TI
	${\tt MLKPSLPFTSLLFLQLPLLGVGLNTTILTPNGNEDTTADFFLTTMPTDSLSVSTLPLPEVQCFVFNVEYM}$
Interleukin-2 receptor	NCTWNSSSEPQPTNLTLHYWYKNSDNDKVQKCSHYLFSEEITSGCQLQKKEIHLYQTFVVQLQDPREP
	RRQATQMLKLQNLVIPWAPENLTLHKLSESQLELNWNNRFLNHCLEHLVQYRTDWDHSWTEQSVDY
gamma chain	RHKFSLPSVDGQKRYTFRVRSRFNPLCGSAQHWSEWSHPIHWGSNTSKENPFLFALEAVVISVGSMGLI
	ISLLCVYFWLERTMPRIPTLKNLEDLVTEYHGNFSAWSGVSKGLAESLQPDYSERLCLVSEIPPKGGAL
	GEGPGASPCNQHSPYWAPPCYTLKPET
Interleukin-2 receptor beta chain	MAAPALSWRLPLLILLLPLATSWASAAVNGTSQFTCFYNSRANISCVWSQDGALQDTSCQVHAWPDRRAMINGCPROBLEM (CONTRACTOR OF CONTRACTOR OF C
	RWNQTCELLPVSQASWACNLILGAPDSQKLTTVDIVTLRVLCREGVRWRVMAIQDFKPFENLRLMAPI
	${\tt SLQVVHVETHRCNISWEISQASHYFERHLEFEARTLSPGHTWEEAPLLTLKQKQEWICLETLTPDTQYE}$
	FQVRVKPLQGEFTTWSPWSQPLAFRTKPAALGKDTIPWLGHLLVGLSGAFGFIILVYLLINCRNTGPWL
	KKVLKCNTPDPSKFFSQLSSEHGGDVQKWLSSPFPSSSFSPGGLAPEISPLEVLERDKVTQLLLQQDKV
	PEPASLSSNHSLTSCFTNQGYFFFHLPDALEIEACQVYFTYDPYSEEDPDEGVAGAPTGSSPQPLQPLSG
	EDDAYCTFPSRDDLLLFSPSLLGGPSPPSTAPGGSGAGEERMPPSLQERVPRDWDPQPLGPPTPGVPDLV
	DFQPPPELVLREAGEEVPDAGPREGVSFPWSRPPGQGEFRALNARLPLNTDAYLSLQELQGQDPTHLV