pate :14[10[25 Task 10 - CRUD operations en poument Den: 10 perform Mongoose using NPM desegn on mongo DB destagnency the document. For setup: open cmd npm Postall mongoose node employee. ds Soutet Cemployee-js) const mongoose = requere ('mongoose'); mongoose connect (monogollo: 11 local hox. 27017 [employee PB'1 · { use Newvel pauser: true, use unefted Topology: +mue 3); 11.2. Schema & model const employees chang = new mongoose. schemacs name: Storlyg dept: stoleng Salary: Mumber

const employee = mongoose. model ('Employee', employee schema); awalt Employee. create LC Ename: "Aneta", dept: "HR", salary: 350003, Ename: 1 Rame 1, dept: 1IT1, Savary: 550003 const list = amark Employee. Hend L EZ, 'name salary'); (onsole log (list); amalt employee. Lend one and update (11 s. update ¿ name - Kaul 3 Esset: { salary: 60000 337; amant employee delete one (§ name: 16. pelete I Aneta 13/1 mongoose. connection. close(); Remult:

VEL TECH

EX NO.

PERFORMANCE (5)

RESULT AND ANALYSIS (5)

VIVA VOCE (5)

RECORD (5)

TOTAL (20)

SIGN WITH DATE

Result: Inus Proplementation of crops
operation like oreating ensenting
find and elemonory successfully
completed