

Employee Name : - PravinKumar RajaSahayam

Employee Id : - 11946

Day - 1

MYSQL : -

Enter password: ****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 15

Server version: 8.0.33 MySQL Community Server - GPL

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> create database mysqlday1;
```

Query OK, 1 row affected (0.01 sec)

```
mysql> show databases;
```

```
+-----+
| Database          |
+-----+
| information_schema |
| mysql              |
| mysqlday1          |
| performance_schema |
| pravinkumarrajasahayam |
| sakila              |
| sys                 |
| world              |
+-----+
```

8 rows in set (0.01 sec)

```
mysql> use mysqlday1
```

Database changed

```
mysql> create table tbl_employee(eid int(5), ename varchar(20), esalary int(5));
```

Query OK, 0 rows affected, 2 warnings (0.03 sec)

```
mysql> show tables
```

-> ;

```
+-----+
| Tables_in_mysql |
+-----+
| tbl_employee    |
+-----+
1 row in set (0.00 sec)
```

mysql> desc tbl_employee;

```
+-----+-----+-----+-----+-----+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| eid   | int       | YES  |     | NULL    |       |
| ename | varchar(20) | YES  |     | NULL    |       |
| esalary | int       | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.01 sec)
```

mysql> show tables;

```
+-----+
| Tables_in_mysql |
+-----+
| tbl_employee    |
+-----+
1 row in set (0.00 sec)
```

mysql> alter table tbl_employee add gender char(1);

Query OK, 0 rows affected (0.11 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> desc tbl_employee;

```
+-----+-----+-----+-----+-----+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| eid   | int       | YES  |     | NULL    |       |
| ename | varchar(20) | YES  |     | NULL    |       |
| esalary | int       | YES  |     | NULL    |       |
| gender | char(1)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

mysql> alter table tbl_employee modify gender varchar(10);

Query OK, 0 rows affected (0.07 sec)

Records: 0 Duplicates: 0 Warnings: 0

```
mysql> desc tbl_employee;
```

Field	Type	Null	Key	Default	Extra
eid	int	YES		NULL	
ename	varchar(20)	YES		NULL	
esalary	int	YES		NULL	
gender	varchar(10)	YES		NULL	

4 rows in set (0.00 sec)

```
mysql> alter table tbl_employee rename column gender to egender;
```

Query OK, 0 rows affected (0.01 sec)

Records: 0 Duplicates: 0 Warnings: 0

```
mysql> desc tbl_employee
```

-> ;

Field	Type	Null	Key	Default	Extra
eid	int	YES		NULL	
ename	varchar(20)	YES		NULL	
esalary	int	YES		NULL	
egender	varchar(10)	YES		NULL	

4 rows in set (0.00 sec)

```
mysql> alter table tbl_employee drop column egender;
```

Query OK, 0 rows affected (0.01 sec)

Records: 0 Duplicates: 0 Warnings: 0

```
mysql> desc tbl_employee;
```

Field	Type	Null	Key	Default	Extra
eid	int	YES		NULL	
ename	varchar(20)	YES		NULL	
esalary	int	YES		NULL	

3 rows in set (0.00 sec)