
## **Docker Command:**

## First One: 1. Create the One Folder 2.Folder inside one create JavaFile



## **Second One: Run the Docker Command:**

```
D:\Docker>javac Raj.java
D:\Docker>java Raj
Hello Raj
D:\Docker>
```


```
D:\Docker>docker-compose --version
Docker Compose version v2.23.3-desktop.2
D:\Docker>docker images
REPOSITORY
                          TAG
                                    IMAGE ID
                                                   CREATED
                                                                    SIZE
                          version1
                                    3aa8f735bdce
app1
                                                   53 seconds ago
                                                                    470MB
docker/welcome-to-docker
                          latest
                                    c1f619b6477e
                                                   6 weeks ago
                                                                    18.6MB
D:\Docker>docker-compose up
no configuration file provided: not found
D:\Docker>javac Raj.java
```

## **Docker Compose:**

Multiple Containers in a Single container using.

Fraction of second create. Fraction of second Up. Fraction of second down.

The session and continue and maitain.



```
Dockerfile - Notepad

File Edit Format View Help


FROM tomcat:9.0

ADD **/*.war /usr/local/tomcat/webapps/

EXPOSE 8088

CMD ["catalina.sh", "run"]
```

```
C:\Windows\System32\cmd.exe
                                                                                                                                      X
Microsoft Windows [Version 10.0.19045.3803]
(c) Microsoft Corporation. All rights reserved.
D:\NewWorkspace\SB1-DMS>docker build -t sb1dms:latest .
2024/01/04 16:59:34 http2: server: error reading preface from client //./pipe/docker_engine: file has already been close
 +] Building 3.1s (7/7) FINISHED
=> [internal] load build definition from Dockerfile
                                                                                                                             docker:default
                                                                                                                                         0.05
 => => transferring dockerfile: 138B
                                                                                                                                         0.05
 => [internal] load metadata for docker.io/library/tomcat:9.0
=> [internal] load build context
 => => transferring context: 2B
 => CACHED [1/2] FROM docker.io/library/tomcat:9.0@sha256:5a61426385bc5915ba09c31dbf28bdd26b1ed69584a680102e511ac => [2/2] ADD **/*.war /usr/local/tomcat/webapps/
                                                                                                                                         0.0s
View build details: docker-desktop://dashboard/build/default/default/2tgwuqni1xlsgry6eq5269u1b
 View a summary of image vulnerabilities and recommendations → docker scout quickview
D:\NewWorkspace\SB1-DMS>docker images
REPOSITORY
                            IMAGE ID
                                              CREATED
sb1dms
               latest
                            dca439831680
                                              19 seconds ago
                                                                  455MB
                latest
                             5dc19a810b8d
                                                                   480MB
```



FROM tomcat:9.0
ADD \*\*/\*.war /usr/local/tomcat/webapps/
EXPOSE 8088
CMD ["catalina.sh", "run"]