

App.jsx

```
import React, { useState, useEffect } from "react";
```

```
import "./App.css";
```

```
function App() {
```

```
  const [assignments, setAssignments] = useState(() => {  
    const saved = localStorage.getItem("assignments");  
    return saved ? JSON.parse(saved) : [];  
  });
```

```
  const [title, setTitle] = useState("");
```

```
  const [subject, setSubject] = useState("");
```

```
  const [dueDate, setDueDate] = useState("");
```

```
  const [search, setSearch] = useState("");
```

```
  const [filterSubject, setFilterSubject] = useState("All");
```

```
  useEffect(() => {
```

```
    localStorage.setItem("assignments", JSON.stringify(assignments));  
  }, [assignments]);
```

```
  const addAssignment = () => {
```

```
    if (!title || !subject || !dueDate) {
```

```
      alert("Please fill all fields");
```

```
      return;
```

```
    }
```

```
const newAssignment = {  
  id: Date.now(),  
  title,  
  subject,  
  dueDate,  
  submitted: false,  
};
```

```
setAssignments([...assignments, newAssignment]);  
setTitle("");  
setSubject("");  
setDueDate("");  
};
```

```
const markSubmitted = (id) => {  
  setAssignments(  
    assignments.map((item) =>  
      item.id === id ? { ...item, submitted: true } : item  
    )  
  );  
};
```

```
const deleteAssignment = (id) => {  
  if (window.confirm("Delete this assignment?")) {  
    setAssignments(assignments.filter((item) => item.id !== id));  
  }  
};
```

```
}
```

```
};
```

```
const getStatus = (assignment) => {  
  if (assignment.submitted) return "Submitted";
```

```
  const today = new Date();
```

```
  const due = new Date(assignment.dueDate);
```

```
  return due < today ? "Late" : "Pending";
```

```
};
```

```
const filteredAssignments = assignments.filter(  
  (item) =>  
    (filterSubject === "All" || item.subject === filterSubject) &&  
    item.title.toLowerCase().includes(search.toLowerCase())  
);
```

```
const total = assignments.length;
```

```
const submitted = assignments.filter((a) => a.submitted).length;
```

```
const late = assignments.filter(  
  (a) => !a.submitted && new Date(a.dueDate) < new Date()  
).length;
```

```
const pending = total - submitted - late;
```

```
return (
```

```
<div className="container">
```

```
<h1>📁 Assignment Submission Tracker</h1>
```

```
<div className="cards">
```

```
<div className="card blue">Total: {total}</div>
```

```
<div className="card green">Submitted: {submitted}</div>
```

```
<div className="card orange">Pending: {pending}</div>
```

```
<div className="card red">Late: {late}</div>
```

```
</div>
```

```
<div className="form">
```

```
<input
```

```
  type="text"
```

```
  placeholder="Assignment Title"
```

```
  value={title}
```

```
  onChange={(e) => setTitle(e.target.value)}
```

```
/>
```

```
<input
```

```
  type="text"
```

```
  placeholder="Subject"
```

```
  value={subject}
```

```
  onChange={(e) => setSubject(e.target.value)}
```

```
/>
```

```
<input
```

```
    type="date"
    value={dueDate}
    onChange={(e) => setDueDate(e.target.value)}
  />
```

```
<button onClick={addAssignment}>Add Assignment</button>
</div>
```

```
<div className="filters">
  <input
    type="text"
    placeholder="Search Assignment"
    value={search}
    onChange={(e) => setSearch(e.target.value)}
  />
```

```
<select
  value={filterSubject}
  onChange={(e) => setFilterSubject(e.target.value)}
>
  <option value="All">All Subjects</option>
  {[...new Set(assignments.map((a) => a.subject))].map((sub) => (
    <option key={sub}>{sub}</option>
  ))}
</select>
</div>
```

```

<table>

<thead>

  <tr>

    <th>Title</th>

    <th>Subject</th>

    <th>Due Date</th>

    <th>Status</th>

    <th>Action</th>

  </tr>

</thead>

<tbody>

  {filteredAssignments.map((item) => (
    <tr key={item.id}>

      <td>{item.title}</td>

      <td>{item.subject}</td>

      <td>{item.dueDate}</td>

      <td>{getStatus(item)}</td>

      <td>

        {!item.submitted && (
          <button onClick={() => markSubmitted(item.id)}>

            Submit

          </button>

        )}

      </td>

    </tr>
  )}

```

```
      <button onClick={() => deleteAssignment(item.id)}>
        Delete
      </button>
    </td>
  </tr>
  )}
</tbody>
</table>
</div>
);
}

export default App;
```