



RECOVERY RUNBOOK

VIRTUAL CONTROL
VMWARE CLOUD FOUNDATION SOLUTIONS

SDDC Manager UI Stuck "VMware Cloud Foundation is Initializing"

Diagnosing and repairing the vCenter SSH host-key mismatch that blocks PSC/SSO initialization after a vCenter redeploy, in a FIPS-enabled SDDC Manager (KB 316028).

SDDC MANAGER

SSH HOST KEY

PSC / SSO INIT

KB 316028

FIPS

VCF 9.0

VMware Cloud Foundation

SDDC Manager UI Stuck on "VMware Cloud Foundation is Initializing" — vCenter SSH Host-Key Repair

Prepared by: Virtual Control LLC **Date:** June 5, 2026 **Document Version:** 1.0 **Classification:** Internal **Platform:** VMware Cloud Foundation 9.0 — SDDC Manager (FIPS-enabled) **Primary reference:** Broadcom KB 316028

Scope. Diagnosis and repair of the vCenter SSH host-key mismatch that blocks SDDC Manager PSC/SSO initialization — the UI stuck on "VMware Cloud Foundation is initializing" — after a management vCenter redeploy, on a FIPS-enabled SDDC Manager. Every command is shown as executed, with pass criteria.

Companion docs. - [VCF-Operations-Integration-Trust-Repair-After-vCenter-Cert-Regen-2026-06-05.md](#) — VCF Operations vCenter/vSAN adapter repair for the same vCenter regeneration event

Table of Contents

1. Executive Summary
2. Was This an SSO Problem?
3. Environment Reference
4. Symptoms
5. Root Cause Analysis
6. Diagnosis — Commands
7. Fix — Prescribed and FIPS-Safe Manual
8. Verification
9. In Plain English
10. Lessons Learned
11. Command Appendix
12. Related Documents
13. Document Information

1. Executive Summary

After the management vCenter was redeployed (which regenerates its SSH host key, machine SSL certificate, and SSO), the SDDC Manager UI would not load — it sat permanently on **"VMware Cloud Foundation is initializing..."**. SDDC Manager's REST API remained fully functional throughout (tokens, inventory, and tasks all responded), which localized the fault to the **UI initialization path**, not the core services.

The UI initialization runs a **PSC/SSO step** that retrieves the vCenter SAML **IdP metadata** via the local `commonsvcs` service. `commonsvcs` obtains that metadata by **opening an SSH session to the vCenter**. Because the vCenter's SSH host key had changed and SDDC Manager still trusted the old key in its `known_hosts` files, the SSH session was

rejected, the metadata call returned HTTP 500, PSC init failed on every retry, and the UI never advanced past the initializing page.

The fix is Broadcom **KB 316028** — refresh the vCenter SSH host key across **all four** of SDDC Manager's `known_hosts` files. Because this SDDC Manager is **FIPS-enabled**, the KB's bash helper (`fix_known_hosts.sh`) is not usable; the FIPS-safe path is the `fixHostKeys.py` script or the equivalent manual `ssh-keyscan` refresh documented here. After refreshing the keys and restarting `sddc-manager-ui-app` , the metadata call returned HTTP 200 and the UI loaded normally.

Total time, single operator, no support engagement: approximately 45 minutes from log capture to a working login.

2. Was This an SSO Problem?

No — SSO was the victim, not the cause. The failure *surfaces* as an SSO/PSC initialization error ("Unable to retrieve iDP Metadata", "Primary psc init failed"), so it is easy to mis-diagnose as an SSO or certificate fault. The actual cause is one layer lower: **SSH host-key trust**. `commonsvcs` must SSH into vCenter to fetch the SSO IdP metadata; the SSH is what failed. SSO configuration on vCenter was healthy the entire time. Do not spend time on SSO/SAML or vCenter STS configuration for this symptom — go straight to the SSH host key.

3. Environment Reference

Item	Value
SDDC Manager	<code>sddc-manager</code> — 192.168.1.241
Management vCenter	<code>vcenter.lab.local</code> — 192.168.1.69
commonsvcs service user	<code>vcf_commonsvcs</code> (uid 994, home <code>/dev/null</code> , FIPS Java)
SSH login	<code>vcf</code> user, then <code>su -</code> to root — passwords vault refs <code><LAB_PW></code>
vCenter root SSH	<code>root@vcenter.lab.local</code> — password vault ref <code><vc-pw></code>
Four <code>known_hosts</code> files SDDC Manager uses	<code>/root/.ssh/known_hosts</code> , <code>/home/vcf/.ssh/known_hosts</code> , <code>/etc/vmware/vcf/commonsvcs/known_hosts</code> , <code>/opt/vmware/vcf/commonsvcs/defaults/hosts/known_hosts</code>

4. Symptoms

- Browser to `https://192.168.1.241/` shows **"VMware Cloud Foundation is initializing..."** and never advances.
- The SDDC Manager REST API still works (token acquire, `/v1/domains` , `/v1/vcenters` , `/v1/tasks` all respond).
- The vCenter VM web console (and, in this incident, the web console for **all** VMs) does not open — a *related but separate* vCenter console-proxy/cert symptom of the same redeploy; **not** fixed by this runbook.
- `/v1/vcenters` reports the management vCenter as **ACTIVATING** rather than **ACTIVE** .
- Periodic "Health-Check operation for SDDC" (SoS) tasks fail Pre-Validation with *"...the system could be in a transitional state."*

5. Root Cause Analysis

Root cause. The management vCenter was redeployed, which generated a new SSH host key. SDDC Manager still trusted the *previous* vCenter host key in all four of its `known_hosts` files. When `commonsvcs` attempted the SSH session to vCenter to retrieve the SSO IdP metadata, host-key verification failed ("REMOTE HOST IDENTIFICATION HAS CHANGED"), the session was refused, and the metadata endpoint returned HTTP 500. The UI's PSC/SSO initialization loop therefore failed on every attempt, leaving the UI on the "initializing" page indefinitely.

Evidence chain (from `sddcManagerServer.log`):

```
axios GET http://127.0.0.1/commonsvcs/idpMetadata -> 500
axios.error.response.data: "Failed to establish SSH session to vcenter.lab.local"
VError: Unable to retrieve iDP Metadata: Request failed with status code 500
VError: Primary psc init failed and failover psc init also failed
PSC Initialization attempt "NNN" failed (looping)
```

Manual SSH confirmation (from the SDDC Manager root shell):

```
@@@ WARNING: REMOTE HOST IDENTIFICATION HAS CHANGED! @@@
Offending ECDSA key in /root/.ssh/known_hosts:2
Host key verification failed.
```

Why fixing only `/root/.ssh/known_hosts` was not enough. `commonsvcs` runs as `vcf_commonsvcs`, not root, and reads its own host-key store — chiefly `/etc/vmware/vcf/commonsvcs/known_hosts`. The stale `vcenter.lab.local` entries (an `ssh-rsa` and an `ecdsa-sha2-nistp256` line) lived there as well. All four files must be refreshed; KB 316028 does this, and the manual method below does the same.

6. Diagnosis — Commands

SSH to SDDC Manager as `vcf`, then `su -` to root.

6.1 Find the real initialization error (the startup-feedback server hides it):

```
grep -iE "psc init|idp metadata|status code 500|establish SSH" \
/var/log/vmware/vcf/sddc-manager-ui-app/sddcManagerServer.log | tail -n 30
```

The decisive line is `"Failed to establish SSH session to vcenter.lab.local"` against `http://127.0.0.1/commonsvcs/idpMetadata`.

6.2 Reproduce the failing call directly:

```
curl -sk -w "%{http_code}\n" http://127.0.0.1/commonsvcs/idpMetadata | tail -5
```

A **500** with "Failed to establish SSH session" confirms the SSH path is the blocker.

6.3 Confirm it is the host key (not credentials or a down sshd):

```
ssh -o ConnectTimeout=10 root@vcenter.lab.local "echo CONNECTED"
```

WARNING: REMOTE HOST IDENTIFICATION HAS CHANGED / Host key verification failed = host-key mismatch. (A password prompt that then fails = credential issue instead; Connection refused = sshd down on vCenter.)

6.4 Identify the service user and every host-key store:

```
ps -ef | grep -i commonsvc | grep -v grep # runs as vcf_commonsvcs (FIPS Java)
find / -name known_hosts 2>/dev/null # lists all four files
grep -n vcenter /etc/vmware/vcf/commonsvc/known_hosts # shows the stale rsa + ecdsa lines
```

7. Fix — Prescribed and FIPS-Safe Manual

FIPS caveat. This SDDC Manager is FIPS-enabled (`commonsvcs` runs with `-Dorg.bouncycastle.fips.approved_only=true`). KB 316028's bash helper `fix_known_hosts.sh` **does not work under FIPS**. Use the Python `fixHostKeys.py` method, or the manual `ssh-keyscan` method in 7.2 (also FIPS-safe — it is only file edits + key scanning).

Always take an SDDC Manager snapshot first (KB 316028 prerequisite). The vCenter UI is independent of this fault, so snapshot from vSphere Client or PowerCLI.

7.1 Prescribed method — `fixHostKeys.py` (KB 316028)

1. Download `fixHostKeys.py` from KB 316028 and place it in `/home/vcf/` on SDDC Manager.
2. As root: `sh python fixHostKeys.py --node vcenter.lab.local` - FIPS-safe; updates all four `known_hosts` files automatically. - Log: `/var/log/vmware/vcf/fixHostKeys.log` . - For all nodes of a type instead of one host: `python fixHostKeys.py --resourceType VCENTER` (also `NSX_T_MANAGER` , `ESXI` , `NSXT_EDGE`).

7.2 Manual method (used in this incident — no script download needed, FIPS-safe)

Run as root on SDDC Manager. This backs up each file, removes the stale `vcenter.lab.local` lines, and appends the current keys, **preserving each file's ownership and permissions** (the `grep -v ... > "$f"` truncates in place rather than recreating the inode):

```
ssh-keyscan -t rsa,ecdsa,ed25519 vcenter.lab.local 2>/dev/null > /tmp/vc_newkeys && \
for f in /root/.ssh/known_hosts /etc/vmware/vcf/commonsvc/known_hosts \
/home/vcf/.ssh/known_hosts /opt/vmware/vcf/commonsvc/defaults/hosts/known_hosts; do \
cp -a "$f" "$f.bak-2026-06-05" 2>/dev/null; \
grep -v "vcenter.lab.local" "$f.bak-2026-06-05" 2>/dev/null > "$f"; \
cat /tmp/vc_newkeys >> "$f"; \
done; echo DONE
```

When pasting into an interactive shell, paste it as a **single line** (strip the trailing backslashes/newlines) — a broken paste leaves the shell at a `>` continuation prompt; press `Ctrl-C` to recover.

7.3 Restart the UI service

```
systemctl restart sddc-manager-ui-app
```

The PSC/SSO init loop re-runs against the now-trusted SSH path.

8. Verification

8.1 The metadata call now succeeds:

```
curl -sk -w "\nHTTP %{http_code}\n" http://127.0.0.1/commonsvcs/idpMetadata | tail -5
```

Expect **HTTP 200** returning the SAML EntityDescriptor XML (entityID `https://vcenter.lab.local/websso/SAML2/Metadata/vsphere.local`).

8.2 The UI app is serving (not the init placeholder):

```
curl -sk -o /dev/null -w "ui -> %{http_code}\n" https://127.0.0.1/ui/
```

A **302** redirect to the SSO login (rather than the static "initializing" page) means the real UI app is up. Hard-refresh `https://192.168.1.241/ui/` and log in.

8.3 No new PSC/SSH errors:

```
grep -iE "psc init|status code 500|establish SSH" \
/var/log/vmware/vcf/sddc-manager-ui-app/sddcManagerServer.log | tail -n 5
```

The errors stop accruing once the fix is in place.

9. In Plain English

SDDC Manager and vCenter recognize each other partly by a unique fingerprint — vCenter's **SSH host key**. When vCenter was rebuilt, it got a **brand-new fingerprint**, but SDDC Manager still had the **old one written down** in four places. So when SDDC Manager tried to phone vCenter to collect the single-sign-on settings it needs to start its dashboard, vCenter answered with the new fingerprint, SDDC Manager said *"that's not the fingerprint I have on file — I won't talk to you,"* and the dashboard sat forever on "initializing." The repair is simply to **erase the old fingerprint and write down the new one** in all four places, then restart the dashboard service. Nothing was actually wrong with single sign-on — it just couldn't be reached.

10. Lessons Learned

In one line: the UI hung on "initializing" because `commons` couldn't SSH to vCenter for SSO metadata after the host key changed — refresh all four `known_hosts`, not just root's, and remember SSO was the victim, not the cause.

Diagnosis

- **"Initializing" + a working REST API = the UI init path, not core services.** Look at `sddcManagerServer.log` for the PSC/SSO init loop, not the platform services.
- **The real error hides behind the startup-feedback server.** `tail` shows only "Incoming request for startup server" — `grep` for `establish SSH / idp metadata / status code 500`.
- **SSO/PSC init failure after a vCenter redeploy is usually an SSH host-key problem** — `commonsvcs` SSHes to vCenter for IdP metadata; confirm with a manual `ssh root@vcenter`.
- **Verify with the exact failing call** — `curl http://127.0.0.1/commonsvcs/idpMetadata` flipping 500 → 200 is the definitive success signal.

Fix

- **There are FOUR `known_hosts` files; fixing root's alone is insufficient.** `commonsvcs` runs as `vcf_commonsvcs` and reads `/etc/vmware/vcf/commonsvcs/known_hosts`; the fix must update all four.
- **FIPS changes the tooling** — the bash `fix_known_hosts.sh` does not work on a FIPS-enabled SDDC Manager; use `fixHostKeys.py` or the manual `ssh-keyscan` method.
- **Preserve ownership when editing service-owned files** — use `grep -v ... > "$f"` (in-place truncate) rather than `ssh-keygen -R`, and keep a per-file backup.

11. Command Appendix

```
# --- DIAGNOSIS (root on SDDC Manager) ---
grep -iE "psc init|idp metadata|status code 500|establish SSH" /var/log/vmware/vcf/sddc-manager-ui-app/sddcManagerServer.log | tail -n 30
curl -sk -w "\nHTTP %{http_code}\n" http://127.0.0.1/commonsvcs/idpMetadata | tail -5
ssh -o ConnectTimeout=10 root@vcenter.lab.local "echo CONNECTED"
ps -ef | grep -i commonsvc | grep -v grep
find / -name known_hosts 2>/dev/null
grep -n vcenter /etc/vmware/vcf/commonsvcs/known_hosts

# --- FIX (manual, FIPS-safe; single line in practice) ---
ssh-keyscan -t rsa,ecdsa,ed25519 vcenter.lab.local 2>/dev/null > /tmp/vc_newkeys && for f in
/root/.ssh/known_hosts /etc/vmware/vcf/commonsvcs/known_hosts /home/vcf/.ssh/known_hosts
/opt/vmware/vcf/commonsvcs/defaults/hosts/known_hosts; do cp -a "$f" "$f.bak-2026-06-05" 2>/dev/null; grep
-v "vcenter.lab.local" "$f.bak-2026-06-05" 2>/dev/null > "$f"; cat /tmp/vc_newkeys >> "$f"; done; echo
DONE

# --- FIX (prescribed, KB 316028; requires script download) ---
python fixHostKeys.py --node vcenter.lab.local

# --- RESTART + VERIFY ---
systemctl restart sddc-manager-ui-app
curl -sk -w "\nHTTP %{http_code}\n" http://127.0.0.1/commonsvcs/idpMetadata | tail -5 # expect 200
curl -sk -o /dev/null -w "ui -> %{http_code}\n" https://127.0.0.1/ui/ # expect 302
```

12. Related Documents

- *VCF Operations Integration Trust Repair After vCenter Certificate Regeneration* (2026-06-05) — the companion fix for the VCF Operations vCenter/vSAN adapters after the same vCenter certificate regeneration.
- Broadcom KB 316028 — *How to update the SSH host keys on the SDDC Manager*.
- Broadcom KB 305970 / 417477 — *SDDC Manager UI fails to load with "VMware Cloud Foundation is initializing."*
- Broadcom KB 418872 — *SDDC Manager UI inaccessible following vCenter Machine SSL certificate replacement*.

13. Document Information

Field	Value
Title	SDDC Manager UI Stuck on "VMware Cloud Foundation is Initializing" — vCenter SSH Host-Key Repair
Document ID	VC-RUNBOOK-SDDCMGR-SSHHOSTKEY-20260605
Version	1.0
Issued	2026-06-05
Author	Virtual Control LLC
Classification	Internal
Platform	VMware Cloud Foundation 9.0 / SDDC Manager (FIPS-enabled)
Applies to	SDDC Manager UI stuck on "initializing" after a management vCenter redeploy / SSH host-key change
Primary reference	Broadcom KB 316028 (with KB 305970 / 417477 / 418872 as related)
Related Documents	VCF Operations Integration Trust Repair After vCenter Certificate Regeneration (2026-06-05)
Distribution	Lab notebook

Revision History

Version	Date	Notes
1.0	2026-06-05	Initial issue. Documents diagnosis (SSH-session failure behind the SSO/PSC init loop), root cause (stale vCenter host key across four known_hosts files), the FIPS caveat, the prescribed <code>fixHostKeys.py</code> and the manual <code>ssh-keyscan</code> fix, verification, and the SSO-is-the-victim clarification, with the full command set as executed.

Document End

See also: - *VCF Operations Integration Trust Repair After vCenter Certificate Regeneration (2026-06-05)* — companion fix for the VCF Operations vCenter/vSAN adapters after the same vCenter regeneration - Broadcom KB 316028 — *How to update the SSH host keys on the SDDC Manager*