


"Objects Are Not Receiving Data from Adapter Instance"

Troubleshooting module — worked example: Identity Broker Health · No Data Receiving

Prepared by: Virtual Control LLC | **Issued:** June 30, 2026 | **Version:** 1.0

Platform: VMware Cloud Foundation 9.0.x — VCF Operations (notes where Aria Operations 8.18.x differs) | **Classification:** Internal



What this module is. A step-by-step path to resolve the **"Objects are not receiving data from adapter instance"** alert in VCF Operations — using a real worked example, the **Identity Broker Health** object showing **No Data Receiving**. Every action is tagged **▶ WHERE** so you know which console to run it in. Conclusions are tied to Broadcom KBs (§8); where a KB applies to a specific version only, that is called out.

1. What the alert means

- The alert **"Objects are not receiving data from adapter instance"** fires when an adapter is still running, but **one or more of its child objects has stopped delivering data**.
- The symptom that drives it is **Number of No Data Receiving Objects > 0** (Threshold 0). Even **one** silent object trips it.
- **Criticality:** Immediate · **Category:** Availability. It dents only that adapter's **Health badge** — the rest of the adapter keeps collecting.
- **Key distinction:** *the adapter is up*. This is **not** "adapter down." It is a **specific object inside the adapter** going quiet — so the whole job is **finding which object, and why**.

2. Before you start — confirm the product and version

Do this first — it changes which KB and which menu paths apply. VCF Operations 9.0.x and Aria Operations 8.18.x look similar but are different products, and some KBs are written against only one.

▶ WHERE **VCF Operations UI** — top-right **?** → **About** (or read the login banner).

Tells that you are on VCF Operations 9.0.x, not Aria Operations 8.18.x:

You see...	Means
An object named "VCF ... Identity Broker ..."	VCF 9.0+ only — the Identity Broker does not exist in 8.18.x
An "Infrastructure Management Adapter"	VCF Operations 9.0 naming (8.18.x = "vCenter Adapter" + "Infrastructure Health")
Adapter/account version reads 9.0.x	VCF Operations 9.0.x
Collector named "VCF Operations Collector-..."	VCF Operations 9.0.x

Why it matters here: the permissions KB (**KB 381362**, §5.2) is published against **Aria Operations 8.18.x**. The underlying mechanism (service-account rights) carries into 9.0.x, but treat it as a **lead to verify**, not a version-

stamped fix, when you are on 9.0.x. Record the confirmed version in your ticket before proceeding.

3. Step 1 — Identify the silent object

► **WHERE** **VCF Operations UI**. 1. Open the alert: **Alerts** tab → click the blue alert title "**Objects are not receiving data from adapter instance.**" 2. On the alert detail, click the blue **Show Objects** link (next to the alert title). 3. Read the row(s) returned and record: - **Name** (e.g., **VCF 9 Identity Broker Embedded**) - **Object Type** (e.g., **Identity Broker Health**) - **Adapter Type** (e.g., **Infrastructure Management**) - **Collection State** and **Collection Status** columns.

Worked example. **Show Objects** returned **one** object: **VCF 9 Identity Broker Embedded** / type **Identity Broker Health** / adapter **Infrastructure Management** — out of 16 objects the adapter collects, 1 was silent (which dropped that adapter's Health to 50%).

4. Step 2 — Confirm the status

► **WHERE** **VCF Operations UI** — on the Show Objects list (or the object's Summary). - **Collection State** = green check → collection is **turned ON** (nothing is disabled). - **Collection Status** → **hover the icon** to read the exact words. "**No Data Receiving**" confirms the object is enabled but receiving **zero** data — the precise condition behind the alert.

If State is **off/stopped** instead, the object was simply unselected for collection — re-enable it and skip to §7.

5. Causes & fixes (work top to bottom)

5.1 Cause A — Collector mismatch (KB 392623) — *multi-collector deployments only*

Applies when: you run **more than one collector** and the **VCF endpoint** and its **Management Domain vCenter endpoint** sit on **different** collectors → VCF Operations cannot collect Identity Broker metrics.

► **WHERE** **VCF Operations UI** — **check:** Administration → **Integrations** → **Accounts** → read the **Collector** column for the VCF account and the Management Domain vCenter. - **All on the same collector** → Cause A is **ruled out**; go to §5.2. - **On different collectors** → this is it.

► **WHERE** **VCF Operations UI** — **fix:** Administration → **Integration** → select the **VCF account** → set its **Collector / Group** to match the Management Domain vCenter's collector (*find that under the Domains tab*) → Save.

Worked example. Every account — VCF 9 , vcenter.lab.local , vcenter.lab.local - vSAN , nsx-vip.lab.local , NetApp Adapter , nsx-manager — was on the **same** collector (VCF Operations Collector-...), all **Collecting**. **Cause A ruled out.**

5.2 Cause B — Service-account permissions (KB 381362)

Applies when: the account VCF Operations uses to monitor vCenter/VCF has **read-only** rights. Read-only is enough for normal inventory/metrics, but **service-health objects** (such as Identity Broker Health) require **administrator-level** access — so 15 objects collect and the 1 service-health object does not.

Version note. KB 381362 is published for **Aria Operations 8.18.x**. The mechanism almost certainly applies to VCF Operations 9.0.x, but on 9.0.x treat it as a **lead to verify** (see §2).

► **WHERE** **VCF Operations UI — find the account:** Administration → **Integrations** → **Accounts** → **VMware Cloud Foundation** → **VCF ...** (or the **vcenter...** row) → ⋮ → **Edit** → note the **credential / username**.

► **WHERE** **vSphere Client (the monitored vCenter) — check the rights:** 1. **Administration** → **Single Sign On** → **Users and Groups** → **Groups**. 2. Open **SystemConfiguration.Administrators** → review **Members**. 3. Also check **Administration** → **Access Control** → **Global Permissions** — the account should hold the **Administrator** role.

Fix: add the monitoring account to the **SystemConfiguration.Administrators** group (or grant Administrator), then in VCF Operations re-validate the adapter (§3.2 of the Core Operations Runbook) and wait one collection cycle.

Worked example. The VCF account uses **administrator@vsphere.local** (validated, collecting) — the built-in vSphere SSO super-admin, a member of **SystemConfiguration.Administrators** by default. It already holds the rights KB 381362 calls for → **Cause B ruled out.**

5.3 Cause C — The monitored component isn't active / fully deployed

Applies when: the object exists in inventory but the underlying service produces no health — e.g., the **embedded VCF Identity Broker** is not configured/active because the environment isn't using VCF SSO federation. **Common and benign** in lab / pre-SSO environments.

► **WHERE** **Fleet Management → SSO / Identity Broker — check:** is the Identity Broker actually deployed and in use for SSO? - **Not configured / not used** → the No Data is **expected**. Either finish the Identity Broker /

VCF SSO setup (only if you intend to use it) or **suppress** the symptom (§6). - **Configured and in use** → revisit §5.2 (permissions) and §5.5 (reachability).

Worked-example conclusion. Cause A ruled out (all endpoints on one collector), Cause B ruled out (`administrator@vsphere.local` = full SSO admin), Cause D ruled out (alert persisted ~1 day, not the ~1-hour transient). That leaves **Cause C: the embedded Identity Broker is not active/in use for SSO**, so its health object has nothing to report. **This is benign** — no real outage. Resolve by finishing VCF SSO / Identity Broker setup *if you intend to use it*, or **suppress** the symptom (§6). (Update 2026-07-02: after SSO was configured, a stale duplicate of this object proved to be the true silent one — see §5.6 Cause F for the final resolution.)

5.4 Cause D — Transient adapter blip (rule out by duration)

A known transient: the Infrastructure Management adapter can hit `SocketException: Connection reset` fetching role data and **self-recover within ~1 hour** via the scheduled **RoleSync** job. - **Alert age < ~1 hour** → wait one cycle; it may clear on its own. - **Alert age >> 1 hour** (e.g., a full day) → **not** this; continue with A/B/C.

5.5 Cause E — Source endpoint unreachable / cert / credential (general)

For any adapter (not just Identity Broker), No Data Receiving can also mean the **data source can't be reached** from the collector, or **trust/credentials** broke. - **▶ WHERE workstation:** confirm the collector can reach the source host/port (e.g., TCP 443). - **▶ WHERE VCF Operations UI:** re-validate the adapter — re-enter creds → **Accept Certificate** → **Validate Connection** → **Save** (Core Operations Runbook §3.2). - *Transport error ("Unable to connect") = trust/cert → re-trust. "Cannot complete login" = credential.*

5.6 Cause F — Stale / duplicate object (KB 378522)

Applies when: the inventory shows **two objects with the same name and type**, and **one is permanently Unknown / No Data Receiving** (Availability -1, Self-Metric Count 0) while the other collects normally. This is an **orphaned duplicate** — a leftover from a redeploy or a configuration change. For example, **enabling VCF SSO** stands up a fresh, live Identity Broker object while the pre-SSO placeholder lingers and never collects. The dead twin keeps `No Data Receiving Objects > 0` and holds the alert open.

▶ WHERE VCF Operations UI — confirm the duplicate: open both same-named objects. One shows **green / Availability = 1** (the live object); the other shows **Unknown / Availability -1 / Self-Metric Count 0** (the stale twin).

▶ WHERE VCF Operations UI — remove the stale one: **Infrastructure Operations** → **Configurations** → **Inventory Management** (the object list — 9.0 moved this here from the old "Environment > Inventory"; it is not under Administration). 1. Filter to the object (Name / Object Type) and add the **Collection State** column (**Show Columns**) so the twins differ — one **Collecting**, one **Not Collecting**. 2. Select the **Not Collecting** twin. (Double-check it is the dead one — same-named rows are easy to mix up. If you delete the live one by mistake, the adapter recreates it on the next collection; the stale one will not come back.) 3. Click **Delete Object** (blue X icon) → **Yes**. (KB 378522 suggests a cluster snapshot first.)

Removing the stale twin drops [No Data Receiving Objects](#) to **0**; the alert cancels on the next cycle.

Worked example — final resolution (2026-07-02). After VCF SSO was configured (the real fix behind Cause C), the inventory showed **two** [VCF 9 Identity Broker Embedded](#) objects under **Identity Broker Health**: the new one collecting (green), and a **stale pre-SSO duplicate** stuck at Unknown / -1 — the actual silent object. Deleting the stale twin via **Infrastructure Operations → Configurations → Inventory Management → Delete Object** (KB 378522) **cancelled both** outstanding "Objects are not receiving data" alerts on the next collection cycle. So the case that first read as **Cause C (benign)** ultimately resolved as **Cause F (stale duplicate)** once SSO was live.

5.7 Cause G — VCF Operations license container for a custom pack (benign)

Applies when: the silent object is a **Licensing** object under the internal **Container** adapter, named after a **custom-built management pack** (for example "NetApp ONTAP NFS Licensing"). VCF Operations auto-creates a license-tracking container per solution; a **custom MP Builder pack has no license entitlement**, so the container reports no data and holds the alert open. **Benign** — every real metric the pack collects (volumes, aggregates, performance, capacity) is unaffected.

Fix: none is needed for data — the container is always empty by design. If you want the alert off, use the **scoped** suppression (§6): a **custom policy** that deactivates "Objects are not receiving data from adapter instance" on [All Object Types](#) (the base type the alert is defined on — confirm via the alert definition's *Base Object Type*), applied via a **custom group** that holds only that one object (add it directly on the group's *Objects to Include/Exclude* tab). **Never** disable the symptom globally. (Note: the specific internal [ContainerAdapterInstance](#) object type is not selectable in the policy picker, which is why the deactivation is done on the All Object Types base. Most sites document this as known-benign and leave it.)

6. Optional — suppress just this symptom (when the No Data is expected)

When the cause is benign (§5.3) and you do not want the alert nagging:

► **WHERE** **VCF Operations UI**. 1. **Configurations → Policies** → open the **active policy** (e.g., Default Policy). 2. Go to the **Alerts / Symptom Definitions** section → find "**Objects are not receiving data from adapter instance**" (or the underlying *No Data Receiving Objects* symptom). 3. **Disable** it for the relevant object type, **or** lower its state, then **Save**. 4. (Alternative, narrower) put the single object in a **custom group** and override the policy for only that group.

Suppress deliberately. Disabling the symptom hides it for **every** object of that type — you will no longer be alerted if a *different*, real object goes silent. Prefer fixing the cause (§5) over blanket suppression; reserve suppression for confirmed-benign cases.

7. Verify the fix

► **WHERE** **VCF Operations UI.** 1. After the fix, **wait one or two collection cycles** (~5–10 min). 2. Re-open **Show Objects** (§3) → the object's **Collection Status** should now read **Data Receiving**. 3. The alert should move to **Cancelled** on its own (it auto-cancels when the symptom clears). 4. The adapter's **Health badge** should return toward 100%.

8. References

- **KB 392623** — VCF Identity Broker Monitoring data collection not happening in VCF Operations (*collector mismatch — multi-collector; §5.1*).
- **KB 381362** — "Objects are not receiving data from the adapter instance" alert for Infrastructure Health Adapter (*service-account permissions; published for Aria Operations 8.18.x; §5.2*).
- **KB 378522** — Delete duplicate objects from the object inventory (*stale/duplicate object; the delete action lives under Infrastructure Operations → Configurations → Inventory Management; §5.6*).
- **VCF Operations 9.0.1 Release Notes** — "Unable to configure the VCF Identity Broker after changing the collector of the VCF Instance" is listed **resolved in 9.0.1**.
- **VCF Operations 9.x Known Issues** — Infrastructure Management adapter `SocketException` /RoleSync transient (§5.4).
- Companion: **VCF Operations — Core Operations Runbook** (§2 health-check, §3 adapter procedures).

Document Information

Title	VCF Operations — "Objects Are Not Receiving Data from Adapter Instance" Troubleshooting Module
Document ID	VC-TS-VCFOPS-NODATA-20260630
Author	Virtual Control LLC
Issued	June 30, 2026
Version	1.3
Classification	Internal — Proprietary & Confidential
Platform	VMware Cloud Foundation 9.0.x — VCF Operations (notes Aria Operations 8.18.x differences)
Worked example	Identity Broker Health object · No Data Receiving

Revision History

Version	Date	Notes
1.0	2026-06-30	Initial module. Full decision tree for the "Objects are not receiving data from adapter instance" alert, built on a live worked example (Identity Broker Health · No Data Receiving). Includes the product/version verification step (VCF Operations 9.0.x vs Aria Operations 8.18.x) and the caveat that KB 381362 is published for 8.18.x. Causes A–E with ► Where step-by-step, suppress option, and verification. KBs 392623 / 381362 cited.
1.1	2026-06-30	Recorded the worked-example outcome: account verified as <code>administrator@vsphere.local</code> (full SSO admin) → Cause B ruled out ; with A and D also ruled out, the conclusion is Cause C — embedded Identity Broker not active/in use (benign) . Added worked-example notes to §5.2 and a conclusion to §5.3.
1.2	2026-07-02	Final resolution captured. Added §5.6 Cause F — stale / duplicate object (KB 378522) : once VCF SSO was configured, the true silent object was a stale pre-SSO duplicate of <code>VCF 9 Identity Broker Embedded</code> ; deleting it via Infrastructure Operations → Configurations → Inventory Management → Delete Object cancelled both alerts. Updated the §5.3 conclusion to point to Cause F and added KB 378522 to references.
1.3	2026-07-02	Added §5.7 Cause G — VCF Operations license container for a custom pack (benign) : a custom MP Builder pack's license container reports no data (a benign alert); documents that the internal <code>ContainerAdapterInstance</code> type is not selectable in the policy picker, so scoped suppression is done on the All Object Types base type + a custom group holding only that object. Mirrors NetApp Production Deployment Guide §6.

Document End