



FATE MONTHLY REPORT

Doc.No : FATE-001
Version : 1.0
Date : 06-12-2023



FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
October 2023



Contents

0.1 Title for Contingency tables of Night 1 2

0.2 Title for Contingency tables of Day 1 13

wind speed ms^{-1}	Observations			
	ws < 4.2 4.2	4.2 4.2 < ws < 7.6 7.6	ws > 7.6 7.6	
	ws < 4.2 4.2	693	215	3
Model data	4.2 4.2 < ws < 7.6 7.6	411	597	224
	ws > 7.6 7.6	50	274	1618
Hit rate computed on 4085 points. PC=71.2%; EBD=1.3%; POD1=60.1%; POD2=55.0%; POD3=87.7%				

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations			
	ws < 4.2 4.2	4.2 4.2 < ws < 7.6 7.6	ws > 7.6 7.6	
	ws < 4.2 4.2	1087	82	0
Model data	4.2 4.2 < ws < 7.6 7.6	67	944	29
	ws > 7.6 7.6	0	60	1816
Hit rate computed on 4085 points. PC=94.2%; EBD=0.0%; POD1=94.2%; POD2=86.9%; POD3=98.4%				

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

0.1 Title for Contingency tables of Night 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

FATE - Monthly Report

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	3259	61
	12.0 < ws < 18.0	42	612
	ws > 18.0	0	6
Hit rate computed on 4085 points. PC=97.0%; EBD=0.0%; POD1=98.7%; POD2=90.1%; POD3=88.6%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)
 ms^{-1}

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	2318	101	14		62
	East	49	133	38		0
	South	5	36	374		32
	West	99	17	1		75

Hit rate computed on 3354 points. PC=86.5%; EBD=1.1%; POD1=93.8%; POD2=46.3%; POD3=87.6%; POD4=44.4%

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	2452	30	0		5
	East	14	243	5		0
	South	0	14	418		0
	West	5	0	4		164

Hit rate computed on 3354 points. PC=97.7%; EBD=0.0%; POD1=99.2%; POD2=84.7%; POD3=97.9%; POD4=97.0%

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

FATE - Monthly Report

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	581	350
	7.1 < rh < 15.3	538	1359
	rh > 15.3	50	261
Hit rate computed on 3965 points. PC=65.7%; EBD=1.5%; POD1=49.7%; POD2=69.0%; POD3=80.6%			

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1083	74
	7.1 < rh < 15.3	85	1857
	rh > 15.3	1	39
Hit rate computed on 3965 points. PC=93.7%; EBD=0.1%; POD1=92.6%; POD2=94.3%; POD3=93.9%			

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent	Observations		
	rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	3964	0
	50.0 < rh < 70.0	1	0
	rh > 70.0	0	0
Hit rate computed on 3965 points. PC=100.0%; EBD=0.0%; POD1=100.0%; POD2=NaN%; POD3=NaN%			

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor		Observations		
mm		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	1168	230	0
	1.9 < pwv < 3.5	51	1143	325
	pwv > 3.5	0	76	867
Hit rate computed on 3860 points. PC=82.3%; EBD=0.0%; POD1=95.8%; POD2=78.9%; POD3=72.7%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	1198	30	0
	1.9 < pwv < 3.5	21	1410	22
	pwv > 3.5	0	9	1170
Hit rate computed on 3860 points. PC=97.9%; EBD=0.0%; POD1=98.3%; POD2=97.3%; POD3=98.2%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	277	228	77
Model data	0.6 < see < 0.8	159	274	363
	see > 0.8	36	153	403
Hit rate computed on 1970 points. PC=48.4%; EBD=5.7%; POD1=58.7%; POD2=41.8%; POD3=47.8%				

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	487	99	0
Model data	0.6 < see < 0.8	64	508	51
	see > 0.8	0	61	1010
Hit rate computed on 1970 points. PC=87.9%; EBD=0.0%; POD1=88.4%; POD2=76.0%; POD3=95.2%				

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

FATE - Monthly Report

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	440	0	58
Model data	0.6 < see < 0.8	0	627	58
	see > 0.8	32	28	785
Hit rate computed on 1970 points. PC=94.0%; EBD=4.6%; POD1=93.2%; POD2=95.7%; POD3=87.1%				

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	551	0	0
Model data	0.6 < see < 0.8	0	666	0
	see > 0.8	0	2	1061
Hit rate computed on 1970 points. PC=99.9%; EBD=0.0%; POD1=100.0%; POD2=99.7%; POD3=100.0%				

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	760	164	0
	$3.4 < \tau < 5.8$	249	405	106
	$\tau > 5.8$	28	113	197
Hit rate computed on 2022 points. PC=67.4%; EBD=1.4%; POD1=73.3%; POD2=59.4%; POD3=65.0%				

Table 15: night1 - Contingency table for coherence time (ms) in standard configuration and accuracy 0.0

coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1003	53	0
	$3.4 < \tau < 5.8$	34	592	29
	$\tau > 5.8$	0	37	274
Hit rate computed on 2022 points. PC=92.4%; EBD=0.0%; POD1=96.7%; POD2=86.8%; POD3=90.4%				

Table 16: night1 - Contingency table for coherence time (ms) processed with AR (1H) and accuracy 0.0

FATE - Monthly Report

coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	975	12	66
	$3.4 < \tau < 5.8$	34	605	66
	$\tau > 5.8$	28	65	237
Hit rate computed on 2022 points. PC=89.9%; EBD=4.6%; POD1=94.0%; POD2=88.7%; POD3=64.2%				

Table 17: night1 - Contingency table for coherence time (ms) in standard configuration and accuracy 1.22

coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1037	0	2
	$3.4 < \tau < 5.8$	0	681	2
	$\tau > 5.8$	0	1	301
Hit rate computed on 2022 points. PC=99.9%; EBD=0.1%; POD1=100.0%; POD2=99.9%; POD3=98.7%				

Table 18: night1 - Contingency table for coherence time (ms) processed with AR (1H) and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	540	316
	0.6 < glf < 0.7	247	357
	glf > 0.7	101	62
Hit rate computed on 2112 points. PC=46.2%; EBD=12.9%; POD1=60.8%; POD2=48.6%; POD3=16.2%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	808	117
	0.6 < glf < 0.7	79	530
	glf > 0.7	1	88
Hit rate computed on 2112 points. PC=82.6%; EBD=0.1%; POD1=91.0%; POD2=72.1%; POD3=83.0%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	779	76
	0.6 < glf < 0.7	8	648
	glf > 0.7	101	11
Hit rate computed on 2112 points. PC=81.8%; EBD=13.7%; POD1=87.7%; POD2=88.2%; POD3=48.3%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	887	6
	0.6 < glf < 0.7	0	728
	glf > 0.7	1	1
Hit rate computed on 2112 points. PC=99.5%; EBD=0.1%; POD1=99.9%; POD2=99.0%; POD3=99.2%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

wind speed ms^{-1}	Observations		
	ws < 4.2 4.2	4.2 4.2 < ws < 7.6 7.6	ws > 7.6 7.6
Model data	ws < 4.2 4.2	221	67
	4.2 4.2 < ws < 7.6 7.6	424	979
	ws > 7.6 7.6	34	236
Hit rate computed on 4006 points. PC=72.1%; EBD=0.9%; POD1=32.5%; POD2=76.4%; POD3=82.5%			

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2 4.2	4.2 4.2 < ws < 7.6 7.6	ws > 7.6 7.6
Model data	ws < 4.2 4.2	593	90
	4.2 4.2 < ws < 7.6 7.6	86	1129
	ws > 7.6 7.6	0	63
Hit rate computed on 4006 points. PC=91.8%; EBD=0.0%; POD1=87.3%; POD2=88.1%; POD3=95.6%			

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

0.2 Title for Contingency tables of Day 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

wind speed		Observations		
ms^{-1}		ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	2982	66	0
	12.0 < ws < 18.0	50	643	32
	ws > 18.0	0	19	214
Hit rate computed on 4006 points. PC=95.8%; EBD=0.0%; POD1=98.4%; POD2=88.3%; POD3=87.0%				

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)
 ms^{-1}

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	1922	96	0		57
	East	23	77	8		0
	South	0	0	254		83
	West	582	0	10		584

Hit rate computed on 3696 points. PC=76.8%; EBD=0.0%; POD1=76.1%; POD2=44.5%; POD3=93.4%; POD4=80.7%

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	2438	25	0		53
	East	15	148	0		0
	South	0	0	265		8
	West	74	0	7		663

Hit rate computed on 3696 points. PC=95.1%; EBD=0.0%; POD1=96.5%; POD2=85.5%; POD3=97.4%; POD4=91.6%

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

FATE - Monthly Report

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	326	194
	7.1 < rh < 15.3	318	1749
	rh > 15.3	45	337
Hit rate computed on 3981 points. PC=72.9%; EBD=1.1%; POD1=47.3%; POD2=76.7%; POD3=81.8%			

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	617	63
	7.1 < rh < 15.3	72	2147
	rh > 15.3	0	70
Hit rate computed on 3981 points. PC=93.8%; EBD=0.0%; POD1=89.6%; POD2=94.2%; POD3=95.9%			

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent	Observations		
	rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	3975	0
	50.0 < rh < 70.0	6	0
	rh > 70.0	0	0
Hit rate computed on 3981 points. PC=99.8%; EBD=0.0%; POD1=99.8%; POD2=NaN%; POD3=NaN%			

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	747	184
	1.9 < pwv < 3.5	185	1256
	pwv > 3.5	0	125
Hit rate computed on 3857 points. PC=77.9%; EBD=0.1%; POD1=80.2%; POD2=80.3%; POD3=73.7%			

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	898	22
	1.9 < pwv < 3.5	34	1530
	pwv > 3.5	0	13
Hit rate computed on 3857 points. PC=97.4%; EBD=0.0%; POD1=96.4%; POD2=97.8%; POD3=97.7%			

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)