



FATE MONTHLY REPORT

Doc.No : FATE-001
Version : 1.0
Date : 13-10-2023



FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
October 2023



Contents

1	Title for Night 1	2
1.1	Title for Figures of Night 1	3
1.2	Title for Statistics of Night 1	7
1.3	Title for Contingency tables of Night 1	9
1.4	Title for PODs tables of Night 1	18
2	Title for Day 1	21
2.1	Title for Figures of Day 1	22
2.2	Title for Statistics of Day 1	25
2.3	Title for Contingency tables of Day 1	26
2.4	Title for PODs tables of Day 1	28

1 Title for Night 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1.1 Title for Figures of Night 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.




Figure 1: wind speed (ms^{-1}): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H).




Figure 2: wind direction (degree): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H).




Figure 3: relative humidity (percent): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H).




Figure 4: precipitable water vapor (mm): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H).




Figure 5: total seeing (arcsec): (a) STANDARD CONFIGURATION (< 1.5"), (b) WITH AR (1H), (c) PERSISTENCE (1H).




Figure 6: coherence time (ms): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H).




Figure 7: ground layer fraction (dimensionless): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H)

1.2 Title for Statistics of Night 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

VARIABLE	BIAS (inc. month)	RMSE (inc. month)	SD (inc. month)	BIAS (last month)	RMSE (last month)	SD (last month)
WS (m·s ⁻¹)	0.53	2.60	2.55	0.53	2.60	2.55
WD (degree)	-4.47	30.39	30.06	-4.47	30.39	30.06
RH (percent)	0.82	4.94	4.87	0.82	4.94	4.87
PWV (mm)	-0.28	0.60	0.53	-0.28	0.59	0.52
SEE (arcsec)	-0.10	0.27	0.25	-0.10	0.27	0.25
TAU (ms)	0.41	1.51	1.45	0.41	1.51	1.45
GLF (dimensionless)	0.04	0.19	0.18	0.04	0.19	0.18

Table 1: Statistics for variables in standard configuration: incremental month (i.e., since the beginning of service) *vs* last month (September-2023)

FATE - Monthly Report

VARIABLE	BIAS AR (1H)	RMSE AR (1H)	SD AR (1H)		RMSE persistence (1H)	SD persistence (1H)
WS ($m \cdot s^{-1}$)	-0.01	0.72	0.72		0.96	0.95
WD (degree)	0.35	6.18	6.17		10.88	10.88
RH (percent)	-0.03	1.09	1.09		1.54	1.54
PWV (mm)	-0.01	0.08	0.08		0.17	0.17
SEE (arcsec)	-0.01	0.12	0.12		0.15	0.15
TAU (ms)	0.01	0.39	0.39		0.63	0.63
GLF (dimensionless)	-0.00	0.06	0.06		0.10	0.10

Table 2: Last month (September-2023): statistics for variables with AR (1H) *vs* persistence (1H)

VARIABLE	BIAS AR (1H)	RMSE AR (1H)	SD AR (1H)		RMSE persistence (1H)	SD persistence (1H)
WS ($m \cdot s^{-1}$)	-0.01	0.72	0.72		0.96	0.95
WD (degree)	0.35	6.18	6.17		10.88	10.88
RH (percent)	-0.03	1.09	1.09		1.54	1.54
PWV (mm)	-0.01	0.08	0.08		0.17	0.17
SEE (arcsec)	-0.01	0.12	0.12		0.15	0.15
TAU (ms)	0.01	0.39	0.39		0.63	0.63
GLF (dimensionless)	-0.00	0.06	0.06		0.10	0.10

Table 3: Incremental month (i.e., since the beginning of service): statistics for variables with AR (1H) *vs* persistence (1H)

1.3 Title for Contingency tables of Night 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 8.2	ws > 8.2
Model data	ws < 4.6	367	108
	4.6 < ws < 8.2	261	340
	ws > 8.2	42	221
Sample size: 3240; PC=64.5%; EBD=2.1%; POD1=54.8%; POD2=50.8%; POD3=87.9%			

Table 4: Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 8.2	ws > 8.2
Model data	ws < 4.6	640	45
	4.6 < ws < 8.2	30	595
	ws > 8.2	0	29
Sample size: 3240; PC=94.0%; EBD=0.0%; POD1=95.5%; POD2=88.9%; POD3=97.5%			

Table 5: Contingency table for variable wind speed (ms^{-1}) processed with AR (1H)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	928	31	14		45
	East	22	71	34		0
	South	5	15	345		0
	West	45	2	1		60

Sample size: 3240; PC=86.8%; EBD=1.3%; POD1=92.8%; POD2=59.7%; POD3=87.6%; POD4=57.1%

Table 6: Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	991	12	0		3
	East	5	98	3		0
	South	0	9	389		0
	West	4	0	2		102

Sample size: 3240; PC=97.7%; EBD=0.0%; POD1=99.1%; POD2=82.4%; POD3=98.7%; POD4=97.1%

Table 7: Contingency table for wind direction (degree) in standard configuration

relative humidity percent		Observations		
		rh < 8.0	8.0 < rh < 11.0	rh > 11.0
Model data	rh < 8.0	374	279	61
	8.0 < rh < 11.0	137	264	179
	rh > 11.0	146	112	415
Sample size: 3240; PC=53.5%; EBD=10.5%; POD1=56.9%; POD2=40.3%; POD3=63.4%				

Table 8: Contingency table for variable relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.0	8.0 < rh < 11.0	rh > 11.0
Model data	rh < 8.0	607	36	2
	8.0 < rh < 11.0	50	582	47
	rh > 11.0	0	37	606
Sample size: 3240; PC=91.3%; EBD=0.1%; POD1=92.4%; POD2=88.9%; POD3=92.5%				

Table 9: Contingency table for variable relative humidity (percent) processed with AR (1H)

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.1	pwv > 3.1
Model data	pwv < 2.1	305	87	0
	2.1 < pwv < 3.1	8	216	100
	pwv > 3.1	1	11	213
Sample size: 1620; PC=78.0%; EBD=0.1%; POD1=97.1%; POD2=68.8%; POD3=68.1%				

Table 10: Contingency table for variable precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.1	pwv > 3.1
Model data	pwv < 2.1	309	10	0
	2.1 < pwv < 3.1	5	300	8
	pwv > 3.1	0	4	305
Sample size: 1620; PC=97.1%; EBD=0.0%; POD1=98.4%; POD2=95.5%; POD3=97.4%				

Table 11: Contingency table for variable precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec		Observations		
		see < 0.7	0.7 < see < 1.0	see > 1.0
Model data	see < 0.7	238	194	108
	0.7 < see < 1.0	79	92	132
	see > 1.0	9	39	85
Sample size: 2484; PC=42.5%; EBD=12.0%; POD1=73.0%; POD2=28.3%; POD3=26.2%				

Table 12: Contingency table for variable total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec		Observations		
		see < 0.7	0.7 < see < 1.0	see > 1.0
Model data	see < 0.7	425	44	1
	0.7 < see < 1.0	35	374	37
	see > 1.0	1	43	422
Sample size: 3024; PC=88.4%; EBD=0.1%; POD1=92.2%; POD2=81.1%; POD3=91.7%				

Table 13: Contingency table for variable total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec		Observations		
		see < 0.7	0.7 < see < 1.0	see > 1.0
Model data	see < 0.7	425	44	1
	0.7 < see < 1.0	35	374	37
	see > 1.0	1	43	422
Sample size: 3024; PC=88.4%; EBD=0.1%; POD1=92.2%; POD2=81.1%; POD3=91.7%				

Table 14: Contingency table for variable total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec		Observations		
		see < 0.7	0.7 < see < 1.0	see > 1.0
Model data	see < 0.7	360	39	1
	0.7 < see < 1.0	19	307	38
	see > 1.0	1	34	341
Sample size: 2484; PC=88.4%; EBD=0.2%; POD1=94.7%; POD2=80.8%; POD3=89.7%				

Table 15: Contingency table for variable total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec		Observations		
		see < 0.7	0.7 < see < 1.0	see > 1.0
Model data	see < 0.7	318	0	93
	0.7 < see < 1.0	0	319	93
	see > 1.0	8	6	232
Sample size: 2484; PC=89.0%; EBD=10.3%; POD1=97.5%; POD2=98.2%; POD3=55.5%				

Table 16: Contingency table for variable total seeing (arcsec) in standard configuration and accuracy 0.24

FATE - Monthly Report

total seeing arcsec		Observations		
		see < 0.7	0.7 < see < 1.0	see > 1.0
Model data	see < 0.7	459	0	3
	0.7 < see < 1.0	1	456	3
	see > 1.0	1	5	457
Sample size: 3024; PC=99.3%; EBD=0.3%; POD1=99.6%; POD2=98.9%; POD3=98.7%				

Table 17: Contingency table for variable total seeing (arcsec) processed with AR (1H) and accuracy 0.24

total seeing arcsec		Observations		
		see < 0.7	0.7 < see < 1.0	see > 1.0
Model data	see < 0.7	459	0	3
	0.7 < see < 1.0	1	456	3
	see > 1.0	1	5	457
Sample size: 3024; PC=99.3%; EBD=0.3%; POD1=99.6%; POD2=98.9%; POD3=98.7%				

Table 18: Contingency table for variable total seeing (arcsec) processed with AR (1H) and accuracy 0.24

total seeing arcsec		Observations		
		see < 0.7	0.7 < see < 1.0	see > 1.0
Model data	see < 0.7	378	0	2
	0.7 < see < 1.0	1	376	2
	see > 1.0	1	4	378
Sample size: 2484; PC=99.3%; EBD=0.3%; POD1=99.5%; POD2=98.9%; POD3=99.0%				

Table 19: Contingency table for variable total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

coherence time		Observations		
ms		$\tau < 2.4$	$2.4 < \tau < 3.6$	$\tau > 3.6$
Model data	$\tau < 2.4$	205	29	5
	$2.4 < \tau < 3.6$	91	172	83
	$\tau > 3.6$	58	152	265
Sample size: 2484; PC=60.6%; EBD=5.9%; POD1=57.9%; POD2=48.7%; POD3=75.1%				

Table 20: Contingency table for variable coherence time (ms) in standard configuration and accuracy 0.0

coherence time		Observations		
ms		$\tau < 2.4$	$2.4 < \tau < 3.5$	$\tau > 3.5$
Model data	$\tau < 2.4$	392	28	0
	$2.4 < \tau < 3.5$	33	375	28
	$\tau > 3.5$	1	23	398
Sample size: 3024; PC=91.2%; EBD=0.1%; POD1=92.0%; POD2=88.0%; POD3=93.4%				

Table 21: Contingency table for variable coherence time (ms) processed with AR (1H) and accuracy 0.0

coherence time		Observations		
ms		$\tau < 2.4$	$2.4 < \tau < 3.5$	$\tau > 3.5$
Model data	$\tau < 2.4$	392	28	0
	$2.4 < \tau < 3.5$	33	375	28
	$\tau > 3.5$	1	23	398
Sample size: 3024; PC=91.2%; EBD=0.1%; POD1=92.0%; POD2=88.0%; POD3=93.4%				

Table 22: Contingency table for variable coherence time (ms) processed with AR (1H) and accuracy 0.0

coherence time		Observations		
ms		$\tau < 2.4$	$2.4 < \tau < 3.6$	$\tau > 3.6$
Model data	$\tau < 2.4$	319	25	0
	$2.4 < \tau < 3.6$	34	298	22
	$\tau > 3.6$	1	30	331
Sample size: 2484; PC=89.4%; EBD=0.1%; POD1=90.1%; POD2=84.4%; POD3=93.8%				

Table 23: Contingency table for variable coherence time (ms) processed with AR (1H) and accuracy 0.0

coherence time		Observations		
ms		$\tau < 2.4$	$2.4 < \tau < 3.6$	$\tau > 3.6$
Model data	$\tau < 2.4$	298	0	5
	$2.4 < \tau < 3.6$	0	301	5
	$\tau > 3.6$	56	52	348
Sample size: 2484; PC=89.3%; EBD=5.8%; POD1=84.2%; POD2=85.3%; POD3=97.2%				

Table 24: Contingency table for variable coherence time (ms) in standard configuration and accuracy 1.22

FATE - Monthly Report

coherence time		Observations		
ms		$\tau < 2.4$	$2.4 < \tau < 3.5$	$\tau > 3.5$
Model data	$\tau < 2.4$	425	0	0
	$2.4 < \tau < 3.5$	0	426	0
	$\tau > 3.5$	1	0	426
Sample size: 3024; PC=99.9%; EBD=0.1%; POD1=99.8%; POD2=100.0%; POD3=100.0%				

Table 25: Contingency table for variable coherence time (ms) processed with AR (1H) and accuracy 1.22

coherence time		Observations		
ms		$\tau < 2.4$	$2.4 < \tau < 3.5$	$\tau > 3.5$
Model data	$\tau < 2.4$	425	0	0
	$2.4 < \tau < 3.5$	0	426	0
	$\tau > 3.5$	1	0	426
Sample size: 3024; PC=99.9%; EBD=0.1%; POD1=99.8%; POD2=100.0%; POD3=100.0%				

Table 26: Contingency table for variable coherence time (ms) processed with AR (1H) and accuracy 1.22

coherence time		Observations		
ms		$\tau < 2.4$	$2.4 < \tau < 3.6$	$\tau > 3.6$
Model data	$\tau < 2.4$	353	0	0
	$2.4 < \tau < 3.6$	0	353	0
	$\tau > 3.6$	1	0	353
Sample size: 2484; PC=99.9%; EBD=0.1%; POD1=99.7%; POD2=100.0%; POD3=100.0%				

Table 27: Contingency table for variable coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations			
		glf < 0.4	0.4 < glf < 0.6	glf > 0.6
Model data	glf < 0.4	120	81	35
	0.4 < glf < 0.6	166	111	151
	glf > 0.6	69	162	168
Sample size: 2484; PC=37.5%; EBD=9.8%; POD1=33.8%; POD2=31.4%; POD3=47.5%				

Table 28: Contingency table for variable ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations			
		glf < 0.5	0.5 < glf < 0.6	glf > 0.6
Model data	glf < 0.5	375	55	3
	0.5 < glf < 0.6	55	309	69
	glf > 0.6	1	67	359
Sample size: 3024; PC=80.7%; EBD=0.3%; POD1=87.0%; POD2=71.7%; POD3=83.3%				

Table 29: Contingency table for variable ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations			
		glf < 0.5	0.5 < glf < 0.6	glf > 0.6
Model data	glf < 0.5	375	55	3
	0.5 < glf < 0.6	55	309	69
	glf > 0.6	1	67	359
Sample size: 3024; PC=80.7%; EBD=0.3%; POD1=87.0%; POD2=71.7%; POD3=83.3%				

Table 30: Contingency table for variable ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations			
		glf < 0.4	0.4 < glf < 0.6	glf > 0.6
Model data	glf < 0.4	293	47	4
	0.4 < glf < 0.6	60	257	51
	glf > 0.6	2	50	299
Sample size: 2484; PC=79.9%; EBD=0.6%; POD1=82.5%; POD2=72.6%; POD3=84.5%				

Table 31: Contingency table for variable ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations			
		glf < 0.4	0.4 < glf < 0.6	glf > 0.6
Model data	glf < 0.4	254	12	40
	0.4 < glf < 0.6	32	318	27
	glf > 0.6	69	24	314
Sample size: 2484; PC=83.3%; EBD=10.3%; POD1=71.5%; POD2=89.8%; POD3=82.4%				

Table 32: Contingency table for variable ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

FATE - Monthly Report

ground layer fraction dimensionless		Observations		
		glf < 0.5	0.5 < glf < 0.6	glf > 0.6
Model data	glf < 0.5	427	3	5
	0.5 < glf < 0.6	3	427	3
	glf > 0.6	1	1	426
Sample size: 3024; PC=99.0%; EBD=0.5%; POD1=99.1%; POD2=99.1%; POD3=98.2%				

Table 33: Contingency table for variable ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

ground layer fraction dimensionless		Observations		
		glf < 0.5	0.5 < glf < 0.6	glf > 0.6
Model data	glf < 0.5	427	3	5
	0.5 < glf < 0.6	3	427	3
	glf > 0.6	1	1	426
Sample size: 3024; PC=99.0%; EBD=0.5%; POD1=99.1%; POD2=99.1%; POD3=98.2%				

Table 34: Contingency table for variable ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

ground layer fraction dimensionless		Observations		
		glf < 0.4	0.4 < glf < 0.6	glf > 0.6
Model data	glf < 0.4	353	0	7
	0.4 < glf < 0.6	0	353	7
	glf > 0.6	2	1	347
Sample size: 2484; PC=99.1%; EBD=0.8%; POD1=99.4%; POD2=99.7%; POD3=96.1%				

Table 35: Contingency table for variable ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

1.4 Title for PODs tables of Night 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

PARAMETER	STANDARD	WITH AR (1H)
POD1	54.8	95.5
POD2	50.8	88.9
POD3	87.9	97.5
PC	64.5	94.0
EBD	2.1	0.0

Table 36: PODs for wind speed (ms^{-1})

PARAMETER	STANDARD	WITH AR (1H)
POD1	92.8	99.1
POD2	59.7	82.4
POD3	87.6	98.7
POD4	57.1	97.1
PC	86.8	97.7
EBD	1.3	0.0

Table 37: PODs for wind direction (degree)

FATE - Monthly Report

PARAMETER	STANDARD	WITH AR (1H)
POD1	56.9	92.4
POD2	40.3	88.9
POD3	63.4	92.5
PC	53.5	91.3
EBD	10.5	0.1

Table 38: PODs for relative humidity (percent)

PARAMETER	STANDARD	WITH AR (1H)
POD1	97.1	98.4
POD2	68.8	95.5
POD3	68.1	97.4
PC	78.0	97.1
EBD	0.1	0.0

Table 39: PODs for precipitable water vapor (mm)

PARAMETER	STANDARD	WITH AR (1H)
POD1	73.0	94.7
POD2	28.3	80.8
POD3	26.2	89.7
PC	42.5	88.4
EBD	12.0	0.2

Table 40: PODs for total seeing (arcsec) and accuray 0.0

PARAMETER	STANDARD	WITH AR (1H)
POD1	97.5	99.5
POD2	98.2	98.9
POD3	55.5	99.0
PC	89.0	99.3
EBD	10.3	0.3

Table 41: PODs for total seeing (arcsec) and accuray 0.24

PARAMETER	STANDARD	WITH AR (1H)
POD1	57.9	90.1
POD2	48.7	84.4
POD3	75.1	93.8
PC	60.6	89.4
EBD	5.9	0.1

Table 42: PODs for coherence time (ms) and accuray 0.0

FATE - Monthly Report

PARAMETER	STANDARD	WITH AR (1H)
POD1	84.2	99.7
POD2	85.3	100.0
POD3	97.2	100.0
PC	89.3	99.9
EBD	5.8	0.1

Table 43: PODs for coherence time (ms) and accuray 1.22

PARAMETER	STANDARD	WITH AR (1H)
POD1	33.8	82.5
POD2	31.4	72.6
POD3	47.5	84.5
PC	37.5	79.9
EBD	9.8	0.6

Table 44: PODs for ground layer fraction (dimensionless) and accuray 0.0

PARAMETER	STANDARD	WITH AR (1H)
POD1	71.5	99.4
POD2	89.8	99.7
POD3	82.4	96.1
PC	83.3	99.1
EBD	10.3	0.8

Table 45: PODs for ground layer fraction (dimensionless) and accuray 0.14

2 Title for Day 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

2.1 Title for Figures of Day 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.




Figure 8: wind speed (ms^{-1}): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H).




Figure 9: wind direction (degree): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H).




Figure 10: relative humidity (percent): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H).




Figure 11: precipitable water vapor (mm): (a) STANDARD CONFIGURATION, (b) WITH AR (1H), (c) PERSISTENCE (1H).

2.2 Title for Statistics of Day 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

VARIABLE	BIAS (inc. month)	RMSE (inc. month)	SD (inc. month)	BIAS (last month)	RMSE (last month)	SD (last month)
WS ($\text{m}\cdot\text{s}^{-1}$)	0.27	2.34	2.33	0.27	2.34	2.33
WD (degree)	-11.26	22.69	19.71	-11.26	22.69	19.71
RH (percent)	0.65	4.33	4.28	0.65	4.33	4.28
PWV (mm)	-0.17	0.63	0.60	-0.17	0.63	0.61
SEE (arcsec)	SEEBIAS	SEERMSE	SEESD	SEEbiasLM	SEErmsLM	SEEsdlm
TAU (ms)	TAUBIAS	TAURMSE	TAUSD	TAUbiasLM	TAUrmseLM	TAUsdlm
GLF (dimensionless)	GLFBIAS	GLFRMSE	GLFSD	GLFbiasLM	GLFrmseLM	GLFsdlm

Table 46: Statistics for variables in standard configuration: incremental month (i.e., since the beginning of service) *vs* last month (September-2023)

2.3 Title for Contingency tables of Day 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

wind speed ms^{-1}		Observations		
		ws < 5.0	5.0 < ws < 8.9	ws > 8.9
Model data	ws < 5.0	259	61	0
	5.0 < ws < 8.9	376	475	115
	ws > 8.9	8	107	528
Sample size: 3240; PC=65.4%; EBD=0.4%; POD1=40.3%; POD2=73.9%; POD3=82.1%				

Table 47: Contingency table for wind speed (ms^{-1}) in standard configuration

wind direction degree		Observations			
		North	East	South	West
Model data	North	751	38	0	40
	East	1	42	8	0
	South	0	0	251	73
	West	183	0	10	365
Sample size: 3240; PC=80.0%; EBD=0.0%; POD1=80.3%; POD2=52.5%; POD3=93.3%; POD4=76.4%					

Table 48: Contingency table for wind direction (degree) in standard configuration

FATE - Monthly Report

relative humidity percent	Observations		
	rh < 8.7	8.7 < rh < 11.2	rh > 11.2
Model data	rh < 8.7	377	217
	8.7 < rh < 11.2	177	220
	rh > 11.2	88	205
Sample size: 3240; PC=56.8%; EBD=6.9%; POD1=58.7%; POD2=34.3%; POD3=77.4%			

Table 49: Contingency table for variable relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.1	pwv > 3.1
Model data	pwv < 2.1	269	61
	2.1 < pwv < 3.1	33	212
	pwv > 3.1	0	28
Sample size: 1620; PC=78.9%; EBD=0.4%; POD1=89.1%; POD2=70.4%; POD3=77.1%			

Table 50: Contingency table for variable precipitable water vapor (mm) in standard configuration

2.4 Title for PODs tables of Day 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

PARAMETER	STANDARD	WITH AR (1H)
POD1	40.3	88.0
POD2	73.9	85.8
POD3	82.1	93.0
PC	65.4	89.0
EBD	0.4	0.0

Table 51: PODs for wind speed (ms^{-1})

PARAMETER	STANDARD	WITH AR (1H)
POD1	80.3	94.3
POD2	52.5	92.5
POD3	93.3	97.8
POD4	76.4	91.6
PC	80.0	94.0
EBD	0.0	0.0

Table 52: PODs for wind direction (degree)

FATE - Monthly Report

PARAMETER	STANDARD	WITH AR (1H)
POD1	58.7	88.2
POD2	34.3	87.5
POD3	77.4	92.1
PC	56.8	89.3
EBD	6.9	0.2

Table 53: PODs for relative humidity (percent)

PARAMETER	STANDARD	WITH AR (1H)
POD1	89.1	97.4
POD2	70.4	96.0
POD3	77.1	92.7
PC	78.9	95.4
EBD	0.4	0.0

Table 54: PODs for precipitable water vapor (mm)