

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 05-05-2025	
---	---	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
April 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	4616	1702
	4.2 < ws < 7.6	2773	3721
	ws > 7.6	336	1640
Number of points 21203 ; PC=62.9%; EBD=2.6%; POD1=59.8%; POD2=52.7%; POD3=78.0%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7198	478
	4.2 < ws < 7.6	527	6193
	ws > 7.6	0	392
Number of points 21203 ; PC=91.5%; EBD=0.0%; POD1=93.2%; POD2=87.7%; POD3=93.6%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	19159	160
	12.0 < ws < 18.0	123	1427
	ws > 18.0	0	61
Number of points 21203 ; PC=98.2%; EBD=0.0%; POD1=99.4%; POD2=86.6%; POD3=85.7%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	8651	500	3		111
	East	805	1481	347		10
	South	71	447	2959		121
	West	329	103	14		213
Number of points 16165 ; PC=82.3%; EBD=1.2%; POD1=87.8%; POD2=58.5%; POD3=89.0%; POD4=46.8%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	9682	128	0		31
	East	149	2313	88		0
	South	0	90	3227		12
	West	25	0	8		412
Number of points 16165 ; PC=96.7%; EBD=0.0%; POD1=98.2%; POD2=91.4%; POD3=97.1%; POD4=90.5%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3765	1312	9
	7.1 < rh < 15.3	2615	3959	872
	rh > 15.3	336	2317	5745
Number of points 20930 ; PC=64.4%; EBD=1.6%; POD1=56.1%; POD2=52.2%; POD3=86.7%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6329	310	3
	7.1 < rh < 15.3	387	7017	155
	rh > 15.3	0	261	6468
Number of points 20930 ; PC=94.7%; EBD=0.0%; POD1=94.2%; POD2=92.5%; POD3=97.6%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	20328	44	0
	50.0 < rh < 70.0	48	473	6
	rh > 70.0	0	0	31
Number of points 20930 ; PC=99.5%; EBD=0.0%; POD1=99.8%; POD2=91.5%; POD3=83.8%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6691	1298	10
	1.9 < pwv < 3.5	1120	3533	637
	pwv > 3.5	62	760	5704
Number of points 19815 ; PC=80.4%; EBD=0.4%; POD1=85.0%; POD2=63.2%; POD3=89.8%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	7736	184	0
	1.9 < pwv < 3.5	137	5337	83
	pwv > 3.5	0	70	6268
Number of points 19815 ; PC=97.6%; EBD=0.0%; POD1=98.3%; POD2=95.5%; POD3=98.7%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	2316	2156	700
Model data 0.6 < see < 0.8	1578	2217	1824
see > 0.8	171	620	1755
Number of points 13337 ; PC=47.1%; EBD=6.5%; POD1=57.0%; POD2=44.4%; POD3=41.0%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	4074	811	30
Model data 0.6 < see < 0.8	587	3668	444
see > 0.8	6	550	3716
Number of points 13337 ; PC=82.5%; EBD=0.3%; POD1=87.3%; POD2=72.9%; POD3=88.7%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	3929	0	446
Model data 0.6 < see < 0.8	0	4878	446
see > 0.8	136	115	3833
Number of points 13337 ; PC=94.8%; EBD=4.4%; POD1=96.7%; POD2=97.7%; POD3=81.1%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	4661	24	28
Model data 0.6 < see < 0.8	0	4986	27
see > 0.8	6	19	4162
Number of points 13337 ; PC=99.4%; EBD=0.2%; POD1=99.9%; POD2=99.1%; POD3=98.7%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1245	874	57
	$3.4 < \tau < 5.8$	682	2475	1296
	$\tau > 5.8$	84	1263	3705
Number of points 11681 ; PC=63.6%; EBD=1.2%; POD1=61.9%; POD2=53.7%; POD3=73.3%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1842	229	3
	$3.4 < \tau < 5.8$	169	4087	379
	$\tau > 5.8$	0	296	4676
Number of points 11681 ; PC=90.8%; EBD=0.0%; POD1=91.6%; POD2=88.6%; POD3=92.4%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1772	135	520
	$3.4 < \tau < 5.8$	155	3738	520
	$\tau > 5.8$	84	739	4538
Number of points 11681 ; PC=86.0%; EBD=5.2%; POD1=88.1%; POD2=81.0%; POD3=81.4%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2009	2	32
	$3.4 < \tau < 5.8$	2	4573	32
	$\tau > 5.8$	0	37	5026
Number of points 11681 ; PC=99.4%; EBD=0.3%; POD1=99.9%; POD2=99.2%; POD3=98.7%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2057	2301
	0.6 < glf < 0.7	1225	1560
	glf > 0.7	168	577
Number of points 11804 ; PC=36.9%; EBD=14.0%; POD1=59.6%; POD2=35.2%; POD3=18.8%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2909	662
	0.6 < glf < 0.7	517	3190
	glf > 0.7	24	586
Number of points 11804 ; PC=78.6%; EBD=0.4%; POD1=84.3%; POD2=71.9%; POD3=81.1%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3252	624
	0.6 < glf < 0.7	30	3788
	glf > 0.7	168	26
Number of points 11804 ; PC=79.3%; EBD=15.0%; POD1=94.3%; POD2=85.4%; POD3=44.7%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3416	41
	0.6 < glf < 0.7	10	4387
	glf > 0.7	24	10
Number of points 11804 ; PC=99.0%; EBD=0.5%; POD1=99.0%; POD2=98.9%; POD3=98.5%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	3681	973	206
	4.6 < ws < 7.4	3149	4782	1372
	ws > 7.4	272	2153	5370
Number of points 21958 ; PC=63.0%; EBD=2.2%; POD1=51.8%; POD2=60.5%; POD3=77.3%				

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	6304	536	4
	4.6 < ws < 7.4	794	6957	359
	ws > 7.4	4	415	6585
Number of points 21958 ; PC=90.4%; EBD=0.0%; POD1=88.8%; POD2=88.0%; POD3=94.8%				

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations			
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
	ws < 12.0	19202	211	0
Model data	12.0 < ws < 18.0	147	1842	67
	ws > 18.0	0	66	423
Number of points 21958 ; PC=97.8%; EBD=0.0%; POD1=99.2%; POD2=86.9%; POD3=86.3%				

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	6991	554	5		169
	East	135	454	84		0
	South	33	21	1539		495
	West	2714	29	212		5636
Number of points 19071 ; PC=76.7%; EBD=0.4%; POD1=70.8%; POD2=42.9%; POD3=83.6%; POD4=89.5%						

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	9476	78	2		250
	East	69	970	10		0
	South	0	8	1736		79
	West	328	2	92		5971
Number of points 19071 ; PC=95.2%; EBD=0.0%; POD1=96.0%; POD2=91.7%; POD3=94.3%; POD4=94.8%						

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	4566	1164	26
	8.9 < rh < 17.9	2432	5098	1363
	rh > 17.9	166	1737	5352
Number of points 21904 ; PC=68.6%; EBD=0.9%; POD1=63.7%; POD2=63.7%; POD3=79.4%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	6822	335	0
	8.9 < rh < 17.9	342	7440	182
	rh > 17.9	0	224	6559
Number of points 21904 ; PC=95.1%; EBD=0.0%; POD1=95.2%; POD2=93.0%; POD3=97.3%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	21213	34	0
	50.0 < rh < 70.0	28	613	7
	rh > 70.0	0	2	7
Number of points 21904 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=94.5%; POD3=50.0%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6712	1127	0
	2.1 < pwv < 3.7	1485	3810	739
	pwv > 3.7	87	964	5698
Number of points 20622 ; PC=78.7%; EBD=0.4%; POD1=81.0%; POD2=64.6%; POD3=88.5%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8085	104	0
	2.1 < pwv < 3.7	199	5693	87
	pwv > 3.7	0	104	6350
Number of points 20622 ; PC=97.6%; EBD=0.0%; POD1=97.6%; POD2=96.5%; POD3=98.6%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	4886	1913	214
	4.2 < ws < 7.6	2728	3654	1465
	ws > 7.6	402	1664	5251
Number of points 22177 ; PC=62.2%; EBD=2.8%; POD1=61.0%; POD2=50.5%; POD3=75.8%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	9267	543	33
	East	743	1570	368
	South	90	417	2918
	West	322	93	73

Number of points 16934 ; PC=82.7%; EBD=1.3%; POD1=88.9%; POD2=59.9%; POD3=86.0%; POD4=50.3%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3747	1328
	7.1 < rh < 15.3	2811	4279
	rh > 15.3	420	2337

Number of points 21871 ; PC=63.7%; EBD=2.1%; POD1=53.7%; POD2=53.9%; POD3=85.0%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6656	1664
	1.9 < pwv < 3.5	1445	3554
	pwv > 3.5	84	847

Number of points 21047 ; PC=75.7%; EBD=0.6%; POD1=81.3%; POD2=58.6%; POD3=84.2%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	2784	2490	918
	0.6 < see < 0.8	1775	2578	2090
	see > 0.8	228	774	2480
Number of points 16117 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4615	0	627
	0.6 < see < 0.8	0	5662	627
	see > 0.8	172	180	4861
Number of points 16117 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2217	1219	153
	$3.4 < \tau < 5.8$	885	2826	1482
	$\tau > 5.8$	104	1462	4072
Number of points 14420 ; PC=63.2%; EBD=1.8%; POD1=69.2%; POD2=51.3%; POD3=71.4%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2884	200	721
	$3.4 < \tau < 5.8$	218	4505	721
	$\tau > 5.8$	104	802	4986
Number of points 14420 ; PC=85.8%; EBD=5.7%; POD1=90.0%; POD2=81.8%; POD3=77.6%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2562	2786
	0.6 < glf < 0.7	1618	2160
	glf > 0.7	259	553
Number of points 14626 ; PC=38.0%; EBD=14.2%; POD1=57.7%; POD2=39.3%; POD3=17.7%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4123	821
	0.6 < glf < 0.7	57	4636
	glf > 0.7	259	42
Number of points 14626 ; PC=78.5%; EBD=15.2%; POD1=92.9%; POD2=84.3%; POD3=43.3%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	3633	974
	4.6 < ws < 7.4	3349	4709
	ws > 7.4	282	2327
Number of points 22244 ; PC=61.5%; EBD=2.3%; POD1=50.0%; POD2=58.8%; POD3=76.6%			

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	7006	626	16
	East	120	361	68
	South	36	49	1526
	West	2713	22	310

Number of points 19241 ; PC=76.0%; EBD=0.4%; POD1=70.9%; POD2=34.1%; POD3=79.5%; POD4=89.7%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	4257	1148
	8.9 < rh < 17.9	2671	4718
	rh > 17.9	236	2066

Number of points 22172 ; PC=65.4%; EBD=1.3%; POD1=59.4%; POD2=59.5%; POD3=78.0%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6451	1233
	2.1 < pwv < 3.7	1778	3721
	pwv > 3.7	100	1046

Number of points 21214 ; PC=75.7%; EBD=0.5%; POD1=77.5%; POD2=62.0%; POD3=85.6%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	4283	2030	302
	4.2 < ws < 7.6	3216	3447	1622
	ws > 7.6	472	1821	4917
Number of points 22110 ; PC=57.2%; EBD=3.5%; POD1=53.7%; POD2=47.2%; POD3=71.9%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	8851	595	48
	East	1016	1529	473
	South	191	486	2781
	West	342	72	47

Number of points 16929 ; PC=78.8%; EBD=1.8%; POD1=85.1%; POD2=57.0%; POD3=83.0%; POD4=34.5%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3471	1370
	7.1 < rh < 15.3	2935	4064
	rh > 15.3	503	2428

Number of points 21804 ; PC=60.8%; EBD=3.2%; POD1=50.2%; POD2=51.7%; POD3=81.4%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6656	1827
	1.9 < pwv < 3.5	1168	3259
	pwv > 3.5	223	996

Number of points 20862 ; PC=72.8%; EBD=1.6%; POD1=82.7%; POD2=53.6%; POD3=78.2%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	2777	2428	958
	0.6 < see < 0.8	1693	2409	1974
	see > 0.8	333	986	2517
Number of points 16075 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4569	0	636
	0.6 < see < 0.8	0	5666	636
	see > 0.8	234	157	4813
Number of points 16075 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2106	1210	159
	$3.4 < \tau < 5.8$	906	2673	1348
	$\tau > 5.8$	150	1578	4185
Number of points 14315 ; PC=62.6%; EBD=2.2%; POD1=66.6%; POD2=48.9%; POD3=73.5%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2718	168	656
	$3.4 < \tau < 5.8$	294	4391	656
	$\tau > 5.8$	150	902	5036
Number of points 14315 ; PC=84.8%; EBD=5.6%; POD1=86.0%; POD2=80.4%; POD3=79.3%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2328	2551
	0.6 < glf < 0.7	1717	2384
	glf > 0.7	366	522
Number of points 14521 ; PC=39.1%; EBD=14.0%; POD1=52.8%; POD2=43.7%; POD3=20.8%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3983	735
	0.6 < glf < 0.7	62	4691
	glf > 0.7	366	31
Number of points 14521 ; PC=79.4%; EBD=14.9%; POD1=90.3%; POD2=86.0%; POD3=47.3%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	3506	1003	221
	4.6 < ws < 7.4	3398	4742	1446
	ws > 7.4	312	2270	5279
Number of points 22177 ; PC=61.0%; EBD=2.4%; POD1=48.6%; POD2=59.2%; POD3=76.0%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	6719	637	20
	East	141	345	62
	South	92	38	1473
	West	2910	34	364

Number of points 19210 ; PC=73.3%; EBD=0.8%; POD1=68.1%; POD2=32.7%; POD3=76.8%; POD4=87.1%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	3965	1032
	8.9 < rh < 17.9	2852	4676
	rh > 17.9	347	2187

Number of points 22105 ; PC=63.1%; EBD=2.0%; POD1=55.3%; POD2=59.2%; POD3=75.5%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6255	1436
	2.1 < pwv < 3.7	1934	3446
	pwv > 3.7	120	1071

Number of points 21135 ; PC=72.8%; EBD=0.8%; POD1=75.3%; POD2=57.9%; POD3=82.7%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration