



FATE MONTHLY REPORT

Doc.No : FATE-001
Version : 1.0
Date : 12-12-2025



FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
October 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6719	2547	403
	4.2 < ws < 7.6	4186	5506	1710
	ws > 7.6	465	2348	8875
Number of points 32759 ; PC=64.4%; EBD=2.6%; POD1=59.1%; POD2=52.9%; POD3=80.8%				

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	10577	734	0
	4.2 < ws < 7.6	793	9137	574
	ws > 7.6	0	530	10414
Number of points 32759 ; PC=92.0%; EBD=0.0%; POD1=93.0%; POD2=87.8%; POD3=94.8%				

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed	Observations			
ms^{-1}	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
Model data	ws < 12.0	28874	287	0
	12.0 < ws < 18.0	246	2785	68
	ws > 18.0	0	76	423
Number of points 32759 ; PC=97.9%; EBD=0.0%; POD1=99.2%; POD2=88.5%; POD3=86.2%				

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	14353	891	25		222
	East	1330	2276	496		10
	South	133	566	3825		266
	West	535	130	41		307
Number of points 25406 ; PC=81.7%; EBD=1.2%; POD1=87.8%; POD2=58.9%; POD3=87.2%; POD4=38.1%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	16040	221	0		67
	East	279	3526	98		0
	South	0	116	4270		20
	West	32	0	19		718
Number of points 25406 ; PC=96.6%; EBD=0.0%; POD1=98.1%; POD2=91.3%; POD3=97.3%; POD4=89.2%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	7634	2390	19
	7.1 < rh < 15.3	4586	6466	1186
	rh > 15.3	541	2943	6610
Number of points 32375 ; PC=64.0%; EBD=1.7%; POD1=59.8%; POD2=54.8%; POD3=84.6%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	12076	540	3
	7.1 < rh < 15.3	684	10915	218
	rh > 15.3	1	344	7594
Number of points 32375 ; PC=94.5%; EBD=0.0%; POD1=94.6%; POD2=92.5%; POD3=97.2%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	31718	51	0
	50.0 < rh < 70.0	54	483	9
	rh > 70.0	0	7	53
Number of points 32375 ; PC=99.6%; EBD=0.0%; POD1=99.8%; POD2=89.3%; POD3=85.5%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8743	1673	10
	1.9 < pwv < 3.5	1330	4053	795
	pwv > 3.5	62	833	6038
Number of points 23537 ; PC=80.0%; EBD=0.3%; POD1=86.3%; POD2=61.8%; POD3=88.2%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	9982	220	0
	1.9 < pwv < 3.5	153	6261	94
	pwv > 3.5	0	78	6749
Number of points 23537 ; PC=97.7%; EBD=0.0%; POD1=98.5%; POD2=95.5%; POD3=98.6%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	3840	3105	1133
Model data 0.6 < see < 0.8	2618	3178	2590
see > 0.8	455	1068	2780
Number of points 20767 ; PC=47.2%; EBD=7.6%; POD1=55.5%; POD2=43.2%; POD3=42.7%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6887	1085	35
Model data 0.6 < see < 0.8	916	5580	653
see > 0.8	6	738	5979
Number of points 20767 ; PC=84.3%; EBD=0.2%; POD1=88.2%; POD2=75.4%; POD3=89.7%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6565	3	815
Model data 0.6 < see < 0.8	0	7177	813
see > 0.8	348	171	5688
Number of points 20767 ; PC=93.6%; EBD=5.6%; POD1=95.0%; POD2=97.6%; POD3=77.7%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	7803	27	30
Model data 0.6 < see < 0.8	0	7355	29
see > 0.8	6	21	6637
Number of points 20767 ; PC=99.6%; EBD=0.2%; POD1=99.9%; POD2=99.4%; POD3=99.1%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3043	2042	188
	$3.4 < \tau < 5.8$	1138	3815	2157
	$\tau > 5.8$	206	1790	4987
Number of points 19366 ; PC=61.2%; EBD=2.0%; POD1=69.4%; POD2=49.9%; POD3=68.0%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4042	371	4
	$3.4 < \tau < 5.8$	345	6820	532
	$\tau > 5.8$	0	456	6796
Number of points 19366 ; PC=91.2%; EBD=0.0%; POD1=92.1%; POD2=89.2%; POD3=92.7%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3874	266	852
	$3.4 < \tau < 5.8$	307	6389	852
	$\tau > 5.8$	206	992	6480
Number of points 19366 ; PC=86.5%; EBD=5.5%; POD1=88.3%; POD2=83.5%; POD3=79.2%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4382	2	37
	$3.4 < \tau < 5.8$	5	7595	37
	$\tau > 5.8$	0	50	7295
Number of points 19366 ; PC=99.5%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.0%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2830	3172
	0.6 < glf < 0.7	2028	2707
	glf > 0.7	454	1055
Number of points 19579 ; PC=37.0%; EBD=14.5%; POD1=53.3%; POD2=39.0%; POD3=23.4%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4499	1003
	0.6 < glf < 0.7	776	4950
	glf > 0.7	37	981
Number of points 19579 ; PC=79.6%; EBD=0.4%; POD1=84.7%; POD2=71.4%; POD3=83.7%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4791	823
	0.6 < glf < 0.7	67	6078
	glf > 0.7	454	33
Number of points 19579 ; PC=79.7%; EBD=15.6%; POD1=90.2%; POD2=87.7%; POD3=49.8%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5259	54
	0.6 < glf < 0.7	16	6861
	glf > 0.7	37	19
Number of points 19579 ; PC=99.1%; EBD=0.4%; POD1=99.0%; POD2=98.9%; POD3=98.7%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5848	1739	376
	4.6 < ws < 7.4	4735	6473	2217
	ws > 7.4	431	2593	8724
Number of points 33136 ; PC=63.5%; EBD=2.4%; POD1=53.1%; POD2=59.9%; POD3=77.1%				

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	9843	835	8
	4.6 < ws < 7.4	1165	9399	548
	ws > 7.4	6	571	10761
Number of points 33136 ; PC=90.5%; EBD=0.0%; POD1=89.4%; POD2=87.0%; POD3=95.1%				

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed	Observations			
ms^{-1}	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
	ws < 12.0	28454	337	0
Model data	12.0 < ws < 18.0	244	3245	90
	ws > 18.0	0	101	665
Number of points 33136 ; PC=97.7%; EBD=0.0%; POD1=99.1%; POD2=88.1%; POD3=88.1%				

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations West
Model data	North	11992	981	10	274
	East	228	785	138	1
	South	62	65	2010	744
	West	3999	42	299	7102
Number of points 28732 ; PC=76.2%; EBD=0.4%; POD1=73.7%; POD2=41.9%; POD3=81.8%; POD4=87.5%					

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations West
Model data	North	15662	135	2	365
	East	138	1710	13	0
	South	0	26	2325	105
	West	481	2	117	7651
Number of points 28732 ; PC=95.2%; EBD=0.0%; POD1=96.2%; POD2=91.3%; POD3=94.6%; POD4=94.2%					

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	9156	2004	52
	8.9 < rh < 17.9	4122	7438	1725
	rh > 17.9	257	2225	6108
Number of points 33087 ; PC=68.6%; EBD=0.9%; POD1=67.6%; POD2=63.8%; POD3=77.5%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	12961	514	1
	8.9 < rh < 17.9	574	10854	244
	rh > 17.9	0	299	7640
Number of points 33087 ; PC=95.1%; EBD=0.0%; POD1=95.8%; POD2=93.0%; POD3=96.9%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	32270	36	0
	50.0 < rh < 70.0	38	652	10
	rh > 70.0	0	2	79
Number of points 33087 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=94.5%; POD3=88.8%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	9209	1405	0
	2.1 < pwv < 3.7	1691	4472	883
	pwv > 3.7	93	975	6042
Number of points 24770 ; PC=79.6%; EBD=0.4%; POD1=83.8%; POD2=65.3%; POD3=87.2%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	10766	127	0
	2.1 < pwv < 3.7	225	6607	113
	pwv > 3.7	2	118	6812
Number of points 24770 ; PC=97.6%; EBD=0.0%; POD1=97.9%; POD2=96.4%; POD3=98.4%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7169	2880
	4.2 < ws < 7.6	4098	5545
	ws > 7.6	604	2284
Number of points 34165 ; PC=63.7%; EBD=2.8%; POD1=60.4%; POD2=51.8%; POD3=78.1%			

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	15235	937	115
	East	1234	2411	499
	South	128	558	3711
	West	504	113	123

Number of points 26429 ; PC=82.0%; EBD=1.3%; POD1=89.1%; POD2=60.0%; POD3=83.4%; POD4=37.5%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	7489	2402
	7.1 < rh < 15.3	5144	6958
	rh > 15.3	675	2953

Number of points 33784 ; PC=62.7%; EBD=2.2%; POD1=56.3%; POD2=56.5%; POD3=82.6%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	9494	2187
	1.9 < pwv < 3.5	1753	4121
	pwv > 3.5	84	994

Number of points 26046 ; PC=75.4%; EBD=0.5%; POD1=83.8%; POD2=56.4%; POD3=81.4%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4654	3683	1389
	0.6 < see < 0.8	2888	3676	3144
	see > 0.8	605	1287	3828
Number of points		25154 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	7682	3	1006
	0.6 < see < 0.8	0	8361	1001
	see > 0.8	465	282	7355
Number of points		25154 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4454	2524	275
	$3.4 < \tau < 5.8$	1568	4380	2774
	$\tau > 5.8$	258	2055	5538
Number of points 23826 ; PC=60.3%; EBD=2.2%; POD1=70.9%; POD2=48.9%; POD3=64.5%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5598	371	1169
	$3.4 < \tau < 5.8$	424	7505	1169
	$\tau > 5.8$	258	1083	7418
Number of points 23826 ; PC=86.1%; EBD=6.0%; POD1=89.1%; POD2=83.8%; POD3=76.0%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3621	3956
	0.6 < glf < 0.7	2539	3496
	glf > 0.7	614	1058
Number of points 24203 ; PC=38.0%; EBD=14.9%; POD1=53.5%; POD2=41.1%; POD3=23.2%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6057	1173
	0.6 < glf < 0.7	103	7289
	glf > 0.7	614	48
Number of points 24203 ; PC=78.5%; EBD=16.0%; POD1=89.4%; POD2=85.7%; POD3=49.1%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5754	1691	409
	4.6 < ws < 7.4	4746	6175	1997
	ws > 7.4	400	2587	8669
Number of points 32428 ; PC=63.5%; EBD=2.5%; POD1=52.8%; POD2=59.1%; POD3=78.3%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	11805	995	35
	East	247	747	138
	South	72	98	1961
	West	3719	44	382

Number of points 28062 ; PC=76.3%; EBD=0.5%; POD1=74.5%; POD2=39.6%; POD3=77.9%; POD4=88.1%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8355	1816
	8.9 < rh < 17.9	4168	6993
	rh > 17.9	314	2472

Number of points 32353 ; PC=67.0%; EBD=1.1%; POD1=65.1%; POD2=62.0%; POD3=76.7%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8664	1485
	2.1 < pwv < 3.7	1921	3964
	pwv > 3.7	102	1071

Number of points 24593 ; PC=76.5%; EBD=0.5%; POD1=81.1%; POD2=60.8%; POD3=83.9%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6078	2990	437
	4.2 < ws < 7.6	4283	4800	2350
	ws > 7.6	624	2345	8387
Number of points 32294 ; PC=59.7%; EBD=3.3%; POD1=55.3%; POD2=47.4%; POD3=75.1%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	14149	889	114
	East	1449	2178	647
	South	267	626	3386
	West	490	102	82

Number of points 25189 ; PC=79.2%; EBD=1.9%; POD1=86.5%; POD2=57.4%; POD3=80.1%; POD4=29.8%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6645	2293
	7.1 < rh < 15.3	4843	6244
	rh > 15.3	685	2964

Number of points 31863 ; PC=60.8%; EBD=2.8%; POD1=54.6%; POD2=54.3%; POD3=79.2%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8714	2176
	1.9 < pwv < 3.5	1261	3633
	pwv > 3.5	223	1056

Number of points 24261 ; PC=73.6%; EBD=1.7%; POD1=85.4%; POD2=52.9%; POD3=76.5%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4283	3484	1389
	0.6 < see < 0.8	2542	3225	2833
	see > 0.8	731	1449	3720
Number of points		23656	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	6999	0	953
	0.6 < see < 0.8	0	7863	953
	see > 0.8	557	295	6989
Number of points		23656	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time ms	Observations			
		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4173	2292	246
	$3.4 < \tau < 5.8$	1497	3788	2202
	$\tau > 5.8$	373	2244	5514
Number of points 22329 ; PC=60.3%; EBD=2.8%; POD1=69.1%; POD2=45.5%; POD3=69.3%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time ms	Observations			
		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5253	318	1023
	$3.4 < \tau < 5.8$	417	6799	1023
	$\tau > 5.8$	373	1207	6939
Number of points 22329 ; PC=85.1%; EBD=6.3%; POD1=86.9%; POD2=81.7%; POD3=77.2%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3083	3206
	0.6 < glf < 0.7	2559	3638
	glf > 0.7	827	1055
Number of points 22642 ; PC=39.1%; EBD=15.1%; POD1=47.7%; POD2=46.1%; POD3=25.7%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5542	901
	0.6 < glf < 0.7	100	6962
	glf > 0.7	827	36
Number of points 22642 ; PC=79.3%; EBD=16.1%; POD1=85.7%; POD2=88.1%; POD3=52.0%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5494	1760	389
	4.6 < ws < 7.4	4906	6122	2141
	ws > 7.4	437	2561	8551
Number of points 32361 ; PC=62.3%; EBD=2.6%; POD1=50.7%; POD2=58.6%; POD3=77.2%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	11451	1033	79
	East	281	704	124
	South	130	78	1841
	West	3971	65	471

Number of points 28034 ; PC=73.7%; EBD=1.0%; POD1=72.3%; POD2=37.4%; POD3=73.2%; POD4=85.3%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	7899	1733
	8.9 < rh < 17.9	4516	6815
	rh > 17.9	425	2693

Number of points 32286 ; PC=64.4%; EBD=1.6%; POD1=61.5%; POD2=60.6%; POD3=74.2%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8483	1784
	2.1 < pwv < 3.7	2057	3605
	pwv > 3.7	127	1084

Number of points 24514 ; PC=73.8%; EBD=0.8%; POD1=79.5%; POD2=55.7%; POD3=81.5%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration