



FATE MONTHLY REPORT

Doc.No : FATE-001
Version : 1.0
Date : 05-11-2025



FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
October 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	7
3	NIGHT2: Contingency tables	9
4	DAY2: Contingency tables	14
5	NIGHT3: Contingency tables	16
6	DAY3: Contingency tables	21

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-20.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
ws < 4.2	6543	2511	355
Model data 4.2 < ws < 7.6	3926	5242	1575
ws > 7.6	429	2198	7903
Number of points 30682 ; PC=64.2%; EBD=2.6%; POD1=60.0%; POD2=52.7%; POD3=80.4%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
ws < 4.2	10133	708	0
Model data 4.2 < ws < 7.6	765	8741	532
ws > 7.6	0	502	9301
Number of points 30682 ; PC=91.8%; EBD=0.0%; POD1=93.0%; POD2=87.8%; POD3=94.6%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
ws < 12.0	27298	241	0
Model data 12.0 < ws < 18.0	221	2425	65
ws > 18.0	0	68	364
Number of points 30682 ; PC=98.1%; EBD=0.0%; POD1=99.2%; POD2=88.7%; POD3=84.8%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6974	2177
	7.1 < rh < 15.3	4130	6191
	rh > 15.3	468	2773
Number of points 30350 ; PC=64.6%; EBD=1.6%; POD1=60.3%; POD2=55.6%; POD3=84.2%			

Table 4: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	10961	478
	7.1 < rh < 15.3	610	10331
	rh > 15.3	1	332
Number of points 30350 ; PC=94.6%; EBD=0.0%; POD1=94.7%; POD2=92.7%; POD3=97.3%			

Table 5: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent	Observations		
	rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	29737	47
	50.0 < rh < 70.0	48	474
	rh > 70.0	0	3
Number of points 30350 ; PC=99.7%; EBD=0.0%; POD1=99.8%; POD2=90.5%; POD3=85.4%			

Table 6: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8364	1580
	1.9 < pwv < 3.5	1285	3882
	pwv > 3.5	62	820
Number of points 22733 ; PC=80.1%; EBD=0.3%; POD1=86.1%; POD2=61.8%; POD3=88.4%			

Table 7: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	9561	212
	1.9 < pwv < 3.5	150	5993
	pwv > 3.5	0	77
Number of points 22733 ; PC=97.7%; EBD=0.0%; POD1=98.5%; POD2=95.4%; POD3=98.6%			

Table 8: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	3807	3048	1099
Model data 0.6 < see < 0.8	2502	3044	2438
see > 0.8	427	1007	2621
Number of points 19993 ; PC=47.4%; EBD=7.6%; POD1=56.5%; POD2=42.9%; POD3=42.6%			

Table 9: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6715	1055	35
Model data 0.6 < see < 0.8	886	5373	623
see > 0.8	6	704	5560
Number of points 19993 ; PC=84.2%; EBD=0.2%; POD1=88.3%; POD2=75.3%; POD3=89.4%			

Table 10: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6408	3	789
Model data 0.6 < see < 0.8	0	6926	787
see > 0.8	328	170	5369
Number of points 19993 ; PC=93.5%; EBD=5.6%; POD1=95.1%; POD2=97.6%; POD3=77.3%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	7601	26	30
Model data 0.6 < see < 0.8	0	7085	29
see > 0.8	6	21	6188
Number of points 19993 ; PC=99.6%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.1%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2675	1961	169
	$3.4 < \tau < 5.8$	1067	3616	2024
	$\tau > 5.8$	205	1774	4984
Number of points 18475 ; PC=61.0%; EBD=2.0%; POD1=67.8%; POD2=49.2%; POD3=69.4%				

Table 13: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3629	358	4
	$3.4 < \tau < 5.8$	318	6563	509
	$\tau > 5.8$	0	430	6664
Number of points 18475 ; PC=91.2%; EBD=0.0%; POD1=91.9%; POD2=89.3%; POD3=92.9%				

Table 14: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3456	250	775
	$3.4 < \tau < 5.8$	286	6109	775
	$\tau > 5.8$	205	992	6402
Number of points 18475 ; PC=86.4%; EBD=5.3%; POD1=87.6%; POD2=83.1%; POD3=80.5%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3942	2	37
	$3.4 < \tau < 5.8$	5	7299	37
	$\tau > 5.8$	0	50	7140
Number of points 18475 ; PC=99.5%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.0%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2830	3118
	0.6 < glf < 0.7	1945	2550
	glf > 0.7	427	974
Number of points 18677 ; PC=37.1%; EBD=14.3%; POD1=54.4%; POD2=38.4%; POD3=22.8%			

Table 17: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4417	981
	0.6 < glf < 0.7	749	4718
	glf > 0.7	36	943
Number of points 18677 ; PC=79.5%; EBD=0.4%; POD1=84.9%; POD2=71.0%; POD3=83.5%			

Table 18: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4713	823
	0.6 < glf < 0.7	62	5786
	glf > 0.7	427	33
Number of points 18677 ; PC=79.7%; EBD=15.4%; POD1=90.6%; POD2=87.1%; POD3=49.6%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5150	53
	0.6 < glf < 0.7	16	6570
	glf > 0.7	36	19
Number of points 18677 ; PC=99.1%; EBD=0.5%; POD1=99.0%; POD2=98.9%; POD3=98.6%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 21-28.

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5577	1616	306
	4.6 < ws < 7.4	4472	6248	2140
	ws > 7.4	364	2520	8151
Number of points 31394 ; PC=63.6%; EBD=2.1%; POD1=53.6%; POD2=60.2%; POD3=76.9%				

Table 21: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	9317	788	5
	4.6 < ws < 7.4	1090	9048	521
	ws > 7.4	6	548	10071
Number of points 31394 ; PC=90.6%; EBD=0.0%; POD1=89.5%; POD2=87.1%; POD3=95.0%				

Table 22: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations			
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
Model data	ws < 12.0	27116	325	0
	12.0 < ws < 18.0	232	2930	85
	ws > 18.0	0	90	616
Number of points 31394 ; PC=97.7%; EBD=0.0%; POD1=99.2%; POD2=87.6%; POD3=87.9%				

Table 23: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8399	1992
	8.9 < rh < 17.9	3849	7199
	rh > 17.9	211	2035
Number of points 31349 ; PC=68.6%; EBD=0.8%; POD1=67.4%; POD2=64.1%; POD3=77.1%			

Table 24: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	11916	499
	8.9 < rh < 17.9	543	10449
	rh > 17.9	0	278
Number of points 31349 ; PC=95.1%; EBD=0.0%; POD1=95.6%; POD2=93.1%; POD3=97.0%			

Table 25: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent	Observations		
	rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	30588	36
	50.0 < rh < 70.0	38	634
	rh > 70.0	0	2
Number of points 31349 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=94.3%; POD3=84.3%			

Table 26: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8777	1340
	2.1 < pwv < 3.7	1647	4394
	pwv > 3.7	93	973
Number of points 23966 ; PC=79.6%; EBD=0.4%; POD1=83.5%; POD2=65.5%; POD3=87.5%			

Table 27: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	10297	126
	2.1 < pwv < 3.7	218	6467
	pwv > 3.7	2	114
Number of points 23966 ; PC=97.7%; EBD=0.0%; POD1=97.9%; POD2=96.4%; POD3=98.6%			

Table 28: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 29-38.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7169	2880	366
	4.2 < ws < 7.6	4098	5545	2172
	ws > 7.6	604	2284	9047
Number of points 34165 ; PC=63.7%; EBD=2.8%; POD1=60.4%; POD2=51.8%; POD3=78.1%				

Table 29: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	15235	937	115
	East	1234	2411	499
	South	128	558	3711
	West	504	113	123

Number of points 26429 ; PC=82.0%; EBD=1.3%; POD1=89.1%; POD2=60.0%; POD3=83.4%; POD4=37.5%

Table 30: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	7489	2402
	7.1 < rh < 15.3	5144	6958
	rh > 15.3	675	2953

Number of points 33784 ; PC=62.7%; EBD=2.2%; POD1=56.3%; POD2=56.5%; POD3=82.6%

Table 31: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	9494	2187
	1.9 < pwv < 3.5	1753	4121
	pwv > 3.5	84	994

Number of points 26046 ; PC=75.4%; EBD=0.5%; POD1=83.8%; POD2=56.4%; POD3=81.4%

Table 32: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4654	3683	1389
	0.6 < see < 0.8	2888	3676	3144
	see > 0.8	605	1287	3828
Number of points		25154	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 33: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	7682	3	1006
	0.6 < see < 0.8	0	8361	1001
	see > 0.8	465	282	7355
Number of points		25154	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 34: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4454	2524	275
	$3.4 < \tau < 5.8$	1568	4380	2774
	$\tau > 5.8$	258	2055	5538
Number of points 23826 ; PC=60.3%; EBD=2.2%; POD1=70.9%; POD2=48.9%; POD3=64.5%				

Table 35: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5598	371	1169
	$3.4 < \tau < 5.8$	424	7505	1169
	$\tau > 5.8$	258	1083	7418
Number of points 23826 ; PC=86.1%; EBD=6.0%; POD1=89.1%; POD2=83.8%; POD3=76.0%				

Table 36: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3621	3956
	0.6 < glf < 0.7	2539	3496
	glf > 0.7	614	1058
Number of points 24203 ; PC=38.0%; EBD=14.9%; POD1=53.5%; POD2=41.1%; POD3=23.2%			

Table 37: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6057	1173
	0.6 < glf < 0.7	103	7289
	glf > 0.7	614	48
Number of points 24203 ; PC=78.5%; EBD=16.0%; POD1=89.4%; POD2=85.7%; POD3=49.1%			

Table 38: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 39-42.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5879	1711	439
	4.6 < ws < 7.4	5145	6720	2312
	ws > 7.4	422	2796	9008
Number of points 34432 ; PC=62.8%; EBD=2.5%; POD1=51.4%; POD2=59.9%; POD3=76.6%				

Table 39: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	12311	1084	35
	East	261	791	138
	South	83	98	2018
	West	4202	44	398

Number of points 29807 ; PC=75.4%; EBD=0.5%; POD1=73.0%; POD2=39.2%; POD3=77.9%; POD4=88.1%

Table 40: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8893	1926
	8.9 < rh < 17.9	4859	7523
	rh > 17.9	347	2522

Number of points 34363 ; PC=66.2%; EBD=1.2%; POD1=63.1%; POD2=62.8%; POD3=76.2%

Table 41: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	9776	1609
	2.1 < pwv < 3.7	2093	4363
	pwv > 3.7	102	1091

Number of points 26531 ; PC=76.7%; EBD=0.5%; POD1=81.7%; POD2=61.8%; POD3=83.0%

Table 42: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 43-52.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6569	3151	479
	4.2 < ws < 7.6	4677	5185	2470
	ws > 7.6	669	2547	8485
Number of points 34232 ; PC=59.1%; EBD=3.4%; POD1=55.1%; POD2=47.6%; POD3=74.2%				

Table 43: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	14735	977	114
	East	1546	2376	648
	South	270	644	3555
	West	541	120	96

Number of points 26482 ; PC=79.0%; EBD=1.9%; POD1=86.2%; POD2=57.7%; POD3=80.6%; POD4=29.2%

Table 44: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	7178	2579
	7.1 < rh < 15.3	5410	6642
	rh > 15.3	727	3001

Number of points 33784 ; PC=60.1%; EBD=2.8%; POD1=53.9%; POD2=54.3%; POD3=78.6%

Table 45: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	9565	2370
	1.9 < pwv < 3.5	1487	3810
	pwv > 3.5	223	1123

Number of points 25861 ; PC=73.1%; EBD=1.6%; POD1=84.8%; POD2=52.2%; POD3=75.9%

Table 46: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4600	3714	1528
	0.6 < see < 0.8	2784	3463	3022
	see > 0.8	780	1490	3753
Number of points		25134	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 47: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	7568	0	1058
	0.6 < see < 0.8	0	8361	1058
	see > 0.8	596	306	7245
Number of points		25134	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 48: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		tau < 3.4	3.4 < tau < 5.8	tau > 5.8
Model data	tau < 3.4	4245	2452	276
	3.4 < tau < 5.8	1623	4189	2574
	tau > 5.8	388	2361	5764
Number of points 23872 ; PC=59.5%; EBD=2.8%; POD1=67.9%; POD2=46.5%; POD3=66.9%				

Table 49: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5382	318	1181
	$3.4 < \tau < 5.8$	486	7428	1181
	$\tau > 5.8$	388	1256	7433
Number of points 23872 ; PC=84.8%; EBD=6.6%; POD1=86.0%; POD2=82.5%; POD3=75.9%				

Table 50: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless		Observations		
		glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3269	3552	2895
	0.6 < glf < 0.7	2642	3838	3851
	glf > 0.7	835	1105	2198
Number of points 24185 ; PC=38.5%; EBD=15.4%; POD1=48.5%; POD2=45.2%; POD3=24.6%				

Table 51: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless		Observations		
		glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5806	971	3142
	0.6 < glf < 0.7	105	7488	2491
	glf > 0.7	835	36	5802
Number of points 24185 ; PC=79.0%; EBD=16.4%; POD1=86.1%; POD2=88.1%; POD3=50.7%				

Table 52: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 53-56.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5658	1796	431
	4.6 < ws < 7.4	5276	6699	2446
	ws > 7.4	447	2737	8875
Number of points 34365 ; PC=61.8%; EBD=2.6%; POD1=49.7%; POD2=59.6%; POD3=75.5%				

Table 53: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	11971	1117	79
	East	298	751	124
	South	135	78	1896
	West	4445	65	489

Number of points 29779 ; PC=73.1%; EBD=0.9%; POD1=71.0%; POD2=37.3%; POD3=73.3%; POD4=85.7%

Table 54: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8359	1868
	8.9 < rh < 17.9	5264	7367
	rh > 17.9	464	2711

Number of points 34296 ; PC=63.6%; EBD=1.7%; POD1=59.3%; POD2=61.7%; POD3=73.7%

Table 55: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	9592	1981
	2.1 < pwv < 3.7	2226	3882
	pwv > 3.7	132	1154

Number of points 26452 ; PC=73.7%; EBD=0.8%; POD1=80.3%; POD2=55.3%; POD3=80.3%

Table 56: day3 - Contingency table for precipitable water vapor (mm) in standard configuration