



FATE MONTHLY REPORT

Doc.No : FATE-001
Version : 1.0
Date : 04-12-2025



FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
November 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	7
3	NIGHT2: Contingency tables	9
4	DAY2: Contingency tables	14
5	NIGHT3: Contingency tables	16
6	DAY3: Contingency tables	21

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-20.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7003	2653
	4.2 < ws < 7.6	4227	5494
	ws > 7.6	455	2261
Number of points 32278 ; PC=64.0%; EBD=2.5%; POD1=59.9%; POD2=52.8%; POD3=80.3%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	10871	760
	4.2 < ws < 7.6	814	9135
	ws > 7.6	0	513
Number of points 32278 ; PC=91.8%; EBD=0.0%; POD1=93.0%; POD2=87.8%; POD3=94.6%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	28788	258
	12.0 < ws < 18.0	230	2505
	ws > 18.0	0	68
Number of points 32278 ; PC=98.1%; EBD=0.0%; POD1=99.2%; POD2=88.5%; POD3=84.8%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	7889	2225
	7.1 < rh < 15.3	4570	6345
	rh > 15.3	468	2789
Number of points 31952 ; PC=64.7%; EBD=1.5%; POD1=61.0%; POD2=55.9%; POD3=84.0%			

Table 4: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	12278	496
	7.1 < rh < 15.3	648	10525
	rh > 15.3	1	338
Number of points 31952 ; PC=94.7%; EBD=0.0%; POD1=95.0%; POD2=92.7%; POD3=97.2%			

Table 5: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent	Observations		
	rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	31339	47
	50.0 < rh < 70.0	48	474
	rh > 70.0	0	3
Number of points 31952 ; PC=99.7%; EBD=0.0%; POD1=99.8%; POD2=90.5%; POD3=85.4%			

Table 6: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8888	1624
	1.9 < pwv < 3.5	1285	4193
	pwv > 3.5	62	854
Number of points 23702 ; PC=80.5%; EBD=0.3%; POD1=86.8%; POD2=62.9%; POD3=88.4%			

Table 7: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	10079	224
	1.9 < pwv < 3.5	156	6370
	pwv > 3.5	0	77
Number of points 23702 ; PC=97.7%; EBD=0.0%; POD1=98.5%; POD2=95.5%; POD3=98.6%			

Table 8: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	4044	3327	1135
Model data 0.6 < see < 0.8	2656	3173	2569
see > 0.8	437	1063	2751
Number of points 21155 ; PC=47.1%; EBD=7.4%; POD1=56.7%; POD2=42.0%; POD3=42.6%			

Table 9: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	7112	1128	36
Model data 0.6 < see < 0.8	945	5707	646
see > 0.8	8	736	5866
Number of points 21155 ; PC=84.2%; EBD=0.2%; POD1=88.2%; POD2=75.4%; POD3=89.6%			

Table 10: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6799	3	810
Model data 0.6 < see < 0.8	0	7377	808
see > 0.8	338	183	5645
Number of points 21155 ; PC=93.7%; EBD=5.4%; POD1=95.3%; POD2=97.5%; POD3=77.7%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	8058	26	31
Model data 0.6 < see < 0.8	0	7522	30
see > 0.8	7	23	6517
Number of points 21155 ; PC=99.6%; EBD=0.2%; POD1=99.9%; POD2=99.4%; POD3=99.1%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2944	2281	189
	$3.4 < \tau < 5.8$	1095	3852	2173
	$\tau > 5.8$	208	1839	5114
Number of points 19695 ; PC=60.5%; EBD=2.0%; POD1=69.3%; POD2=48.3%; POD3=68.4%				

Table 13: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3904	403	4
	$3.4 < \tau < 5.8$	343	7101	535
	$\tau > 5.8$	0	468	6937
Number of points 19695 ; PC=91.1%; EBD=0.0%; POD1=91.9%; POD2=89.1%; POD3=92.8%				

Table 14: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3750	269	851
	$3.4 < \tau < 5.8$	289	6680	851
	$\tau > 5.8$	208	1023	6625
Number of points 19695 ; PC=86.6%; EBD=5.4%; POD1=88.3%; POD2=83.8%; POD3=79.6%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4242	5	39
	$3.4 < \tau < 5.8$	5	7912	39
	$\tau > 5.8$	0	55	7437
Number of points 19695 ; PC=99.5%; EBD=0.2%; POD1=99.9%; POD2=99.2%; POD3=99.0%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3019	3486
	0.6 < glf < 0.7	2052	2641
	glf > 0.7	457	997
Number of points 19897 ; PC=36.4%; EBD=14.9%; POD1=54.6%; POD2=37.1%; POD3=21.8%			

Table 17: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4688	1066
	0.6 < glf < 0.7	794	5050
	glf > 0.7	46	1008
Number of points 19897 ; PC=79.2%; EBD=0.4%; POD1=84.8%; POD2=70.9%; POD3=83.2%			

Table 18: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5008	939
	0.6 < glf < 0.7	63	6150
	glf > 0.7	457	35
Number of points 19897 ; PC=78.8%; EBD=16.0%; POD1=90.6%; POD2=86.3%; POD3=48.0%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5465	68
	0.6 < glf < 0.7	17	7033
	glf > 0.7	46	23
Number of points 19897 ; PC=99.0%; EBD=0.5%; POD1=98.9%; POD2=98.7%; POD3=98.6%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 21-28.

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5762	1685	323
	4.6 < ws < 7.4	4648	6797	2360
	ws > 7.4	380	2705	8743
Number of points 33403 ; PC=63.8%; EBD=2.1%; POD1=53.4%; POD2=60.8%; POD3=76.5%				

Table 21: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	9638	816	5
	4.6 < ws < 7.4	1146	9759	564
	ws > 7.4	6	612	10857
Number of points 33403 ; PC=90.6%; EBD=0.0%; POD1=89.3%; POD2=87.2%; POD3=95.0%				

Table 22: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed	Observations			
ms^{-1}	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
	ws < 12.0	28917	349	0
Model data	12.0 < ws < 18.0	249	3092	86
	ws > 18.0	0	94	616
Number of points 33403 ; PC=97.7%; EBD=0.0%; POD1=99.1%; POD2=87.5%; POD3=87.7%				

Table 23: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	9028	2056
	8.9 < rh < 17.9	4458	7749
	rh > 17.9	224	2101
Number of points 33359 ; PC=68.1%; EBD=0.8%; POD1=65.8%; POD2=65.1%; POD3=76.5%			

Table 24: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	13100	526
	8.9 < rh < 17.9	610	11089
	rh > 17.9	0	291
Number of points 33359 ; PC=95.0%; EBD=0.0%; POD1=95.6%; POD2=93.1%; POD3=96.9%			

Table 25: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent	Observations		
	rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	32598	36
	50.0 < rh < 70.0	38	634
	rh > 70.0	0	2
Number of points 33359 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=94.3%; POD3=84.3%			

Table 26: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	9830	1383
	2.1 < pwv < 3.7	1842	4790
	pwv > 3.7	93	997
Number of points 25796 ; PC=79.9%; EBD=0.4%; POD1=83.6%; POD2=66.8%; POD3=87.4%			

Table 27: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	11533	134
	2.1 < pwv < 3.7	230	6922
	pwv > 3.7	2	114
Number of points 25796 ; PC=97.8%; EBD=0.0%; POD1=98.0%; POD2=96.5%; POD3=98.6%			

Table 28: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 29-38.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7761	3054	368
	4.2 < ws < 7.6	4385	5819	2251
	ws > 7.6	636	2369	9398
Number of points 36041 ; PC=63.8%; EBD=2.8%; POD1=60.7%; POD2=51.8%; POD3=78.2%				

Table 29: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	16013	990	115
	East	1328	2489	505
	South	130	581	3796
	West	541	139	123

Number of points 27679 ; PC=81.8%; EBD=1.4%; POD1=88.9%; POD2=59.3%; POD3=83.6%; POD4=36.0%

Table 30: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	8407	2525
	7.1 < rh < 15.3	5653	7227
	rh > 15.3	697	2953

Number of points 35654 ; PC=62.8%; EBD=2.1%; POD1=57.0%; POD2=56.9%; POD3=82.3%

Table 31: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	10420	2231
	1.9 < pwv < 3.5	1837	4486
	pwv > 3.5	84	1077

Number of points 27649 ; PC=76.0%; EBD=0.5%; POD1=84.4%; POD2=57.6%; POD3=81.2%

Table 32: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4931	3991	1432
	0.6 < see < 0.8	3084	3833	3286
	see > 0.8	626	1339	3966
Number of points		26488	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 33: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	8170	3	1034
	0.6 < see < 0.8	0	8869	1029
	see > 0.8	471	291	7650
Number of points		26488	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 34: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4749	2854	314
	$3.4 < \tau < 5.8$	1628	4648	2977
	$\tau > 5.8$	261	2121	5697
Number of points 25249 ; PC=59.8%; EBD=2.3%; POD1=71.5%; POD2=48.3%; POD3=63.4%				

Table 35: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5942	375	1308
	$3.4 < \tau < 5.8$	435	8141	1308
	$\tau > 5.8$	261	1107	7680
Number of points 25249 ; PC=86.2%; EBD=6.2%; POD1=89.5%; POD2=84.6%; POD3=74.6%				

Table 36: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3865	4326
	0.6 < glf < 0.7	2616	3629
	glf > 0.7	626	1085
Number of points 25626 ; PC=37.5%; EBD=15.4%; POD1=54.4%; POD2=40.1%; POD3=22.4%			

Table 37: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6371	1309
	0.6 < glf < 0.7	110	7683
	glf > 0.7	626	48
Number of points 25626 ; PC=77.8%; EBD=16.5%; POD1=89.6%; POD2=85.0%; POD3=47.7%			

Table 38: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 39-42.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	6062	1780	459
	4.6 < ws < 7.4	5337	7294	2610
	ws > 7.4	425	2956	9519
Number of points 36442 ; PC=62.8%; EBD=2.4%; POD1=51.3%; POD2=60.6%; POD3=75.6%				

Table 39: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	13015	1120	35
	East	283	807	138
	South	83	98	2022
	West	4766	44	402

Number of points 31696 ; PC=74.8%; EBD=0.5%; POD1=71.7%; POD2=39.0%; POD3=77.9%; POD4=88.6%

Table 40: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	9431	1984
	8.9 < rh < 17.9	5533	8057
	rh > 17.9	386	2610

Number of points 36373 ; PC=65.5%; EBD=1.3%; POD1=61.4%; POD2=63.7%; POD3=75.8%

Table 41: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	10834	1676
	2.1 < pwv < 3.7	2287	4716
	pwv > 3.7	102	1134

Number of points 28365 ; PC=77.1%; EBD=0.4%; POD1=81.9%; POD2=62.7%; POD3=82.8%

Table 42: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 43-52.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7101	3313	501
	4.2 < ws < 7.6	4973	5464	2583
	ws > 7.6	711	2613	8849
Number of points 36108 ; PC=59.3%; EBD=3.4%; POD1=55.5%; POD2=48.0%; POD3=74.2%				

Table 43: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	15551	1029	114
	East	1647	2461	662
	South	281	668	3631
	West	587	124	97

Number of points 27773 ; PC=78.8%; EBD=1.9%; POD1=86.1%; POD2=57.5%; POD3=80.6%; POD4=27.7%

Table 44: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	7997	2721
	7.1 < rh < 15.3	6016	6872
	rh > 15.3	751	3007

Number of points 35654 ; PC=59.9%; EBD=2.7%; POD1=54.2%; POD2=54.5%; POD3=78.2%

Table 45: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	10479	2461
	1.9 < pwv < 3.5	1583	4163
	pwv > 3.5	223	1168

Number of points 27464 ; PC=73.8%; EBD=1.5%; POD1=85.3%; POD2=53.4%; POD3=76.1%

Table 46: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4808	3960	1571
	0.6 < see < 0.8	2969	3704	3237
	see > 0.8	812	1530	3851
Number of points		26442	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 47: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	7964	0	1083
	0.6 < see < 0.8	0	8887	1083
	see > 0.8	625	307	7576
Number of points		26442	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 48: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4525	2832	326
	$3.4 < \tau < 5.8$	1733	4400	2778
	$\tau > 5.8$	390	2450	5860
Number of points 25294 ; PC=58.5%; EBD=2.8%; POD1=68.1%; POD2=45.4%; POD3=65.4%				

Table 49: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5760	322	1352
	$3.4 < \tau < 5.8$	498	8056	1352
	$\tau > 5.8$	390	1304	7612
Number of points 25294 ; PC=84.7%; EBD=6.9%; POD1=86.6%; POD2=83.2%; POD3=73.8%				

Table 50: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless		Observations		
		glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3529	3948	3213
	0.6 < glf < 0.7	2689	3944	4079
	glf > 0.7	835	1135	2236
Number of points 25608 ; PC=37.9%; EBD=15.8%; POD1=50.0%; POD2=43.7%; POD3=23.5%				

Table 51: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless		Observations		
		glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6112	1119	3477
	0.6 < glf < 0.7	106	7872	2698
	glf > 0.7	835	36	6051
Number of points 25608 ; PC=78.2%; EBD=16.8%; POD1=86.7%; POD2=87.2%; POD3=49.5%				

Table 52: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 53-56.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5849	1888	454
	4.6 < ws < 7.4	5460	7260	2719
	ws > 7.4	450	2887	9408
Number of points 36375 ; PC=61.9%; EBD=2.5%; POD1=49.7%; POD2=60.3%; POD3=74.8%				

Table 53: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	12683	1149	79
	East	303	771	124
	South	135	78	1904
	West	5018	65	489

Number of points 31668 ; PC=72.6%; EBD=0.9%; POD1=69.9%; POD2=37.4%; POD3=73.3%; POD4=85.9%

Table 54: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8867	1951
	8.9 < rh < 17.9	5983	7883
	rh > 17.9	488	2792

Number of points 36306 ; PC=62.9%; EBD=1.7%; POD1=57.8%; POD2=62.4%; POD3=73.0%

Table 55: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	10685	2046
	2.1 < pwv < 3.7	2385	4233
	pwv > 3.7	132	1201

Number of points 28286 ; PC=74.3%; EBD=0.8%; POD1=80.9%; POD2=56.6%; POD3=80.4%

Table 56: day3 - Contingency table for precipitable water vapor (mm) in standard configuration