



FATE MONTHLY REPORT

Doc.No : FATE-001
Version : 1.0
Date : 12-12-2025



FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
November 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7179	2689
	4.2 < ws < 7.6	4487	5758
	ws > 7.6	491	2411
Number of points 34355 ; PC=64.3%; EBD=2.6%; POD1=59.1%; POD2=53.0%; POD3=80.7%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	11315	786
	4.2 < ws < 7.6	842	9531
	ws > 7.6	0	541
Number of points 34355 ; PC=92.0%; EBD=0.0%; POD1=93.1%; POD2=87.8%; POD3=94.8%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	30364	304
	12.0 < ws < 18.0	255	2865
	ws > 18.0	0	76
Number of points 34355 ; PC=98.0%; EBD=0.0%; POD1=99.2%; POD2=88.3%; POD3=86.2%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	15058	938	25		222
	East	1400	2335	497		10
	South	147	593	3901		305
	West	554	134	45		314
Number of points 26478 ; PC=81.6%; EBD=1.2%; POD1=87.8%; POD2=58.4%; POD3=87.3%; POD4=36.9%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	16828	228	0		67
	East	298	3650	98		0
	South	0	122	4349		21
	West	33	0	21		763
Number of points 26478 ; PC=96.6%; EBD=0.0%; POD1=98.1%; POD2=91.2%; POD3=97.3%; POD4=89.7%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	8549	2438	19
	7.1 < rh < 15.3	5026	6620	1208
	rh > 15.3	541	2959	6617
Number of points 33977 ; PC=64.1%; EBD=1.6%; POD1=60.6%; POD2=55.1%; POD3=84.4%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	13393	558	3
	7.1 < rh < 15.3	722	11109	224
	rh > 15.3	1	350	7617
Number of points 33977 ; PC=94.5%; EBD=0.0%; POD1=94.9%; POD2=92.4%; POD3=97.1%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	33320	51	0
	50.0 < rh < 70.0	54	483	9
	rh > 70.0	0	7	53
Number of points 33977 ; PC=99.6%; EBD=0.0%; POD1=99.8%; POD2=89.3%; POD3=85.5%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	9267	1717	10
	1.9 < pwv < 3.5	1330	4364	804
	pwv > 3.5	62	867	6085
Number of points 24506 ; PC=80.5%; EBD=0.3%; POD1=86.9%; POD2=62.8%; POD3=88.2%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	10500	232	0
	1.9 < pwv < 3.5	159	6638	96
	pwv > 3.5	0	78	6803
Number of points 24506 ; PC=97.7%; EBD=0.0%; POD1=98.5%; POD2=95.5%; POD3=98.6%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	4077	3384	1169
Model data 0.6 < see < 0.8	2772	3307	2721
see > 0.8	465	1124	2910
Number of points 21929 ; PC=46.9%; EBD=7.5%; POD1=55.7%; POD2=42.3%; POD3=42.8%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	7284	1158	36
Model data 0.6 < see < 0.8	975	5914	676
see > 0.8	8	770	6285
Number of points 21929 ; PC=84.3%; EBD=0.2%; POD1=88.1%; POD2=75.4%; POD3=89.8%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6956	3	836
Model data 0.6 < see < 0.8	0	7628	834
see > 0.8	358	184	5964
Number of points 21929 ; PC=93.7%; EBD=5.4%; POD1=95.1%; POD2=97.6%; POD3=78.1%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	8260	27	31
Model data 0.6 < see < 0.8	0	7792	30
see > 0.8	7	23	6966
Number of points 21929 ; PC=99.6%; EBD=0.2%; POD1=99.9%; POD2=99.4%; POD3=99.1%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3312	2362	208
	$3.4 < \tau < 5.8$	1166	4051	2306
	$\tau > 5.8$	209	1855	5117
Number of points 20586 ; PC=60.6%; EBD=2.0%; POD1=70.7%; POD2=49.0%; POD3=67.1%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4317	416	4
	$3.4 < \tau < 5.8$	370	7358	558
	$\tau > 5.8$	0	494	7069
Number of points 20586 ; PC=91.1%; EBD=0.0%; POD1=92.1%; POD2=89.0%; POD3=92.6%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4168	285	928
	$3.4 < \tau < 5.8$	310	6960	928
	$\tau > 5.8$	209	1023	6703
Number of points 20586 ; PC=86.6%; EBD=5.5%; POD1=88.9%; POD2=84.2%; POD3=78.3%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4682	5	39
	$3.4 < \tau < 5.8$	5	8208	39
	$\tau > 5.8$	0	55	7592
Number of points 20586 ; PC=99.5%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.0%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3019	3540
	0.6 < glf < 0.7	2135	2798
	glf > 0.7	484	1078
Number of points 20799 ; PC=36.3%; EBD=15.1%; POD1=53.5%; POD2=37.7%; POD3=22.5%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4770	1088
	0.6 < glf < 0.7	821	5282
	glf > 0.7	47	1046
Number of points 20799 ; PC=79.4%; EBD=0.4%; POD1=84.6%; POD2=71.2%; POD3=83.4%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5086	939
	0.6 < glf < 0.7	68	6442
	glf > 0.7	484	35
Number of points 20799 ; PC=78.8%; EBD=16.2%; POD1=90.2%; POD2=86.9%; POD3=48.4%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5574	69
	0.6 < glf < 0.7	17	7324
	glf > 0.7	47	23
Number of points 20799 ; PC=99.0%; EBD=0.5%; POD1=98.9%; POD2=98.8%; POD3=98.7%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	6033	1808
	4.6 < ws < 7.4	4911	7022
	ws > 7.4	447	2778
Number of points 35145 ; PC=63.7%; EBD=2.4%; POD1=53.0%; POD2=60.5%; POD3=76.7%			

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	10164	863
	4.6 < ws < 7.4	1221	10110
	ws > 7.4	6	635
Number of points 35145 ; PC=90.5%; EBD=0.0%; POD1=89.2%; POD2=87.1%; POD3=95.1%			

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	30255	361
	12.0 < ws < 18.0	261	3407
	ws > 18.0	0	105
Number of points 35145 ; PC=97.7%; EBD=0.0%; POD1=99.1%; POD2=88.0%; POD3=88.0%			

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations West
Model data	North	12773	1011	10	282
	East	239	807	138	1
	South	62	65	2012	758
	West	4498	42	305	7618
Number of points 30621 ; PC=75.8%; EBD=0.4%; POD1=72.7%; POD2=41.9%; POD3=81.6%; POD4=88.0%					

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations West
Model data	North	16885	145	2	394
	East	149	1752	13	0
	South	0	26	2331	105
	West	538	2	119	8160
Number of points 30621 ; PC=95.1%; EBD=0.0%; POD1=96.1%; POD2=91.0%; POD3=94.6%; POD4=94.2%					

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	9785	2068	58
	8.9 < rh < 17.9	4731	7988	1777
	rh > 17.9	270	2291	6129
Number of points 35097 ; PC=68.1%; EBD=0.9%; POD1=66.2%; POD2=64.7%; POD3=77.0%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	14145	541	1
	8.9 < rh < 17.9	641	11494	255
	rh > 17.9	0	312	7708
Number of points 35097 ; PC=95.0%; EBD=0.0%; POD1=95.7%; POD2=93.1%; POD3=96.8%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	34280	36	0
	50.0 < rh < 70.0	38	652	10
	rh > 70.0	0	2	79
Number of points 35097 ; PC=99.8%; EBD=0.0%; POD1=99.9%; POD2=94.5%; POD3=88.8%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	10262	1448	0
	2.1 < pwv < 3.7	1886	4868	902
	pwv > 3.7	93	999	6142
Number of points 26600 ; PC=80.0%; EBD=0.3%; POD1=83.8%; POD2=66.5%; POD3=87.2%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	12002	135	0
	2.1 < pwv < 3.7	237	7062	114
	pwv > 3.7	2	118	6930
Number of points 26600 ; PC=97.7%; EBD=0.0%; POD1=98.0%; POD2=96.5%; POD3=98.4%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7761	3054	368
	4.2 < ws < 7.6	4385	5819	2251
	ws > 7.6	636	2369	9398
Number of points 36041 ; PC=63.8%; EBD=2.8%; POD1=60.7%; POD2=51.8%; POD3=78.2%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	16013	990	115
	East	1328	2489	505
	South	130	581	3796
	West	541	139	123

Number of points 27679 ; PC=81.8%; EBD=1.4%; POD1=88.9%; POD2=59.3%; POD3=83.6%; POD4=36.0%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	8407	2525
	7.1 < rh < 15.3	5653	7227
	rh > 15.3	697	2953

Number of points 35654 ; PC=62.8%; EBD=2.1%; POD1=57.0%; POD2=56.9%; POD3=82.3%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	10420	2231
	1.9 < pwv < 3.5	1837	4486
	pwv > 3.5	84	1077

Number of points 27649 ; PC=76.0%; EBD=0.5%; POD1=84.4%; POD2=57.6%; POD3=81.2%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4931	3991	1432
	0.6 < see < 0.8	3084	3833	3286
	see > 0.8	626	1339	3966
Number of points		26488	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	8170	3	1034
	0.6 < see < 0.8	0	8869	1029
	see > 0.8	471	291	7650
Number of points		26488	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4749	2854	314
	$3.4 < \tau < 5.8$	1628	4648	2977
	$\tau > 5.8$	261	2121	5697
Number of points 25249 ; PC=59.8%; EBD=2.3%; POD1=71.5%; POD2=48.3%; POD3=63.4%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5942	375	1308
	$3.4 < \tau < 5.8$	435	8141	1308
	$\tau > 5.8$	261	1107	7680
Number of points 25249 ; PC=86.2%; EBD=6.2%; POD1=89.5%; POD2=84.6%; POD3=74.6%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3865	4326
	0.6 < glf < 0.7	2616	3629
	glf > 0.7	626	1085
Number of points 25626 ; PC=37.5%; EBD=15.4%; POD1=54.4%; POD2=40.1%; POD3=22.4%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6371	1309
	0.6 < glf < 0.7	110	7683
	glf > 0.7	626	48
Number of points 25626 ; PC=77.8%; EBD=16.5%; POD1=89.6%; POD2=85.0%; POD3=47.7%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	6062	1780	459
	4.6 < ws < 7.4	5337	7294	2610
	ws > 7.4	425	2956	9519
Number of points 36442 ; PC=62.8%; EBD=2.4%; POD1=51.3%; POD2=60.6%; POD3=75.6%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	13015	1120	35
	East	283	807	138
	South	83	98	2022
	West	4766	44	402

Number of points 31696 ; PC=74.8%; EBD=0.5%; POD1=71.7%; POD2=39.0%; POD3=77.9%; POD4=88.6%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	9431	1984
	8.9 < rh < 17.9	5533	8057
	rh > 17.9	386	2610

Number of points 36373 ; PC=65.5%; EBD=1.3%; POD1=61.4%; POD2=63.7%; POD3=75.8%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	10834	1676
	2.1 < pwv < 3.7	2287	4716
	pwv > 3.7	102	1134

Number of points 28365 ; PC=77.1%; EBD=0.4%; POD1=81.9%; POD2=62.7%; POD3=82.8%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7101	3313	501
	4.2 < ws < 7.6	4973	5464	2583
	ws > 7.6	711	2613	8849
Number of points 36108 ; PC=59.3%; EBD=3.4%; POD1=55.5%; POD2=48.0%; POD3=74.2%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	15551	1029	114
	East	1647	2461	662
	South	281	668	3631
	West	587	124	97

Number of points 27773 ; PC=78.8%; EBD=1.9%; POD1=86.1%; POD2=57.5%; POD3=80.6%; POD4=27.7%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	7997	2721
	7.1 < rh < 15.3	6016	6872
	rh > 15.3	751	3007

Number of points 35654 ; PC=59.9%; EBD=2.7%; POD1=54.2%; POD2=54.5%; POD3=78.2%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	10479	2461
	1.9 < pwv < 3.5	1583	4163
	pwv > 3.5	223	1168

Number of points 27464 ; PC=73.8%; EBD=1.5%; POD1=85.3%; POD2=53.4%; POD3=76.1%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4808	3960	1571
	0.6 < see < 0.8	2969	3704	3237
	see > 0.8	812	1530	3851
Number of points		26442	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	7964	0	1083
	0.6 < see < 0.8	0	8887	1083
	see > 0.8	625	307	7576
Number of points		26442	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4525	2832	326
	$3.4 < \tau < 5.8$	1733	4400	2778
	$\tau > 5.8$	390	2450	5860
Number of points 25294 ; PC=58.5%; EBD=2.8%; POD1=68.1%; POD2=45.4%; POD3=65.4%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5760	322	1352
	$3.4 < \tau < 5.8$	498	8056	1352
	$\tau > 5.8$	390	1304	7612
Number of points 25294 ; PC=84.7%; EBD=6.9%; POD1=86.6%; POD2=83.2%; POD3=73.8%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3529	3948
	0.6 < glf < 0.7	2689	3944
	glf > 0.7	835	1135
Number of points 25608 ; PC=37.9%; EBD=15.8%; POD1=50.0%; POD2=43.7%; POD3=23.5%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6112	1119
	0.6 < glf < 0.7	106	7872
	glf > 0.7	835	36
Number of points 25608 ; PC=78.2%; EBD=16.8%; POD1=86.7%; POD2=87.2%; POD3=49.5%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5849	1888	454
	4.6 < ws < 7.4	5460	7260	2719
	ws > 7.4	450	2887	9408
Number of points 36375 ; PC=61.9%; EBD=2.5%; POD1=49.7%; POD2=60.3%; POD3=74.8%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	12683	1149	79
	East	303	771	124
	South	135	78	1904
	West	5018	65	489

Number of points 31668 ; PC=72.6%; EBD=0.9%; POD1=69.9%; POD2=37.4%; POD3=73.3%; POD4=85.9%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8867	1951
	8.9 < rh < 17.9	5983	7883
	rh > 17.9	488	2792

Number of points 36306 ; PC=62.9%; EBD=1.7%; POD1=57.8%; POD2=62.4%; POD3=73.0%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	10685	2046
	2.1 < pwv < 3.7	2385	4233
	pwv > 3.7	132	1201

Number of points 28286 ; PC=74.3%; EBD=0.8%; POD1=80.9%; POD2=56.6%; POD3=80.4%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration